



Files: The accompanying file `assignment7.html` contains examples showing how to produce parametric surfaces in javascript. The solution to each assignment should be delivered in a separate file: `assignment7_1.html`, `assignment7_2.html`, `assignment7_3.html`, and `assignment7_4.html`.

Delivery: Upload the HTML files and any other necessary files to the Racó. All explanations and/or answers to the problems should be included in the HTML file.

Problem 1. Write a program to draw the following surface:



In order to do this, use the fact that this is a ruled surface:



The surface is obtained as follows: consider a plane π and two lines ℓ_1 and ℓ_2 , none of which lies in π , and such that they do not intersect and they are not parallel (i.e., they are *skew*). The surface can be defined as the set of all lines that intersect both ℓ_1 and ℓ_2 and are parallel to π .

Problem 2. Write a program to draw a pawn similar to the one below. Design the chess piece using a single cubic non-uniform B-spline curve.



Problem 3. Write a program to draw a Bézier surface of degree 3×3 , and show the result on the following control points (you can translate and scale them, if you wish):


$$\{P_{i,0}\} = \{(0, 0, 0), (3, 0, 3), (6, 0, 3), (9, 0, 0)\}$$

$$\{P_{i,1}\} = \{(0, 2, 2), (3, 2, 5), (6, 2, 5), (9, 2, 2)\}$$


$$\{P_{i,2}\} = \{(0, 4, 0), (3, 4, 3), (6, 4, 3), (9, 4, 0)\}$$

$$\{P_{i,3}\} = \{(0, 6, 6), (3, 6, 5), (6, 6, 3), (9, 6, 2)\}$$


The result should look more or less like this:



Problem 4. We are given two different gutters like the ones in the figure:




Both of them are (parts of) cylinders. Their profiles, though, are very different, as the following figure shows:



More precisely:

- The thinner gutter has length 6, and its profile is a cubic Bézier curve whose control points are $\{P_i\} = \{(-1.5, 2), (-1.3, 0), (1.3, 0), (1.5, 2)\}$.
- The larger gutter has length 6 too, and its profile is a cubic Bézier curve whose control points are $\{Q_i\} = \{(-3, 3), (-2, -1), (2, -1), (3, 3)\}$.
- Both gutters have the same axis, and the distance between them is equal to 5.

We wish to design a surface to smoothly connect the two gutters, like in the following figure:



Solve the problem using Bézier surfaces of degree 3×3 . Feel free to translate and scale the profile control points, and choose the common axis of the two cylinders at your ease.

These two views show how the final result should more or less look like:

