

```
1 Option Compare Database
2 Option Explicit
3 'Modified 13/02/2015 By Roger Williams
4 '
5 'Added listview to show list of available SOs
6 '
7 'Because the "find" function doesn't work with variables (??!!)
8 'using "filter" instead however need to make sure these two
9 'things are adhered too otherwise the function fails:
10 '
11 '1: recordset using clientside cursor
12 '2: strings are encapsulated with '
13 '
14 '
15 'Modified 05/07/12 By Roger Williams
16 '
17 'MRF 289
18 '
19 'Changed orbik/spel sales order from/to comboboxes to filter S and IR to spel
20 'and remove IR customers from orbik
21 '
22 '
23 'Modified 10/08/10 By Roger Williams
24 '
25 'MRF 276
26 'CreateInv
27 '
28 'added code to save euro rate if applicable
29 '
30 'Modified 28/11/08 by Roger Williams for Orbik Electronics
31 '
32 'sub/func: CreateIVI/itemtaxamount2/processrecords
33 '
34 'added code to read and use current vat from mmts not soi value
35 '
36 'Modified 02/11/07 by Roger Williams for Orbik Electronics
37 '
38 'added: dblTotalWEECharge
39 '
40 'commented out "gettotalweecharge" as was not handling multiple delivery lines
41 'when only one delivery line is for this dated invoice
42 '
43 'Modified 27/03/06 by Roger Williams for Orbik Electronics
44 '
45 'commented out all Resume Next statements
46 '
47 'sub/func: ProcessRecords
48 '
49 'Modified 27/03/06 by Roger Williams for Orbik Electronics
50 '
51 'moved the lines:
52 '    MyWorkspace.BeginTrans
53 '    TransactionFlag = True
54 'and
55 '    MyWorkspace.Commit
56 '    TransactionFlag = False
57 '
58 'as they were accruing INSIDE a loop!
59 '
60 'Modified 06/11/03 by Roger Williams for Orbik Electronics
61 '
62 'sub/func:CreateINV
63 'reason
64 '
65 'added code to write primary sales id
66 '
67 '
68 '***** Constants *****
69 Const NO_MATCH_MMD = -3811
```

```

70 Const NO_MATCH_SOD = -3809
71 Const NO_MATCH_SHI = -3808
72 Const NO_MATCH_SHP = -3807
73 Const NO_MATCH_SOI = -3805
74 Const NO_MATCH_CUS = -3802
75 Const NO_MATCH_ITEM = -3801
76 Const NO_MATCH_MMR = -3794
77 Const NO_MATCH_MMS = -3793
78 Const NO_VAT_DESC = -3792
79 Const NO_MATCH_SOM = -3791
80 Const No_MATCH_SOS = -3795
81 Const NO_MATCH_IVM = -3796
82 Const NO_MATCH_IVI = -3797
83 Const NO_MATCH_IVD = -3798
84 Const NO_MATCH_INV = -3799
85 Const ODBC_FAILED = 3146
86 Const INVALID_INVOICEID = -3800
87 Const INVALID_CURRENCY_TYPE = -3799
88 Const INVALID_CURRENCY_MULT = -3798
89 Dim rsSOM As ADODB.Recordset
90 Dim rsSOI As DAO.Recordset ' ADODB.Recordset
91 Dim rsSOD As ADODB.Recordset
92 Dim rsSOS As ADODB.Recordset
93 Dim rsIMA As ADODB.Recordset
94 Dim rsCUS As ADODB.Recordset
95 Dim rsSHP As DAO.Recordset ' ADODB.Recordset
96 Dim rsSHI As ADODB.Recordset
97 Dim rsMMR As ADODB.Recordset
98 Dim rsMMP As ADODB.Recordset
99 Dim rsMMD As ADODB.Recordset
100 Dim rsINV As ADODB.Recordset
101 Dim rsIVM As ADODB.Recordset
102 Dim rsIVI As ADODB.Recordset
103 Dim rsARM As ADODB.Recordset
104 Dim rsGLT As ADODB.Recordset
105 Dim rsITR As ADODB.Recordset
106 Dim rsLog As DAO.Recordset
107 Dim rstSHP As DAO.Recordset 'used by undo postrecord
108 Dim rsMMS As DAO.Recordset
109
110 '***** MCT Variables Used *****
111 Dim MCTHICUSFlag As Variant
112 Dim MCTHIIVMFlag As Variant
113 Dim MCTCNTaxFreightFlag As Variant
114 Dim MCTCNCommRepNetFlag As Variant
115 Dim MCTGLAPAcctNbr As Variant
116 Dim MCTGLSalesAcctNbr As Variant
117 Dim MCTGLCommExpAcctNbr As Variant
118 Dim MCTGLFreightOutAcctNbr As Variant
119 Dim MCTGLInvAcctNbr As Variant
120 Dim MCTGLInvAdjustAcctNbr As Variant
121 Dim MCTGLCommAccrualAcctNbr As Variant
122 Dim MCTCNCanadianFlag As Variant
123
124 '***** Misc Variables *****
125 Dim ShowErrorReport As Boolean
126 Dim GLINVAcctNbr As Variant
127 Dim GLSalesAcctNbr As Variant
128 Dim InvoiceID As Variant
129 Dim LastInvoiceID As String
130 Dim lastSOLineNbr As Integer
131 Dim MMSSlsTaxPercent As Double
132 Dim MMSSlsTaxGLAcctNbrs As Variant
133 Dim MMSSlsTaxLocationCode As Variant
134 Dim vntErrSOMSalesOrderID As Variant
135 Dim vntErrSHPSalesOrderID As Variant
136 Dim vntErrSOIItemID As Variant
137 Dim vntErrSOMCustomerID As Variant
138 Dim vntErrSHPCustomerID As Variant

```

```

139 Dim vntErrSOMCurrencyType As Variant
140 Dim dblCurrMult1 As Double
141 Dim dblCurrMult2 As Double
142
143 '***** Arrays *****
144 Dim dblTotalWEECharge As Double 'added 02/11/07 By Roger Williams
145 Dim strDate As String
146 Dim mcxado As ADODB.Connection
147 Dim lstItem As ListItem
148 Dim intNum As Integer
149 Dim TotalInvoiceAmtPlusVAT As Double
150 Dim TotalInvoiceAmtMinusVAT As Double
151 Dim TotalLineCOGSAmt As Double
152 Dim TotalLineVATAmt As Double
153 Dim TotalLineRequiredQty As Double
154 Dim TotalLineShipQty As Double
155 Dim TotalVATAmt As Double
156 Dim TotalLineValAmt As Double
157 Dim TotalLineDiscount As Double
158 Dim dblLineDiscount As Double
159 Dim strSOs As String
160 'added 18/02/2015 By Roger Williams
161 '
162 Dim MMR_ARTermsDue As Variant
163 Dim MMR_ARTermsDays As Variant
164 Dim MMR_ARTermsPercent As Variant
165 Dim strSOIDsToPrint As String
166 'moved here from CreateIVD 20/04/2017
167 Dim dblCharge As Double
168 Dim strCharge As String '21/06/07 By Roger Williams
169 Dim SQL As String
170 Dim strCUS_TerritoryCode As String
171 Dim arySOIDs() As String 'holds COMPLETED SOIDs
172 Dim aryPos As Integer
173 '*****used by Processrecords*****
174 'stores IVMinvoice value amounts format: invoiceid, INV_InvoiceAmt
175 'store IVI total qtys format: invoiceid, linenbr, qty
176 'and values stored in these values used in CreateIVI:
177 'SumOfSOIRequiredQty, SumSOIShipQty, SumofItemTaxAmt2, COGSAmt, SumSODShipQty
178
179 Dim typIVI As TIVI 'used to allow CreateIVD/CreateINV access to IVI fields
180 Dim typINV As TINV
181 Dim aryIVI(100) As TIVI
182 Dim aryIVIPos As Integer
183 Dim aryIVM(100) As TIVM
184 Dim aryIVMPos As Integer
185 Dim aryINV(100) As TINV
186 Dim aryINVPos As Integer
187 Dim ErrCode As Double
188 Dim strErrDesc As String
189 Dim intSHDLineNbr As Integer ' SHD line number used for error handling
190 '*****end used by Processrecords*****
191
192 Private Function GetSelected() As Integer
193 'Created 13/02/2015 By Roger Williams
194 '
195 'returns amount of invoices sales orders selected
196 '
197 Dim intCount As Integer
198 Dim intNum As Integer
199
200 intCount = 0
201 For Each lstItem In Me.LVSOID.ListItems
202 If lstItem.Checked Then intCount = intCount + 1
203 Next lstItem
204
205 GetSelected = intCount
206 End Function
207

```

```

208 Private Function GetSPELTerritory(strShipToID As String) As String
209 'Created 05/07/07 by Roger Williams for Orbik Electronics
210 '
211 'looks for sales territory for SPEL customer
212 '
213 Dim rstTemp As DAO.Recordset
214
215 Set rstTemp = CodeDb.OpenRecordset("SELECT SOM.SOM_SalesOrderID, CSA.CSA_UserDef4 FROM
SOM INNER JOIN CSA ON SOM.SOM_ShipToID = CSA.CSA_Counter " & _
216 "WHERE SOM.SOM_ShipToID=" & strShipToID, dbOpenDynaset,
dbSeeChanges)
217
218 If Not NothingIn(rstTemp!CSA_UserDef4) Then
219 GetSPELTerritory = rstTemp!CSA_UserDef4
220 Else
221 GetSPELTerritory = "none" 'passback error if no territory against CSA
222 End If
223
224 rstTemp.Close
225 Set rstTemp = Nothing
226
227 End Function
228
229 Private Function CreateIVD() As Boolean
230 'Created 13/02/2015 By Roger Williams
231 '
232 'Because we are dealing with sub deliveries not the whole total line qty
233 'we use the PER unit costs * this delivery qty to get accurate charge
234 'for this portion of the total delivery
235 '
236
237 Dim lngRecs As Long
238 Dim strWEEE As String
239
240 strCharge = "" ' ORBDLookUp("SOI_UserDef4", "SOI", "SOI_SalesOrderID=" &
rsSOM!SOM_SalesOrderID & "' AND SOI_SOLineNbr=" & rsSOI!SOI_SOLineNbr)
241 lngRecs = 0
242 strWEEE = ""
243
244 If strCharge <> "" Then
245 strWEEE = Chr(34) & NullToZero(rsSOI!SOI_UserDef1) & Chr(34) & "," 'per lamp charge
246 strWEEE = strWEEE & Chr(34) & NullToZero(rsSOI!SOI_UserDef2) & Chr(34) & "," 'per
lum charge
247 strWEEE = strWEEE & Chr(34) & NullToZero(rsSOI!SOI_UserDef3) & Chr(34) & "," 'weight
248 dblCharge = (Cdbl(NullToZero(rsSOI!SOI_UserDef1)) +
Cdbl(NullToZero(rsSOI!SOI_UserDef2)))
249 dblCharge = dblCharge * rsSOS!SOS_ShipQty ' typGet_ItemGrossAndNet.SumSODShipQty
250 strWEEE = strWEEE & Chr(34) & CStr(dblCharge) & Chr(34) & ","
251 strWEEE = strWEEE & Chr(34) & NullToZero(rsSOI!SOI_UserDef5) & Chr(34)
252 Else
253 strWEEE = Chr(34) & "0" & Chr(34) & "," & Chr(34) & "0" & Chr(34) & "," & Chr(34) &
"0" & Chr(34) & "," & Chr(34) & "0" & Chr(34) & "," & Chr(34) & "0" & Chr(34)
254 End If
255
256 mcnxado.Execute "INSERT INTO IVD (" & _
257 "IVD_InvoiceID, IVD_SOLineNbr, IVD_RequiredDate, IVD_DiscPercent, IVD_UnitPrice, " & _
258 "IVD_ShipQty, " & _
259 "IVD_UserDef1, IVD_UserDef2, IVD_UserDef3, IVD_UserDef4 ,IVD_UserDef5) VALUES (" & _
260 Chr(34) & InvoiceID & Chr(34) & "," & rsSOD!SOD_SOLineNbr & _
261 ",'," & Format(rsSOD!SOD_RequiredDate, "mm/dd/yyyy") & "','" & _
262 rsSOD!SOD_DiscPercent & "','" & rsSOD!SOD_UnitPrice & "','" & _
263 rsSOS!SOS_ShipQty & "," & strWEEE & ")", lngRecs
264
265 lastSOLineNbr = rsSOD!SOD_SOLineNbr
266 LastInvoiceID = InvoiceID
267 CreateIVD = True
268
269 End Function
270

```

```

271 Private Function CreateIVI() As Boolean
272 'Modified 31/05/2018 by Roger Williams
273 '
274 'Now uses an array to replace these previous variable:
275 '
276 'SumOfSOIRequiredQty
277 'SumSOIShipQty
278 'SumofItemTaxAmt2
279 'COGSAmt
280 '
281 'Why?
282 '
283 'Those variables are calculated when the IVD is written obviously IVI records
284 'cannot be written multiple times per IVD line so store in array so we can write
285 'the values per invoice in the "create invoice lines" section or ProcessRecords
286 '
287 'Modified 28/11/08 by Roger Williams for Orbik Electronics
288 '
289 'added code to use MMSSlsTaxPercent instead to soi vat
290 '
291 'Modified 28/06/07 by Roger Williams for Orbik Electronics
292 '
293 'stores wieee data
294 '
295
296 'end added 21/06/07 By Roger Williams
297 Dim intNum As Integer
298 On Error GoTo ERR_Error
299 'Stop
300 For intNum = 1 To aryIVIPos
301 If aryIVI(intNum).SalesOrderID = rsSHP!SHP_SalesOrderID And
302 aryIVI(intNum).IVI_SOLineNbr = rsSOI!SOI_SOLineNbr Then
303     strCharge = ORBDLookUp("SOI_UserDef4", "SOI", "SOI_SalesOrderID='" &
304     rsSOM!SOM_SalesOrderID & "' AND SOI_SOLineNbr=" & rsSOI!SOI_SOLineNbr)
305
306     If lastSOLineNbr <> rsSOI!SOI_SOLineNbr Or LastInvoiceID <> InvoiceID Then
307         rsIVI.AddNew
308         rsIVI!IVI_SOLineNbr = rsSOI!SOI_SOLineNbr
309         rsIVI!IVI_InvoiceID = InvoiceID
310         rsIVI!IVI_CustPOLineNbr = rsSOI!SOI_CustPOLineNbr
311         rsIVI!IVI_ItemID = rsSOI!SOI_ItemID
312         rsIVI!IVI_TotalRequiredQty = aryIVI(intNum).IVI_TotalRequiredQty
313         rsIVI!IVI_TotalShipQty = aryIVI(intNum).IVI_TotalShipQty
314         rsIVI!IVI_UnitMeasure = rsSOI!SOI_SalesConvUnitMeasure
315         rsIVI!IVI_TaxableFlag = rsSOI!SOI_TaxableFlag
316         rsIVI!IVI_SlsTaxPercent = MMSSlsTaxPercent
317         rsIVI!IVI_SlsTaxGLAcctNbr = Get_VAT_GL(Nz(rsSOM!SOM_VATTerritory, vbNullString))
318         'Stop
319         rsIVI!IVI_GrossPriceExtAmt = Round(aryIVI(intNum).IVI_GrossPriceExtAmt, 2) ' +
320         Nz(rsSOI!SOI_UserDef4, 0)
321         rsIVI!IVI_SlsTaxAmt = Round(aryIVI(intNum).IVI_SlsTaxAmt, 2)
322         rsIVI!IVI_COGSAmt = Round(aryIVI(intNum).IVI_COGSAmt, 2)
323         rsIVI!IVI_GLSalesAcctNbr = aryIVI(intNum).GLSalesAcctNbr
324         rsIVI!IVI_ItemName = rsSOI!SOI_ItemName
325
326         'added 28/06/07 By Roger Williams
327         If strCharge <> "" Then
328             rsIVI!IVI_UserDef1 = NullToZero(rsSOI!SOI_UserDef1) 'per lamp charge
329             rsIVI!IVI_UserDef2 = NullToZero(rsSOI!SOI_UserDef2) 'per lum charge
330             rsIVI!IVI_UserDef3 = NullToZero(rsSOI!SOI_UserDef3) 'weight
331             rsIVI!IVI_UserDef4 = CStr(aryIVI(intNum).IVI_TotalShipQty *
332             (Cdbl(NullToZero(rsSOI!SOI_UserDef1)) +
333             Cdbl(NullToZero(rsSOI!SOI_UserDef2)))) 'get line total this delivery
334             rsIVI!IVI_UserDef5 = NullToZero(rsSOI!SOI_UserDef5) 'charge type
335         Else
336             rsIVI!IVI_UserDef1 = "0"
337             rsIVI!IVI_UserDef2 = "0"
338             rsIVI!IVI_UserDef3 = "0"
339             rsIVI!IVI_UserDef4 = "0"

```

```

335         rsIVI!IVI_UserDef5 = "0"
336     End If
337     'end added 28/06/07 By Roger Williams
338     Stop
339     dblTotalWEECharge = 0 ' dblTotalWEECharge + rsIVI!IVI_UserDef4
340     rsIVI.Update
341     CreateIVI = True
342 End If
343 End If
344 Next intNum
345 Exit Function
346 ERR_Error:
347 Stop
348 MsgBox Err.Number & ":" & Err.Description, vbCritical, "Error"
349 End Function
350
351 Private Function CreateIVM() As Boolean
352 'Modified 22/06/07 by Roger Williams for Orbik Electronics
353 '
354 'added code to save weee total charge for invoiced lines
355 '
356 Dim DueDate          As Variant
357 Dim tmpDate          As Variant
358 Dim NxtMonth         As Variant
359 Dim intDays          As Variant
360 Dim intNum As Integer
361
362 For intNum = 1 To aryIVMPos
363     If aryIVM(intNum).SalesOrderID = rsSHP!SHP_SalesOrderID Then
364         If rsCUS!CUS_EOMFlag Then
365             NxtMonth = DateAdd("m", 1, CVDDate(Me!txtInvoiceDate))
366             intDays = DateSerial(Year(NxtMonth), Month(NxtMonth), Day(NxtMonth)) -
                DateSerial(Year(CVDDate(Me!txtInvoiceDate)), Month(CVDDate(Me!txtInvoiceDate)),
                Day(CVDDate(Me!txtInvoiceDate)))
367             tmpDate = DateSerial(Year(CVDDate(Me!txtInvoiceDate)),
                Month(CVDDate(Me!txtInvoiceDate)), intDays)
368             DueDate = DateAdd("d", MMR_ARTermsDue, tmpDate)
369         Else
370             DueDate = DateAdd("d", MMR_ARTermsDue, CVDDate(Me!txtInvoiceDate))
371         End If
372
373         If LastInvoiceID <> InvoiceID Then
374             rsIVM.AddNew
375             rsIVM!IVM_InvoiceID = InvoiceID
376             rsIVM!IVM_EmployeeID = gstrdfltempid
377             rsIVM!IVM_SalesOrderID = rsSHP!SHP_SalesOrderID
378             rsIVM!IVM_CustomerID = rsSHP!SHP_CustomerID
379             rsIVM!IVM_InvoiceDate = Me!txtInvoiceDate 'add weee charge
380             rsIVM!IVM_InvoiceAmt = Round(aryIVM(intNum).IVM_InvoiceAmt, 2) ' +
                aryIVM(intNum).WEEE
381             rsIVM!IVM_CustomerPOID = rsSHP!SHP_CustomerPOID
382             rsIVM!IVM_SlsTaxDesc = rsSOM!SOM_SlsTaxDesc
383             rsIVM!IVM_SlsTaxPercent = MMSSlsTaxPercent
384             rsIVM!IVM_SlsTaxGLAcctNbr = MMSSlsTaxGLAcctNbrs
385             rsIVM!IVM_SlsTaxAmt = 0 'Round(aryIVM(intNum).IVM_SlsTaxAmt, 2)
386             rsIVM!IVM_SlsTaxAmt2 = 0
387             rsIVM!IVM_SlsTaxLocationCode = MMSSlsTaxLocationCode
388             'original code has VAT added to NetInvoiceAmt!!?
389             rsIVM!IVM_NetInvoiceAmt = aryIVM(intNum).IVM_InvoiceNetAmt ' +
                aryIVM(intNum).WEEE ' rsIVM!IVM_InvoiceAmt
                'Round(aryIVM(intNum).IVM_InvoiceNetAmt, 2)
390             rsIVM!IVM_BalanceDueAmt = rsIVM!IVM_InvoiceAmt 'aryIVM(intNum).InvoiceNet
391             rsIVM!IVM_BalanceDueDate = DueDate
392             rsIVM!IVM_ShipDate = rsSHP!SHP_ShipDate
393             rsIVM!IVM_ShiplistDate = rsSHP!SHP_ShiplistDate
394             rsIVM!IVM_ShipMethod = rsSHP!SHP_ShipMethod
395             rsIVM!IVM_BillLadingNbr = rsSHP!SHP_BillLadingNbr
396             rsIVM!IVM_ARTermsDesc = rsSOM!SOM_ARTermsDesc
397

```

```

398         If LCase(Left$(rsSOM!SOM_CustomerID, 1)) = "s" Then
399             rsIVM!IVM_TerritoryCodes = GetSPELTerritory(rsSOM!SOM_ShipToID)
400             'show error if no territory
401             If rsIVM!IVM_TerritoryCodes = "none" Then
402                 MsgBox rsSOD!SOD_SalesOrderID & ": Has NO Sales Territory Against The
                     Shipto Address", vbExclamation, "No Shipto Sales Territory"
403             End If
404         Else
405             rsIVM!IVM_TerritoryCodes = rsSOM!SOM_TerritoryCodes
406         End If
407
408         rsIVM!IVM_SMSACode = rsCUS!CUS_SMSACode
409         rsIVM!IVM_SalesOrderDate = rsSOM!SOM_SalesOrderDate
410         rsIVM!IVM_FOB = rsSOM!SOM_FOB
411         rsIVM!IVM_BillName = rsCUS!CUS_BillName
412         rsIVM!IVM_BillAddress = rsCUS!CUS_BillAddress
413         rsIVM!IVM_BillAddr2 = rsCUS!CUS_BillAddr2
414         rsIVM!IVM_BillAddr3 = rsCUS!CUS_BillAddr3
415         rsIVM!IVM_BillCity = rsCUS!CUS_BillCity
416         rsIVM!IVM_BillState = rsCUS!CUS_BillState
417         rsIVM!IVM_BillPostalCode = rsCUS!CUS_BillPostalCode
418         rsIVM!IVM_BillCountry = rsCUS!CUS_BillCountry
419         rsIVM!IVM_ShipToName = rsSOM!SOM_ShipToName
420         rsIVM!IVM_ShipToAddress = rsSOM!SOM_ShipToAddress
421         rsIVM!IVM_ShipToAddr2 = rsSOM!SOM_ShipToAddr2
422         rsIVM!IVM_ShipToAddr3 = rsSOM!SOM_ShipToAddr3
423         rsIVM!IVM_ShipToCity = rsSOM!SOM_ShipToCity
424         rsIVM!IVM_ShipToState = rsSOM!SOM_ShipToState
425         rsIVM!IVM_ShipToPostalCode = rsSOM!SOM_ShipToPostalCode
426         rsIVM!IVM_ShipToCountry = rsSOM!SOM_ShipToCountry
427         rsIVM!IVM_CurrencyType = rsSOM!SOM_CurrencyType
428         rsIVM!IVM_Region = rsSOM!SOM_Region
429         rsIVM!IVM_CurrencyMult = rsSOM!SOM_CurrencyMult
430         rsIVM!IVM_CurrencyMult2 = rsSOM!SOM_CurrencyMult2
431         rsIVM!IVM_SpecialInst = rsSOM!SOM_SpecialInst
432         rsIVM!IVM_PrintInvoiceFlag = False
433         rsIVM!IVM_AuditFlag = False
434         'added 22/06/07 By Roger Williams
435         rsIVM!IVM_UserDef5 = CStr(dblTotalWEECharge) & "CDbl(rsSOM!SOM_UserDef5) "
                     Total wee charge for the order
436         'end added 22/06/07 By Roger Williams
437         rsIVM.Update
438         CreateIVM = True
439     End If
440 End If
441 Next intNum
442 End Function
443
444 Private Sub ClearLog()
445     CodeDb.Execute "DELETE * FROM tmpInvoiceTranLog", dbFailOnError + dbSeeChanges
446 End Sub
447
448 Private Function ClearRecords() As Integer
449     DoCmd.Hourglass True
450
451     If ProcessRecords() Then
452         ClearRecords = True
453     Else
454         ClearRecords = False
455     End If
456
457     DoCmd.Hourglass False
458
459 End Function
460
461 Private Sub CHKPDF_Click()
462     Me.chkPrintInvoice = Not Me.CHKPDF
463 End Sub
464

```

```

465 Private Sub chkPrintInvoice_Click()
466 Me.CHKPDF = Not Me.chkPrintInvoice
467 End Sub
468
469 Private Sub cmdClose_Click()
470     On Error Resume Next
471     CloseForm Me.Name
472
473 End Sub
474
475 Private Sub cmdRun_Click()
476 Dim rstTemp As DAO.Recordset
477     On Error GoTo Err_cmdRun_Click_Gen
478
479 Me.Tag = ""
480
481 If Me.chkAllSalesOrderID.Enabled Then
482     Set rstTemp = CodeDb.OpenRecordset("SELECT SHP.SHP_SalesOrderID AS [Sales Order ID],
        SHP.SHP_CustomerPOID AS [Cust PO ID], SHP.SHP_CustomerID AS [Customer ID],
        SHP.SHP_ShipDate AS [Ship Date] FROM SHP WHERE (SHP.SHP_SalesOrderID In (Select
        SOS_SalesOrderID from SOS where SOS_InvoiceDate is Null) AND
        SHP.SHP_ToInvoiceFlag=true) ORDER BY SHP.SHP_SalesOrderID;", dbOpenSnapshot,
        dbSeeChanges + dbFailOnError)
483     If rstTemp.EOF Then Me.Tag = "1"
484     rstTemp.Close
485     Set rstTemp = Nothing
486     'check if not invoicing all the TXTIN has contents
487     If Me.chkAllSalesOrderID = False Then
488         If GetSelected = 0 Then Me.Tag = "1"
489     End If
490 End If
491
492 If Me.Tag = "1" Then
493     DisplayMsg "MSG_NORECORDSFOUND"
494     GoTo Exit_cmdRun_Click
495 End If
496
497 If NothingIn(Me!txtAccountingDate) Or Not Validate_GLDate(Me!txtAccountingDate) Then
498     SendKeys "{Esc}"
499     Me!txtAccountingDate.Enabled = True
500     Me!txtAccountingDate.SetFocus
501     MsgBox "Accounting Date Invalid", vbCritical, "Error"
502     GoTo Exit_cmdRun_Click
503 ElseIf NothingIn(Me!txtInvoiceDate) Then
504     Me!txtInvoiceDate.SetFocus
505     MsgBox "Invoice Date Invalid", vbCritical, "Error"
506     GoTo Exit_cmdRun_Click
507 End If
508
509 ShowErrorReport = False
510 Call ClearLog
511 If GetMCEValues() Then
512     If ClearRecords() Then
513         DisplayMsg "MSG_PROCESSCOMPLETE"
514         PrintInvoices
515     Else
516         'modified 12/02/2015 by Roger Williams
517         'now if error in processing show report
518         If ShowErrorReport Then
519             ShowErrorReport = False
520             DoCmd.OpenReport "rptInvoiceError", acViewPreview
521         Else
522             'if nothing done
523             DisplayMsg "MSG_NORECFOUND"
524         End If
525     End If
526 End If
527
528 Exit_cmdRun_Click:

```

```

529     Me.Tag = ""
530     DoCmd.Hourglass False
531     Me.CHKPDF.Value = False
532 Exit Sub
533 RollBack_PostRecord:
534     On Error Resume Next
535     GoTo Exit_cmdRun_Click
536 Err_cmdRun_Click_Gen:
537 MsgBox "Error: " & Err.Description
538     Resume RollBack_PostRecord
539
540 End Su
541 Private Function CreateARM() As Boolean
542 'Modified 22/06/07 by Roger Williams for Orbik Electronics
543 '
544 'added code to save weee total charge for invoiced lines
545 '
546     Dim DiscAllowAmt As Double
547     Dim discAllowDate As Variant
548     Dim DueDate As Variant
549     Dim tmpDate As Variant
550     Dim NxtMonth As Variant
551     Dim intDays As Variant
552     Dim intNum As Integer
553
554 On Error GoTo ERR_Error
555
556 If DLookup("ARM_InvoiceID", "ARM", "ARM_InvoiceID = '" & InvoiceID & "' AND
ARM_CustomerID ='" & rsSHP!SHP_CustomerID & " AND ARM_InvoiceDate = #" &
Me!txtInvoiceDate.Value & "'") Then
557     'not creating duplicate ARM record!
558     CreateARM = True 'not technically an error so ignore
559     Exit Function
560 End If
561
562 If rsCUS!CUS_EOMFlag Then
563     NxtMonth = DateAdd("m", 1, CDate(Me!txtInvoiceDate))
564     intDays = DateSerial(Year(NxtMonth), Month(NxtMonth), Day(NxtMonth)) -
DateSerial(Year(CDate(Me!txtInvoiceDate)), Month(CDate(Me!txtInvoiceDate)),
Day(CDate(Me!txtInvoiceDate)))
565     tmpDate = DateSerial(Year(CDate(Me!txtInvoiceDate)),
Month(CDate(Me!txtInvoiceDate)), intDays)
566     DueDate = DateAdd("d", MMR_ARTermsDue, tmpDate)
567 Else
568     DueDate = DateAdd("d", MMR_ARTermsDue, CDate(Me!txtInvoiceDate))
569 End If
570 'apply discount to total with NO VAT
571 DiscAllowAmt = (MMR_ARTermsPercent * aryIVM(intNum).IVM_InvoiceNetAmt)
572 discAllowDate = DateAdd("d", MMR_ARTermsDays, CDate(Me!txtInvoiceDate))
573
574 For intNum = 1 To aryIVMPos
575     If aryIVM(intNum).SalesOrderID = rsSHP!SHP_SalesOrderID Then 'InvoiceID Then
576         If aryIVM(intNum).IVM_InvoiceNetAmt <> 0 Then
577             rsARM.AddNew
578             rsARM!ARM_InvoiceID = InvoiceID
579             rsARM!ARM_CustomerID = rsSHP!SHP_CustomerID
580             rsARM!ARM_InvoiceDate = Me!txtInvoiceDate.Value
581             'modified 26/07/07 By Roger Williams 'add weee charge
582             rsARM!ARM_InvoiceAmt = Round(aryIVM(intNum).IVM_InvoiceAmt, 2) '+
aryIVM(intNum).WEEE
583             'modified 26/07/07 By Roger Williams
584             rsARM!ARM_BalanceDueAmt = rsARM!ARM_InvoiceAmt 'includes VAT
585             'end modified 26/07/07 By Roger Williams
586
587             If MMSSlTaxPercent <> 0 Then 'net value is total-discounts-VAT
588                 rsARM!ARM_InvoiceNetAmt = Round(aryIVM(intNum).IVM_InvoiceNetAmt, 2) '+
aryIVM(intNum).WEEE '- aryIVM(intNum).TotalSumTaxAmt
589             End If
590

```

```

591         rsARM!ARM_DiscAllowedAmt = Round(DiscAllowAmt, 2)
592         rsARM!ARM_ShiplistDate = rsSHP!SHP_ShiplistDate
593         rsARM!ARM_DiscAllowedDate = discAllowDate
594         rsARM!ARM_DueDate = DueDate
595         rsARM!ARM_ARTermsDesc = rsSOM!SOM_ARTermsDesc
596         rsARM!ARM_CurrencyType = rsSOM!SOM_CurrencyType
597         rsARM!ARM_Region = rsSOM!SOM_Region
598         rsARM!ARM_SalesOrderID = rsSOM!SOM_SalesOrderID
599         rsARM!ARM_CurrencyMult = dblCurrMult1
600         rsARM!ARM_CurrencyMult2 = dblCurrMult2
601         rsARM!ARM_GL_SalesAcctNbr = MCTGLSalesAcctNbr
602         rsARM!ARM_CustomerPOID = rsSOM!SOM_CustomerPOID
603         rsARM!ARM_DomesticBalanceDueAmt = Round((aryIVM(intNum).IVM_InvoiceAmt *
        dblCurrMult1 * dblCurrMult2), 2)
604         rsARM!ARM_DomesticdiscAllowedAmt = Round((DiscAllowAmt * dblCurrMult1 *
        dblCurrMult2), 2)
605         '         rsARM!ARM_DomesticInvoiceNetAmt = Round((InvAmtLessTaxFreight * dblCurrMult1 *
        dblCurrMult2), 2)
606         'should be minus VAT plus WEEE
607         rsARM!ARM_DomesticInvoiceNetAmt = Round((aryIVM(intNum).IVM_InvoiceNetAmt *
        dblCurrMult1 * dblCurrMult2), 2) '+ aryIVM(intNum).WEEE
608         rsARM!ARM_ARAcctNbr = rsSOM!SOM_ARAcctNbr
609         'added 22/06/07 By Roger Williams
610         Stop
611         rsARM!ARM_UserDef5 = CStr(dblTotalWEECharge)      'CDbl(rsSOM!SOM_UserDef5) '
        Total wee charge for the order
612         'end added 22/06/07 By Roger Williams
613         rsARM.Update
614     End If
615 End If
616 Next intNum
617
        CreateARM = True
618 Exit Function
619
620
621 ERR_Error:
622 'comes here if processing multiple SOD lines and trying to create
623 'multiple copies of the same ARM!
624
625 End Function
626
627 Private Function CreateGLT(ByVal PostedAmt As Double, DebitAcct As Variant, CreditAcct
        As Variant, SourceRef As Variant, Source As String) As Boolean
628 Dim strTemp As String
629
630 strTemp = strDate ' AddNowTime(Me.txtAccountingDate) ', "mm/dd/yyyy hh:nn:ss")
631 If PostedAmt > 0 Then
632     rsGLT.AddNew
633     rsGLT!GLT_Source = Source
634     rsGLT!GLT_SourceRef = SourceRef
635     rsGLT!GLT_EffTransDate = strTemp
636     rsGLT!GLT_PostedAmt = Round((PostedAmt * dblCurrMult1 * dblCurrMult2), 2)
637     rsGLT!GLT_DebitAcctNbr = DebitAcct      ' Var set in GetIMAInfo
638     rsGLT!GLT_CreditAcctNbr = CreditAcct    ' My MCT Global Value
639     rsGLT.Update
640 ElseIf PostedAmt < 0 Then
641     rsGLT.AddNew
642     rsGLT!GLT_Source = Source
643     rsGLT!GLT_SourceRef = SourceRef
644     rsGLT!GLT_EffTransDate = strTemp
645     rsGLT!GLT_PostedAmt = Round(Abs((PostedAmt * dblCurrMult1 * dblCurrMult2)), 2)
646     rsGLT!GLT_DebitAcctNbr = CreditAcct    ' Var set in GetIMAInfo
647     rsGLT!GLT_CreditAcctNbr = DebitAcct    ' My MCT Global Value
648     rsGLT.Update
649 End If
650
        CreateGLT = True
651 End Function
652
653

```

```

654 Private Function CreateINV() As Boolean
655 'Modified 10/08/10 By Roger Williams
656 '
657 'MRF 276
658 '
659 'added code to save euro rate if applicable
660 '
661 'Modified 22/06/07 by Roger Williams for Orbik Electronics
662 '
663 'added code to save weee total charge
664 '
665 'Modified 06/11/03 by Roger Williams for Orbik Electronics
666 '
667 'added code to write primary sales id
668 '
669 Dim intNum As Integer
670 'Stop
671 For intNum = 1 To aryINVPos
672     If aryINV(intNum).INV_SalesOrderID = rsSHP!SHP_SalesOrderID And _
673         aryINV(intNum).INV_SOLineNbr = rsSOD!SOD_SOLineNbr And _
674         aryINV(intNum).INV_RequiredDate = rsSOD!SOD_RequiredDate Then
675         'added 10/08/10 By Roger Williams for mrf 276
676         If strCUS_TerritoryCode = "EU INV" Then
677             strCUS_TerritoryCode = ORBDLookUp("MMX_Multiplier", "MMX",
678                 "MMX_CurrencyType='EURO'")
679         End If
680         'end added 10/08/10 By Roger Williams
681         rsINV.Open "SELECT INV.* FROM INV WHERE INV_InvoiceID='" & InvoiceID & "'",
682             mcnxado, adOpenDynamic, adLockOptimistic
683         ' Stop
684         rsINV.AddNew
685         rsINV!INV_SalesOrderID = rsSOD!SOD_SalesOrderID
686         rsINV!INV_SOLineNbr = rsSOD!SOD_SOLineNbr
687         rsINV!INV_RequiredDate = aryINV(intNum).INV_RequiredDate
688         rsSOD!SOD_RequiredDate
689         rsINV!INV_ItemID = rsSOI!SOI_ItemID
690         rsINV!INV_InvoiceID = InvoiceID
691         rsINV!INV_CustomerID = rsSOM!SOM_CustomerID
692         rsINV!INV_InvoiceDate = Me!txtInvoiceDate
693         rsINV!INV_InvoiceQty = rsSOS!SOS_ShipQty 'add WEEE charge
694         rsINV!INV_InvoiceAmt = aryINV(intNum).INV_InvoiceAmt + Nz(rsSOI!SOI_UserDef4,
695             0) ' TotalLineValAmt - dblLineDiscount + Nz(rsSOI!SOI_UserDef4, 0) '
696         Round(typIVI.IVI_GrossPriceExtAmt, 2) - dblLineDiscount +
697         Nz(rsSOI!SOI_UserDef4, 0)
698
699         'if commissioning line store gl code in INV
700         If rsSOI!SOI_GLSalesAcctNbr = "3575" Then
701             rsINV!INV_UserDef1 = "3575"
702         End If
703
704         If LCase(Left$(rsSOM!SOM_CustomerID, 1)) = "s" Then
705             rsINV!INV_SalesmanName = "9999999b"
706             rsINV!INV_TerritoryCodes = GetSPELTerritory(rsSOM!SOM_ShipToID)
707             'show error if no territory
708             If rsINV!INV_TerritoryCodes = "none" Then
709                 MsgBox rsSOD!SOD_SalesOrderID & ": Has NO Sales Territory Against The
710                     Shipto Address", vbExclamation, "No Shipto Sales Territory"
711             End If
712         Else
713             If LCase(Left$(rsSOM!SOM_CustomerID, 1)) = "i" Then
714                 rsINV!INV_SalesmanName = "9999999c"
715                 rsINV!INV_TerritoryCodes = rsSOM!SOM_TerritoryCodes
716             Else
717                 rsINV!INV_SalesmanName = "9999999a"
718                 rsINV!INV_TerritoryCodes = rsSOM!SOM_TerritoryCodes
719             End If
720         End If
721     End If
722 End For

```

```

716         If rsSOI!SOI_LineNbrTypeCode = "Item" Then
717             rsINV!INV_AcctValAmt = aryINV(intNum).INV_AcctValAmt
718             rsINV!INV_ProdFam = aryINV(intNum).INV_ProdFam
719             rsINV!INV_ProdModel = aryINV(intNum).INV_ProdModel
720         ElseIf rsSOI!SOI_LineNbrTypeCode = "GL Acct" Then
721             rsINV!INV_ProdFam = rsSOI!SOI_ProdFam
722             rsINV!INV_ProdModel = rsSOI!SOI_ProdModel
723         End If
724
725         rsINV!INV_UserDef5 = CStr(NullToZero(TotalLineShipQty) *
726             (Cdbl(NullToZero(rsSOI!SOI_UserDef1)) + Cdbl(NullToZero(rsSOI!SOI_UserDef2))))
727         rsINV!INV_UserDef4 = strCUS_TerritoryCode
728     ' Stop
729     rsINV.Update
730
731     CreateINV = True
732     rsINV.Close
733 End If
734 Next intNum
735 End Function
736
737 Private Sub CreateErrorLog(ByVal ErrCode As Double, ErrDesc As String, ByVal
738     vntSOMSalesOrderID As String, ByVal vntSHPSalesOrderID As String, ByVal vntSOIItemID As
739     String, ByVal vntSOMCustomerID As String, ByVal vntSHPCustomerID As String, ByVal
740     vntSOMCurrencyType As String)
741     'modified 12/02/2015 By Roger Williams
742     '
743     'Changed passed variables to string
744     '
745     'Stop
746     Set rsLog = CodeDb.OpenRecordset("SELECT * FROM tmpInvoiceTranLog", dbOpenDynaset,
747         dbSeeChanges + dbFailOnError)
748     rsLog.AddNew
749     Select Case ErrCode
750     Case NO_MATCH_ITEM
751         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
752
753         If ErrDesc = "" Then
754             rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_ITEMID", vntSOMSalesOrderID,
755                 vntSOIItemID)
756         Else
757             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
758                 vntSOIItemID
759         End If
760     Case NO_MATCH_CUS
761         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
762
763         If ErrDesc = "" Then
764             rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_CUSID", vntSOMSalesOrderID,
765                 vntSOMCustomerID, vntSHPCustomerID)
766         Else
767             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
768                 vntSOIItemID
769         End If
770     Case NO_MATCH_SOD
771         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
772
773         If ErrDesc = "" Then
774             rsLog!ErrorMsg = "No Sales Order Delivery Data For Line: " & intSHDLineNbr &
775                 " SO: " & vntSOMSalesOrderID
776         Else
777             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
778                 vntSOIItemID
779         End If
780     Case No_MATCH_SOS
781         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
782     End Select
783     rsLog.Update
784 End Sub

```

```

774         If ErrDesc = "" Then
775             rsLog!ErrorMsg = GetMsg("MSG_SO_NO_SHIP", vntSOMSalesOrderID)
776         Else
777             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
778         End If
779
780     Case NO_MATCH_SHI
781         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
782
783         If ErrDesc = "" Then
784             rsLog!ErrorMsg = "No Shiplist Line Data For Line: " & intSHDLineNbr & " SO:
                " & vntSOMSalesOrderID
785         Else
786             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
787         End If
788
789     Case NO_MATCH_SHP
790         rsLog!SalesOrderID = rsSOM!SOM_SalesOrderID
791
792         If ErrDesc = "" Then
793             rsLog!ErrorMsg = "No Shiplist Records Found For Line"
794         Else
795             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
796         End If
797
798     Case NO_MATCH_SOI
799         rsLog!SalesOrderID = vntSOMSalesOrderID
800
801         If ErrDesc = "" Then
802             rsLog!ErrorMsg = GetMsg("MSG_SO_NO_DELIVERY_LINE", vntSOMSalesOrderID)
803         Else
804             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
805         End If
806
807     Case INVALID_CURRENCY_TYPE
808         rsLog!SalesOrderID = vntSOMSalesOrderID
809
810         If ErrDesc = "" Then
811             rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_CURRENCY", vntSOMSalesOrderID,
                vntSOMCurrencyType)
812         Else
813             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
814         End If
815
816     Case INVALID_INVOICEID
817         rsLog!SalesOrderID = vntSHPSalesOrderID
818
819         If ErrDesc = "" Then
820             rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_INVOICE", vntSHPSalesOrderID,
                InvoiceID)
821         Else
822             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
823         End If
824
825     Case NO_MATCH_SOM
826         rsLog!SalesOrderID = vntSHPSalesOrderID
827
828         If ErrDesc = "" Then
829             rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_INFO", vntSHPSalesOrderID)
830         Else
831             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
                vntSOIItemID
832         End If

```

```
833
834 Case NO_MATCH_MMR
835     rsLog!SalesOrderID = vntSHPSalesOrderID
836
837     If ErrDesc = "" Then
838         rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_AR_TERMS", vntSOMSalesOrderID)
839     Else
840         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
841     End If
842
843 Case NO_MATCH_MMS
844     rsLog!SalesOrderID = vntSHPSalesOrderID
845
846     If ErrDesc = "" Then
847         rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_DESCRIPTION", vntSOMSalesOrderID)
848     Else
849         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
850     End If
851
852 Case NO_VAT_DESC
853     rsLog!SalesOrderID = vntSHPSalesOrderID
854
855     If ErrDesc = "" Then
856         rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_VATDESC", vntSOMSalesOrderID)
857     Else
858         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
859     End If
860
861 Case NO_MATCH_MMD
862     rsLog!SalesOrderID = vntSOMSalesOrderID
863
864     If ErrDesc = "" Then
865         rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_EXTRA_DESC", vntSOMSalesOrderID)
866     Else
867         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
868     End If
869
870 Case INVALID_CURRENCY_MULT
871     rsLog!SalesOrderID = vntSOMSalesOrderID
872
873     If ErrDesc = "" Then
874         rsLog!ErrorMsg = GetMsg("MSG_SO_INVALID_CUR_MULT_RANGE", vntSOMCurrencyType)
875     Else
876         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
877     End If
878
879 Case ODBC_FAILED
880     rsLog!SalesOrderID = vntSHPSalesOrderID
881
882     If ErrDesc = "" Then
883         rsLog!ErrorMsg = GetMsg("MSG_SO_DATA_LOCK", vntSOMSalesOrderID)
884     Else
885         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
886     End If
887
888 Case NO_MATCH_IVI
889     rsLog!SalesOrderID = vntSHPSalesOrderID
890
891     If ErrDesc = "" Then
892         rsLog!ErrorMsg = GetMsg("MSG_SO_UNABLE_TO_UPDATE_IVI", vntSOMSalesOrderID)
893     Else
894         rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
            vntSOIItemID
```

```

895         End If
896
897     Case NO_MATCH_IVM
898         rsLog!SalesOrderID = vntSHPSalesOrderID
899
900         If ErrDesc = "" Then
901             rsLog!ErrorMsg = GetMsg("MSG_SO_UNABLE_TO_UPDATE_IVM", vntSOMSalesOrderID)
902         Else
903             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
vntSOIItemID
904         End If
905
906     Case NO_MATCH_IVD
907         rsLog!SalesOrderID = vntSHPSalesOrderID
908
909         If ErrDesc = "" Then
910             rsLog!ErrorMsg = GetMsg("MSG_SO_UNABLE_TO_UPDATE_IVD", vntSOMSalesOrderID)
911         Else
912             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
vntSOIItemID
913         End If
914
915     Case NO_MATCH_INV
916         rsLog!SalesOrderID = vntSHPSalesOrderID
917
918         If ErrDesc = "" Then
919             rsLog!ErrorMsg = GetMsg("MSG_SO_UNABLE_TO_UPDATE_INV", vntSOMSalesOrderID)
920         Else
921             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
vntSOIItemID
922         End If
923
924     Case Else
925         rsLog!SalesOrderID = vntSHPSalesOrderID
926
927         If ErrDesc = "" Then
928             rsLog!ErrorMsg = Error(ErrCode) & Space(1) & GetMsg("MSG_SO_NOT_PROCESSED",
vntSOMSalesOrderID)
929         Else
930             rsLog!ErrorMsg = ErrDesc & " : SO: " & vntSOMSalesOrderID & " Item: " &
vntSOIItemID
931         End If
932
933 End Select
934
935 ShowErrorReport = True
936 rsLog.Update
937 rsLog.Close
938 End Sub
939
940 Private Sub Form_Activate()
941     On Error GoTo Err_Form_Activate_Gen
942
943     DoCmd.SelectObject acForm, Me.Name, False
944     DoCmd.Restore
945
946 Exit_Form_Activate:
947     Exit Sub
948 Err_Form_Activate_Gen:
949 End Sub
950
951 Private Sub Form_Close()
952     On Error GoTo Err_Form_Close_Gen
953
954 Set rsSOM = Nothing           'added 21/05/12
955 Set rsSOI = Nothing          'added 21/05/12
956 Set rsSOD = Nothing          'added 21/05/12
957 Set rsSOS = Nothing          'added 21/05/12
958 Set rsIMA = Nothing          'added 21/05/12

```

```

959 Set rsCUS = Nothing 'added 21/05/12
960 Set rsSHP = Nothing 'added 21/05/12
961 Set rsSHI = Nothing 'added 21/05/12
962 Set rsMMR = Nothing 'added 21/05/12
963 Set rsMMS = Nothing 'added 21/05/12
964 Set rsMMP = Nothing 'added 21/05/12
965 Set rsMMD = Nothing 'added 21/05/12
966 Set rsINV = Nothing 'added 21/05/12
967 Set rsIVM = Nothing 'added 21/05/12
968 Set rsIVI = Nothing 'added 21/05/12
969 Set rsARM = Nothing 'added 21/05/12
970 Set rsGLT = Nothing 'added 21/05/12
971 Set rsITR = Nothing 'added 21/05/12
972 Set rsLog = Nothing 'added 21/05/12
973 CloseForm Me.Name
974
975 Exit_Form_Close:
976     Exit Sub
977 Err_Form_Close_Gen:
978 End Sub
979
980 Private Sub FillListBox()
981 Dim rstTemp As DAO.Recordset
982
983 Set rstTemp = CodeDb.OpenRecordset("SELECT SHP.SHP_SalesOrderID AS [Sales Order ID],
CUS.CUS_BillName, SOS.SOS_InvoiceDate AS [Invoice Date], SHP.SHP_CustomerPOID AS [Cust
PO ID], SHP.SHP_CustomerID AS [Customer ID], SHP.SHP_ShipDate AS [Ship Date],
CInt([SHP_ToInvoiceFlag]) AS Expr1 " & _
984     "FROM (SHP INNER JOIN SOS ON SHP.SHP_SalesOrderID = SOS.SOS_SalesOrderID)
INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID " & _
985     "GROUP BY SHP.SHP_SalesOrderID, CUS.CUS_BillName, SOS.SOS_InvoiceDate,
SHP.SHP_CustomerPOID, SHP.SHP_CustomerID, SHP.SHP_ShipDate,
CInt([SHP_ToInvoiceFlag]) " & _
986     "HAVING (((SOS.SOS_InvoiceDate) Is Null) And ((CInt([SHP_ToInvoiceFlag]))
<> 0)) " & _
987     "ORDER BY SHP.SHP_SalesOrderID;", dbOpenSnapshot, dbSeeChanges +
dbFailOnError)
988
989 Me.LVSOID.ListItems.Clear
990
991 While Not rstTemp.EOF
992     Set lstItem = Me.LVSOID.ListItems.Add
993     lstItem.Text = rstTemp![Sales Order ID]
994     lstItem.SUBItems(1) = rstTemp![Customer ID]
995     lstItem.SUBItems(2) = rstTemp![CUS_BillName]
996     rstTemp.MoveNext
997 Wend
998
999 rstTemp.Close
1000 End Sub
1001
1002 Private Sub Form_Open(Cancel As Integer)
1003 On Error GoTo Err_Form_Open_Gen
1004 Dim rstTemp As DAO.Recordset
1005
1006 Set rstTemp = CodeDb.OpenRecordset("SELECT SHP.SHP_SalesOrderID AS [Sales Order ID],
CUS.CUS_BillName, SOS.SOS_InvoiceDate AS [Invoice Date], SHP.SHP_CustomerPOID AS [Cust
PO ID], SHP.SHP_CustomerID AS [Customer ID], SHP.SHP_ShipDate AS [Ship Date],
CInt([SHP_ToInvoiceFlag]) AS Expr1 " & _
1007     "FROM (SHP INNER JOIN SOS ON SHP.SHP_SalesOrderID = SOS.SOS_SalesOrderID)
INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID " & _
1008     "GROUP BY SHP.SHP_SalesOrderID, CUS.CUS_BillName, SOS.SOS_InvoiceDate,
SHP.SHP_CustomerPOID, SHP.SHP_CustomerID, SHP.SHP_ShipDate,
CInt([SHP_ToInvoiceFlag]) " & _
1009     "HAVING (((SOS.SOS_InvoiceDate) Is Null) And ((CInt([SHP_ToInvoiceFlag]))
<> 0)) " & _
1010     "ORDER BY SHP.SHP_SalesOrderID;", dbOpenSnapshot, dbSeeChanges +
dbFailOnError)
1011

```

```

1012 If rstTemp.EOF Then
1013     Cancel = True
1014     MsgBox "No Sales Orders Found To Invoice", vbExclamation, "No Records"
1015 Else
1016     Me!txtAccountingDate = Date
1017     Me!chkAllSalesOrderID = False
1018     FillListBox
1019 End If
1020
1021 rstTemp.Close
1022 Exit_Form_Open:
1023
1024     Exit Sub
1025 Err_Form_Open_Gen:
1026 Set rstTemp = Nothing
1027 End Sub
1028
1029 Private Function GetMCEValues()
1030     On Error GoTo Err_Private_Function_GetMCEValues
1031
1032     MCTHICUSFlag = GetMCEValue("MCT_HI_CUSFlag")
1033     MCTHIIVMFlag = GetMCEValue("MCT_HI_IVMFlag")
1034     MCTGLAPAcctNbr = GetMCEDefault("MMT_APAcctNbrs")
1035     MCTGLSalesAcctNbr = GetMCEDefault("MMT_GL_SalesAcctNbrs")
1036     MCTGLCommExpAcctNbr = GetMCEValue("MCT_GL_CommExpAcctNbr")
1037     MCTGLFreightOutAcctNbr = GetMCEValue("MCT_GL_FreightOutAcctNbr")
1038     MCTCNTaxFreightFlag = GetMCEValue("MCT_CN_TaxFreightFlag")
1039     MCTGLInvAcctNbr = GetMCEDefault("MMT_GL_InvAcctNbrs")
1040     MCTGLInvAdjustAcctNbr = GetMCEValue("MCT_GL_InvAdjustAcctNbr")
1041     MCTCNCommRepNetFlag = GetMCEValue("MCT_CN_CommRepNetFlag")
1042     MCTGLCommAccrualAcctNbr = GetMCEValue("MCT_GL_CommAccrualAcctNbr")
1043     MCTCNCanadianFlag = GetMCEValue("MCT_CN_CanadianFlag")
1044     GetMCEValues = True
1045
1046 Exit_Private_Function_GetMCEValues:
1047     Exit Function
1048 Err_Private_Function_GetMCEValues:
1049     GetMCEValues = False
1050     GoTo Exit_Private_Function_GetMCEValues
1051 End Function
1052
1053 Private Function GetProdFamAcct() As Variant
1054 Dim varResult As Variant
1055     varResult = DLookup("PFM_SalesGLAcctNbr", "PFM", "PFM_ProdFam = '" &
1056         rsSOI!SOI_ProdFam & "'")
1057     If NothingIn(varResult) Then
1058         GetProdFamAcct = Null
1059     Else
1060         GetProdFamAcct = varResult 'rsPFM!PFM_SalesGLAcctNbr
1061     End If
1062 End Function
1063
1064 Private Function GetNextAvailableInvoiceID() As Boolean
1065 'Modified 07/06/2018 by Roger Williams
1066 '
1067 'was originally called: GetNextAvailableInvoiceID (??)
1068 '
1069 'renamed, as what is actually does is get the next invoice ID
1070 'validates the auto generated invoice ID does not already exist in ARM
1071 'why this could happen who knows...
1072 '
1073 InvoiceID = ""
1074 InvoiceID = GetNextAutoNbr("MCT_NN_NextInvoiceNbr", True)
1075
1076 If NothingIn(InvoiceID) Then
1077     GetNextAvailableInvoiceID = True
1078 Else
1079     If ORBDLookUp("ARM_InvoiceID", "ARM", "ARM_InvoiceID = '" & InvoiceID & "'") = ""

```

```

        Then
1080         GetNextAvailableInvoiceID = False
1081     Else
1082         GetNextAvailableInvoiceID = True
1083     End If
1084 End If
1085
1086 End Function
1087 Private Function NullToOne(zvalue As Variant)
1088
1089     NullToOne = zvalue
1090     If IsNull(zvalue) Then
1091         NullToOne = 1
1092     End If
1093
1094 End Function
1095
1096 Private Sub RemoveSOIDs()
1097     'Created 13/02/2015 By Roger Williams
1098     '
1099     'Removes processed SOs from the listview AND the SHP table
1100     '
1101     On Error GoTo ERR_Error
1102     Dim strTemp As String
1103
1104     OpenCnx mcnxado
1105     mcnxado.BeginTrans
1106
1107     strSOIDsToPrint = ""
1108     strTemp = ""
1109
1110     intNum = 1
1111
1112     While intNum < UBound(arySOIDs) + 1
1113         For Each lstItem In Me.LVSOID.ListItems
1114             If arySOIDs(intNum) = lstItem.Text Then
1115                 mcnxado.Execute "DELETE FROM SHP WHERE SHP_SalesOrderID='" & arySOIDs(intNum)
1116                     & "'"
1117                 'added 02/03/2015 By Roger Williams
1118                 'adds array contents "to print" list passed to
1119                 'fselprntinv
1120                 strSOIDsToPrint = strSOIDsToPrint & "/" & lstItem.Text & "/"
1121                 'reset shiplist status for invoice order
1122                 mcnxado.Execute "UPDATE SOI SET SOI_ShiplistFlag=0 WHERE SOI_SalesOrderID='"
1123                     & lstItem.Text & "'"
1124                 Me.LVSOID.ListItems.Remove lstItem.Index
1125             End If
1126         Next lstItem
1127
1128         intNum = intNum + 1
1129     Wend
1130
1131     If Not NothingIn(strSOIDsToPrint) Then
1132         'remove trailing: /,
1133         strSOIDsToPrint = Mid$(strSOIDsToPrint, 1, Len(strSOIDsToPrint) - 2)
1134     End If
1135
1136     mcnxado.CommitTrans
1137     FillListBox
1138     Me.Repaint
1139     mcnxado.Close
1140     Set mcnxado = Nothing
1141     Exit Sub
1142
1143 ERR_Error:
1144     MsgBox "Error: " & Err.Number & vbCrLf & Err.Description, vbCritical, "Error Occured!"
1145     On Error Resume Next
1146     mcnxado.RollbackTrans
1147     FillListBox

```

```

1146 Me.Repaint
1147 End Sub
1148
1149 Private Function GetSOIDs() As String
1150 'Created 16/02/2015 By Roger Williams
1151 '
1152 'populates a string with the selected SO IDs
1153 'used for the IN clauses in processrecords
1154 '
1155
1156 Dim strTemp As String
1157 Dim intNum As Integer
1158 'Dim lstItem As ListItem
1159
1160 strTemp = ""
1161
1162 For Each lstItem In Me.LVSOID.ListItems
1163     If lstItem.Checked Then
1164         strTemp = strTemp & Chr(34) & lstItem.Text & Chr(34) & ","
1165     End If
1166 Next lstItem
1167
1168 GetSOIDs = Mid$(strTemp, 1, Len(strTemp) - 1)
1169 End Function
1170
1171 Private Function GetRecCount(strSQL As String) As Double
1172 Dim rstTemp As ADODB.Recordset
1173
1174 Set rstTemp = New ADODB.Recordset
1175 rstTemp.CursorLocation = adUseClient
1176 rstTemp.Open strSQL, mcnxado, adOpenKeyset, adLockReadOnly
1177 If Not rstTemp.EOF Then
1178     rstTemp.MoveLast
1179     GetRecCount = rstTemp.Recordcount
1180 End If
1181
1182 rstTemp.Close
1183 End Function
1184
1185 Private Function CheckCustomer(strCust As String) As Boolean
1186 Dim rstTemp As ADODB.Recordset
1187
1188 Set rstTemp = New ADODB.Recordset
1189 rstTemp.Open "SELECT CUS.* FROM CUS INNER JOIN SHP ON CUS.CUS_CustomerID =
SHP.SHP_CustomerID WHERE CUS_CustomerID = '" & strCust & "' AND
SHP.SHP_ToInvoiceFlag<>0", mcnxado, adOpenKeyset, adLockReadOnly
1190 CheckCustomer = Not rstTemp.EOF
1191 rstTemp.Close
1192
1193 End Function
1194
1195 Private Function GetIVIArrayRecord() As TIVI
1196 'Created 07/06/2018 by Roger Williams
1197 '
1198 'Returns the IVI record from the aryIVI array for the current sales order ID
1199 'and line
1200
1201 Dim intNum As Integer
1202
1203 For intNum = 1 To aryIVIpos
1204     If aryIVI(intNum).SalesOrderID = rsSHP!SHP_SalesOrderID And
aryIVI(intNum).IVI_SOLineNbr = rsSOI!SOI_SOLineNbr Then
1205         GetIVIArrayRecord = aryIVI(intNum)
1206     Exit For
1207 End If
1208 Next intNum
1209 End Function
1210
1211 Private Function GetINVArrayRecord() As TINV

```

```

1212 'Created 07/06/2018 by Roger Williams
1213 '
1214 'Returns the INV record from the aryINV array for the current sales order ID
1215 'and line and delivery date
1216
1217 Dim intNum As Integer
1218
1219 For intNum = 1 To aryINVPos
1220     If aryINV(intNum).INV_SalesOrderID = rsSHP!SHP_SalesOrderID And _
1221         aryINV(intNum).INV_SOLineNbr = rsSOD!SOD_SOLineNbr And _
1222         aryINV(intNum).INV_RequiredDate = rsSOD!SOD_RequiredDate Then
1223         GetINVArrayRecord = aryINV(intNum)
1224     Exit For
1225 End If
1226 Next intNum
1227 End Function
1228
1229 Private Function ProcessRecords() As Boolean
1230 'General restructuring
1231 '
1232 'Now tables like GLT are openend as needed per transaction
1233 'while this may not increase processing speed it should reduce
1234 'table locks in the system
1235 '
1236 'Made rsSHP DAO as when in transaction as ADO when committed
1237 'ADO resets the record pointer to EOF so movenext is useless
1238 'as DAO outside the loop works fine
1239 '
1240 'rsSOD and rsSOS have: rsSOD.CursorLocation = adUseClient
1241 'because these tables are queried during each transaction
1242 'using the ADO equivalent of DAO FindFirst also is only way
1243 'in ADO to get RecordCount
1244 '
1245 '
1246 'Modified 13/02/2015 By Roger Williams
1247 '
1248 'Added listview to show list of available SOs
1249 '
1250 'Because the "find" function doesn't work with variables (??!!)
1251 'using "filter" instead however need to make sure these two
1252 'things are adhered too otherwise the function fails:
1253 '
1254 '1: recordset using clientside cursor
1255 '2: strings are encapsulated with '
1256 '
1257 '
1258 'Modified 05/07/12 by Roger Williams for Orbik Electronics
1259 'Added code to filter out only invoices selected if me control txtIN is populated
1260 '
1261 'Idea to allow independant invoice selection
1262 '
1263 'Also incorporates elements of MRF: 289
1264 '
1265 'Modified 28/11/08 by Roger Williams for Orbik Electronics
1266 '
1267 'ADDED code to get current mmts vat value
1268 '
1269 'Modified 27/03/06 by Roger Williams for Orbik Electronics
1270 '
1271 'changed result to boolean from integer
1272 '
1273 'moved the lines:
1274 '     MyWorkspace.BeginTrans
1275 '     TransactionFlag = True
1276 'and
1277 '     MyWorkspace.Commit
1278 '     TransactionFlag = False
1279 '
1280 'as they were accruing INSIDE a loop!

```

```

1281 '
1282     On Error GoTo Err_ProcessRecords
1283
1284     Dim Criteria                As String
1285     Dim InvCnt                  As Integer
1286     Dim InvCtr                  As Integer
1287     Dim TransactionFlag         As Integer
1288
1289     Dim intErr As Double
1290     Dim rstSHD As ADODB.Recordset
1291     Dim strTemp As String
1292     Dim strTemp2 As String
1293     Dim varMMD_DelExtChgsGLAcctNbrs As Variant
1294     Dim intNum As Integer
1295     Dim dblWEEE As Double
1296     Dim strSOM_VATTerritory As String
1297     Dim strIMAGL As String
1298     Dim dblIMA_AcctValAmt As Double
1299     Dim dblNum As Double
1300     Dim dblNum2 As Double
1301     Dim dblTemp As Double
1302     Dim dblINVLineTotal As Double
1303     Dim rstIMA As DAO.Recordset
1304
1305     intSHDLineNbr = 0
1306     aryIVIPos = 1
1307     aryIVMPos = 1
1308     aryINVPos = 1
1309     dblWEEE = 0
1310     ProcessRecords = True
1311     aryPos = 0
1312     ReDim arySOIDs(Me.LVSOID.ListItems.Count)
1313     strDate = AddNowTime(Me.txtAccountingDate)
1314
1315     If Me!chkAllSalesOrderID Then
1316         SQL = "SELECT * FROM SHP INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID
1317             WHERE SHP.SHP_ToInvoiceFlag<>0"
1318         strSOs = GetSOIDs
1319     Else
1320         If GetSelected = 0 Then
1321             GoTo Err_ProcessRecords
1322         Else
1323             strSOs = GetSOIDs
1324             SQL = "SELECT * FROM SHP INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID
1325                 WHERE SHP.SHP_ToInvoiceFlag<>0 and SHP_SalesOrderID IN (" & strSOs & ")"
1326         End If
1327     End If
1328
1329     OpenCnx mcnxado
1330     Set rsINV = New ADODB.Recordset
1331     Set rsARM = New ADODB.Recordset
1332     Set rsGLT = New ADODB.Recordset
1333     Set rsIVM = New ADODB.Recordset
1334     Set rsIVI = New ADODB.Recordset
1335     Set rsSHI = New ADODB.Recordset
1336     Set rsSOM = New ADODB.Recordset
1337     Set rsIMA = New ADODB.Recordset
1338     Set rsCUS = New ADODB.Recordset
1339     Set rsITR = New ADODB.Recordset
1340     Set rsMMR = New ADODB.Recordset
1341
1342     'create ado recordset objects
1343     Set rsSOD = New ADODB.Recordset
1344     Set rsSOS = New ADODB.Recordset
1345     Set rstSHD = New ADODB.Recordset
1346     rsSOD.CursorLocation = adUseClient
1347     rsSOS.CursorLocation = adUseClient
1348     Set rsSHP = CodeDb.OpenRecordset(SQL, dbOpenSnapshot, dbSeeChanges + dbFailOnError)
1349 
```

```

1348 'Modified 12/02/2015 by Roger Williams
1349 '
1350 'added to rsIMA: IMA_AllocSalesQty
1351 '
1352 'used for calculating sales qty at end of processrecords
1353 'before next line processing
1354 '
1355 If Not rsSHP.EOF Then
1356
1357 '*****
1358 'get the invoice total value and required qtys etc for ALL invoices
1359 'being created, store in arrays and use that data during record creation
1360 '
1361 'added 31/05/2018 by Roger Williams
1362 '
1363 'Get line delivery qty totals and store in array for use in CreateIVI
1364 '
1365 'Stop
1366 While Not rsSHP.EOF
1367 'Stop
1368     ErrCode = 0
1369     InvCnt = Me.LVSOID.ListItems.Count
1370     SysCmd SYSCMD_INITMETER, GetMsg("MSG_CREATE_INVOICES"), InvCnt
1371     ProcessRecords = True
1372
1373     If Not CheckCustomer(rsSHP!SHP_CustomerID) Then
1374         ErrCode = NO_MATCH_CUS
1375         GoTo Err_ProcessRecords
1376         'added 16/02/2015 By Roger Williams
1377         'opens CUS for editing
1378     End If
1379
1380     If Me.chkAllSalesOrderID Then 'if doing all invoices
1381         strTemp = "SELECT SOM.* FROM SHP INNER JOIN SOM ON SHP.SHP_SalesOrderID =
1382             SOM.SOM_SalesOrderID"
1383         strTemp2 = "WHERE SHP_ToInvoiceFlag <> 0 AND SOM_SalesOrderID ='" &
1384             rsSHP!SHP_SalesOrderID & "'"
1385     Else 'filter for specific selected orders
1386         strTemp = "SELECT SOM.* FROM SHP INNER JOIN SOM ON SHP.SHP_SalesOrderID =
1387             SOM.SOM_SalesOrderID"
1388         strTemp2 = "WHERE SHP_ToInvoiceFlag <> 0 AND SOM_SalesOrderID ='" &
1389             rsSHP!SHP_SalesOrderID & "'"
1390     End If
1391
1392     If GetRecCount(strTemp & " " & strTemp2) = 0 Then ' DLookup("SOM_SalesOrderID",
1393         strTemp, strTemp2)) Then
1394         ErrCode = NO_MATCH_SOM
1395         GoTo Err_ProcessRecords
1396     End If
1397
1398     TotalVATAmt = 0
1399     dblWEEE = 0
1400     'get VAT percent if any and any account number
1401     strSOM_VATTerritory = DLookup("SOM_VATTerritory ", "SOM", "SOM_SalesOrderID='" &
1402         rsSHP!SHP_SalesOrderID & "'")
1403
1404     If Not NothingIn(strSOM_VATTerritory) Then 'finds Sales tax
1405 'Stop
1406     Set rsMMS = CodeDb.OpenRecordset("SELECT * FROM MCE_VATRegions WHERE
1407         MCE_SlsTaxDesc2 = '" & strSOM_VATTerritory & "'", dbOpenSnapshot, dbSeeChanges +
1408         dbFailOnError)
1409
1410     If rsMMS.EOF Then
1411         ErrCode = NO_MATCH_MMS
1412         GoTo Err_ProcessRecords
1413     Else
1414         MMSsSlsTaxPercent = rsMMS!MCE_SlsTaxPercent
1415         MMSsSlsTaxGLAcctNbrs = rsMMS!MCE_SlsTaxGLAcctNbrs
1416     End If

```

```

1409
1410 Else
1411     MMSSIsTaxPercent = 0
1412     MMSSIsTaxGLAcctNbrs = Null
1413 End If
1414
1415 rsMMS.Close
1416 'Stop
1417 Set rsSOI = CodeDb.OpenRecordset("SELECT DISTINCTROW SOI.* FROM SOI INNER JOIN SOS
ON (SOI.SOI_SOLineNbr = SOS.SOS_SOLineNbr) AND (SOI.SOI_SalesOrderID =
SOS.SOS_SalesOrderID) WHERE ((SOS.SOS_InvoiceDate Is Null) AND (SOS.SOS_ShipQty>0)
AND (SOI.SOI_SalesOrderID="" & rsSHP!SHP_SalesOrderID & ""))", dbOpenDynaset,
dbSeeChanges + dbFailOnError)
1418 If rsSOI.EOF Then
1419     strErrDesc = "No Sales Order Line Records Found "
1420     ErrCode = NO_MATCH_SOI
1421     GoTo Err_ProcessRecords
1422 End If
1423
1424 While Not rsSOI.EOF
1425     TotalLineCOGSAmt = 0
1426     TotalLineValAmt = 0
1427     TotalLineRequiredQty = 0
1428     TotalLineShipQty = 0
1429     TotalLineDiscount = 0
1430 'Stop
1431     rsSOD.Open "SELECT DISTINCT SOD.* FROM ((SHP INNER JOIN SHI ON
SHP.SHP_SalesOrderID = SHI.SHI_SalesOrderID) INNER JOIN SHD ON
(SHI.SHI_SOLineNbr = SHD.SHD_SOLineNbr) AND (SHI.SHI_SalesOrderID =
SHD.SHD_SalesOrderID)) LEFT JOIN SOD ON (SHD.SHD_RequiredDate =
SOD.SOD_RequiredDate) AND (SHD.SHD_SOLineNbr = SOD.SOD_SOLineNbr) AND
(SHD.SHD_SalesOrderID = SOD.SOD_SalesOrderID) WHERE ((SHP.SHP_ToInvoiceFlag<>0)
AND (SHD.SHD_ShipQty>0) AND (SOD.SOD_SalesOrderID = "" & rsSHP!SHP_SalesOrderID
& "")) AND (SOD_SOLineNbr = " & rsSOI!SOI_SOLineNbr & ")", mcnxado,
adOpenKeyset, adLockOptimistic
1432 If rsSOD.EOF Then
1433     intSHDLineNbr = rsSOI!SOI_SOLineNbr
1434     ErrCode = NO_MATCH_SOD
1435     GoTo Err_ProcessRecords
1436 End If
1437 'Stop
1438 dblWEEE = 0 ' dblWEEE + Nz(rsSOI!SOI_UserDef4, 0)
1439
1440 If (rsSOI!SOI_LineNbrTypeCode = "Item") Then
1441     rsIMA.Open "SELECT IMA.IMA_AllocSalesQty, IMA.IMA_ItemID, IMA.IMA_ProdFam,
IMA.IMA_ProdModel, IMA.IMA_AcctValAmt, IMA.IMA_GLSalesAcctNbr,
IMA.IMA_GLInvAcctNbr FROM (SHP INNER JOIN SHI ON SHP.SHP_SalesOrderID =
SHI.SHI_SalesOrderID) LEFT JOIN IMA ON SHI.SHI_ItemID = IMA.IMA_ItemID WHERE
SHP.SHP_ToInvoiceFlag<>0 AND SHP.SHP_SalesOrderID = " &
rsSHP!SHP_SalesOrderID & " AND SHI.SHI_ItemID = " & rsSOI!SOI_ItemID & "",
mcnxado, adOpenDynamic, adLockOptimistic
1442
1443     If rsIMA.EOF Then
1444         ErrCode = NO_MATCH_ITEM
1445         GoTo Err_ProcessRecords
1446     End If
1447 End If
1448
1449 Do Until rsSOD.EOF
1450     TotalLineVATAmt = 0
1451     dblINVLineTotal = 0
1452     rsSOS.Open "SELECT SOS.SOS_ShipQty, SOS.SOS_InvoiceID, SOS.SOS_InvoiceDate,
SOS.SOS_SalesOrderID, SOS.SOS_SOLineNbr, SOS.SOS_RequiredDate FROM SOS WHERE
SOS.SOS_SalesOrderID = "" & rsSHP!SHP_SalesOrderID & "" And SOS_SOLineNbr =
" & rsSOD!SOD_SOLineNbr & " And SOS_RequiredDate = " &
Format(rsSOD!SOD_RequiredDate, "mm/dd/yyyy") & "", mcnxado, adOpenDynamic,
adLockOptimistic
1453
1454     If rsSOS.EOF Then

```

```

1455         ErrCode = No_MATCH_SOS
1456         GoTo Err_ProcessRecords
1457     End If
1458
1459     If rsSOD!SOD_DiscPercent <> 0 Then
1460         dblLineDiscount = rsSOD!SOD_DiscPercent
1461         dblLineDiscount = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) *
1462         '         dblLineDiscount = Round((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) *
1463         '         dblLineDiscount, 2)
1464         Else
1465             dblLineDiscount = 0
1466         End If
1467
1468     If rsSOI!SOI_LineNbrTypeCode = "Item" Then
1469         TotalLineCOGSAmt = TotalLineCOGSAmt + Round((dblIMA_AcctValAmt *
1470         rsSOS!SOS_ShipQty), 2)
1471     Else
1472         If dblLineDiscount = 0 Then
1473             TotalLineCOGSAmt = TotalLineCOGSAmt + Round(rsSOS!SOS_ShipQty *
1474             rsSOD!SOD_UnitPrice, 2)
1475         Else
1476             TotalLineCOGSAmt = TotalLineCOGSAmt + dblLineDiscount
1477         End If
1478     End If
1479
1480     'Stop
1481     If rsSOI!SOI_VATPercent <> 0 Then
1482         If dblLineDiscount <> 0 Then 'if VAT and dicount
1483             TotalLineVATAmt = (((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) -
1484             dblLineDiscount) * rsSOI!SOI_VATPercent) + TotalLineVATAmt
1485             TotalLineValAmt = TotalLineValAmt + Round((rsSOS!SOS_ShipQty *
1486             rsSOD!SOD_UnitPrice) - dblLineDiscount, 2)
1487             dblINVLineTotal = Round((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) -
1488             dblLineDiscount, 2)
1489             TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT +
1490             Round(((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) - dblLineDiscount), 2)
1491             dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1492             dblNum2 = dblNum2 + Round(TotalLineVATAmt, 2)
1493         Else 'if VAT and no discount
1494             TotalLineVATAmt = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) *
1495             rsSOI!SOI_VATPercent
1496             TotalLineValAmt = TotalLineValAmt + rsSOS!SOS_ShipQty *
1497             rsSOD!SOD_UnitPrice
1498             dblINVLineTotal = rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice
1499             TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT + (rsSOS!SOS_ShipQty *
1500             rsSOD!SOD_UnitPrice)
1501             dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1502             dblNum2 = dblNum2 + Round(TotalLineVATAmt, 2)
1503         End If
1504     Else 'if no VAT
1505         TotalLineValAmt = TotalLineValAmt + (rsSOS!SOS_ShipQty *
1506         rsSOD!SOD_UnitPrice) - dblLineDiscount
1507         dblINVLineTotal = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) - dblLineDiscount
1508         TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT + (rsSOS!SOS_ShipQty *
1509         rsSOD!SOD_UnitPrice) - dblLineDiscount
1510         dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1511         dblNum2 = dblNum2 + Round(TotalLineVATAmt, 2)
1512     End If
1513
1514     'Stop
1515     aryINV(aryINVPos).INV_RequiredDate = rsSOD!SOD_RequiredDate
1516     aryINV(aryINVPos).INV_SalesOrderID = rsSHP!SHP_SalesOrderID
1517
1518     If rsSOI!SOI_LineNbrTypeCode = "Item" Then
1519         aryINV(aryINVPos).INV_AcctValAmt = rsIMA!IMA_AcctValAmt
1520         aryINV(aryINVPos).INV_ProdFam = Nz(rsIMA!IMA_ProdFam, "")
1521         aryINV(aryINVPos).INV_ProdModel = Nz(rsIMA!IMA_ProdModel, "")
1522     End If
1523
1524

```

```

1511         aryINV(aryINVPos).INV_InvoiceAmt = dblINVLineTotal
1512         aryINV(aryINVPos).INV_InvoiceQty = rsSOS!SOS_ShipQty
1513         aryINV(aryINVPos).INV_SOLineNbr = rsSOD!SOD_SOLineNbr
1514         aryINVPos = aryINVPos + 1
1515
1516         TotalLineShipQty = TotalLineShipQty + rsSOS!SOS_ShipQty
1517         TotalLineRequiredQty = TotalLineRequiredQty + rsSOD!SOD_RequiredQty
1518         TotalLineDiscount = TotalLineDiscount + dblLineDiscount
1519         rsSOS.Close
1520         rsSOD.MoveNext
1521     Loop
1522
1523     rsSOD.Close
1524
1525     'store values
1526     'store IVI total qtys format: invoiceid, linenbr
1527     'and values stored in these values used in CreateIVI:
1528 'Stop
1529     strIMAGL = ""
1530     'get GL codes
1531     If rsSOI!SOI_LineNbrTypeCode = "Item" Then
1532         If NothingIn(Trim(rsIMA!IMA_GLSalesAcctNbr)) Then
1533             strIMAGL = GetProdFamAcct()
1534
1535             If NothingIn(Trim(strIMAGL)) Then
1536                 aryIVI(aryIVIPos).GLSalesAcctNbr = MCTGLSalesAcctNbr 'Set Value to MCT
1537                                     Setting
1538                 Else
1539                     aryIVI(aryIVIPos).GLSalesAcctNbr = strIMAGL
1540                 End If
1541             Else
1542                 aryIVI(aryIVIPos).GLSalesAcctNbr = rsIMA!IMA_GLSalesAcctNbr
1543             End If
1544         Else
1545             'if misc line set to SOI GL acct number
1546             aryIVI(aryIVIPos).GLSalesAcctNbr = rsSOI!SOI_GLSalesAcctNbr
1547         End If
1548     If rsSOI!SOI_LineNbrTypeCode = "Item" Then
1549         If NothingIn(Trim(rsIMA!IMA_GLInvAcctNbr)) Then
1550             aryIVI(aryIVIPos).GLINVAcctNbr = MCTGLInvAcctNbr 'set value to MCT
1551                                     setting
1552             Else
1553                 aryIVI(aryIVIPos).GLINVAcctNbr = rsIMA!IMA_GLInvAcctNbr
1554             End If
1555         End If
1556     If (rsSOI!SOI_LineNbrTypeCode = "GL Acct") Then
1557         aryIVI(aryIVIPos).GLSalesAcctNbr = rsSOI!SOI_GLSalesAcctNbr
1558     End If
1559
1560     aryIVI(aryIVIPos).SalesOrderID = rsSHP!SHP_SalesOrderID
1561     aryIVI(aryIVIPos).IVI_SOLineNbr = rsSOI!SOI_SOLineNbr
1562     aryIVI(aryIVIPos).IVI_COGSAmt = TotalLineCOGSAmt
1563     aryIVI(aryIVIPos).IVI_GrossPriceExtAmt = TotalLineValAmt '- TotalLineDiscount
1564 'Stop
1565     TotalInvoiceAmtPlusVAT = Round(dblNum + dblNum2, 2)
1566     TotalVATAmt = dblNum2
1567
1568     If rsSOI!SOI_VATPercent <> 0 Then
1569         TotalLineVATAmt = TotalLineValAmt * rsSOI!SOI_VATPercent
1570     Else
1571         TotalLineVATAmt = 0
1572     End If
1573
1574     aryIVI(aryIVIPos).IVI_SlsTaxAmt = TotalLineVATAmt
1575     aryIVI(aryIVIPos).IVI_TotalRequiredQty = TotalLineRequiredQty
1576     aryIVI(aryIVIPos).IVI_TotalShipQty = TotalLineShipQty
1577

```

```

1578     If rsSOI!SOI_LineNbrTypeCode = "Item" Then
1579         aryIVI(aryIVIPos).IMA_AcctValAmt = rsIMA!IMA_AcctValAmt
1580         aryIVI(aryIVIPos).IMA_ProdFam = Nz(rsIMA!IMA_ProdFam, "")
1581         aryIVI(aryIVIPos).IMA_ProdModel = Nz(rsIMA!IMA_ProdModel, "")
1582     End If
1583
1584     aryIVIPos = aryIVIPos + 1
1585     If rsIMA.State <> 0 Then rsIMA.Close
1586
1587     rsSOI.MoveNext
1588 Wend
1589
1590     rsSOI.Close
1591 'Stop
1592     aryIVM(aryIVMPos).SalesOrderID = rsSHP!SHP_SalesOrderID
1593     aryIVM(aryIVMPos).IVM_BalanceDueAmt = TotalInvoiceAmtPlusVAT ' + dblWEEE
1594     aryIVM(aryIVMPos).IVM_InvoiceAmt = TotalInvoiceAmtPlusVAT ' + dblWEEE
1595     aryIVM(aryIVMPos).IVM_InvoiceNetAmt = TotalInvoiceAmtMinusVAT ' + dblWEEE
1596     aryIVM(aryIVMPos).IVM_SlsTaxAmt = TotalVATAmt
1597     aryIVM(aryIVMPos).IVM_SlsTaxPercent = MMSslsTaxPercent
1598     aryIVM(aryIVMPos).WEEE = dblWEEE
1599     aryIVMPos = aryIVMPos + 1
1600     TotalVATAmt = 0
1601     dblWEEE = 0
1602     dblNum = 0
1603     dblNum2 = 0
1604     rsSHP.MoveNext
1605 Wend
1606
1607 '*****
1608 'prepare to start creating invoices
1609 'typGet_ItemGrossAndNet = typGet_ItemGrossAndNet_Null
1610
1611 'reset recordset pointers
1612 rsSHP.MoveFirst
1613 'clear variables so no cockups later on :D
1614 dblWEEE = 0
1615
1616 Do Until rsSHP.EOF
1617     rsSOM.Open "SELECT SOM.* FROM SOM WHERE SOM_SalesOrderID='" & rsSHP!SHP_SalesOrderID &
1618         "'", mcnxado, adOpenDynamic, adLockOptimistic
1619     rsARM.Open "SELECT ARM.* FROM ARM WHERE ARM_ARM_InvoiceID='" & InvoiceID & "'",
1620         mcnxado, adOpenDynamic, adLockOptimistic
1621     rsIVM.Open "Select * from IVM WHERE IVM_InvoiceID='" & InvoiceID & "'", mcnxado,
1622         adOpenDynamic, adLockOptimistic
1623     rsIVI.Open "SELECT IVI.* FROM IVI WHERE IVI_InvoiceID='" & InvoiceID & "'", mcnxado,
1624         adOpenDynamic, adLockOptimistic
1625
1626     If Not CheckCustomer(rsSHP!SHP_CustomerID) Then
1627         ErrCode = NO_MATCH_CUS
1628         GoTo Err_ProcessRecords
1629         'added 16/02/2015 By Roger Williams
1630         'opens CUS for editing
1631     Else
1632         rsCUS.Open "SELECT CUS.CUS_CustomerID, CUS.CUS_OpenBalanceAmt, CUS.CUS_OnSHPAmt,
1633             CUS.CUS_LastInvoiceAmt, CUS.CUS_LastInvoiceID, CUS.CUS_LastInvoiceDate,
1634             CUS.CUS_SMSACode, CUS.CUS_BillName, CUS.CUS_BillAddress, CUS.CUS_BillAddr2,
1635             CUS.CUS_BillAddr3, CUS.CUS_BillCity, CUS.CUS_BillState, CUS.CUS_BillPostalCode,
1636             CUS.CUS_BillCountry, CUS.CUS_EOMFlag FROM CUS INNER JOIN SHP ON CUS.CUS_CustomerID
1637             = SHP.SHP_CustomerID WHERE SHP.SHP_ToInvoiceFlag<>0 AND CUS_CustomerID = '" &
1638             rsSHP!SHP_CustomerID & "'", mcnxado, adOpenDynamic, adLockOptimistic
1639     End If
1640
1641     dblWEEE = 0
1642     strCUS_TerritoryCode = ORBDLookUp("CUS_TerritoryCode", "CUS", "CUS_CustomerID='" &
1643         rsSHP!SHP_CustomerID & "'")
1644     mcnxado.BeginTrans
1645     TransactionFlag = True
1646     'start moved 28/05/2018

```

```

1636
1637 'get next InvoiceID
1638 If GetNextAvailableInvoiceID() Then
1639     ErrCode = INVALID_INVOICEID
1640     GoTo Err_ProcessRecords
1641 End If
1642
1643     '***** Process SOM Records
1644     '*****
1645     LastInvoiceID = ""
1646     lastSOLineNbr = 0
1647     InvCtr = InvCtr + 1
1648
1649     If ObjPtr(rsSOM) <> 0 Then
1650         vntErrSOMSalesOrderID = rsSOM!SOM_SalesOrderID
1651         vntErrSHPSalesOrderID = rsSHP!SHP_SalesOrderID
1652         vntErrSOMCustomerID = rsSOM!SOM_CustomerID
1653         vntErrSHPCustomerID = rsSHP!SHP_CustomerID
1654         vntErrSOMCurrencyType = rsSOM!SOM_CurrencyType
1655     Else
1656         strErrDesc = "No Sales Order Line Records Found "
1657         ErrCode = NO_MATCH_SOI
1658         GoTo Err_ProcessRecords
1659     End If
1660
1661     If NothingIn(DLookup("MCE_ARTermsDesc", "MCE_ARTerms", "MCE_ARTermsDesc = '" &
1662         rsSOM!SOM_ARTermsDesc & "'")) Then
1663         ErrCode = NO_MATCH_MMR
1664         GoTo Err_ProcessRecords
1665     Else
1666         'added 18/02/2015 By Roger Williams
1667         'populates new fields with the MMR values needed
1668         rsMMR.Open "SELECT * FROM MCE_ARTerms WHERE MCE_ARTermsDesc = '" &
1669             rsSOM!SOM_ARTermsDesc & "'", mcnxado, adOpenKeyset, adLockOptimistic
1670         MMR_ARTermsDue = rsMMR!MCE_ARTermsDue
1671         MMR_ARTermsDays = rsMMR!MCE_ARTermsDays
1672         MMR_ARTermsPercent = rsMMR!MCE_ARTermsPercent
1673         rsMMR.Close
1674     End If
1675     If Not NothingIn(rsSOM!SOM_CurrencyType) Then
1676         On Error Resume Next
1677         If Not GetCurrencyMultipliers(rsSOM!SOM_CurrencyType, Me.txtInvoiceDate,
1678             dblCurrMult1, dblCurrMult2) Then
1679             ErrCode = INVALID_CURRENCY_MULT
1680             GoTo Err_ProcessRecords
1681         End If
1682         On Error GoTo Err_ProcessRecords
1683     End If
1684     If Not CreateIVM() Then
1685         ErrCode = NO_MATCH_IVM
1686         GoTo Err_ProcessRecords
1687     End If
1688     'Stop
1689     If Not CreateARM Then GoTo Err_ProcessRecords
1690
1691     If Not UpdateCUS() Then
1692         ErrCode = NO_MATCH_CUS
1693         GoTo Err_ProcessRecords
1694     End If
1695
1696     SysCmd SYSCMD_UPDATETERMETER, InvCtr
1697
1698     '*****
1699     'lines
1700     'Stop
1701     Set rsSOI = CodeDb.OpenRecordset("SELECT DISTINCTROW SOI.* FROM SOI INNER JOIN SOS
1702         ON (SOI.SOI_SOLineNbr = SOS.SOS_SOLineNbr) AND (SOI.SOI_SalesOrderID =

```

```

SOS.SOS_SalesOrderID) WHERE ((SOS.SOS_InvoiceDate Is Null) AND (SOS.SOS_ShipQty>0)
AND (SOI.SOI_SalesOrderID="" & rsSHP!SHP_SalesOrderID & ""))", dbOpenDynaset,
dbSeeChanges + dbFailOnError)
1700     If rsSOI.EOF Then
1701         strErrDesc = "No Shiplist Records Found For Sales Order"
1702         ErrCode = NO_MATCH_SHI
1703         GoTo Err_ProcessRecords
1704     End If
1705
1706     'moved to here 17/02/2015 by Roger Williams
1707     rsGLT.Open "GLT", mcxado, adOpenDynamic, adLockOptimistic
1708
1709     Do Until rsSOI.EOF
1710 'Stop
1711         'moved here from CreateIVD 20/04/2017
1712         dblWEEE = 0 'dblWEEE + Nz(rsSOI!SOI_UserDef4, 0)
1713         typIVI = GetIVIArrayRecord
1714         dblIMA_AcctValAmt = typIVI.IMA_AcctValAmt
1715         'added 12/02/2015 by Roger Williams
1716         '
1717         'populate error log fields -just incase!
1718         If ObjPtr(rsSOI) <> 0 Then
1719             vntErrSOIItemID = rsSOI!SOI_ItemID
1720         Else
1721             vntErrSOIItemID = vbNullString
1722         End If
1723         'end added 12/02/2015
1724
1725         strTemp = "SELECT SHI.* FROM SHP INNER JOIN SHI ON SHP.SHP_SalesOrderID =
1726         strTemp2 = " WHERE SHP_ToInvoiceFlag <> 0 AND SHP_SalesOrderID = '" &
1727         rsSHP!SHP_SalesOrderID & "' AND SHI_SalesOrderID = '" &
1728         rsSOI!SOI_SalesOrderID & "' and SHI_SOLineNbr = '" & rsSOI!SOI_SOLineNbr
1729
1730         rsSHI.Open strTemp & strTemp2, mcxado, adOpenKeyset, adLockReadOnly
1731         If rsSHI.EOF Then
1732             intSHDLineNbr = rsSOI!SOI_SOLineNbr
1733             ErrCode = NO_MATCH_SHI
1734             GoTo Err_ProcessRecords
1735         End If
1736
1737         rsSHI.Close
1738 'Stop
1739         '--Do this stuff for each SOI record
1740         If Not CreateIVI() Then
1741             ErrCode = NO_MATCH_IVI
1742             GoTo Err_ProcessRecords
1743         End If
1744
1745         '*****
1746         'dates
1747
1748         rsSOD.Open "SELECT DISTINCT SOD.* FROM ((SHP INNER JOIN SHI ON
1749         SHP.SHP_SalesOrderID = SHI.SHI_SalesOrderID) INNER JOIN SHD ON
1750         (SHI.SHI_SOLineNbr = SHD.SHD_SOLineNbr) AND (SHI.SHI_SalesOrderID =
1751         SHD.SHD_SalesOrderID)) LEFT JOIN SOD ON (SHD.SHD_RequiredDate =
1752         SOD.SOD_RequiredDate) AND (SHD.SHD_SOLineNbr = SOD.SOD_SOLineNbr) AND
1753         (SHD.SHD_SalesOrderID = SOD.SOD_SalesOrderID) WHERE ((SHP.SHP_ToInvoiceFlag<>0)
1754         AND (SHD.SHD_ShipQty>0) AND (SOD.SOD_SalesOrderID = "" &
1755         rsSHP!SHP_SalesOrderID & "")) AND (SOD_SOLineNbr = '" & rsSOI!SOI_SOLineNbr &
1756         ")", mcxado, adOpenDynamic, adLockOptimistic
1757
1758         If rsSOD.EOF Then
1759             intSHDLineNbr = rsSOI!SOI_SOLineNbr
1760             ErrCode = NO_MATCH_SOD
1761             GoTo Err_ProcessRecords
1762         End If
1763
1764         TotalLineShipQty = 0
1765         TotalLineRequiredQty = 0

```

```

1755         TotalLineValAmt = 0
1756         TotalLineVATAmt = 0
1757         dblLineDiscount = 0
1758
1759         Do Until rsSOD.EOF
1760             'Stop
1761             typINV = GetINVArrayRecord
1762             rsSOS.Open "SELECT * FROM SOS WHERE SOS.SOS_SalesOrderID = "" &
rsSHP!SHP_SalesOrderID & "" And SOS_SOLineNbr = " & rsSOD!SOD_SOLineNbr
& " And SOS_RequiredDate = '" & Format(rsSOD!SOD_RequiredDate,
"mm/dd/yyyy") & "'", mcnxado, adOpenDynamic, adLockOptimistic
1763             If rsSOS.EOF Then
1764                 ErrCode = No_MATCH_SOS
1765                 GoTo Err_ProcessRecords
1766             End If
1767
1768             'update SOS to show "invoiced"
1769             If NothingIn(rsSOS!SOS_InvoiceDate) Then
1770                 rsSOS!SOS_InvoiceID = InvoiceID
1771                 rsSOS!SOS_InvoiceDate = Me!txtInvoiceDate
1772                 rsSOS.Update
1773             End If
1774
1775             If rsSOD!SOD_DiscPercent <> 0 Then
1776                 dblLineDiscount = rsSOD!SOD_DiscPercent
1777                 dblLineDiscount = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) *
dblLineDiscount
1778             Else
1779                 dblLineDiscount = 0
1780             End If
1781
1782             If (rsSOI!SOI_LineNbrTypeCode = "Item") Then
1783                 TotalLineCOGSAmt = TotalLineCOGSAmt + Round((dblIMA_AcctValAmt *
rsSOS!SOS_ShipQty), 2)
1784             Else
1785                 If dblLineDiscount = 0 Then
1786                     TotalLineCOGSAmt = TotalLineCOGSAmt + Round(rsSOS!SOS_ShipQty *
rsSOD!SOD_UnitPrice, 2)
1787                 Else
1788                     TotalLineCOGSAmt = TotalLineCOGSAmt + dblLineDiscount
1789                 End If
1790             End If
1791
1792             If rsSOI!SOI_VATPercent <> 0 Then
1793                 If dblLineDiscount <> 0 Then 'if VAT and dicount
1794                     TotalLineVATAmt = (((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) -
dblLineDiscount) * rsSOI!SOI_VATPercent) + TotalLineVATAmt
1795                     TotalLineValAmt = TotalLineValAmt + Round((rsSOS!SOS_ShipQty *
rsSOD!SOD_UnitPrice) - dblLineDiscount, 2)
1796                     dblINVLineTotal = Round((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) -
dblLineDiscount, 2)
1797                     TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT +
Round(((rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) - dblLineDiscount), 2)
1798                     dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1799                     dblNum = dblNum - dblLineDiscount
1800                     dblNum2 = dblNum2 + Round(TotalLineVATAmt, 2)
1801                 Else 'if VAT and no discount
1802                     TotalLineVATAmt = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) *
rsSOI!SOI_VATPercent
1803                     TotalLineValAmt = TotalLineValAmt + rsSOS!SOS_ShipQty *
rsSOD!SOD_UnitPrice
1804                     dblINVLineTotal = rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice
1805                     TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT + (rsSOS!SOS_ShipQty *
rsSOD!SOD_UnitPrice)
1806                     dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1807                     dblNum2 = dblNum2 + Round(TotalLineVATAmt, 2)
1808                 End If
1809             Else 'if no VAT
1810                 TotalLineValAmt = TotalLineValAmt + (rsSOS!SOS_ShipQty *

```

```

1811         rsSOD!SOD_UnitPrice) - dblLineDiscount
1812         dblINVLineTotal = (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice) - dblLineDiscount
1813         TotalInvoiceAmtMinusVAT = TotalInvoiceAmtMinusVAT + (rsSOS!SOS_ShipQty *
1814         rsSOD!SOD_UnitPrice) - dblLineDiscount
1815         dblNum = dblNum + (rsSOS!SOS_ShipQty * rsSOD!SOD_UnitPrice)
1816         dblNum = dblNum - dblLineDiscount
1817     End If
1818
1819         TotalLineShipQty = TotalLineShipQty + rsSOS!SOS_ShipQty
1820         TotalLineRequiredQty = TotalLineRequiredQty + rsSOD!SOD_RequiredQty
1821
1822         If Not CreateIVD() Then
1823             ErrCode = NO_MATCH_IVD
1824             GoTo Err_ProcessRecords
1825         End If
1826
1827         If Not CreateINV() Then
1828             ErrCode = NO_MATCH_INV
1829             GoTo Err_ProcessRecords
1830         End If
1831
1832         Update_ITR rsSOD!SOD_SalesOrderID 'strSO
1833         rsSOD.MoveNext
1834         rsSOS.Close
1835     Loop
1836
1837     rsSOD.Close
1838
1839     '***** Process SOI Records for each line item
1840     '*****
1841     'Stop
1842     If Not UpdatesOI() Then
1843         intSHDLineNbr = rsSOI!SOI_SOLineNbr
1844         ErrCode = NO_MATCH_SOI
1845         GoTo Err_ProcessRecords
1846     End If
1847
1848     'Stop
1849     TotalVATAmt = dblNum2
1850
1851     If rsSOI!SOI_VATPercent <> 0 Then
1852         TotalLineVATAmt = TotalLineValAmt * rsSOI!SOI_VATPercent
1853     Else
1854         TotalLineVATAmt = 0
1855     End If
1856
1857     'write total line Val GLT
1858
1859     CreateGLT typIVI.IVI_GrossPriceExtAmt, rsSOM!SOM_ARAcctNbr,
1860     typIVI.GLSalesAcctNbr, InvoiceID & "," & rsSOI!SOI_SOLineNbr, "Invoicing"
1861     ' CreateGLT TotalLineValAmt, rsSOM!SOM_ARAcctNbr, typIVI.GLSalesAcctNbr,
1862     InvoiceID & "," & rsSOI!SOI_SOLineNbr, "Invoicing"
1863
1864     If TotalVATAmt <> 0 Then
1865         If NothingIn(Get_VAT_GL(Nz(rsSOM!SOM_VATTerritory, vbNullString))) Then
1866             ErrCode = NO_VAT_DESC
1867             GoTo Err_ProcessRecords
1868         Else
1869             CreateGLT TotalLineVATAmt, rsSOM!SOM_ARAcctNbr,
1870             Get_VAT_GL(Nz(rsSOM!SOM_VATTerritory, vbNullString)), InvoiceID & "/" &
1871             rsSOI!SOI_SOLineNbr, "Invoicing"
1872             CreateGLT Round(TotalLineVATAmt, 2), rsSOM!SOM_ARAcctNbr,
1873             Get_VAT_GL(Nz(rsSOM!SOM_VATTerritory, vbNullString)), InvoiceID & "/" &
1874             rsSOI!SOI_SOLineNbr, "Invoicing"
1875         End If
1876     End If
1877
1878     TotalLineValAmt = 0
1879     TotalLineVATAmt = 0
1880     TotalLineCOGSAmt = 0

```

```

1871         TotalLineShipQty = 0
1872         TotalLineRequiredQty = 0
1873         dblNum = 0
1874         dblNum2 = 0
1875         rsSOI.MoveNext
1876     Loop
1877
1878
1879     'commented out 04/03/2015 By Roger Williams
1880     'Done because in Access 2000 this section of code actually runs
1881     'and creates another GLT entry for the VAT with a source not of a
1882     'line number but the invoice ID.
1883     'which means GLT records are written as:
1884     'invoice,linenbr
1885     'invoice/linenbr
1886     'invoice line VAT - this does NOT occur in the current system
1887     '         therefore commenting out the code
1888     '         CodeDb.Execute "UPDATE IMA INNER JOIN SHI ON IMA.IMA_ItemID = SHI.SHI_ItemID)
INNER JOIN SHD ON (SHI.SHI_SOLineNbr = SHD.SHD_SOLineNbr) AND (SHI.SHI_SalesOrderID =
SHD.SHD_SalesOrderID) SET IMA.IMA_AllocSalesQty =
[IMA_AllocSalesQty]-([SHD_ToPickQty]-[SHD_ShipQty])*[SHI].[SHI_SalesConvFactor]) WHERE
SHD.SHD_SalesOrderID='" & rsSHP!SHP_SalesOrderID & "'", dbFailOnError + dbSeeChanges
1889         Set rstIMA = CodeDb.OpenRecordset("SELECT SHI.SHI_SalesOrderID, SHI.SHI_ItemID,
SHI.SHI_SalesConvFactor, SHD.SHD_ToPickQty, SHD.SHD_ShipQty FROM SHI INNER JOIN
SHD ON (SHI.SHI_SOLineNbr = SHD.SHD_SOLineNbr) AND (SHI.SHI_SalesOrderID =
SHD.SHD_SalesOrderID) WHERE SHD.SHD_SalesOrderID='" & rsSHP!SHP_SalesOrderID &
'", dbOpenSnapshot, dbSeeChanges + dbFailOnError)
1890         mcnxado.Execute "UPDATE IMA SET IMA.IMA_AllocSalesQty = [IMA_AllocSalesQty]- "
& (rstIMA!SHD_ToPickQty - rstIMA!SHD_ShipQty) * rstIMA!SHI_SalesConvFactor & "
WHERE IMA_ItemID='" & rstIMA!SHI_ItemID & "'"
1891         rstIMA.Close
1892
1893         '*** Initialize Totals for next invoice
1894         TotalInvoiceAmtMinusVAT = 0
1895         TotalInvoiceAmtPlusVAT = 0
1896         dblTotalWEECharge = 0 'added 02/11/07 By Roger Williams
1897         UpdateSOM
1898         ' This update qry will Set all SOI_ShiplistFlag to False if the SOI has no
associated SHP Records. CT 2/27/96
1899         'original code 24/03/06 By Roger Williams
1900         rsSOI.Close
1901         '         Stop
1902         'moved 22/11/2022 to RemoveSOIDS
1903         '         mcnxado.Execute "UPDATE SOI SET SOI_ShiplistFlag=0 WHERE SOI_SalesOrderID IN
(SELECT SOI_SalesOrderID FROM SOI LEFT JOIN SHP ON SOI.SOI_SalesOrderID =
SHP.SHP_SalesOrderID WHERE ((SOI.SOI_ShiplistFlag<>0) AND (SHP.SHP_SalesOrderID Is
Null)))"
1904
1905         '         'added 16/02/2015 by Roger Williams
1906         '         'transaction complete add SO ID to completed array
1907         aryPos = aryPos + 1 'starts at zero on purpose
1908         arySOIDs(aryPos) = vntErrSOMSalesOrderID
1909         Stop
1910         rsCUS.Close
1911         rsGLT.Close
1912         rsIVM.Close
1913         rsIVI.Close
1914         rsARM.Close
1915
1916         mcnxado.CommitTrans
1917         TransactionFlag = False
1918         rsSHP.MoveNext
1919         rsSOM.Close
1920     Loop
1921
1922     SysCmd SYSCMD_REMOVEMETER
1923     'added 23/03/11 By Roger Williams
1924     'write ITR here at the end so if it goes tits up at least the invoices
1925     'have been created!

```

```

1926 '
1927 'This bit which is basically a repositioned Update_ITR (left in this module)
1928 'Updates the ITR record created by frmShipment with the invoice ID
1929 '
1930     rsSHP.Close
1931     mcnxado.Close
1932
1933     'modified 18/02/2015 By Roger Williams
1934     'moved to BEFORE Exit_ProcessRecords:
1935     If aryPos <> 0 Then
1936         RemoveSOIDs
1937
1938         If Me.CHKPDF Then
1939             For intNum = 1 To aryPos
1940                 On Error Resume Next
1941                 DoCmd.OpenForm "fSelPrntInv", , , , , acHidden, arySOIDs(intNum) & "_PDF"
1942
1943                 While isobjectopen("fSelPrntInv", acForm)
1944                     DoEvents
1945                 Wend
1946
1947             Next intNum
1948         End If
1949
1950         If Me.CHKEmail Then
1951             For intNum = 1 To aryPos
1952                 On Error Resume Next
1953                 DoCmd.OpenForm "fSelPrntInv", , , , , acHidden, arySOIDs(intNum) &
1954                     "_EMAIL"
1955
1956                 While isobjectopen("fSelPrntInv", acForm)
1957                     DoEvents
1958                 Wend
1959
1960             Next intNum
1961         End If
1962
1963         If Me.CHKEmailPrint Then
1964             For intNum = 1 To aryPos
1965                 DoCmd.OpenForm "fSelPrntInv", , , , , acHidden, arySOIDs(intNum) &
1966                     "_EMAILPRINT"
1967
1968                 While isobjectopen("fSelPrntInv", acForm)
1969                     DoEvents
1970                 Wend
1971
1972                 Sleep 7500
1973             Next intNum
1974         End If
1975     Else
1976         ProcessRecords = False
1977     End If
1978 End If
1979 Exit_ProcessRecords:
1980 SysCmd SYSCMD_REMOVEMETER
1981 Set mcnxado = Nothing '21/05/12
1982 Set rsSHP = Nothing
1983 Set rsSHI = Nothing
1984 Set rsSOM = Nothing
1985 Set rsCUS = Nothing
1986 Set rsARM = Nothing
1987 Set rsMMR = Nothing
1988 Set rsMMS = Nothing
1989 Set rsMMP = Nothing
1990 Set rsMMD = Nothing
1991 Set rsINV = Nothing
1992 Set rsGLT = Nothing
1993 Set rsIVM = Nothing
1994 Set rsIVI = Nothing

```

```

1993     Set rsLog = Nothing
1994     Set rsITR = Nothing
1995
1996     Exit Function
1997 Err_ProcessRecords:
1998 Resume Next 'DELETE WHEN WORKS!
1999
2000 If Err.Number = 2501 Then 'if just printed to PDF not technically an error
2001     Resume Exit_ProcessRecords
2002 End If
2003
2004 If Err.Number <> 0 Then
2005     intErr = Err.Number
2006     strErrDesc = Err.Description
2007     MsgBox "Error: " & Err.Description
2008 Else
2009     intErr = ErrCode
2010 End If
2011
2012 ProcessRecords = False
2013 On Error Resume Next
2014
2015     If TransactionFlag Then
2016         mcnxado.RollbackTrans
2017         TransactionFlag = False
2018     End If
2019
2020     Set rsSHI = Nothing
2021     Set rsSOM = Nothing
2022     Set rsCUS = Nothing
2023     Set rsARM = Nothing
2024     Set rsMMR = Nothing
2025     Set rsMMS = Nothing
2026     Set rsMMP = Nothing
2027     Set rsMMD = Nothing
2028     Set rsINV = Nothing
2029     Set rsGLT = Nothing
2030     Set rsIVM = Nothing
2031     Set rsIVI = Nothing
2032     Set rsITR = Nothing
2033
2034 'reset invoice id for SHP else can't retry invoicing for this order
2035 If Me!chkAllSalesOrderID Then
2036     SQL = "SELECT * FROM SHP INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID
2037         WHERE SHP.SHP_ToInvoiceFlag<>0"
2038 Else
2039     SQL = "SELECT * FROM SHP INNER JOIN CUS ON SHP.SHP_CustomerID = CUS.CUS_CustomerID
2040         WHERE SHP.SHP_ToInvoiceFlag<>0 and SHP_SalesOrderID ='" & rsSHP!SHP_SalesOrderID & "'
2041         "
2042 End If
2043
2044 On Error Resume Next
2045 Set rstSHP = CodeDb.OpenRecordset(SQL, dbOpenDynaset, dbSeeChanges + dbFailOnError)
2046 rstSHP.Edit
2047 rstSHP!SHP_InvoiceID = ""
2048 rstSHP.Update
2049 rstSHP.Close
2050 Set rsSHP = Nothing
2051
2052 Set rsLog = Nothing
2053 Resume Exit_ProcessRecords
2054 End Function
2055
2056 Private Sub txtAccountingDate_AfterUpdate()
2057     On Error GoTo Err_txtAccountingDate_AfterUpdate_Gen
2058
2059     Me!txtInvoiceDate = Me!txtAccountingDate
2060
2061 Exit_txtAccountingDate_AfterUpdate:

```

```

2059     Exit Sub
2060 Err_txtAccountingDate_AfterUpdate_Gen:
2061 End Sub
2062
2063 Private Sub txtAccountingDate_BeforeUpdate(Cancel As Integer)
2064     On Error GoTo Err_txtAccountingDate_BeforeUpdate_Gen
2065
2066     If NothingIn(Me!txtAccountingDate) Or Not Validate_GLDate(Me!txtAccountingDate) Then
2067         SendKeys "{ESC}"
2068         Cancel = True
2069     End If
2070
2071 Exit_txtAccountingDate_BeforeUpdate:
2072     Exit Sub
2073 Err_txtAccountingDate_BeforeUpdate_Gen:
2074 End Sub
2075
2076 Private Sub txtInvoiceDate_BeforeUpdate(Cancel As Integer)
2077     On Error Resume Next
2078
2079     If NothingIn(Me!txtInvoiceDate) Then
2080         SendKeys "{ESC}"
2081         Cancel = True
2082     End If
2083
2084 End Sub
2085
2086 Private Function Update_ITR(strSO As String) As Boolean
2087 'Modified 24/08/12 by Roger Williams
2088 'added code to update ITR_Shipment
2089 '
2090 On Error GoTo ERR_Error
2091 rsITR.Open "SELECT ITR_Reason, ITR_LineNbr, ITR_RequiredDate, ITR_ReferenceID FROM
ITR_Shipment INNER JOIN SHP ON ITR_Shipment.ITR_Reason = SHP.SHP_SalesOrderID WHERE
ITR_Shipment.ITR_ReferenceID Is Null AND ITR_Shipment.ITR_TransType='Shipment' AND
SHP.SHP_ToInvoiceFlag<>0 AND SHP.SHP_SalesOrderID='" & strSO & "'", mcnxado,
adOpenDynamic, adLockOptimistic
2092
2093     If Not rsITR.EOF Then
2094         Do Until rsITR.EOF
2095             rsITR!ITR_ReferenceID = InvoiceID
2096             rsITR.Update
2097             rsITR.MoveNext
2098         Loop
2099     End If
2100
2101 rsITR.Close
2102 Update_ITR = True
2103
2104 Exit Function
2105
2106 ERR_Error:
2107 End Function
2108
2109 Private Function UpdateCUS() As Boolean
2110 On Error GoTo ERR_Error
2111 Dim intNum As Integer
2112
2113 For intNum = 1 To aryIVMPos
2114     If aryIVM(intNum).SalesOrderID = rsSHP!SHP_SalesOrderID Then
2115         If Not rsCUS.EOF Then
2116             rsCUS!CUS_LastInvoiceDate = Me!txtInvoiceDate
2117             rsCUS!CUS_LastInvoiceID = InvoiceID
2118             rsCUS!CUS_LastInvoiceAmt = Round(aryIVM(intNum).IVM_InvoiceAmt, 2)
2119             rsCUS!CUS_OnSHPAmt = Nz(rsCUS!CUS_OnSHPAmt, 0) -
                Round(aryIVM(intNum).IVM_InvoiceNetAmt, 2)
2120             rsCUS!CUS_OpenBalanceAmt = Nz(rsCUS!CUS_OpenBalanceAmt, 0) +
                Round(aryIVM(intNum).IVM_InvoiceAmt, 2)
2121             rsCUS.Update

```

```

2122         End If
2123     End If
2124 Next intNum
2125     UpdateCUS = True
2126 Exit Function
2127
2128 ERR_Error:
2129 End Function
2130
2131 Private Function UpdateSOI() As Boolean
2132
2133     Dim rsSODComp As ADODB.Recordset
2134
2135 Set rsSODComp = New ADODB.Recordset
2136 'Modified 02/03/2015 By Roger Williams
2137 'no looks for SOD records NOT complete
2138 rsSODComp.Open "SELECT * FROM SOD WHERE SOD_SalesOrderID= '" & rsSOI!SOI_SalesOrderID &
'" AND SOD_SOLineNbr= '" & rsSOI!SOI_SOLineNbr & " AND SOD_ShipComplete =0", mcnxado,
adOpenKeyset, adLockOptimistic
2139
2140     If Not rsSOI.EOF Then
2141         rsSOI.Edit
2142
2143         If rsSODComp.EOF Then
2144             rsSOI!SOI_CompShippedFlag = True
2145         Else
2146             rsSOI!SOI_CompShippedFlag = False
2147         End If
2148
2149         rsSOI!SOI_ShiplistFlag = False
2150         rsSOI!SOI_InvoicedFlag = True
2151         rsSOI.Update
2152         UpdateSOI = True
2153     End If
2154
2155 rsSODComp.Close
2156 End Function
2157
2158 Private Function UpdateSOM() As Boolean
2159 Dim rsSOIComp As ADODB.Recordset
2160
2161 Set rsSOIComp = New ADODB.Recordset
2162
2163 'modified 02/03/2015 By Roger Williams
2164 'know looks for SOI lines NOT complete
2165 rsSOIComp.Open "SELECT SOI.SOI_CompShippedFlag FROM SOI WHERE SOI.SOI_SalesOrderID='"
& rsSHP!SHP_SalesOrderID & "' AND SOI.SOI_CompShippedFlag=0", mcnxado, adOpenKeyset,
adLockBatchOptimistic
2166
2167     If rsSOIComp.EOF Then
2168         rsSOM!SOM_CompShippedFlag = True
2169     Else
2170         rsSOM!SOM_CompShippedFlag = False
2171     End If
2172
2173     rsSOM.Update
2174
2175     UpdateSOM = True
2176 rsSOIComp.Close
2177 End Function
2178
2179 Private Sub PrintInvoices()
2180     If Me.chkPrintInvoice Then
2181         DoCmd.Hourglass True
2182         DoCmd.Close acReport, "rptPrntInvUpdateByInvoiceID"
2183         DoCmd.OpenForm "fSelPrntInv", , , , , acHidden, strSOIDsToPrint
2184     End If
2185
2186 Exit_cmdPrintStatement_Click:

```

```
2187         DoCmd.Hourglass False
2188     Exit Sub
2189 Err_cmdPrintStatement_Click_gen:
2190 End Sub
2191
2192
```