




TRABAJO PRACTICO 1

ACTIVIDAD 1: Crear un repositorio github y clonar


Alumno: Roger Misael Villarreal

Fecha: 10/03/2023

- 1- Descargo e Instalo Git en la Computadora
- 2- Creación de una cuenta



- 3- Dentro de tu cuenta GitHub, presiona el icono “+” y selecciona la opción “New Repository”



- 4- Asigna un Nombre a tu repositorio; GitHub te recomienda que sea un nombre corto y fácil de recordar (quizá algo relacionado con el proyecto que vas a almacenar)

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner * Roger misael Repository name * Testing QA ✓

Great repository names are s Your new repository will be created as Testing-QA about refactored-umbrella?

Description (optional)

☒ Public
Anyone on the internet can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

Initialize this repository with:
Skip this step if you're importing an existing repository.

☐ Add a README file
This is where you can write a long description for your project. [Learn more.](#)

- 5- Agrega una Descripción Corta y marca la opción "Inicializar este repositorio con un README", y haz clic en el botón "Crear Repositorio".

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner * Roger misael Repository name * Testing QA ✓

Great repository names are s Your new repository will be created as Testing-QA about refactored-umbrella?

Description (optional)

Prueba de Git para el curso de Testing

☒ Public
Anyone on the internet can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

Initialize this repository with:
Skip this step if you're importing an existing repository.

☒ Add a README file
This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore

Initialize this repository with:

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

Add a README file
This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore
Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: **None**

Choose a license
A license tells others what they can and can't do with your code. [Learn more.](#)

License: **None**

This will set **main** as the default branch. Change the default name in your [settings](#).

① You are creating a public repository in your personal account.

Create repository

6- Así se ve tu REPOSITORIO:

Rogermisael / Testing-QA Public

Pin Unwatch 1 Fork 0 Star 0

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

main 1 branch 0 tags

Go to file Add file <> Code

Rogermisael Initial commit 5c79882 now 1 commit

README.md Initial commit now

README.md

Testing-QA

Prueba de Git para el curso de Testing

About

Prueba de Git para el curso de Testing

Readme

0 stars

1 watching

0 forks

Releases

No releases published

[Create a new release](#)


Packages

No packages published


[Publish your first package](#)

7- CLONAR REPOSITORIO


- Dentro de tu repositorio identifica el botón verde “CODE” y da clic



- Copia la dirección HTTPS del apartado LOCAL




8- Abre la terminal GIT BASH que instalaste con git



```
MINGW64:/c/Users/Yesi & Roger
Yesi & Roger@DESKTOP-E53C0KH MINGW64 ~
$ |
```

9- Escribe dentro de la terminal: git clone *ingresa tu http* y presiona enter




```
MINGW64:/c/Users/Yesi & Roger
Yesi & Roger@DESKTOP-E53C0KH MINGW64 ~
$ ^[[200~https://github.com/Rogermisael/Testing-QA.git~
bash: https://github.com/Rogermisael/Testing-QA.git~: No such file or directory

Yesi & Roger@DESKTOP-E53C0KH MINGW64 ~
$ git clone https://github.com/Rogermisael/Testing-QA.git
Cloning into 'Testing-QA'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Yesi & Roger@DESKTOP-E53C0KH MINGW64 ~
$ |
```

10- Utiliza el comando `cd nombre del repositorio` para navegar sobre el.



```
MINGW64:/c/Users/Yesi & Roger/Testing-QA
Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ ^[[200~https://github.com/Rogermisael/Testing-QA.git~
bash: https://github.com/Rogermisael/Testing-QA.git~: No such file or directory


Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ git clone https://github.com/Rogermisael/Testing-QA.git
Cloning into 'Testing-QA'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ cd 200~Testing-QA~
bash: cd: 200~Testing-QA~: No such file or directory

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ cd Testing-QA

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~/Testing-QA (main)
$ |
```

11- Vamos a usar el comando `git status`



```
MINGW64:/c/Users/Yesi & Roger/Testing-QA
$ git clone https://github.com/Rogermisael/Testing-QA.git
Cloning into 'Testing-QA'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ cd 200~Testing-QA~
bash: cd: 200~Testing-QA~: No such file or directory

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~
$ cd Testing-QA

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~/Testing-QA (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Yesi & Roger@DESKTOP-E53COKH MINGW64 ~/Testing-QA (main)
$ |
```