

ANDROID STATIC ANALYSIS REPORT



United Airlines (4.1.102)

File Name:	united-air.apk
Package Name:	com.united.mobile.android
Scan Date:	Feb. 5, 2024, 6:06 a.m.
App Security Score:	33/100 (HIGH RISK)
Grade:	C
Trackers Detection:	8/432

FINDINGS SEVERITY

≟ HIGH	▲ MEDIUM	i INFO	✓ SECURE	◎ HOTSPOT
20	24	3	3	1

FILE INFORMATION

File Name: united-air.apk

Size: 154.74MB

MD5: e9176955787941ef3c6af69d06acc952

SHA1: a1d164ccc4c8d32561c5d83a937a0a414147902a

SHA256: b71f4c915e0012ed1b009da9b93c5526ff4daaa52c721d1b74bed40fa7a157da

i APP INFORMATION

App Name: United Airlines

Package Name: com.united.mobile.android

Main Activity: com.united.mobile.android.ui.splash.SplashActivity

Target SDK: 33 Min SDK: 28 Max SDK:

Android Version Name: 4.1.102

APP COMPONENTS

Activities: 33 Services: 19 Receivers: 17 Providers: 11

Exported Activities: 5
Exported Services: 2
Exported Receivers: 5
Exported Providers: 1



Binary is signed v1 signature: False v2 signature: False v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=Illinois, L=Chicago, O=United Airlines, OU=Technology, CN=Michael Natale

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2011-08-22 20:03:34+00:00 Valid To: 2039-01-07 20:03:34+00:00

Issuer: C=US, ST=Illinois, L=Chicago, O=United Airlines, OU=Technology, CN=Michael Natale

Serial Number: 0x4e52b616 Hash Algorithm: sha1

md5: 8dba3d6abdbc5e8537f27529d1976bc8

sha1: 12ec9 fbcf3e66e5a12f22cddfbed3ecb3cd415e8

sha256: e833171fd602255f030ed251c64a9989c7eabc4ebe1c3d7b097ae0f9aea8f946

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 53585038eef3d66ed45bda2c04ed2a0a19ed6822f016da4d278e53e0b06861d6

Found 1 unique certificates

E APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.READ_CALENDAR	dangerous	read calendar events	Allows an application to read all of the calendar events stored on your phone. Malicious applications can use this to send your calendar events to other people.
android.permission.WRITE_CALENDAR	dangerous	add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system- alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.NFC	normal	control Near-Field Communication	Allows an application to communicate with Near-Field Communication (NFC) tags, cards and readers.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.HIDE_OVERLAY_WINDOWS	normal	Prevent non-system- overlay windows	Allows an app to prevent non-system- overlay windows from being drawn on top of it.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.
aero.panasonic.inflight.permission.ACCESS_IFESERVICE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WRITE_INTERNAL_STORAGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.webkit.resource.AUDIO_CAPTURE	unknown	Unknown permission	Unknown permission from android reference
android.webkit.resource.VIDEO_CAPTURE	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.FLASHLIGHT	normal	control flashlight	Allows the application to control the flashlight.
android.permission.USE_BIOMETRIC	normal	allows use of device- supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_TOPICS		allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
com.united.mobile.android.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference



FILE	DETAILS	
	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)
	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
classes10.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check possible Build.SERIAL check network operator name check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS		
	FINDINGS	DETAILS	
	yara_issue yara issue - dex file recognized by apkid but not yara module		sue - dex file recognized by apkid but not yara module
classes11.dex	Anti-VM Code	possible VM check	
	Compiler		
	FINDINGS		DETAILS
	yara_issue		yara issue - dex file recognized by apkid but not yara module
classes2.dex	Anti-VM Code		Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check
	Compiler		unknown (please file detection issue!)
	Anti Disassembly Code		illegal class name

FILE	DETAILS			
	FINDINGS	DETAILS		
	yara_issue	yara issue - dex file recognized by apkid but not yara module		
classes3.dex	Anti-VM Code Compiler	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check unknown (please file detection issue!)		

FILE	DETAILS	
	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
classes4.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check Build.TAGS check SIM operator check network operator name check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS			
	FINDINGS	DETAILS		
	yara_issue	yara issue - dex file recognized by apkid but not yara module		
classes5.dex	Anti-VM Code Anti Debug Code Compiler	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check possible Build.SERIAL check network operator name check ro.kernel.qemu check Debug.isDebuggerConnected() check unknown (please file detection issue!)		
	FINDINGS	DETAILS		
classes6.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module		
	Compiler	unknown (please file detection issue!)		

FILE	DETAILS		
	FINDINGS	DETAILS	
classes7.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
	Compiler	unknown (please file detection issue!)	
	FINDINGS	DETAILS	
classes8.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
	Anti-VM Code	Build.PRODUCT check	
	Compiler unknown (please file detection issue!)		
	FINDINGS	DETAILS	
classes9.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
	Anti-VM Code	Build.MANUFACTURER check	
	Compiler	unknown (please file detection issue!)	

FILE	DETAILS		
lib/arm64-v8a/libLIB-v.4.3.so	FINDINGS	DETAILS	
	Obfuscator	Arxan	
lib/armeabi-v7a/libLIB-v.4.3.so	FINDINGS	DETAILS	
instatricust viamoeib v.4.5.30	Obfuscator	Arxan	

■ BROWSABLE ACTIVITIES

ACTIVITY	INTENT

ACTIVITY	INTENT
com.united.mobile.android.ui.main.MainActivity	Schemes: http://, https://, ualentertainment://, ualpartnerprovisionreturn://, ualpartnerprovisioncancel://, ualpaypalreturn://, ualpaypalcancel://, ualmasterpassreturn://, ualprepaidbagsreturn://, uaportalpacstream://, ualmobile://, Hosts: www.united.com, united.com, news.united.com, www.unitedwifi.com, openapp, homescreen, mytrips, flights, click.enews.united.com, Mime Types: application/pdf, Paths: /portal/vod/playmovie, /portal/l/appdetection, /, Path Prefixes: /ual/en/us/navigation/airportnav/nav, /ual/en/us/navigation/airportNAV/nav, /ual/en/US/navigation/airportnav/nav, /ual/en/US/navigation/airportNAV/nav, /en/us/fly/travel/airport/terminal-guide/download-app.html, /offers/myoffers, /en/us/flightstatus/details, /ual/en/us/Booking/SearchInjection/VendorQueryPinDown, /ual/en/jp/Booking/SearchInjection/VendorQueryPinDown, /Booking/SearchInjection/VendorQueryPinDown, /en/us/preordermeals/deeplink/marketing, /en/us/flight-wallet/checkout, /en/us/checkin, /travel/checkin/quickstart, /en/us/account, /en/us/fly/travel/baggagetracking, /en/us/pbs, /en/us/baggage/issues-with-your-checked-bags, /en-us/flights, /en/us/manageres/tripdetails, /en/us/manageRes/tripDetails, /en/us/manageres/tripdetails, /en/us/myunited/verify/phone, /en/us/myunited/verify/email, /en/us/fly/print/bagtag, Path Patterns: .*,
com.united.mobile.android.ui.main.TravelReadyCenterAlias	Schemes: https://, Hosts: www.united.com, united.com, Path Prefixes: /en/us/travelreadycenter, /travelreadycenter,

△ NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 1

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	secure	Base config is configured to disallow clear text traffic to all domains.

NO	SCOPE	SEVERITY	DESCRIPTION
2	127.0.0.1 172.27.4.91 192.168.1.1 localhost airpana.com gogoinflight.com inflightinternet.com ideanovatech.com inflightpanasonic.aero ufs.ltv jcb-card.jp	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

Q MANIFEST ANALYSIS

HIGH: 3 | WARNING: 14 | INFO: 0 | SUPPRESSED: 0

NO ISSUE SEVERITY DESCRIPTION

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (com.united.mobile.android.ui.NfcActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	App Link assetlinks.json file not found [android:name=com.united.mobile.android.ui.main.MainActivity] [android:host=https://www.united.com]	high	App Link asset verification URL (https://www.united.com/.well- known/assetlinks.json) not found or configured incorrectly. (Status Code: None). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter.

NO	ISSUE	SEVERITY	DESCRIPTION
5	App Link assetlinks.json file not found [android:name=com.united.mobile.android.ui.main.MainActivity] [android:host=https://united.com]	high	App Link asset verification URL (https://united.com/.well- known/assetlinks.json) not found or configured incorrectly. (Status Code: None). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter.
6	App Link assetlinks.json file not found [android:name=com.united.mobile.android.ui.main.MainActivity] [android:host=https://www.unitedwifi.com]	high	App Link asset verification URL (https://www.unitedwifi.com/.well- known/assetlinks.json) not found or configured incorrectly. (Status Code: None). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter.

NO	ISSUE	SEVERITY	DESCRIPTION
7	Activity (com.united.mobile.android.ui.main.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (com.united.mobile.android.ui.main.TravelReadyCenterAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Broadcast Receiver (com.united.mobile.android.widget.tripCountDown.TripCountDownWidgetLargeProvider) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.united.mobile.android.Main [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Broadcast Receiver (com.united.mobile.android.appcore.receiver.InstallReferrerReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity (com.united.mobile.android.unifiedplayer.repository.unifiedplayer.UnifiedPlayerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
12	Activity (androidx.biometric.DeviceCredentialHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
14	Broadcast Receiver (com.usebutton.sdk.internal.receivers.LocaleChangedReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
15	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
16	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
17	Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
18	Content Provider (com.inmobile.MeshProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 7 | WARNING: 9 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				cartrawler/api/ota/rental/insuranceQuote/models/rs/Sel ectControlltem.java cartrawler/core/base/CarTrawlerSessionVM.java cartrawler/core/data/internal/UserDetails.java cartrawler/core/data/pojo/Partner.java cartrawler/core/ui/modules/absSearch/SearchListItem.ja va cartrawler/core/ui/modules/filters/QuickFilterItem.java cartrawler/core/ui/modules/insurance/explained/Insura nceExplainedUIData.java cartrawler/core/ui/modules/insurance/explained/Limite dInsuranceExplainedFragment.java cartrawler/core/ui/modules/insurance/explained/Premiu mInsuranceExplainedFragment.java cartrawler/core/ui/modules/insurance/explained/ZeroEx cessInsuranceExplainedFragment.java cartrawler/core/ui/modules/payLater/PayLaterBottomSh eet.java cartrawler/core/ui/modules/payment/options/googlepay /GooglePayTokenActivity.java cartrawler/core/ui/modules/search/SearchFragment.java cartrawler/core/ui/modules/settings/SettingsFragment.ja va

NO	ISSUE	SEVERITY	STANDARDS	cartrawler/core/ui/modules/settings/SettingsURLData.jav
				TermsAndConditionsDetailFragment.java cartrawler/core/ui/modules/vehicle/list/model/Payment TypesByVendorKt.java cartrawler/core/utils/CTSettings.java cartrawler/core/utils/Constants.java cartrawler/core/utils/InsuranceltemTypes.java cartrawler/core/utils/InsuranceltemTypes.java cartrawler/core/utils/Reporting.java cartrawler/core/utils/Reporting.java cartrawler/external/CartrawlerSDK.java com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCacheKey.java com/bumptech/glide/load/engine/EngineResource.java com/bumptech/glide/load/engine/ResourceCacheKey.jav a com/bumptech/glide/manager/RequestManagerRetrieve r.java com/cartrawler/pay/Constants.java com/cartrawler/pay/CreditCardPresenter.java com/chauthai/swipereveallayout/ViewBinderHelper.java com/ideanovatech/android/vast/Constants.java com/jumio/core/cdn/CDNEncryptedEntry.java com/liveperson/api/request/ConsumerRequestConversat ion.java com/liveperson/infra/lnfra.java com/liveperson/infra/analytics/AnalyticsService.java com/liveperson/infra/managers/PreferenceManager.java com/liveperson/infra/managers/PreferenceManager.java com/liveperson/infra/messaging_ui/fragment/FeedbackF ragment.java com/liveperson/infra/preferences/PushMessagePreferen ces.java com/liveperson/infra/preferences/PushMessagePreferen ces.java com/liveperson/infra/preferences/PushMessagePreferen ces.java com/liveperson/messaging/commands/tasks/ACCDNCon nectorsTask.java com/liveperson/messaging/controller/ClientProperties.ja va com/liveperson/messaging/controller/ClientProperties.ja va com/liveperson/messaging/controller/ClientProperties.ja va

NO	ISSUE	SEVERITY	STANDARDS	ctionParamsCache.java For ParamsCache.java For ParamsCache.java Holder.java
				com/liveperson/messaging/wm/impl/WelcomeMessage UriUtilskt.java com/liveperson/monitoring/cache/MonitoringParamsCa che.java com/liveperson/monitoring/connection/tasks/ACCDNCo nnectorsTask.java com/nimbusds/jose/HeaderParameterNames.java com/nimbusds/jose/jwk/JWKParameterNames.java com/qualtrics/digital/EmbeddedFeedbackUtils.java com/qualtrics/digital/ExpressionDeserializer.java com/qualtrics/digital/QualtricsPopOverFragment.java com/qualtrics/digital/MDUtils.java com/snowplowanalytics/snowplow/event/MessageNotifi cation.java com/snowplowanalytics/snowplow/event/MessageNotifi cation.java com/tom_roush/pdfbox/pdmodel/interactive/annotation /PDAnnotationRubberStamp.java com/tom_roush/pdfbox/pdmodel/interactive/annotation /PDAnnotationText.java com/united/mobile/android/airportmaps/repository/air portmaps/wayfinding/WayFindingServiceRepositoryImpl. java com/united/mobile/android/airportmaps/ui/wayfinding/ AccordionData.java com/united/mobile/android/airportmaps/ui/wayfinding/ WayFindingDestination.java com/united/mobile/android/airportmaps/ui/wayfinding/ v2/WayFindingV2Destination.java com/united/mobile/android/appcore/database/caption/ Caption.java com/united/mobile/android/appcore/database/carousel/ Carousel.java com/united/mobile/android/appcore/database/catalog/C atalogEntry.java com/united/mobile/android/appcore/database/ccealert/ CCFAlert.iava

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/appcore/database/ccesaved
				com/united/mobile/android/appcore/database/chase/Ch
				ase.java
				com/united/mobile/android/appcore/database/contextu
				alcard/ContextualCardDoc.java
				com/united/mobile/android/appcore/database/flifodoc/ FlifoDoc.java
				com/united/mobile/android/appcore/database/hero/Her
				o.java
				com/united/mobile/android/appcore/database/hmenu/
				HMenu.java
				com/united/mobile/android/appcore/database/pnrdoc/P nrDoc.java
				com/united/mobile/android/appcore/database/setting/A
				ppSetting.java
				com/united/mobile/android/appcore/database/token/To
				ken.java
				com/united/mobile/android/appcore/database/walletflif
				o/WalletFlifo.java
				com/united/mobile/android/appcore/database/walletmb
				p/WalletMBP.java
				com/united/mobile/android/appcore/definition/MOBTy
				peOption.java
				com/united/mobile/android/appcore/definition/airport
				maps/wayfinding/MOBWayFindingLink.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBAddress.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBBundle.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBCPPhone.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBCPTraveler.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBCreditCard.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBEmail.java
				com/united/mobile/android/appcore/definition/basemo
				dels/MOBMasterpassSessionDetails.java
				com/united/mobile/android/anncore/definition/basemo

NO	ISSUE	SEVERITY	STANDARDS	dels/MOBPhone.java FILES com/funited/mobile/android/appcore/definition/basemo
NO	ISSUE	SEVERITY	STANDARDS	dels/MOBTypeOption.java com/united/mobile/android/appcore/definition/booking /MOBBKLoyaltyProgramProfile.java com/united/mobile/android/appcore/definition/booking /MOBBundle.java com/united/mobile/android/appcore/definition/booking /MOBCCAdCCEPromoBanner.java com/united/mobile/android/appcore/definition/booking /MOBCPCubaSSR.java com/united/mobile/android/appcore/definition/booking /MOBCPMileagePlus.java com/united/mobile/android/appcore/definition/booking /MOBCPSecureTraveler.java com/united/mobile/android/appcore/definition/booking /MOBLmxLoyaltyTier.java com/united/mobile/android/appcore/definition/booking /MOBPlacePass.java com/united/mobile/android/appcore/definition/booking /MOBPrefAirPreference.java com/united/mobile/android/appcore/definition/booking /MOBPrefPhone.java com/united/mobile/android/appcore/definition/booking /MOBPrefRewardProgram.java com/united/mobile/android/appcore/definition/booking /MOBPrefServiceAnimal.java com/united/mobile/android/appcore/definition/booking /MOBPrefSpecialRequest.java com/united/mobile/android/appcore/definition/booking /MOBSHOPFareWheelItem.java com/united/mobile/android/appcore/definition/booking /MOBSHOPFareWheelItem.java com/united/mobile/android/appcore/definition/booking /MOBSHOPPerson.java com/united/mobile/android/appcore/definition/booking /MOBSHOPPerson.java com/united/mobile/android/appcore/definition/booking /MOBSHOPPerson.java com/united/mobile/android/appcore/definition/booking /MOBSHOPPerson.java com/united/mobile/android/appcore/definition/booking /MOBSHOPReservation.java com/united/mobile/android/appcore/definition/booking
				/MOBSHOPReservationInfo2.java com/united/mobile/android/appcore/definition/booking

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/appcore/definition/booking /MOBSHOPSearchFilterItem.java
				com/united/mobile/android/appcore/definition/booking /MOBSHOPTravelOption.java com/united/mobile/android/appcore/definition/booking /MOBSHOPTravelOptionSubltem.java com/united/mobile/android/appcore/definition/booking /MOBSHOPTraveler.java com/united/mobile/android/appcore/definition/booking /MOBSHOPTraveler.java com/united/mobile/android/appcore/definition/booking /MOBSHOPTraveler.java com/united/mobile/android/appcore/definition/booking /MOBSHIInfo.java com/united/mobile/android/appcore/definition/booking /employee/MOBEmpEmail.java com/united/mobile/android/appcore/definition/booking /employee/MOBEmpSHOPFareWheelltem.java com/united/mobile/android/appcore/definition/booking /employee/MOBEmpSHOPReservation.java com/united/mobile/android/appcore/definition/booking /fsrredesign/MOBStyledText.java com/united/mobile/android/appcore/definition/booking /neweresbooking/flightsearch/response/MOBSearchDate.java com/united/mobile/android/appcore/definition/booking /neweresbooking/passriders/response/MOBKnownTrave lerNumber.java com/united/mobile/android/appcore/definition/booking /neweresbooking/passriders/response/MOBRedressNumber.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/MOBCardType.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/MOBEmpTypeOption.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/MOBEmpTypeOption.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/MOBTravelDocument.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/MOBTravelDocument.java com/united/mobile/android/appcore/definition/booking /neweresbooking/reviewtrip/response/MOBCreditCardT ype.java

				соптиниеа/торше/анагоја/аррсоге/аеппшоп/роокту
NO	ISSUE	SEVERITY	STANDARDS	Heweresbooking/reviewtrip/response/MOBDisplayCart.j
				com/united/mobile/android/appcore/definition/booking
				/neweresbooking/reviewtrip/response/MOBKeyValue.jav
				a
				com/united/mobile/android/appcore/definition/booking
				/neweresbooking/reviewtrip/response/MOBTaxe.java
				com/united/mobile/android/appcore/definition/chasess
				o/MOBFeedbackOfferTrackingData.java
				com/united/mobile/android/appcore/definition/checkba
				gsredesign/MOBCheckBagOverride.java
				com/united/mobile/android/appcore/definition/checkin/
				MOBInFlightPurchaseResponse.java
				com/united/mobile/android/appcore/definition/custome r/MOBCPProfile.java
				com/united/mobile/android/appcore/definition/custome
				r/MOBCPProfileMember.java
				com/united/mobile/android/appcore/definition/custome
				r/MOBCustomerProfileResponse.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/MOBAnswersData.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/MOBEnrollmentKeyValuePair.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/MOBQuestionAndAnswers.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/MOBSecurityAnswers.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/enrollmentcompleterequest/MOBEnrollmentComple
				teRequest.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/securityquestionsandanswers/MOBEnrollmentSecuri
				tyAnswer.java
				com/united/mobile/android/appcore/definition/enrollm
				ent/securityquestionsandanswers/MOBSecurityQuestion
				AndAnswerList.java
				com/united/mobile/android/appcore/definition/explore
				destinations/ShopByMapResponseDataModel.java
				com/united/mobile/android/appcore/definition/feedbac
				k/MOBKVP.java
I	l			,

	ICCLIE	CEVEDITY	CTANDADDC	com/unitea/mobile/android/appcore/definition/filgntstat
VO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/appcore/definition/flightstat
				us/MOBEquipment.java
				com/united/mobile/android/appcore/definition/flightstat
				us/MOBTypeOption.java
				com/united/mobile/android/appcore/definition/homescr
				een/MOBAuthTokenRequest.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/CaCardAction.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCEAlert.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCEHMenultem.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCEOverlayLayout.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCERecommendedForYou.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCESavedTrip.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBCCETripTip.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/MOBHSContent.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCEAdditionalResourceDetail.j
				ava
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCEOverlayLayoutV2.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCEStatusUpdate.java
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCETravelCenterDocument.jav
				a
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCETravelCenterLandingPage.j
				ava com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBCCETravelCenterSegmentLandi
				ngPage.java
				com/united/mobile/android/appcore/definition/homescr

				een/cce/travelcenter/MOBHMenuTravelCenterFlightData
NO	ISSUE	SEVERITY	STANDARDS	科VES
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBHMenuTravelCenterStepTile.ja
				va
				com/united/mobile/android/appcore/definition/homescr
				een/cce/travelcenter/MOBPNRData.java
				com/united/mobile/android/appcore/definition/homescr
				een/contextualcard/MOBCBTripTip.java
				com/united/mobile/android/appcore/definition/homescr
				een/contextualcard/MOBContextualCard.java
				com/united/mobile/android/appcore/definition/homescr
				een/contextualcard/MOBFlightLiveActivity.java
				com/united/mobile/android/appcore/definition/homescr
				een/documents/MOBSyncDocumentsInfo.java
				com/united/mobile/android/appcore/definition/homescr
				een/navica/MOBNavicaResponse.java
				com/united/mobile/android/appcore/definition/homescr
				een/reservation/MOBPassengerSegmentInformation.jav
				a
				com/united/mobile/android/appcore/definition/homescr
				een/triptipoffers/MOBWFGetActionDetailsForOffersRequ
				est.java
				com/united/mobile/android/appcore/definition/homescr
				een/unitedpass/MOBUnitedPassData.java
				com/united/mobile/android/appcore/definition/login/M
				OBAnswer.java
				com/united/mobile/android/appcore/definition/login/M
				OBMPEnrollmentSecurityInfo.java
				com/united/mobile/android/appcore/definition/login/M
				OBMPSignInNeedHelpItems.java
				com/united/mobile/android/appcore/definition/login/M
				OBSecurityQuestion.java
				com/united/mobile/android/appcore/definition/myacco
				unt/MOBMyAccountKeyValuePair.java
				com/united/mobile/android/appcore/definition/myoffer
				s/MOBContentItem.java
				com/united/mobile/android/appcore/definition/notificati
				ons/MOBNotificationAuthorizationTokenRequestAws.jav
				a
				com/united/mobile/android/appcore/definition/notificati
I	I	I	I	''

NO	ICCI IE	CEVEDITY	CTANDADDC	ons/MOBNotificationSubscribedItem.java F4hrFS nited/mobile/android/appcore/definition/paymen
NO	ISSUE	SEVERITY	STANDARDS	t/MOBFOPLookUpTravelCreditResponse.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBFOPTravelerCertificateResponse.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBFormofPaymentDetails.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBFutureFlightCreditResponse.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBMyWalletQRCodeRequest.java
				com/united/mobile/android/appcore/definition/paymen t/MOBPaxDetails.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBProductLineItem.java
				com/united/mobile/android/appcore/definition/paymen
				t/MOBSaveCCForInFlightPurchaseResponse.java
				com/united/mobile/android/appcore/definition/paymen
				t/MyWalletCreditCardInfo.java
				com/united/mobile/android/appcore/definition/profile/
				MOBEditProfilePictureInformation.java
				com/united/mobile/android/appcore/definition/profile/
				MOBEditProfilePictureRequest.java
				com/united/mobile/android/appcore/definition/profile/
				MOBInformationDynamicInfo.java
				com/united/mobile/android/appcore/definition/profile/ MOBProfilePassportViewInfo.java
				com/united/mobile/android/appcore/definition/profile/
				MOBRemoveInfoRequest.java
				com/united/mobile/android/appcore/definition/profile/
				MOBSaveInfoRequest.java
				com/united/mobile/android/appcore/definition/profile/
				MOBShowVerifiedEmailAddressRequest.java
				com/united/mobile/android/appcore/definition/profile/
				MOBShowVerifiedPhoneNumberRequest.java
				com/united/mobile/android/appcore/definition/profile/
				MOBUpdatePasswordRequest.java
				com/united/mobile/android/appcore/definition/profile/ rofileInfo.java
				com/united/mobile/android/appcore/definition/reserva
				on/MOBAncillary.java

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/appcore/definition/reservati
NO	1330E	JEVERITI	STANDARDS	com/united/mobile/android/appcore/definition/reservati
				on/MOBBundleFlightSegment.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBCPMileagePlus.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBDisplayShareOption.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBEBPOption.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBLmxLoyaltyTier.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBPremiumCabinUpgrade.java
				com/united/mobile/android/appcore/definition/reservati
				on/MOBTPIInfo.java
				com/united/mobile/android/appcore/definition/reservati
				on/oneclickenrollment/MOBKVP.java
				com/united/mobile/android/appcore/definition/reservati
				on/passport/MOBPassportInfoRequest.java
				com/united/mobile/android/appcore/definition/reservati
				on/passport/MOBPassportShorternInfoRequest.java
				com/united/mobile/android/appcore/definition/reservati
				on/receipt/MOBKeyValuePair.java
				com/united/mobile/android/appcore/definition/seatmap
				/MOBBKPerson.java
				com/united/mobile/android/appcore/definition/seatmap
				/MOBBKTraveler.java
				com/united/mobile/android/appcore/definition/seatpref
				erences/MOBSeatPreferenceResponseData.java
				com/united/mobile/android/appcore/definition/setting/
				MOBAppSetting.java
				com/united/mobile/android/appcore/definition/travelers
				/MOBRegisterTravelersResponse.java
				com/united/mobile/android/appcore/model/bagtracking
				/BagTrackResponseData.java
				com/united/mobile/android/appcore/model/booking/Bo
				okingTripReviewData.java
				com/united/mobile/android/appcore/model/checkin/Bo
				ardingPassBarcodeEventData.java
				com/united/mobile/android/appcore/model/checkin/Bo

NO	ISSUE	SEVERITY	STANDARDS	ardingPassEventData.java Fdht Snited/mobile/android/appcore/model/checkin/Bo ardingPassResponseData.java
				com/united/mobile/android/appcore/model/checkin/Ch eckInResponseData.java
				com/united/mobile/android/appcore/model/checkin/TransviewerLoggingData.java
				com/united/mobile/android/appcore/model/checkin/TripRecoveryConfig.java
				com/united/mobile/android/appcore/model/checkin/Tri pRecoveryGetStartedEventData.java
				com/united/mobile/android/appcore/model/checkin/Ty peOption.java
				com/united/mobile/android/appcore/model/digitalid/To ggleRevokeStateConfig.java
				com/united/mobile/android/appcore/model/intlinfodoc/ MOBActionLinkRequest.java
				com/united/mobile/android/appcore/model/payment/K ey.java
				com/united/mobile/android/appcore/model/payment/P KDispenserKey.java
				com/united/mobile/android/appcore/model/payment/P aymentInformationData.java
				com/united/mobile/android/appcore/model/reservation /ReservationConfig.java
				com/united/mobile/android/appcore/repository/Context ualAwarenessRepositoryImpl.java
				com/united/mobile/android/appcore/repository/caption /CaptionVersionRepositoryImpl.java
				com/united/mobile/android/appcore/repository/ccehme nu/HMenuVersionRepositoryImpl.java
				com/united/mobile/android/appcore/repository/context
				ualcard/ContextualCardInfoRepositoryImpl.java com/united/mobile/android/appcore/repository/couchb
				asedocuments/DocumentsServiceRepositoryImpl.java com/united/mobile/android/appcore/repository/device/
				DeviceInfoStorageRepositoryImpl.java com/united/mobile/android/appcore/repository/devicec
				onfig/DeviceConfigRepositoryImpl.java com/united/mobile/android/appcore/repository/notifica tion/RavenNotificationRepositoryImpl.java

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/appcore/repository/notifica
				rt/OmniCartRepositoryImpl.java com/united/mobile/android/appcore/repository/setting/ AppSettingRepositoryImpl.java com/united/mobile/android/appcore/repository/token/ DPTokenRepositoryImpl.java com/united/mobile/android/appcore/repository/token/ DPTokenSaveRepositoryImpl.java com/united/mobile/android/appcore/repository/version /CodeFromInventoryVersionRepositoryImplKt.java com/united/mobile/android/appcore/repository/version /CountryListVersionRepositoryImplKt.java com/united/mobile/android/appcore/repository/version /FrequentFlyerVersionRepositoryImplKt.java com/united/mobile/android/appcore/repository/version /FrequentFlyerVersionRepositoryImplBtt.java com/united/mobile/android/appcore/repository/yearen dreview/YearEndReviewRepositoryImp.java com/united/mobile/android/bagtracking/model/BagTag PrintingData.java com/united/mobile/android/bagtracking/ui/bagtssues/co mmonuploadfiles/previewfiles/FilePreviewViewModel.ja va com/united/mobile/android/bagtracking/ui/bagtagprinti ng/BagTagPrintingViewModel.java com/united/mobile/android/bagtracking/utility/BagTrack Constants.java com/united/mobile/android/booking/constant/Constant s.java com/united/mobile/android/booking/definition/employe e/MOBEmpSHOPFareWheelItem.java com/united/mobile/android/booking/definition/employe e/MOBEmpSHOPFareWheelItem.java com/united/mobile/android/booking/definition/employe e/MOBEmpSHOPFareWheelItem.java com/united/mobile/android/booking/definition/employe e/MOBEmpSHOPReservation.java com/united/mobile/android/booking/model/BookingEm pPaymentData.java com/united/mobile/android/booking/model/BookingEm pPaymentData.java com/united/mobile/android/booking/model/BookingEm pPaymentData.java com/united/mobile/android/booking/iancillary/premi umCabinUpgrade/PremiumCabinUpgradeDestination.jav

NO	ISSUE	SEVERITY	STANDARDS	a FULTS nited/mobile/android/booking/ui/ancillary/premi umCabinUpgrade/UpgradeOptionsDestination.java
				com/united/mobile/android/booking/ui/ancillary/prepai dbag/PrePaidBaggageDestination.java com/united/mobile/android/booking/ui/ancillary/prepai dbag/PrePaidBaggageDetailViewModel.java com/united/mobile/android/booking/ui/ancillary/priorit yboarding/BookingPriorityBoardingDestination.java com/united/mobile/android/booking/ui/ancillary/priorit yboarding/TermsAndConditionsData.java com/united/mobile/android/booking/ui/bookingConfirm ation/employee/BookingEmpConfirmationDestination.ja va com/united/mobile/android/booking/ui/cart/main/Omni CartConfig.java com/united/mobile/android/booking/ui/checkedBagCha rges/CheckedBaggageChargesDestination.java com/united/mobile/android/booking/ui/chooseTraveler/BookingEmpChooseTravelDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingEmpAddLapChildDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingEmpEditTravelerDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingEmpEditTravelerDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingEmpReviewTravelerDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingFmpReviewTravelerDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingPriceBreakDownDestination.java com/united/mobile/android/booking/ui/common/destin ation/BookingReviewTripToConfirmationDestination.java com/united/mobile/android/booking/ui/common/destin ation/EmpBoardingTotalDestination.java com/united/mobile/android/booking/ui/common/destin ation/FlightSearchResultToCompareFareDestination.java com/united/mobile/android/booking/ui/common/destin ation/RedesignBookingFlightDetailsDestination.java com/united/mobile/android/booking/ui/common/destin ation/RedesignBookingFlightDetailsDestination.java com/united/mobile/android/booking/ui/common/destin ation/ReviewTravelerToAddCabinTypeDestination.java com/united/mobile/android/booking/ui/common/destin ation/ReviewTravelerToAddCabinTypeDestination.java

BookingCubaAndNationalityOestination.java com/united/mobile/android/booking/ui/common/view/re eshopchangePending/ReShopchangePendingDestinatio .java com/united/mobile/android/booking/ui/contentView/Co ntentViewDestination.java com/united/mobile/android/booking/ui/employeeRes/B ookingEmployeePaymentCreditcardDestination.java com/united/mobile/android/booking/ui/employeeRes/B ookingEmployeePaymentDestination.java com/united/mobile/android/booking/ui/employeeRes/B ookingEmployeePaymentDestination.java com/united/mobile/android/booking/ui/employeeRes/B ookingconfirmation/BookingConfirmationDestinationKt.ava acom/united/mobile/android/booking/ui/employeeRes/B ookingconfirmation/PassengersData.java com/united/mobile/android/booking/ui/employeeRes/b ookingempboardingtotals/BoardingTotalsDestinationKt.ava acom/united/mobile/android/booking/ui/employeeRes/b ookingempflighteatorAlrightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempflightsearch/TieyfibSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempopensearch/OpenSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempopensearch/OpenSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempopensearch/OpenSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempopensearch/OpenSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingempempfsr/NewFightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingemewmpfsr/NewFightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingemewmpfsr/NewFightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingemewmpfsr/NewFightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b ookingemewmpfsr/NewFightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/b	NO	ISSUE	SEVERITY	STANDARDS	ation/ReviewTravelerToAddChoosePassTypeDestination.j FILES
					com/united/mobile/android/booking/ui/common/view/reShopChangePending/ReShopChangePendingDestination.java com/united/mobile/android/booking/ui/contentView/ContentViewDestination.java com/united/mobile/android/booking/ui/employeeRes/BookingEmpPaymentCreditCardDestination.java com/united/mobile/android/booking/ui/employeeRes/BookingEmployeePaymentDestination.java com/united/mobile/android/booking/ui/employeeRes/BookingConfirmation/BookingConfirmationDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingconfirmation/PassengersData.java com/united/mobile/android/booking/ui/employeeRes/bookingempboardingtotals/BoardingTotalsDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingempflightdetails/FlightDetailsDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingempflightsearch/FlightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingempflightsearch/TwoWayFSRDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingempopensearch/OpenSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingnewempfsr/NewFlightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingnewempfsr/NewFlightSearchDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingnewempfsr/TwoWayEmpNewFSRDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingnewempfsr/TwoWayEmpNewFSRDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingpotentialmisconnect/PotentialMisconnectDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/bookingpotentialmisconnect/PotentialMisconnectDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/empTravelNeeds/EmpSpecialNeedsDestination.java

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/booking/ui/employeeRes/re
				com/united/mobile/android/booking/ui/employeeRes/re viewtrip/ReviewTripDestinationKt.java com/united/mobile/android/booking/ui/employeeRes/re
				viewtrip/ReviewTripPassengerAdapterData.java com/united/mobile/android/booking/ui/employeeRes/re viewtrip/pricebreakdown/PriceDataResults.java
				com/united/mobile/android/booking/ui/exploredestinati ons/EditYourSearchDestination.java com/united/mobile/android/booking/ui/exploredestinati
				ons/EditYourSearchTripFragment.java com/united/mobile/android/booking/ui/exploredestinati
				ons/EditYourSearchViewModel.java com/united/mobile/android/booking/ui/exploredestinati ons/ExploreDestinationsDestination.java
				com/united/mobile/android/booking/ui/exploredestinati ons/ExploreDestinationsViewModel.java com/united/mobile/android/booking/ui/exploredestinati
				ons/shopbyimage/ShopByImageDestination.java com/united/mobile/android/booking/ui/exploredestinati ons/shopbyimage/model/ShopByImageEditSearchDataM
				odel.java com/united/mobile/android/booking/ui/flightsearchresu ltdetail/CompareFareViewModel.java
				com/united/mobile/android/booking/ui/fsrRedesign/Red esignBookingFlightDetailsViewModel.java
				com/united/mobile/android/booking/ui/fsrRedesign/fsr/ compareFareTypes/RedesignCompareFareTypesTeaserVi ewModel.java
				com/united/mobile/android/booking/ui/fsrRedesign/fsr/ memberPricing/SpecialMemberPricingDestination.java com/united/mobile/android/booking/ui/fsrRedesign/onti
				meperformance/RedesignOnTimePerformanceDestinatio n.java
				com/united/mobile/android/booking/ui/navigatedestinat ion/TravelerStepperDestination.java com/united/mobile/android/booking/ui/neweResAccept
				TNC/AnnualTnCDialogFragment.java com/united/mobile/android/booking/ui/partner/Partner/

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/booking/ui/reshopChangeFlight/ChangeFlightFragment.java
				com/united/mobile/android/booking/ui/reviewTrip/BookingEmpReviewTripDestination.java com/united/mobile/android/booking/ui/reviewTrip/priceBreakDown/BookingEmpPriceBreakDownDestination.java com/united/mobile/android/booking/ui/reviewTrip/reviewFlight/BookingReviewFlightDestination.java com/united/mobile/android/booking/ui/rti/BookingReviewTripViewModel.java com/united/mobile/android/booking/ui/seatmap/SeatMapDestination.java com/united/mobile/android/booking/ui/seatmap/selectseats/SeatMapSelectSegmentDestination.java com/united/mobile/android/booking/ui/specialNeeds/SpecialNeedsDestination.java com/united/mobile/android/booking/ui/specialNeeds/serviceAnimal/ServiceAnimalDestination.java com/united/mobile/android/booking/ui/specialNeeds/wheelchair/WheelChairDestination.java com/united/mobile/android/booking/ui/traveler/SelectedTravelerDestination.java com/united/mobile/android/booking/ui/traveler/SelectedTravelerDestination.java com/united/mobile/android/booking/ui/traveler/editTraveler/EditTravelerDestination.java com/united/mobile/android/booking/ui/traveler/editTraveler/SpecialMealDestination.java com/united/mobile/android/booking/ui/traveler/travelerWheelChair/TravelerWheeChairDestination.java com/united/mobile/android/booking/ui/traveler/travelerWheelChair/TravelerWheeChairDestination.java com/united/mobile/android/booking/ui/tripplanner/TripPlannerFSRDDestination.java com/united/mobile/android/booking/ui/tripplanner/TripPlannerFSRDDestination.java com/united/mobile/android/booking/ui/tripplanner/TripPlannerFIightResultsDestination.java
				com/united/mobile/android/booking/ui/tripplanner/Trip PlannerSummaryViewDestination.java com/united/mobile/android/booking/ui/tripplanner/plan nerboard/TripPlannerBoardNavigation.java com/united/mobile/android/booking/ui/utils/ChaseBann

				er Layout Data. Java
NO	ISSUE	SEVERITY	STANDARDS	Figure 1: Figure 2: Figure
				com/united/mobile/android/checkin/comm/NavigationO
				bject.java
				com/united/mobile/android/checkin/model/ActionLinkR
				equest.java
				com/united/mobile/android/checkin/model/Apis.java
				com/united/mobile/android/checkin/model/AttestationO
				ption.java
				com/united/mobile/android/checkin/model/AutoCheckin Choice.java
				com/united/mobile/android/checkin/model/CDCInfoReq
				uest.java
				com/united/mobile/android/checkin/model/CheckInCust
				omer.java
				com/united/mobile/android/checkin/model/CheckInFFC
				ustomerModel.java
				com/united/mobile/android/checkin/model/CheckInGetS
				hareBoardingPassInfo.java
				com/united/mobile/android/checkin/model/CheckInKtnR
				equest.java
				com/united/mobile/android/checkin/model/CheckInSave
				InfantRequest.java
				com/united/mobile/android/checkin/model/CheckInTravelPlan.java
				com/united/mobile/android/checkin/model/CheckinAcce
				lerators.java
				com/united/mobile/android/checkin/model/Datafields.ja
				Va
				com/united/mobile/android/checkin/model/DeliveryCho ice.java
				com/united/mobile/android/checkin/model/DocChoice.j
				ava
				com/united/mobile/android/checkin/model/DocumentS
				canFlowRequest.java
				com/united/mobile/android/checkin/model/FQTVProgra
				ms.java
				com/united/mobile/android/checkin/model/Indicators.ja
				va
				com/united/mobile/android/checkin/model/MOBCheckl

NO	ISSUE	SEVERITY	STANDARDS	nchangeriightkequest.java pprzgnited/mobile/android/checkin/model/MOBCheckl nConfirmedFlightRequest.java
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	nConfirmedFlightRequest.java com/united/mobile/android/checkin/model/MOBCheckl nDocumentRequest.java com/united/mobile/android/checkin/model/MOBCheckl nFlightSearchRequest.java com/united/mobile/android/checkin/model/MOBCheckl nOvsLearnMoreRequest.java com/united/mobile/android/checkin/model/MOBCheckl nOvsRequest.java com/united/mobile/android/checkin/model/MOBCheckl nOvsRequest.java com/united/mobile/android/checkin/model/MOBCheckl nWheelChairRequest.java com/united/mobile/android/checkin/model/MOBGoogle PayFlightRequest.java com/united/mobile/android/checkin/model/MOBReload PNRPostFlightChangeRequest.java com/united/mobile/android/checkin/model/MOBTravel AdvisoryRequest.java com/united/mobile/android/checkin/model/ProcessPaxl ndicatorRequest.java com/united/mobile/android/checkin/model/ProcessUCD IndicatorRequest.java com/united/mobile/android/checkin/model/ProfileData.j ava com/united/mobile/android/checkin/model/ProfileData.j ava com/united/mobile/android/checkin/model/ShowBoardi ngPass.java com/united/mobile/android/checkin/model/ShowBoardi ngPass.java com/united/mobile/android/checkin/model/Tile.java com/united/mobile/android/checkin/model/Tile.java com/united/mobile/android/checkin/model/TypeOption List.java com/united/mobile/android/checkin/model/TypeOption List.java com/united/mobile/android/checkin/model/WFCustome rSeat.java com/united/mobile/android/checkin/nodel/WFCustome

				sultRepositoryImpl.java
NO	ISSUE	SEVERITY	STANDARDS	டிருத்துited/mobile/android/checkin/ui/intl/permanentr
				esidency/CheckInPermResidencyInfoViewModel.java
				com/united/mobile/android/checkin/ui/irrops/CheckInR
				eaccomOtherFlightOptionsViewModel.java
				com/united/mobile/android/checkin/ui/irrops/CheckInR
				eaccomRTDViewModel.java
				com/united/mobile/android/checkin/ui/main/attestation
				/CheckInAttestationFragmentViewModel.java
				com/united/mobile/android/checkin/ui/main/attestation
				/CheckInAttestationRadioButton.java
				com/united/mobile/android/checkin/ui/main/attestation
				pickpax/CheckInAttestationFragmentPickPassengerView
				Model.java
				com/united/mobile/android/checkin/ui/main/bagpolicya
				nim/BDSExplainerConsentViewModel.java
				com/united/mobile/android/checkin/ui/main/boardingp
				ass/BoardingPassUtils.java
				com/united/mobile/android/checkin/ui/main/bpdelivery
				/CheckInBoardingPassDeliveryViewModel.java
				com/united/mobile/android/checkin/ui/main/cdc/Checkl
				nCDCViewModel.java
				com/united/mobile/android/checkin/ui/main/contacttrac
				ing/CheckInContactTracingPickPaxViewModel.java
				com/united/mobile/android/checkin/ui/main/covidtestin
				g/CheckInCovidTestingViewModel.java
				com/united/mobile/android/checkin/ui/main/pinning/Ch
				eckInPinningNavListener.java
				com/united/mobile/android/checkin/ui/main/readytofly/
				CheckInReadyToFlyCheckListViewModel.java
				com/united/mobile/android/checkin/ui/main/rtd/Checkl
				nReviewTravelDetailViewModel.java
				com/united/mobile/android/checkin/ui/main/tcd/Checkl
				nTravelerContactViewModel.java
				com/united/mobile/android/checkin/ui/main/umnr/UM
				NRLandingPageViewModelKt.java
				com/united/mobile/android/checkin/ui/main/wheelchair
				/CheckInRequestWheelChairViewModel\$callSubmitWhee
				IChairRequest\$1.java
				com/united/mobile/android/checkin/ui/merch/sds/Chec
				kInSDSAvailableFlightViewModel.java
I	I	I	l	[

		com/united/mobile/android/checkin/ui/trhhmenu/TRHL andingViewModelKt.java com/united/mobile/android/checkin/utils/CheckInCaptio
		com/united/mobile/android/checkin/utils/CheckInCaptio
		nKeyKt.java
		com/united/mobile/android/checkin/utils/CheckInConsta
		ntsKt.java
		com/united/mobile/android/checkin/utils/CheckInParam
		sKt.java
		com/united/mobile/android/checkin/utils/TripRecoveryU
		tilsKt.java
		com/united/mobile/android/commonsearch/ui/common
		search/CommonSearchDestination.java
		com/united/mobile/android/commonsearch/ui/countryp
		hone/CommonSearchCountryDestination.java
		com/united/mobile/android/commonsearch/ui/frequent
		flyer/FrequentFlyerDestination.java
		com/united/mobile/android/commonsearch/ui/starallia
		nce/StarAllianceDestination.java
		com/united/mobile/android/commonui/view/barcodesc
		anner/BarCodeScannerDestination.java
		com/united/mobile/android/commonui/view/flightblock
		/FlightDetails.java
		com/united/mobile/android/commonui/view/list/ListSel
		ectorDestination.java
		com/united/mobile/android/commonui/view/list/ListSel
		ectorModel.java
		com/united/mobile/android/commonui/view/payment/P
		aymentCreditCardView.java
		com/united/mobile/android/commonui/view/premierAc
		cess/dataModels/PremierAccessKV.java
		com/united/mobile/android/commonui/view/priorityBo
		arding/dataModels/PriorityBoardingTypeOption.java
		com/united/mobile/android/commonui/view/seatmap/
		model/Traveler.java
		com/united/mobile/android/documentscanning/Constan
		tsKt.java
		com/united/mobile/android/documentscanning/model/
		WorkFlow.java
		com/united/mobile/android/documentscanning/model/j

NO	ISSUE	SEVERITY	STANDARDS	umioai/WorkflowDefinition.java 时 证 形s nited/mobile/android/documentscanning/ui/credi
'	 	<u> </u>		tcard/DocumentScanningCreditCardDefaultDestination.ja
I	I			va
I	1			com/united/mobile/android/documentscanning/ui/custo
I	1			m/DocumentScanningOCRImageCaptureDestination.java
ı	1			com/united/mobile/android/documentscanning/ui/custo
ı	I			m/ScanDestination.java
ı	I			com/united/mobile/android/documentscanning/ui/ocrco
ı	1			nsent/OCRConsentDestination.java
ı	I			com/united/mobile/android/entertainment/constant/Co
ı	1			nstantKt.java
ı	I			com/united/mobile/android/entertainment/model/capti
ı	1			on/PDESettings.java
ı	1			com/united/mobile/android/entertainment/model/popu
ı	I			p/PopUpRequestArguments.java
ı	I			com/united/mobile/android/entertainment/model/redes
ı	I			ign/ProductItemData.java
ı	I			com/united/mobile/android/entertainment/repository/p
ı	1			opup/PopUpRepositoryImpl.java
ı	I			com/united/mobile/android/entertainment/repository/s
ı	1			ettings/CaptionObserver.java
ı	I			com/united/mobile/android/entertainment/ui/adapters/l
ı	1			anding/data/LinkData.java
ı	1			com/united/mobile/android/entertainment/ui/entertain
ı	I			ment/newwifiandmessaging/NewWifiAndMessagingView
ı	1			Model.java
ı	I			com/united/mobile/android/entertainment/ui/entertain
ı	I			ment/previewifimessaging/EntertainmentWifiMessaging
ı	1			PreviewViewModel.java
ı	I			com/united/mobile/android/entertainment/ui/entertain
ı	1			ment/wifiandmessaging/WifiAndMessagingViewModel.ja
ı	I			va
ı	I			com/united/mobile/android/entertainment/utils/Caption
ı	I			HelperKt.java
ı	1			com/united/mobile/android/firebase/FcmJobService.java
ı	I			com/united/mobile/android/firebase/event/FcmMbpGat
ı	1			eAlertMessageHandler.java
ı	I			com/united/mobile/android/flightstatus/model/RecordL
ı	1			ocatorData.java
ı	I			com/united/mobile/android/flightstatus/repository/PCU
ı		I		com/amica/mobile/anarola/monestatas/repository/

NO	ISSUE	SEVERITY	STANDARDS	SharedRepositoryImpl.java Fdb 5 Snited/mobile/android/flightstatus/ui/flightstatus/flightStatusAmenitites/AmenitiesRequestData.java
				com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusAmenitites/FlightStatusAmenitiesDestination.ja
				va com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusByCity/FlightStatusCitySearchSegmentDestinati on.java com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusByNumber/FlightStatusSelectSegmentDestinati on.java com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusDetails/FlightStatusDetailDestination.java com/united/mobile/android/flightstatus/ui/flightstatus/fl
				ightStatusDetails/FlightStatusDetailsViewModel.java com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusDetails/FlightStatusFragmentDataModel.java com/united/mobile/android/flightstatus/ui/flightstatus/fl ightStatusInFlight/FlightStatusFlightViewDestination.java com/united/mobile/android/flightstatus/ui/flightstatus/fl ightsStatusMyFlights/MyFlightsHeaderDataModel.java
				com/united/mobile/android/flightstatus/ui/flightstatus/s eatPreferences/SeatPreferenceDestination.java com/united/mobile/android/flightstatus/ui/flightstatus/s eatmap/SeatMapDestination.java com/united/mobile/android/game/repository/GameCent erPreferences.java com/united/mobile/android/game/ui/sudoku/landing/Su
				dokuLandingFragmentKt.java com/united/mobile/android/homescreen/model/GuestA ctionBlockData.java com/united/mobile/android/homescreen/model/context ualcard/HomeTileData.java
				com/united/mobile/android/homescreen/model/homescreenlink/HomeScreenLinkData.javacom/united/mobile/android/homescreen/model/travelcenter/TRCGroupPNRError.javacom/united/mobile/android/homescreen/model/tripdet
				ail/TripDetailRequestModel.java com/united/mobile/android/homescreen/model/tripdet

NO	ISSUE	SEVERITY	STANDARDS	ail/TripDetails.java Folk FSnited/mobile/android/homescreen/repository/ho mescreen/actionitem/builder/ActionItemBuilder.java
				com/united/mobile/android/homescreen/repository/homescreen/cce/CCEServiceRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/cce/CCETravelCenterDataSourceRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/cce/TravelCenterFeedbackRequestParams.java com/united/mobile/android/homescreen/repository/homescreen/ccerecord/CCERecordRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/chasessorecord/ChaseSSORecordRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/feedback/FeedbackSDKRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/homescreenlink/CheckBagsTouchLessHomeScreenLinkDataBuilder.java com/united/mobile/android/homescreen/repository/homescreen/homescreenlink/CheckInTouchLessHomeScreenlinkDataBuilder.java com/united/mobile/android/homescreen/repository/homescreen/homescreenlink/HomeScreenLinkDataRepository.java com/united/mobile/android/homescreen/repository/homescreen/hometiledata/HomeTileDataRepositoryImpl.java com/united/mobile/android/homescreen/repository/homescreen/inbox/InboxServiceRepositoryImpl.java com/united/mobile/android/homescreen/repository/livepersonmessaging/ChatUserRepositoryImpl.java com/united/mobile/android/homescreen/repository/livepersonmessaging/LivePersonMessagingNotificationsRepositoryImpl.java com/united/mobile/android/homescreen/repository/pathtohelp/PathToHelpSharedPreferenceRepositoryImpl.java com/united/mobile/android/homescreen/repository/pathtohelp/PathToHelpSharedPreferenceRepositoryImpl.java com/united/mobile/android/homescreen/repository/pathtohelp/PathToHelpSharedPreferenceRepositoryImplKt.ja

NO	ISSUE	SEVERITY	STANDARDS	va Folk Funited/mobile/android/homescreen/repository/sha redpreference/ContactUsSharedPreferenceRepositoryIm
				plKt.java com/united/mobile/android/homescreen/repository/sha redpreference/TRCUnifiedSessionSharedPreferenceRepo sitoryImpl.java com/united/mobile/android/homescreen/repository/trip detail/ActionItemBlockViewDataRepositoryImpl.java com/united/mobile/android/homescreen/repository/trip detail/BoardingPassBlockViewDataRepositoryImpl.java com/united/mobile/android/homescreen/repository/trip detail/TripDetailRsRepository.java com/united/mobile/android/homescreen/repository/trip detail/TripDetailRsRepository.java com/united/mobile/android/homescreen/repository/trip detail/TripDetailRsRepositoryImpl.java com/united/mobile/android/homescreen/repository/wa yfinding/CACardSharedPreferenceRepositoryImpl.java com/united/mobile/android/homescreen/ui/coacaran dhotel/BookACarAndHotelDestination.java com/united/mobile/android/homescreen/ui/carousel/Ca rouselTileData.java com/united/mobile/android/homescreen/ui/ccetriptiplin kcomponent/CCETripTipLinkViewModel.java com/united/mobile/android/homescreen/ui/contactless payment/ContactLessPaymentLinkViewModel.java com/united/mobile/android/homescreen/ui/contactless payment/ContactLessPaymentLinkViewModel.java com/united/mobile/android/homescreen/ui/contactus/C ontactUsViewModel.java com/united/mobile/android/homescreen/ui/documentat ionupload/DocumentationUploadDestination.java com/united/mobile/android/homescreen/ui/documentat ionupload/DocumentationUploadDestination.java com/united/mobile/android/homescreen/ui/foodanddri nks/HemispheresConstantsKt.java com/united/mobile/android/homescreen/ui/foodanddri nks/HemispheresConstantsKt.java com/united/mobile/android/homescreen/ui/foodanddri nks/menu/MenuFragmentKt.java

NO	ISSUE	SEVERITY	STANDARDS	oku/landing/SudokuLandingFragmentKt.java FULFS con/united/mobile/android/homescreen/ui/hamburger
				menu/HamburgerMenuViewModelKt.java
				com/united/mobile/android/homescreen/ui/homescree
				n/HomeScreenFacadeKt.java
				com/united/mobile/android/homescreen/ui/irrops/Irrop
				sViewModel.java
				com/united/mobile/android/homescreen/ui/liveperson
				messaging/LivePersonMessagesDestination.java
				com/united/mobile/android/homescreen/ui/liveperson
				messaging/LivePersonMessagesViewModel.java
				com/united/mobile/android/homescreen/ui/liveperson
				messaging/MessagingOriginDestination.java
				com/united/mobile/android/homescreen/ui/liveperson
				messaging/MessagingViewModel.java
				com/united/mobile/android/homescreen/ui/medical/Me
				dicalVolunteerViewModelKt.java
				com/united/mobile/android/homescreen/ui/mileplaylan
				ding/MilePlayTermsAndConditionsDestination.java
				com/united/mobile/android/homescreen/ui/myoffer/My
				OfferMenuFragmentKt.java
				com/united/mobile/android/homescreen/ui/myoffer/vie
				wmodel/MyOfferMenuViewModel.java
				com/united/mobile/android/homescreen/ui/myoffer/vie
				wmodel/NoOfferViewModel.java
				com/united/mobile/android/homescreen/ui/myprofileu
				pdatevaccine/vaccinereview/recyclerview/ProfileVaccine
				DocumentsViewData.java
				com/united/mobile/android/homescreen/ui/pathtohelp/
				PathToHelpDestination.java
				com/united/mobile/android/homescreen/ui/stories/CTA
				BannerViewModel.java
				com/united/mobile/android/homescreen/ui/travelcenter
				/additionalresources/TravelCenterAdditionalResourcesDe
				stination.java
				com/united/mobile/android/homescreen/ui/travelcenter
				/detail/TravelCenterDetailSharedViewModel.java
				com/united/mobile/android/homescreen/ui/travelcenter
				/detail/TravelCenterDetailViewModel.java
				com/united/mobile/android/homescreen/ui/travelcenter
				/flightdetail/TravelCenterFlightDetailFragment java

// Awailcovid 19 documentation/TKCHawailCovid 19 Documentation
kSdkHelperKt.java com/united/mobile/android/login/definition/MOBEnroll

NO	ISSUE	SEVERITY	STANDARDS	FILES com/united/mobile/android/login/model/PeoplePickerAr
				guments.java com/united/mobile/android/login/model/VerificationArg uments.java com/united/mobile/android/login/ui/accountlocked/Acc ountLockedDestination.java com/united/mobile/android/login/ui/accountlocked/Acc ountLockedViewModel.java com/united/mobile/android/login/ui/createpassword/Cr eatePasswordViewModel.java com/united/mobile/android/login/ui/enrollment/enroll mentaccountinfo/EnrollmentAccountInfoDestination.java com/united/mobile/android/login/ui/enrollment/enroll mentaccountsecurity/EnrollmentAccountSecurityDestinat ion.java com/united/mobile/android/login/ui/enrollment/enroll mentaccountsecurity/NewEnrollmentContinueViewMode l.java com/united/mobile/android/login/ui/enrollment/enroll mentcompleteconfirmation/EnrollmentCompleteDestinat ion.java com/united/mobile/android/login/ui/help/HelpViewMod el.java com/united/mobile/android/login/ui/restpasswordquesti on/ResetPasswordSecurityQuestionViewModel.java com/united/mobile/android/login/ui/securityquestions/S ecurityQuestionsDestination.java com/united/mobile/android/login/ui/updateinformation /UpdateInformationDestination.java com/united/mobile/android/login/ui/updateinformation /UpdateInformationDestination.java com/united/mobile/android/login/ui/updateinformation /UpdateInformationViewModel.java com/united/mobile/android/login/ui/updateinformation

com/united/r tieslearnmor Destination.ji com/united/r mmary/MyAc	ountMembershipCardDestination.java /mobile/android/myaccount/ui/mileageactivi re/MyAccountMileageActivitiesToLearnMore
tieslearnmor Destination.ja com/united/r mmary/MyAc	re/MyAccountMileageActivitiesToLearnMore
Destination.ja com/united/r mmary/MyAc	
com/united/r mmary/MyAc	
mmary/MyAc	
	/mobile/android/myaccount/ui/myaccountsu
com/united/r	accountDestination.java
	/mobile/android/myaccount/ui/otpandchase
	ountOTPAndChaseCardDestination.java
	/mobile/android/myaccount/ui/questcard/M
	estCardDestination.java
	/mobile/android/myaccount/ui/recentactiviti
	ntToRecentActivitiesDestination.java
	mobile/android/myaccount/ui/subscriptions
	PassesAndSubscriptionsDestination.java
	/mobile/android/myaccount/ui/travelcredit/
	ravelCreditDestination.java
	/mobile/android/myaccount/ui/travelcreditle
arnmore/My/	/AccountTravelCreditLearnMoreDestination.j
ava	
	/mobile/android/myaccount/ui/viewupgrade
	ogradesSSODestination.java
	/mobile/android/payment/models/MOBQRC
odeKey.java	
	/mobile/android/payment/models/MOBQRC
odeToken.jav	
com/united/r	/mobile/android/payment/models/Payment
Business.java	
com/united/r	/mobile/android/payment/models/PaymentC
onstsKt.java	
com/united/r	/mobile/android/payment/models/Payment
DataHolder.ja	
com/united/r	/mobile/android/payment/ui/FareLockPolicy
Destination.ja	
	/mobile/android/payment/ui/PaymentAbout
MilesDestina	
com/united/r	/mobile/android/payment/ui/PaymentCredit
CardDestinat	ition.java
com/united/r	/mobile/android/payment/ui/PaymentCredit
CardDetailsD	Destination.java
com/united/r	/mobile/android/payment/ui/PaymentNaviD

				estinationkt.java
NO	ISSUE	SEVERITY	STANDARDS	ရာကြီး ited/mobile/android/payment/ui/PaymentTncDe stination.java
				com/united/mobile/android/payment/ui/PriceBreakDow
				nDestination.java
				com/united/mobile/android/payment/ui/billingaddress/
				PaymentBillingAddressViewModel.java
				com/united/mobile/android/payment/ui/confirmation/P
				aymentConfirmationBaggageDestination.java
				com/united/mobile/android/payment/ui/confirmation/P
				aymentConfirmationDestination.java
				com/united/mobile/android/payment/ui/confirmation/P
				aymentConfirmationViewModel.java
				com/united/mobile/android/payment/ui/couponing/Cou
				ponDestination.java
				com/united/mobile/android/payment/ui/creditcard/Pay
				mentCreditCardViewModel.java
				com/united/mobile/android/payment/ui/etc/ReviewETC
				ViewModel.java
				com/united/mobile/android/payment/ui/etcredesign/Pa
				ymentWalletETCRedesignViewModel.java
				com/united/mobile/android/payment/ui/etcredesign/Pa
				ymentWalletETCSliderAdapter.java
				com/united/mobile/android/payment/ui/etcredesign/Wa
				lletETCSliderData.java
				com/united/mobile/android/payment/ui/ffcredesign/Pay
				mentWalletFFCRedesignViewModel.java
				com/united/mobile/android/payment/ui/paymentwallet/
				WalletQRSliderData.java
				com/united/mobile/android/payment/ui/paymentwalletr
				edesign/PaymentWalletReDesignAdapter.java
				com/united/mobile/android/payment/ui/paymentwalletr
				edesign/PaymentWalletReDesignViewModel.java
				com/united/mobile/android/payment/ui/paymentwalletr
				edesign/PaymentWalletRedesignCreditCardDetailsViewM
				odel.java
				com/united/mobile/android/payment/ui/paypalredesign
				/PaymentWalletPayPalReDesignViewModel.java
				com/united/mobile/android/payment/ui/pickpassenger/ PaymentPickPassengerViewModel.java
				3
				com/united/mobile/android/payment/ui/savedcard/Pay

				mentSavedCardRecyclerAdapter.java
NO	ISSUE	SEVERITY	STANDARDS	Type ited/mobile/android/payment/ui/travelbankrede sign/PaymentWalletTravelBankRedesignViewModel.java
				com/united/mobile/android/payment/ui/travelcredits/Pa
				ymentSearchResultsTravelCreditsViewModel.java
				com/united/mobile/android/payment/ui/uplift/EventUpli
				ftInfo.java
				com/united/mobile/android/payment/ui/verifycard/Pay mentVerifyInflightCardViewModel.java
				com/united/mobile/android/payment/ui/vouchers/Paym
				entWalletVouchersViewModel.java
				com/united/mobile/android/payment/util/PaymentConfi rmationHelper.java
				com/united/mobile/android/payment/util/PaymentView
				DataMapper.java
				com/united/mobile/android/payment/util/PriceBreakDo
				wnHelper.java
				com/united/mobile/android/payment/util/SaveCCForInfli
				ghtPurchaseConstantKt.java
				com/united/mobile/android/reservation/definition/MOB
				PassportInfoRequest.java
				com/united/mobile/android/reservation/model/Account
				AdapterItem.java
				com/united/mobile/android/reservation/model/ltinerary
				BoardingPassData.java
				com/united/mobile/android/reservation/model/ProfileE
				ditTravelDocumentsData.java
				com/united/mobile/android/reservation/model/Separate
				InformationSummaryData.java
				com/united/mobile/android/reservation/repository/myu
				nited/MyUnitedReservationLoyaltyModelRepository.java
				com/united/mobile/android/reservation/repository/myu
				nited/MyUnitedReservationLoyaltyModelRepositoryImpl.
				java
				com/united/mobile/android/reservation/ui/account/Acc
				ountDestination.java
				com/united/mobile/android/reservation/ui/addmptotrip
				/AddMpToTripDestination.java
				com/united/mobile/android/reservation/ui/addmptotrip
				/AddMpToTripSuccessDestination.java
				com/united/mobile/android/reservation/ui/ancillary/aap

				a/AaPaAwardAcceleratorDetailsDestination.java
NO	ISSUE	SEVERITY	STANDARDS	፫ሳ፫፫% nited/mobile/android/reservation/ui/ancillary/aap
				a/AaPaMileageAndStatusOptionsViewDestination.java
				com/united/mobile/android/reservation/ui/ancillary/aap
				a/AaPaMultiPassengerDestination.java
				com/united/mobile/android/reservation/ui/ancillary/aap
				a/AaPaPremierAcceleratorDetailsDestination.java
				com/united/mobile/android/reservation/ui/ancillary/aap
				a/AaPaTermsAndConditionDestination.java
				com/united/mobile/android/reservation/ui/ancillary/bun
				dleOfferDetails/BundleDetailsDestination.java
				com/united/mobile/android/reservation/ui/ancillary/bun
				dleOfferDetails/ReservationTravelOptionsDestination.jav
				a
				com/united/mobile/android/reservation/ui/ancillary/pre
				mieraccess/PremierAccessSeeAvailabilityDestination.java
				com/united/mobile/android/reservation/ui/ancillary/pre
				miumCabinUpgrade/PremiumCabinUpgradeDestination.j
				ava
				com/united/mobile/android/reservation/ui/ancillary/pre
				miumCabinUpgrade/UpgradeOptionsDestination.java
				com/united/mobile/android/reservation/ui/ancillary/pri
				orityboarding/PriorityBoardingDestination.java
				com/united/mobile/android/reservation/ui/ancillary/pri
				orityboarding/TermsAndConditionsData.java
				com/united/mobile/android/reservation/ui/ancillary/trip
				insurance/TripInsuranceDestination.java
				com/united/mobile/android/reservation/ui/bebuyout/co
				nfiguration/BEBuyoutConfigurationDestination.java
				com/united/mobile/android/reservation/ui/bebuyout/co
				nfiguration/faqs/BEBuyoutConfigurationFAQsDestination
				.java
				com/united/mobile/android/reservation/ui/checkedBags
				Calculator/CheckedBagsCalculatorDestination.java
				com/united/mobile/android/reservation/ui/detail/Flight
				DetailsViewModel.java
				com/united/mobile/android/reservation/ui/detail/Reserv
				ationDetailDestination.java
				com/united/mobile/android/reservation/ui/myUntiedPh
				aseTwo/MyUnitedPhase2Destination.java
				com/united/mobile/android/reservation/ui/mytrip/Futur

NO	ISSUE	SEVERITY	STANDARDS	eFlightDestination.java Fdhr@nited/mobile/android/reservation/ui/mytrip/addtr
				ip/AddTripDestination.java
				com/united/mobile/android/reservation/ui/newseatmap
				/NewSeatMapDestination.java
				com/united/mobile/android/reservation/ui/newseatmap
				/model/NewSeatMapTraveler.java
				com/united/mobile/android/reservation/ui/oneclickEnro
				llment/accountConfirmation/OneClickEnrollmentAccount
				ConfirmationDestination.java
				com/united/mobile/android/reservation/ui/oneclickEnro
				llment/createAccount/OneClickEnrollmentCreateAccount Destination.java
				com/united/mobile/android/reservation/ui/oneclickEnro
				llment/createAccount/OneClickEnrollmentDestination.jav
				a
				com/united/mobile/android/reservation/ui/oneclickEnro
				llment/createAccount/recyclerView/OneClickEnrollmentC
				reateAccountTermsAndConditionsViewHolder.java
				com/united/mobile/android/reservation/ui/preordermea
				ls/inflightmeal/InFlightSpecialMealViewModel.java
				com/united/mobile/android/reservation/ui/preordermea
				ls/inflightmeal/SnackAndBeverageDestination.java
				com/united/mobile/android/reservation/ui/preordermea
				ls/inflightmeal/model/InFlightMealDataHolder.java
				com/united/mobile/android/reservation/ui/prepaidbags/
				BaggageDetailViewModel.java
				com/united/mobile/android/reservation/ui/profile/about
				Me/ProfileAboutMeDestination.java
				com/united/mobile/android/reservation/ui/profile/about
				Me/recylerView/ProfileAboutMeViewData.java
				com/united/mobile/android/reservation/ui/profile/chan
				gePassword/changePassword/ProfileChangePasswordDe
				stination.java
				com/united/mobile/android/reservation/ui/profile/chan
				gePassword/passwordConfirmation/ProfilePasswordCon
				firmationDestination.java
				com/united/mobile/android/reservation/ui/profile/conta
				ctInformation/emailAddress/verifiedEmailAddress/Profil
				eVerifiedEmailAddressDestination.java
				com/united/mobile/android/reservation/ui/profile/conta

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/reservation/ui/profile/travel
				com/united/mobile/android/reservation/ui/profile/travel documents/vaccineDocuments/recyclerView/Profile/travel documents/vaccineDocuments/recyclerView/Profile/Vacci neDocumentsViewData.java com/united/mobile/android/reservation/ui/receipt/Recei ptDestination.java com/united/mobile/android/reservation/ui/receipt/email receipt/EmailReceiptDestination.java com/united/mobile/android/reservation/ui/receipt/recei ptresults/ReceiptResultsDestination.java com/united/mobile/android/reservation/ui/receipt/recei ptresults/separateresultlist/ReceiptResultsSeparateListFr agment.java com/united/mobile/android/reservation/ui/receipt/searc hreceipt/SearchReceiptDestination.java com/united/mobile/android/reservation/ui/receipt/searc hreceipt/confirmationoreticket/ConfirmationOrETicketDe stination.java com/united/mobile/android/reservation/ui/receipt/searc hreceipt/lastfourdigits/LastFourDigitsDestination.java com/united/mobile/android/reservation/ui/receipt/searc hreceipt/separatemethodsubfragment/SearchResultBySe parateMethodFragment.java com/united/mobile/android/reservation/ui/receipt/viewr eceipt/ViewReceiptDestination.java com/united/mobile/android/reservation/ui/seatmap/seatmap/SeatMapDestination.java com/united/mobile/android/reservation/ui/seatmap/seatmapalert/SeatmapAlertDestination.java com/united/mobile/android/reservation/ui/seatmap/sel ectsegment/SeatMapSelectSegmentDestination.java com/united/mobile/android/reservation/ui/traveler/edit contact/EditContactViewModel.java com/united/mobile/android/reservation/ui/trippass/Trip PassDestination.java com/united/mobile/android/reservation/ui/trippass/Trip PassDestination.java com/united/mobile/android/reservation/ui/trippass/Trip PassDestination.java com/united/mobile/android/reservation/ui/trippass/Trip PassDestination.java com/united/mobile/android/reservation/ui/trippass/Trip PassDestination.java com/united/mobile/android/reservation/ui/trippass/Trip

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/unifiedplayer/repository/un File-player/Constants.java com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/UnifiedPlayerActivity.java com/united/mobile/android/unifiedplayer/repository/un ifiedplayer/VideoInfoTag.java com/united/mobile/android/unitedclubs/model/UnitedC lubsBusinessObject.java com/united/mobile/android/unitedclubs/ui/clubmain/U nitedClubsBuyViewModelKt.java com/united/mobile/android/unitedclubs/ui/clubmain/U nitedClubsFaqViewModelKt.java com/united/mobile/android/unitedclubs/ui/clubsandlou nges/ClubsAndLoungesViewModelKt.java com/united/mobile/android/unitedclubs/ui/paymentcon firmation/UnitedClubsPaymentConfirmationDestination.j ava com/united/mobile/android/unitedclubs/ui/paymentsu mmary/UnitedClubsPaymentSecurityInfolconDestiinatio n.java com/united/mobile/android/unitedclubs/ui/paymentsu mmary/UnitedClubsPaymentSummaryDestination.java com/united/mobile/android/unitedclubs/ui/viewclubpas s/UnitedClubPassViewDestination.java com/united/mobile/android/util/ActivityIntentInterpreter .java com/united/mobile/android/util/FcmUtilKt.java com/united/mobile

NO	ISSUE	SEVERITY	STANDARDS	com/usebutton/sdk/internal/purchasepath/autofill/Autof
				com/usebutton/sdk/internal/user/UserImpl.java cz/msebera/android/httpclient/impl/client/cache/Failure
				CacheValue.java io/reactivex/internal/schedulers/SchedulerPoolFactory.ja
				va
				jumio/core/l.java
				rx/internal/schedulers/NewThreadWorker.java
				by/kirich1409/viewbindingdelegate/LifecycleViewBinding
				Property.java
				cartrawler/api/gson/GsonCustomFactory.java
				cartrawler/core/data/helpers/UnitsConverter.java
				cartrawler/core/data/scope/transport/availability_item/A vailabilityItem.java
				cartrawler/core/data/scope/transport/availability_item/E
				xtensions.java
				cartrawler/core/db/Tags.java
				cartrawler/core/engine/RentalBestRateInteractor.java
				cartrawler/core/engine/ReservationDetailsInteractor.java
				cartrawler/core/engine/VehiclesInteractor.java
				cartrawler/core/ui/helpers/lmageWrapperKt.java
				cartrawler/core/ui/modules/filters/views/adapter/Filters
				Adapter.java
				cartrawler/core/ui/modules/landing/view/adapter/viewholder/LandingDynamicUSPItemViewHolder.java
				cartrawler/core/ui/modules/locations/LocationsFragmen
				t.java
				cartrawler/core/ui/modules/payment/interactor/Paymen
				tInteractor.java
				cartrawler/core/ui/views/util/DividerItemDecoration.java
				cartrawler/core/utils/Languages.java
				cartrawler/core/utils/Reporting.java
				cartrawler/core/utils/tagging/Tagging.java
				cartrawler/core/utils/tagging/TaggingInteractor\$sendBul
				kRequest\$1.java
				cartrawler/core/utils/tagging/TaggingInteractor.java cartrawler/external/CartrawlerSDK.java
				cartrawler/external/model/CTSdkData.java
I				car a avvier/external/model/e13akData.java

NO	ISSUE	SEVERITY	STANDARDS	com/appsamurai/storyly/StorylyView.java
				com/bumptech/glide/GeneratedAppGlideModuleImpl.jav
ļ				a
ļ				com/bumptech/glide/Glide.java
ļ				com/bumptech/glide/disklrucache/DiskLruCache.java
ļ				com/bumptech/glide/gifdecoder/GifHeaderParser.java
ļ				com/bumptech/glide/gifdecoder/StandardGifDecoder.jav
ļ				a
				com/bumptech/glide/load/data/AssetPathFetcher.java
ļ				com/bumptech/glide/load/data/HttpUrlFetcher.java
ļ				com/bumptech/glide/load/data/LocalUriFetcher.java
ļ				com/bumptech/glide/load/data/mediastore/ThumbFetch
ļ				er.java
				com/bumptech/glide/load/data/mediastore/ThumbnailSt reamOpener.java
ļ				com/bumptech/glide/load/engine/DecodeJob.java
ļ				com/bumptech/glide/load/engine/DecodePath.java
ļ				com/bumptech/glide/load/engine/Engine.java
ļ				com/bumptech/glide/load/engine/GlideException.java
ļ				com/bumptech/glide/load/engine/SourceGenerator.java
ļ				com/bumptech/glide/load/engine/bitmap_recycle/LruArr
ļ				ayPool.java
				com/bumptech/glide/load/engine/bitmap_recycle/LruBit mapPool.java
				com/bumptech/glide/load/engine/cache/DiskLruCacheW rapper.java
ļ				com/bumptech/glide/load/engine/cache/MemorySizeCal
ļ				culator.java
				com/bumptech/glide/load/engine/executor/GlideExecut
ļ				or.java
ļ				com/bumptech/glide/load/engine/executor/RuntimeCo
ļ				mpat.java
ļ				com/bumptech/glide/load/engine/prefill/BitmapPreFillR
ļ				unner.java
ļ				com/bumptech/glide/load/model/ByteBufferEncoder.jav
ļ				a
ļ				com/bumptech/glide/load/model/ByteBufferFileLoader.j
ļ				ava
ļ				com/bumptech/glide/load/model/FileLoader.java
ŀ				

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/load/model/ResourceLoader.java
				com/bumptech/glide/load/resource/ImageDecoderReso
				urceDecoder.java
				com/bumptech/glide/load/resource/bitmap/BitmapEnco
				der.java
				com/bumptech/glide/load/resource/bitmap/BitmapImag
				eDecoderResourceDecoder.java
				com/bumptech/glide/load/resource/bitmap/DefaultImag
				eHeaderParser.java
				com/bumptech/glide/load/resource/bitmap/Downsampl
				er.java
				com/bumptech/glide/load/resource/bitmap/DrawableTo
				BitmapConverter.java
				com/bumptech/glide/load/resource/bitmap/HardwareCo
				nfigState.java
				com/bumptech/glide/load/resource/bitmap/Transformat
				ionUtils.java
				com/bumptech/glide/load/resource/bitmap/VideoDecod
				er.java
				com/bumptech/glide/load/resource/gif/ByteBufferGifDe
				coder.java
				com/bumptech/glide/load/resource/gif/GifDrawableEnc
				oder.java
				com/bumptech/glide/load/resource/gif/StreamGifDecod
				er.java
				com/bumptech/glide/manager/DefaultConnectivityMonit
				or.java
				com/bumptech/glide/manager/DefaultConnectivityMonit
				orFactory.java
				com/bumptech/glide/manager/RequestManagerFragme
				nt.java
				com/bumptech/glide/manager/RequestManagerRetrieve
				r.java
				com/bumptech/glide/manager/RequestTracker.java
				com/bumptech/glide/manager/SupportRequestManager
				Fragment.java
				com/bumptech/glide/module/ManifestParser.java
				com/bumptech/glide/request/SingleRequest.java
				com/bumptech/glide/request/target/CustomViewTarget.j

NO	ISSUE	SEVERITY	STANDARDS	ava For Example Com/bumptech/glide/request/target/ViewTarget.java com/bumptech/glide/signature/ApplicationVersionSignat
				com/bumptech/glide/signature/ApplicationVersionSignature.java com/bumptech/glide/util/ContentLengthInputStream.java com/bumptech/glide/util/pool/FactoryPools.java com/cyberfend/cyfsecurity/CYFMonitor.java com/ideanovatech/adlib/utils/Ad.java com/ideanovatech/adlib/utils/Ad.java com/ideanovatech/android/accessibility/a.java com/ideanovatech/android/accessibility/d.java com/ideanovatech/android/ima/AdTagLoader.java com/ideanovatech/android/ima/ImaAdsLoader.java com/ideanovatech/android/offline/b.java com/ideanovatech/android/player/InplayWidevinePlayer Fragment.java com/ideanovatech/android/player/a.java com/ideanovatech/android/player/controller/VideoControllerView.java com/ideanovatech/android/player/controller/VideoControllerView.java com/ideanovatech/android/player/controller/d.java com/ideanovatech/android/utils/SecurityUtil.java com/ideanovatech/android/utils/SecurityUtil.java com/ideanovatech/android/vast/AdScheduler.java com/ideanovatech/nodejs/dataconverter/lib/AssetUtil.ja va com/ideanovatech/nodejs/dataconverter/lib/DataConver terLib\$init\$1.java com/ideanovatech/nodejs/dataconverter/lib/DataConver terLib.java com/inmobile/iviviv.java com/inmobile/iviviv.java com/journeyapps/barcodescanner/CameraPreview.java com/journeyapps/barcodescanner/CaptureManager.java com/journeyapps/barcodescanner/Camera/AutoFocusM anager.java

NO	ISSUE	SEVERITY	STANDARDS	com/journeyapps/barcodescanner/camera/CameraInsta ក្រៀ <u>គ្</u> និន្ត
				com/journeyapps/barcodescanner/camera/CameraMana
				ger.java
				com/journeyapps/barcodescanner/camera/CenterCropSt
				rategy.java
				com/journeyapps/barcodescanner/camera/FitCenterStra
				tegy.java
				com/journeyapps/barcodescanner/camera/LegacyPrevie
				wScalingStrategy.java
				com/journeyapps/barcodescanner/camera/PreviewScali
				ngStrategy.java
				com/jumio/analytics/Analytics.java
				com/jumio/commons/camera/CameraUtils.java
				com/jumio/core/Controller.java
				com/jumio/core/ImageQuality.java
				com/jumio/core/api/BackendManager.java
				com/jumio/core/api/QueueProcessor.java
				com/jumio/core/api/calls/IproovTokenCall.java
				com/jumio/core/api/calls/IproovValidateCall.java
				com/jumio/core/api/calls/SettingsCall.java
				com/jumio/core/api/calls/UploadCall.java
				com/jumio/core/cdn/CDNCache.java
				com/jumio/core/extraction/ExtractionClient.java
				com/jumio/core/extraction/barcode/BaseBarcodeClient.j
				ava
				com/jumio/core/extraction/barcode/parser/uscan/USCA
				NParser.java
				com/jumio/core/extraction/facemanual/FaceManualClie
				nt.java
				com/jumio/core/extraction/manual/ManualPictureClient.
				java
				com/jumio/core/models/automation/AutomationModel.j
				ava
				com/jumio/core/network/ApiCall.java
				com/jumio/core/network/ByteArrayDownloadTask.java
				com/jumio/core/network/DownloadTask.java
				com/jumio/core/overlay/JVisionOverlay.java
				com/jumio/core/performance/FrameRateUtils.java
				com/jumio/core/persistence/DataManager.java

NO	ISSUE	SEVERITY	STANDARDS	com/jumio/core/scanpart/JVisionScanPart.java
				com/jumio/sdk/credentials/JumioDataCredential.java
				com/jumio/sdk/views/JumioScanView.java
				com/kochava/base/Tracker.java
				com/liveperson/infra/analytics/AnalyticsService.java
				com/liveperson/infra/log/AndroidLoggingDelegate.java
				com/liveperson/infra/log/TestLoggingDelegate.java
				com/liveperson/infra/messaging_ui/ConversationActivity
				.java
				com/liveperson/infra/messaging_ui/fragment/FullImage
				Fragment.java
				com/liveperson/infra/messaging_ui/notification/Notificat
				ionController.java
				com/liveperson/infra/network/http/requests/ACCDNCon
				nectorsRequest.java
				com/liveperson/infra/network/socket/SocketHandler.jav
				a
				com/liveperson/infra/utils/FileUtils.java
				com/liveperson/lp_structured_content/logger/SCLogHan
				dler.java
				com/liveperson/lpappointmentscheduler/AppointmentS
				hedulerFragment.java
				com/liveperson/lpappointmentscheduler/logger/LPAppo
				intmentLog.java
				com/liveperson/messaging/commands/tasks/ACCDNCor
				nectorsTask.java
				com/liveperson/messaging/commands/tasks/Concurren
				Tasks.java
				com/liveperson/messaging/commands/tasks/UpdateCo
				versationFieldTask.java
				com/liveperson/messaging/network/http/GeneratePKCE
				ParamsRequest\$execute\$1.java
				com/liveperson/messaging/network/socket/requests/Up
				dateConversationFieldRequest.java
				com/liveperson/messaging/utils/VersionUtilsKt.java
				com/liveperson/monitoring/Monitoring.java
				com/liveperson/monitoring/connection/tasks/CSDSTask
				\$execute\$1.java
				com/liveperson/monitoring/connection/tasks/ldpTask.ja

NO	ISSUE	SEVERITY	STANDARDS	va Film 5 veperson/monitoring/managers/MonitoringRecontemporary stManager\$csdsDependantRequest\$1.java
				com/liveperson/monitoring/requests/BaseMonitoring
				quest.java
				com/locuslabs/sdk/llprivate/AssetKeyDownloaderImp
				com/locuslabs/sdk/llprivate/AssetLoadingLogicKt.java
				com/locuslabs/sdk/llprivate/BusinessLogicKt.java
				com/locuslabs/sdk/llprivate/BusinessLogicReduxAction
				Kt.java
				com/locuslabs/sdk/llprivate/DataTransformationLogi
				\$updateDynamicPOIs\$errorHandlingFunction\$1.java
				com/locuslabs/sdk/llprivate/DataTransformationLogi
				\$updateDynamicPOIs\$updatePOIsFunction\$1.java
				com/locuslabs/sdk/llprivate/DataTransformationLogi
				java
				com/locuslabs/sdk/llprivate/DijkstrasShortestPathAlg
				hmKt.java
				com/locuslabs/sdk/llprivate/GrabController.java com/locuslabs/sdk/llprivate/KeyListDownloaderImpl.
				a
				com/locuslabs/sdk/llprivate/LLUtilKt\$llLogFailure\$1.ja
				com/locuslabs/sdk/llprivate/LLUtilKt\$llLogWarning\$1
				a
				com/locuslabs/sdk/llprivate/LLUtilKt.java
				com/locuslabs/sdk/llprivate/LLViewModel\$download
				iteSheetAndCacheToDisk\$2.java
				com/locuslabs/sdk/llprivate/LLViewModel\$initializeSi
				ffect\$2.java
				com/locuslabs/sdk/llprivate/LLViewModel.java
				com/locuslabs/sdk/llprivate/MapPack.java
				com/locuslabs/sdk/llprivate/MapboxLayerPropertySe
				ionRule.java
				com/locuslabs/sdk/llprivate/NavigationDirectionsSum
				aryFragment\$initBottomSheet\$2.java
				com/locuslabs/sdk/llprivate/SearchController\$handle
				eryOnBackgroundThread\$2.java com/locuslabs/sdk/llprivate/SearchController\$proxin
				Search\$2.java
				Scarcii\$2.java

1	ISSUE	SEVERITY	STANDARDS	Edbt Scuslabs/sdk/llprivate/SearchLogicKt.java
				com/locuslabs/sdk/llprivate/SpriteSheetFileDownloaderl
				mpl.java
				com/locuslabs/sdk/llprivate/VenueListLoader.java
				com/locuslabs/sdk/llprivate/analyticsevents/AnalyticsEve
				ntQueue.java
				com/locuslabs/sdk/llprivate/analyticsevents/AnalyticsEve
				ntSynchronizer.java
				com/locuslabs/sdk/llpublic/LLConfiguration.java
				com/locuslabs/sdk/llpublic/LLLocusMapsFragment\$initC
				ameraPositionBuffer\$1.java
				com/locuslabs/sdk/llpublic/LLLocusMapsFragment\$init
				MyLocationButton\$1.java
				com/locuslabs/sdk/llpublic/LLLocusMapsFragment\$setC
				urrentLocation\$1.java
				com/locuslabs/sdk/llpublic/LLLocusMapsFragment.java
				com/locuslabs/sdk/llpublic/LLMapPackFinder.java
				com/loopj/android/http/LogHandler.java
				com/mapbox/android/gestures/MultiFingerGesture.java
				com/mapbox/mapboxsdk/location/engine/AndroidLocat
				ionEngineImpl.java
				com/mapbox/mapboxsdk/location/engine/MapboxFuse
				dLocationEngineImpl.java
				com/mapbox/mapboxsdk/location/permissions/Permiss
				ionsManager.java
				com/mapbox/mapboxsdk/log/Logger.java
				com/mapbox/mapboxsdk/maps/renderer/egl/EGLConte
				xtFactory.java
				com/mapbox/mapboxsdk/maps/renderer/egl/EGLWindo
				wSurfaceFactory.java
				com/mapbox/mapboxsdk/maps/renderer/glsurfaceview
				/MapboxGLSurfaceView.java
				com/microblink/blinkcard/directApi/RecognizerRunner.ja
				va
				com/microblink/blinkcard/fragment/RecognizerRunnerFr
				agment.java
				com/microblink/blinkcard/fragment/overlay/component
				s/ErrorDialogFactory.java
				com/microblink/blinkcard/fragment/overlay/component

NO	ISSUE	SEVERITY	STANDARDS	s/TorchController.java
!		_		com/microblink/blinkcard/geometry/PointSet.java
ŀ	1			com/microblink/blinkcard/geometry/Quadrilateral.java
ŀ	1			com/microblink/blinkcard/geometry/Rectangle.java
ŀ	1			com/microblink/blinkcard/hardware/lllllllll.java
ļ	1			com/microblink/blinkcard/hardware/MicroblinkDeviceM
ŀ	1			anager.java
ŀ	1			com/microblink/blinkcard/locale/LanguageUtils.java
ŀ	1			com/microblink/blinkcard/ping/IllIIIIII.java
ŀ	1			com/microblink/blinkcard/recognition/NativeRecognizer
ŀ	1			Wrapper.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
!	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/Illllllll.java
ŀ	1			com/microblink/blinkcard/secured/llllllllll.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ļ	1			com/microblink/blinkcard/secured/llIllllll.java
ļ	1			com/microblink/blinkcard/secured/IIIIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IllIllIll.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
Ī	1			com/microblink/blinkcard/secured/lllllllll.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIIII.java
ŀ	1			com/microblink/blinkcard/secured/IllIIIII.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ŀ	1			com/microblink/blinkcard/secured/lllllllll.java
ļ	1			com/microblink/blinkcard/secured/lllllllll.java
ļ	1			com/microblink/blinkcard/secured/lllllllll.java
,	1			COTTI/THICI ODIHIN DHINCALA/SECALEA/IIIIIIIII.java

NO	ISSUE	SEVERITY	STANDARDS	com/microblink/blinkcard/secured/llllllllll.java
		+		com/microblink/blinkcard/secured/llIIIIIIII.java com/microblink/blinkcard/secured/llIIIIIII.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/llllllllll.java
	1	'	1	com/microblink/blinkcard/secured/llllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/secured/lllllllll.java
	1	'	1	com/microblink/blinkcard/util/FileLog.java
	1	'	1	com/microblink/blinkcard/util/Log.java
	1	'	1	com/microblink/blinkcard/util/LoggingSettings.java
	1	'	1	com/microblink/blinkcard/util/RecognizerCompatibility.j
	1	'	1	ava
	1	'	1	com/microblink/blinkcard/view/BaseCameraView.java
	1	'	1	com/microblink/blinkcard/view/CameraViewGroup.java
	1	'	1	com/microblink/blinkcard/view/llllllllll.java
	1	'	1	com/microblink/blinkcard/view/ocrResult/OcrResultChar
	1	'	1	sView.java
				com/microblink/blinkcard/view/ocrResult/OcrResultDots View.java
	1	'	1	com/microblink/blinkcard/view/ocrResult/OcrResultHori
	1	'	1	zontalDotsView.java
				com/microblink/blinkcard/view/recognition/DetectionSt
	1	'	1	atus.java
	1	'	1	com/microblink/blinkcard/view/recognition/RecognizerR
	The Anniage information Consitive	'	CWE: CWE-532: Insertion of	unnerView.java
2	The App logs information. Sensitive	info	Sensitive Information into Log File	com/microblink/blinkcard/view/surface/lllllllll.java
	information should never be logged.	'	OWASP MASVS: MSTG-STORAGE-3	com/microblink/blinkcard/view/surface/lllllllll.java com/microblink/blinkcard/view/viewfinder/points/PointS
	1	'	1	etView.java
	1	'	1	com/microblink/blinkcard/view/viewfinder/guadview/llIll
	1	'	1	IIII.java
	1	'	1	com/qualtrics/digital/ActionSet.java
	1	'	1	com/qualtrics/digital/DateExpression.java

NO	ISSUE	SEVERITY	STANDARDS	com/qualtrics/digital/DayExpression.java
				com/qualtrics/digital/InterceptDefinition.java
	!	1		com/qualtrics/digital/Properties.java
	!	1		com/qualtrics/digital/Qualtrics.java
	 	1		com/qualtrics/digital/QualtricsLog.java
	 	1		com/qualtrics/digital/QualtricsPopOverFragment.java
	 	1		com/qualtrics/digital/QualtricsSurveyActivity.java
	 	1		com/qualtrics/digital/QualtricsSurveyExpression.java
	 	1		com/qualtrics/digital/ServiceInterceptor.java
	 	1		com/qualtrics/digital/TimeExpression.java
	, 	1		com/qualtrics/digital/VariableExpression.java
	, 	1		com/qualtrics/digital/ViewCountExpression.java
	 	1		com/qualtrics/digital/WebViewInterface.java
	, 	1		com/qualtrics/digital/resolvers/CustomPropertyResolver.
	, 	1		java
	, 	1		com/qualtrics/digital/resolvers/DateTimeTypeResolvers.j
	, 	1		ava
	, 	1		com/qualtrics/digital/resolvers/QualtricsSurveyResolver.j
	, 	1		ava
	 	1		com/qualtrics/digital/resolvers/SamplingResolver.java
	 	1		com/qualtrics/digital/resolvers/TimeSpentInAppResolver.
	 	1		java
	 	1		com/qualtrics/digital/resolvers/ViewCountResolver.java
	, 	1		com/quantummetric/instrument/QuantumMetric.java
	 	1		com/snowplowanalytics/snowplow/internal/tracker/Def
	 	1		aultLoggerDelegate.java
	 	1		com/tom_roush/fontbox/cff/Type1CharString.java
	 	1		com/tom_roush/fontbox/cff/Type1CharStringParser.java
	 	1		com/tom_roush/fontbox/ttf/CmapSubtable.java
	, 	1		com/tom_roush/fontbox/ttf/GlyfCompositeDescript.java
	, 	1		com/tom_roush/fontbox/ttf/GlyphRenderer.java
	 	1		com/tom_roush/fontbox/ttf/GlyphSubstitutionTable.java
	 	1		com/tom_roush/fontbox/ttf/KerningSubtable.java
	 	1		com/tom_roush/fontbox/ttf/KerningTable.java
	 	1		com/tom_roush/fontbox/ttf/OpenTypeScript.java
	 	1		com/tom_roush/fontbox/ttf/PostScriptTable.java
	 	1		com/tom_roush/fontbox/ttf/TTFSubsetter.java
	, 	1		com/tom_roush/fontbox/type1/Type1Lexer.java
	· · · · · · · · · · · · · · · · · · ·	1		com/tom_roush/fontbox/util/autodetect/FontFileFinder.j

NO	ISSUE	SEVERITY	STANDARDS	ava Full 25 m_roush/pdfbox/android/PDFBoxResourceLoade r.iava
				com/tom_roush/pdfbox/contentstream/PDFStreamEngin
				e.java
				com/tom_roush/pdfbox/contentstream/operator/graphi
				cs/ClosePath.java
				com/tom_roush/pdfbox/contentstream/operator/graphi
				cs/CurveTo.java
				com/tom_roush/pdfbox/contentstream/operator/graphi
				cs/CurveToReplicateInitialPoint.java
				com/tom_roush/pdfbox/contentstream/operator/graphi
				cs/LineTo.java
				com/tom_roush/pdfbox/contentstream/operator/state/S
				etGraphicsStateParameters.java
				com/tom_roush/pdfbox/contentstream/operator/state/S
				etLineDashPattern.java
				com/tom_roush/pdfbox/contentstream/operator/text/M
				oveText.java
				com/tom_roush/pdfbox/cos/COSDocument.java
				com/tom_roush/pdfbox/cos/COSStream.java
				com/tom_roush/pdfbox/cos/COSString.java
				com/tom_roush/pdfbox/filter/ASCIIHexFilter.java
				com/tom_roush/pdfbox/filter/Filter.java
				com/tom_roush/pdfbox/filter/FlateFilter.java
				com/tom_roush/pdfbox/filter/LZWFilter.java
				com/tom_roush/pdfbox/filter/RunLengthDecodeFilter.ja
				Va
				com/tom_roush/pdfbox/io/IOUtils.java
				com/tom_roush/pdfbox/io/ScratchFile.java
				com/tom_roush/pdfbox/io/ScratchFileBuffer.java
				com/tom_roush/pdfbox/multipdf/LayerUtility.java
				com/tom_roush/pdfbox/multipdf/PDFMergerUtility.java
				com/tom_roush/pdfbox/pdfparser/GOSParser java
				com/tom_roush/pdfbox/pdfparser/COSParser.java
				com/tom_roush/pdfbox/pdfparser/FDFParser.java
				com/tom_roush/pdfbox/pdfparser/PDFObjectStreamPar
				ser.java
				com/tom_roush/pdfbox/pdfparser/PDFParser.java
				com/tom_roush/pdfbox/pdfparser/PDFStreamParser.jav

10	ISSUE	SEVERITY	STANDARDS	a Full Ess m_roush/pdfbox/pdfparser/XrefTrailerResolver.ja
				va com/tom_roush/pdfbox/pdfwriter/COSWriter.java
				com/tom_roush/pdfbox/pdmodel/PDDocument.java
				com/tom_roush/pdfbox/pdmodel/PDPage.java
				com/tom_roush/pdfbox/pdmodel/PDPageContentStrea
				m.java
				com/tom_roush/pdfbox/pdmodel/common/PDNameTre
				eNode.java
				com/tom_roush/pdfbox/pdmodel/common/PDNumberT reeNode.java
				com/tom_roush/pdfbox/pdmodel/common/function/PD
				FunctionType0.java
				com/tom_roush/pdfbox/pdmodel/documentinterchange
				/logicalstructure/PDStructureTreeRoot.java
				com/tom_roush/pdfbox/pdmodel/documentinterchange
				/taggedpdf/StandardStructureTypes.java
				com/tom_roush/pdfbox/pdmodel/encryption/SecurityHa
				ndler.java
				com/tom_roush/pdfbox/pdmodel/encryption/StandardS
				ecurityHandler.java
				com/tom_roush/pdfbox/pdmodel/fdf/FDFAnnotation.jav
				a
				com/tom_roush/pdfbox/pdmodel/fdf/FDFAnnotationFre
				eText.java
				com/tom_roush/pdfbox/pdmodel/fdf/FDFAnnotationInk.
				java
				com/tom_roush/pdfbox/pdmodel/fdf/FDFAnnotationPol
				ygon.java
				com/tom_roush/pdfbox/pdmodel/fdf/FDFAnnotationPol
				yline.java
				com/tom_roush/pdfbox/pdmodel/fdf/FDFDictionary.java
				com/tom_roush/pdfbox/pdmodel/font/FileSystemFontPr
				ovider.java
				com/tom_roush/pdfbox/pdmodel/font/FontMapperImpl.
				java
				com/tom_roush/pdfbox/pdmodel/font/PDCIDFontType0
				.java
				com/tom_roush/pdfbox/pdmodel/font/PDCIDFontType2

NO	ISSUE	SEVERITY	STANDARDS	.java
				com/tom_roush/pdfbox/pdmodel/font/PDFont.java com/tom_roush/pdfbox/pdmodel/font/PDFontFactory.ja
				va com/tom_roush/pdfbox/pdmodel/font/PDSimpleFont.ja va
				com/tom_roush/pdfbox/pdmodel/font/PDTrueTypeFont. java
				com/tom_roush/pdfbox/pdmodel/font/PDType0Font.jav a
				com/tom_roush/pdfbox/pdmodel/font/PDType1CFont.ja va
				com/tom_roush/pdfbox/pdmodel/font/PDType1Font.jav a
				com/tom_roush/pdfbox/pdmodel/font/PDType3Font.jav a
				com/tom_roush/pdfbox/pdmodel/font/encoding/GlyphL ist.java
				com/tom_roush/pdfbox/pdmodel/graphics/color/PDCol orSpace.java
				com/tom_roush/pdfbox/pdmodel/graphics/color/PDDev iceGray.java
				com/tom_roush/pdfbox/pdmodel/graphics/color/PDDeviceRGB.java
				com/tom_roush/pdfbox/pdmodel/graphics/image/Lossl essFactory.java
				com/tom_roush/pdfbox/pdmodel/graphics/image/PDImageXObject.java
				com/tom_roush/pdfbox/pdmodel/graphics/image/Samp ledImageReader.java
				com/tom_roush/pdfbox/pdmodel/graphics/state/PDSoft Mask.java
				com/tom_roush/pdfbox/pdmodel/interactive/annotation/PDAnnotation.java
				com/tom_roush/pdfbox/pdmodel/interactive/digitalsign ature/visible/PDFTemplateCreator.java
				com/tom_roush/pdfbox/pdmodel/interactive/digitalsign ature/visible/PDVisibleSigBuilder.java

		com/tom_roush/pdfbox/pdmodel/interactive/form/PDAc roForm.java com/tom_roush/pdfbox/pdmodel/interactive/form/PDN onTerminalField.java com/tom_roush/pdfbox/pdmodel/interactive/form/PDSi gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		com/tom_roush/pdfbox/pdmodel/interactive/form/PDN onTerminalField.java com/tom_roush/pdfbox/pdmodel/interactive/form/PDSi gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		com/tom_roush/pdfbox/pdmodel/interactive/form/PDN onTerminalField.java com/tom_roush/pdfbox/pdmodel/interactive/form/PDSi gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		onTerminalField.java com/tom_roush/pdfbox/pdmodel/interactive/form/PDSi gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		com/tom_roush/pdfbox/pdmodel/interactive/form/PDSi gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		gnatureField.java com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja va
		com/tom_roush/pdfbox/rendering/CIDType0Glyph2D.ja
		va
		com/tom_roush/pdfbox/rendering/PageDrawer.java
		com/tom_roush/pdfbox/rendering/TTFGlyph2D.java
		com/tom_roush/pdfbox/rendering/Type1Glyph2D.java
		com/tom_roush/pdfbox/text/LegacyPDFStreamEngine.ja
1		va
		com/tom_roush/pdfbox/text/PDFTextStripper.java
		com/tom_roush/pdfbox/text/TextPosition.java
		com/united/mobile/android/bagtracking/ui/bagissues/su
		bmitclaim/baginfo/lostbagadditem/AddItemViewModel.j
		ava
		com/united/mobile/android/booking/location/GpsUtils.j
		ava
		com/united/mobile/android/booking/ui/LogTimeHelper.j
		ava
		com/united/mobile/android/booking/ui/emailinput/Boo
		kingEmailInputViewModel.java
		com/united/mobile/android/booking/ui/employeeRes/b
		ookingempflightdetails/BookingEmpFlightDetailsFragme nt\$observeFlights\$1.java
		com/united/mobile/android/booking/ui/employeeRes/re
		viewtrip/ReviewTripViewModel\$bookingConfirmationAPI
		\$1.java
		com/united/mobile/android/booking/ui/employeeRes/re
		viewtrip/ReviewTripViewModel\$callBookingAlertAPI\$1.ja
		Va
		com/united/mobile/android/booking/ui/employeeRes/re
		viewtrip/ReviewTripViewModel\$callBookingTripsAPI\$1.ja
		va
		com/united/mobile/android/booking/ui/emptravelerpas
		stype/EmpTravelerPassTypeViewModel.java

NO	ISSUE	SEVERITY	STANDARDS	com/united/mobile/android/booking/ui/fsrRedesign/fsr/ RedES gnFlightSearchResultViewModel.java com/united/mobile/android/checkin/ui/main/rtd/Checkl
				nAddLapInfantViewModel.java
				com/united/mobile/android/commonsearch/ui/geolocati
				on/GpsUtils.java
				com/united/mobile/android/commonui/view/commonw
				ebview/UACommonWebView.java
				com/united/mobile/android/commonui/view/commonw
				ebview/chase/ChasePdfViewerHelper.java
				com/united/mobile/android/commonui/view/seatmap/u
				i/seatmapmain/SeatMapView.java
				com/united/mobile/android/entertainment/utils/Provisi
				oningManager\$init\$1.java
				com/united/mobile/android/game/ui/fsim/GameMainAc
				tivity.java
				com/united/mobile/android/game/ui/santassleigh/Game
				SantaActivity.java
				com/united/mobile/android/homescreen/ui/travelcenter
				/landingpagesv2/TRCV2LandingPageViewModel.java
				com/united/mobile/android/logging/UALoggerDebug.jav
				a
				com/united/mobile/android/payment/ui/paymentbase/P
				aymentBaseFragment.java
				com/united/mobile/android/reservation/comm/ReceiptC
				ommunicationHelper.java com/united/mobile/android/reservation/ui/upgradecabi
				n/UpgradeSegmentItem.java
				com/united/mobile/android/reservation/ui/upgradecabi
				n/storefront/UpgradeStoreFrontFlightRecyclerViewAdapt
				er.java
				com/united/mobile/android/reservation/ui/upgradecabi
				n/storefront/UpgradeStoreFrontFragment.java
				com/united/mobile/android/reservation/ui/upgradecabi
				n/upgradereview/UpgradeReviewFragment.java
				com/united/mobile/android/unifiedplayer/model/DateD
				eserializer.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/UnifiedPlayer.java
				com/united/mobile/android/unifiedplayer/repository/un

NO	ISSUE	SEVERITY	STANDARDS	ifiedplayer/UnifiedPlayerActivity.java Fd L S nited/mobile/android/unifiedplayer/repository/un
				ifiedplayer/controller/VideoControllerView.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/controller/ViewGestureListener.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/debug/DebugLogReader.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/debug/Utils.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/utils/Ad.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/utils/EmailUtil.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/utils/JSONUtil.java
				com/united/mobile/android/unifiedplayer/repository/un
				ifiedplayer/utils/VastUtil.java
				com/usebutton/sdk/DropinButton.java
				com/usebutton/sdk/InteractiveButton.java
				com/usebutton/sdk/action/ActionQuery.java
				com/usebutton/sdk/internal/ActionPerformer.java
				com/usebutton/sdk/internal/AuthChallengeActivity.java
				com/usebutton/sdk/internal/AuthChallengePresenter.jav
				a
				com/usebutton/sdk/internal/BaseCardActivity.java
				com/usebutton/sdk/internal/ButtonPrivate.java
				com/usebutton/sdk/internal/GroupedInventoryCardActiv
				ity.java
				com/usebutton/sdk/internal/InstallCardActivity.java
				com/usebutton/sdk/internal/PostInstaller.java
				com/usebutton/sdk/internal/RestrictedDomainManager.j
				ava
				com/usebutton/sdk/internal/SingleProductCardActivity.ja
				va
				com/usebutton/sdk/internal/UrlActionResponseHandler.j
				ava
				com/usebutton/sdk/internal/WebViewActivity.java
				com/usebutton/sdk/internal/api/ActionCache.java
				com/usebutton/sdk/internal/api/ButtonApi.java
				com/usebutton/sdk/internal/api/Http.java
				com as accom sand meet that april telepines

NO	ISSUE	SEVERITY	STANDARDS	com/usebutton/sdk/internal/api/RequestShepherd.java Fdh 5sebutton/sdk/internal/api/models/BodyDTO.java
		 		com/usebutton/sdk/internal/base/BasePresenter.java
				com/usebutton/sdk/internal/browser/BrowserWebChro
				meClient.java
				com/usebutton/sdk/internal/browser/BrowserWebClient
				.java
				com/usebutton/sdk/internal/commands/AuthChallengeP
				ostbackCommand.java
				com/usebutton/sdk/internal/commands/AuthenticatedC
				ommand.java
				com/usebutton/sdk/internal/commands/GetLinksComm
				and.java
				com/usebutton/sdk/internal/commands/GetPromotions
				Command.java
				com/usebutton/sdk/internal/commands/PostEventsCom
				mand.java
				com/usebutton/sdk/internal/commands/UpdateCustom
				erCommand.java
				com/usebutton/sdk/internal/core/ApplicationHooks.java
				com/usebutton/sdk/internal/core/CommandExecutor.jav
				a
				com/usebutton/sdk/internal/core/InvalidSessionHandler.
				java
				com/usebutton/sdk/internal/core/LoggingHandler.java
				com/usebutton/sdk/internal/core/Storage.java
				com/usebutton/sdk/internal/events/DatabaseStore.java
				com/usebutton/sdk/internal/events/EventTracker.java
				com/usebutton/sdk/internal/events/SyncManager.java
				com/usebutton/sdk/internal/models/AppAction.java
				com/usebutton/sdk/internal/models/AssetCollection.java
				com/usebutton/sdk/internal/models/BaseEntity.java
				com/usebutton/sdk/internal/models/UrlMatcher.java
				com/usebutton/sdk/internal/purchasepath/autofill/Autof
				illModel.java
				com/usebutton/sdk/internal/receivers/InstallNotification
				Receiver.java
				com/usebutton/sdk/internal/receivers/LocaleChangedRe
				ceiver.java
				com/usebutton/sdk/internal/secure/SecureCrypto.java
				, , , , , , , , , , , , , , , , , , ,

NO	ISSUE	SEVERITY	STANDARDS	com/usebutton/sdk/internal/secure/SecureKeyStore.java
		+		com/usebutton/sdk/internal/user/UserProfile.java
ŀ				com/usebutton/sdk/internal/util/ButtonLog.java
ŀ				com/usebutton/sdk/internal/util/ButtonUtil.java
ļ				com/usebutton/sdk/internal/util/DebugProxy.java
ļ				com/usebutton/sdk/internal/util/DiskLink.java
ļ				com/usebutton/sdk/internal/util/IdentifierForAdvertiserP
ļ				rovider.java
ŀ				com/usebutton/sdk/internal/util/JsonBuilder.java
ļ				com/usebutton/sdk/internal/util/MemoryLink.java
ļ				com/usebutton/sdk/internal/util/PackageObserver.java
ļ				com/usebutton/sdk/internal/util/ResourceLink.java
ļ				com/usebutton/sdk/internal/util/SafeSimpleDateFormat.
ļ				java
ļ				com/usebutton/sdk/internal/util/StopWatch.java
ļ				com/usebutton/sdk/internal/util/ViewUtils.java
ļ				com/usebutton/sdk/internal/views/DropinPresenter.java
ļ				com/usebutton/sdk/internal/views/HumbleViewPager.ja
ļ				va
ļ				com/usebutton/sdk/internal/views/LazyByteBitmapDra
ļ				wable.java
ļ				com/usebutton/sdk/internal/views/PagerIndicator.java
ŀ				com/usebutton/sdk/internal/views/PopupWebView.java
ļ				com/usebutton/sdk/internal/views/RatioViewPager.java
				com/usebutton/sdk/internal/views/interactive/BaseInventoryAdapter.java
ŀ				com/usebutton/sdk/internal/web/ButtonJavascriptInterfa
ļ				ce.java
ļ				cz/msebera/android/httpclient/extras/HttpClientAndroid
ŀ				Log.java
ļ				cz/msebera/android/httpclient/extras/PRNGFixes.java
ļ				cz/msebera/android/httpclient/impl/conn/DefaultClientC
ŀ				onnection.java
ļ				de/mindpipe/android/logging/log4j/LogCatAppender.jav
ŀ				a
ļ				de/mindpipe/android/logging/log4j/LogConfigurator.jav
ŀ				a
ļ				
				favlyueojqsghwy/ivvvvi.java jumio/core/a.java
ŀ				

NO	ISSUE	SEVERITY	STANDARDS	jumio/core/b0.java Fullo 5 core/c.java jumio/core/d1.java
				jumio/core/g1.java jumio/core/p0.java jumio/core/q0.java jumio/core/r.java jumio/core/u0.java jumio/core/x0.java jumio/lf/a.java jumio/mrz/a.java jumio/mrz/c.java org/cocos2dx/lib/Cocos2dxActivity.java org/cocos2dx/lib/Cocos2dxAudioFocusManager.java org/cocos2dx/lib/Cocos2dxBitmap.java
3	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	org/cocos2dx/lib/Cocos2dxEditBoxHelper.java 6Pgr/cbcos2dx/lib/Cocos2dxEditBoxHelper.java 6Pgr/cbcos2dxialki/Cocos2dxHelper.java 6Pgr/cbcos2dxiib/FileTaskHandler.java 6Pgr/cbcos2dx/lib/FileTaskHandler.java 6Pgr/cbc

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	cartrawler/api/common/ServiceFactory.java cartrawler/core/di/providers/SimpleDependancyModule Kt.java cartrawler/core/network/RetrofitFactory.java com/cartrawler/pay/OkHttpClientManager.java com/liveperson/infra/network/http/HttpHandler.java com/liveperson/infra/network/socket/SocketWrapperOK .java com/liveperson/infra/utils/PicassoUtils.java com/liveperson/infra/utils/TlsUtil.java com/locuslabs/sdk/llprivate/LLUtilKt.java com/locuslabs/sdk/llprivate/LLUtilKt.java com/loopj/android/http/MySSLSocketFactory.java com/qualtrics/digital/LatencyReportingService.java com/qualtrics/digital/SiteInterceptService.java com/quantummetric/instrument/as.java com/quantummetric/instrument/as.java com/snowplowanalytics/snowplow/internal/emitter/TLS Arguments.java com/united/mobile/android/dataio/networking/RetrofitS erviceFactory.java com/united/mobile/android/reservation/service/shareTri p/ShareTripRetrofit.java com/uplift/sdk/data/d.java cz/msebera/android/httpclient/conn/ssl/SSLContextBuild er.java favlyueojqsghwy/ivvvvi.java jumio/core/a.java org/cocos2dx/lib/Cocos2dxHttpURLConnection.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/ideanovatech/android/utils/i.java com/inmobile/oowwoo.java com/mapbox/mapboxsdk/storage/FileSource.java com/microblink/blinkcard/util/FileLog.java com/united/mobile/android/bagtracking/repository/filep review/FilePreviewRepositoryImpl\$convertUriToBitmap\$ 3\$1.java com/united/mobile/android/bagtracking/utility/Fragmen tUtilsKt.java com/united/mobile/android/commonui/view/commonw ebview/chase/ChasePdfViewerHelper.java com/united/mobile/android/homescreen/util/FilePrevie wUtilKt.java com/united/mobile/android/homescreen/util/TravelCent erUtilsKt.java com/united/mobile/android/reservation/comm/ReceiptC ommunicationHelper.java com/united/mobile/android/reservation/util/ImageUtilsK t.java com/united/mobile/android/reservation/util/ProfileView UtilsKt.java org/cocos2dx/lib/Cocos2dxHelper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/journeyapps/barcodescanner/CaptureManager.java com/liveperson/infra/utils/AndroidFrameworkUtils.java com/loopj/android/http/FileAsyncHttpResponseHandler.j ava com/tom_roush/pdfbox/io/RandomAccessBufferedFileIn putStream.java com/tom_roush/pdfbox/io/ScratchFile.java com/united/mobile/android/bagtracking/repository/filep review/FilePreviewRepositoryImpl\$convertUriToBitmap\$ 3\$1.java com/united/mobile/android/bagtracking/utility/Fragmen tUtilsKt.java com/united/mobile/android/booking/ui/exploredestinati ons/shopbyimage/ShopByImageFragment.java com/united/mobile/android/homescreen/util/FilePrevie wUtilKt.java com/united/mobile/android/homescreen/util/TravelCent erUtilsKt.java com/united/mobile/android/reservation/util/ImageUtilsK t.java com/united/mobile/android/reservation/util/ProfileView UtilsKt.java
7	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	cartrawler/core/ui/modules/bookings/manageBooking/B ookingDetailsView.java com/appsamurai/storyly/storylypresenter/storylylayer/f 1.java com/liveperson/infra/messaging_ui/fragment/Conversati onFragment.java com/united/mobile/android/booking/ui/bookingmain/sh op/BookingMainFragment.java com/united/mobile/android/homescreen/ui/hamburger menu/HamburgerMenuViewType.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	cartrawler/core/data/Settings.java cartrawler/core/di/providers/AppModule.java com/locuslabs/sdk/llprivate/LLSharedPreferences.java com/united/mobile/android/booking/repository/request /ModelRepositoryImpl.java com/united/mobile/android/checkin/repository/ModelR epositoryImpl.java com/united/mobile/android/game/repository/GameCent erPreferences.java com/united/mobile/android/payment/comm/PaymentS haredRepositoryImpl.java com/united/mobile/android/reservation/repository/requ est/ModelRepositoryImpl.java com/united/mobile/android/util/ModuleResourceManag er.java com/united/mobile/android/widget/tripCountDown/Trip CountDownWidgetRepository.java com/uplift/sdk/util/c.java
9	The App uses ECB mode in Cryptographic encryption algorithm. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	com/tom_roush/pdfbox/pdmodel/encryption/StandardS ecurityHandler.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/akamai/botman/h.java com/appsamurai/storyly/util/animation/c.java com/appsamurai/storyly/util/animation/emitters/c.java com/appsamurai/storyly/util/animation/modules/a.java com/appsamurai/storyly/util/animation/modules/b.java com/ideanovatech/android/vast/AdScheduler.java com/jumio/commons/obfuscate/StringDeobfuscator.jav a com/loopj/android/http/SimpleMultipartEntity.java com/qualtrics/digital/SamplingUtil.java cz/msebera/android/httpclient/entity/mime/MultipartEnt ityBuilder.java favlyueojqsghwy/iviivi.java favlyueojqsghwy/maaaaa.java
11	execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive Neutralization used in an SQI Injection')		OWASP Top 10: M7: Client Code	com/inmobile/MeshDBHelper.java com/kochava/base/d.java com/liveperson/infra/database/DBUtilities.java com/liveperson/infra/database/DatabaseManager.java com/liveperson/infra/database/tables/ConversationsTabl e.java com/liveperson/infra/database/tables/FilesTable.java com/liveperson/infra/database/tables/MessagesTable.ja va com/snowplowanalytics/snowplow/internal/emitter/stor age/EventStoreHelper.java com/usebutton/sdk/internal/events/DatabaseStore.java org/cocos2dx/lib/Cocos2dxLocalStorage.java
12	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/united/ualcryption/BuildConfig.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
13	Remote WebView debugging is enabled.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/united/mobile/android/game/ui/fsim/GameMainAc tivity.java com/united/mobile/android/game/ui/santassleigh/Game SantaActivity.java
14	Insecure Implementation of SSL. Trusting all the certificates or accepting self signed certificates is a critical Security Hole. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/loopj/android/http/MySSLSocketFactory.java cz/msebera/android/httpclient/conn/ssl/SSLConnectionS ocketFactory.java cz/msebera/android/httpclient/conn/ssl/SSLSocketFactor y.java
15	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/appsamurai/storyly/data/local/a.java com/ideanovatech/android/utils/SecurityUtil.java com/tom_roush/pdfbox/pdfwriter/COSWriter.java com/tom_roush/pdfbox/pdmodel/encryption/MessageD igests.java com/usebutton/sdk/internal/secure/SecureKeyStore.java com/usebutton/sdk/internal/util/ButtonUtil.java cz/msebera/android/httpclient/impl/auth/NTLMEnginel mpl.java
16	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/tom_roush/pdfbox/pdmodel/encryption/MessageD igests.java cz/msebera/android/httpclient/extras/PRNGFixes.java cz/msebera/android/httpclient/impl/auth/NTLMEnginel mpl.java cz/msebera/android/httpclient/impl/client/cache/BasicId Generator.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
17	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/akamai/botman/ac.java com/nimbusds/jose/crypto/impl/AESCBC.java com/nimbusds/jose/jca/JCASupport.java com/quantummetric/instrument/ab.java com/tom_roush/pdfbox/pdmodel/encryption/SecurityHa ndler.java
18	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/ideanovatech/android/utils/SecurityUtil.java com/kochava/base/c.java com/united/mobile/android/unifiedplayer/repository/un ifiedplayer/UnifiedPlayerActivity.java
19	The file or SharedPreference is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/kochava/base/d.java com/united/mobile/android/entertainment/repository/s haredpreferences/SharedPreferencesRepositoryImpl.java
20	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/nimbusds/jose/jwk/Curve.java cz/msebera/android/httpclient/conn/params/ConnRoute Params.java
21	Weak Encryption algorithm used	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	cz/msebera/android/httpclient/impl/auth/NTLMEnginel mpl.java



NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	x86/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	x86/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	x86/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	x86/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	x86/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	x86/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	x86/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	arm64-v8a/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	arm64-v8a/libaleInterface.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	arm64-v8a/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['vsnprintf_chk', 'strlen_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	arm64-v8a/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
13	arm64-v8a/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
14	arm64- v8a/libJVCardFindJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
15	arm64-v8a/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack- protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	arm64-v8a/libJVImgJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
17	arm64-v8a/libJVCoreJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
18	arm64-v8a/libJVMrzJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'memmove_chk', 'memcpy_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
19	arm64-v8a/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsnprintf_chk', 'strlen_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
20	arm64-v8a/libJVCore.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memset_chk', 'memcpy_chk', 'strlen_chk', 'fgets_chk', 'strcpy_chk', 'strrchr_chk', 'strrchr_chk', 'strchr_chk', 'strcat_chk', 'strcat_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
21	arm64-v8a/libMyGame.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'strrchr_chk', 'FD_SET_chk', 'memcpy_chk', 'memset_chk', 'FD_CLR_chk', 'FD_ISSET_chk', 'strcat_chk', 'strcat_chk', 'strrcpy_chk', 'nemmove_chk', 'vsprintf_chk', 'read_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strchr_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
22	armeabi-v7a/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
23	armeabi- v7a/libaleInterface.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
24	armeabi-v7a/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
25	armeabi- v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
26	armeabi-v7a/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
27	armeabi-v7a/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
28	armeabi- v7a/libJVCardFindJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
29	armeabi-v7a/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
30	armeabi-v7a/libJVImgJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
31	armeabi-v7a/libJVCoreJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
32	armeabi-v7a/libJVMrzJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'memmove_chk', 'memcpy_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
33	armeabi-v7a/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
34	armeabi-v7a/libJVCore.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memset_chk', 'memcpy_chk', 'strlen_chk', 'fgets_chk', 'strcpy_chk', 'strrchr_chk', 'strrchr_chk', 'strchr_chk', 'strcat_chk', 'strcat_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
35	x86_64/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
36	x86_64/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
37	x86_64/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memmove_chk', 'strlen_chk', 'vsnprintf_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
38	x86_64/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
39	x86_64/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
40	x86_64/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack- protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
41	x86_64/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsnprintf_chk', 'strlen_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
42	x86/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
43	x86/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
44	x86/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
45	x86/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
46	x86/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
47	x86/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
48	x86/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
49	arm64-v8a/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
50	arm64-v8a/libaleInterface.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'vsprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
51	arm64-v8a/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
52	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['vsnprintf_chk', 'strlen_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
53	arm64-v8a/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
54	arm64-v8a/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
55	arm64- v8a/libJVCardFindJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
56	arm64-v8a/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack- protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
57	arm64-v8a/libJVImgJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
58	arm64-v8a/libJVCoreJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
59	arm64-v8a/libJVMrzJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'memmove_chk', 'memcpy_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
60	arm64-v8a/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsnprintf_chk', 'strlen_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
61	arm64-v8a/libJVCore.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memset_chk', 'memcpy_chk', 'strlen_chk', 'fgets_chk', 'strcpy_chk', 'strrchr_chk', 'strrchr_chk', 'strcat_chk', 'strcat_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
62	arm64-v8a/libMyGame.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'strrchr_chk', 'FD_SET_chk', 'memcpy_chk', 'memset_chk', 'FD_CLR_chk', 'FD_ISSET_chk', 'strcat_chk', 'strcat_chk', 'strrcpy_chk', 'nemmove_chk', 'vsprintf_chk', 'read_chk', 'read_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strcpy_chk', 'strchr_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
63	armeabi-v7a/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
64	armeabi- v7a/libaleInterface.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
65	armeabi-v7a/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
66	armeabi- v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
67	armeabi-v7a/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
68	armeabi-v7a/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
69	armeabi- v7a/libJVCardFindJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
70	armeabi-v7a/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
71	armeabi-v7a/libJVImgJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
72	armeabi-v7a/libJVCoreJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
73	armeabi-v7a/libJVMrzJava.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'memmove_chk', 'memcpy_chk', 'memset_chk', 'vsprintf_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
74	armeabi-v7a/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
75	armeabi-v7a/libJVCore.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memset_chk', 'memcpy_chk', 'strlen_chk', 'fgets_chk', 'strcpy_chk', 'strrchr_chk', 'strrchr_chk', 'strcat_chk', 'strcat_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
76	x86_64/libnative-lib.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
77	x86_64/libcpuinfo.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
78	x86_64/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memmove_chk', 'strlen_chk', 'vsnprintf_chk', 'read_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
79	x86_64/libBlinkCard.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['strlen_chk', 'vsnprintf_chk', 'read_chk', 'memmove_chk']	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
80	x86_64/libLIB-v.4.3.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
81	x86_64/libnode.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack- protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	No RELRO high This shared object does not have RELRO enabled. The entire GOT (.got and .got.plt both) are writable. Without this compiler flag, buffer overflows on a global variable can overwrite GOT entries. Use the option - z,relro,- z,now to enable full RELRO and only -z,relro to enable partial RELRO.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	False warning Symbols are available.

NO	SHARED OBJECT	NX	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
82	x86_64/libmapbox-gl.so	True info The binary has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['memcpy_chk', 'memmove_chk', 'memset_chk', 'vsnprintf_chk', 'strlen_chk']	False warning Symbols are available.

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	14/24	android.permission.INTERNET, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.SYSTEM_ALERT_WINDOW, android.permission.VIBRATE, android.permission.CAMERA, android.permission.READ_EXTERNAL_STORAGE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_WIFI_STATE, android.permission.WAKE_LOCK, android.permission.READ_PHONE_STATE, android.permission.RECORD_AUDIO, android.permission.RECEIVE_BOOT_COMPLETED
Other Common Permissions	11/45	android.permission.READ_CALENDAR, android.permission.CALL_PHONE, android.permission.FOREGROUND_SERVICE, android.permission.CHANGE_WIFI_STATE, android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.FLASHLIGHT, com.google.android.c2dm.permission.RECEIVE, com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION

Q DOMAIN MALWARE CHECK

N

DOMAIN	STATUS	GEOLOCATION
int.vaicore.site	malware URL: int.vaicore.site IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
int.akisinn.info	malware URL: int.akisinn.info IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
int.akisinn.site	malware URL: int.akisinn.site IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
int.dewrain.life	malware URL: int.dewrain.life IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
int.vaicore.xyz	malware URL: int.vaicore.xyz IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
int.vaicore.store	malware URL: int.vaicore.store IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
int.dewrain.site	malware URL: int.dewrain.site IP: N/A Description: Malicious Domain tagged by Maltrail	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
mobiletravelapi.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
otares.cartrawler.com	ok	IP: 18.192.160.235 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
external-dev-pay.cartrawler.com	ok	IP: 212.2.164.19 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
www.bd0064d0064d0064doowwow.class	ok	No Geolocation information available.
github.com	ok	IP: 140.82.114.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
smartphone-dev.united.com	ok	IP: 23.64.181.185 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
192.168.1.3	ok	IP: 192.168.1.3 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
hotels.united.com	ok	IP: 23.203.239.209 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
otageo.cartrawler.com	ok	IP: 54.185.7.65 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobileapi.stage.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
rest.locuslabs.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
api.preprod.aws.united.com	ok	IP: 69.192.139.99 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
mobile-crash-reports.quantummetric.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobileapi-qa.united.com	ok	No Geolocation information available.
nodejs.org	ok	IP: 104.20.23.46 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
iglucentral.com	ok	IP: 16.182.97.93 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
shopping.mileageplus.com	ok	IP: 52.88.148.56 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
smartphone.united.com	ok	IP: 23.65.40.49 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.mastercard.com	ok	IP: 23.203.230.17 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
www.tsa.gov	ok	IP: 23.38.235.194 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map

DOMAIN	STATUS	GEOLOCATION
unitedaviate.com	ok	IP: 199.119.122.39 Country: United States of America Region: Missouri City: Saint Louis Latitude: 38.631317 Longitude: -90.192154 View: Google Map
developer.android.com	ok	IP: 142,251.46.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
trk.storyly.io	ok	IP: 34.251.140.145 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
exoplayer.dev	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
int.dewrain.world	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
snowplow.cartrawler.com	ok	IP: 63.35.79.198 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
internal-dev.cartrawler.com	ok	No Geolocation information available.
unitedqa.quantummetric.com	ok	IP: 34.27.225.224 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cars.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
webservices.united.com	ok	IP: 12.169.195.52 Country: United States of America Region: California City: Cupertino Latitude: 37.323002 Longitude: -122.032181 View: Google Map
travelhelp.united.com	ok	IP: 23.45.12.65 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
1s-app.quantummetric.com	ok	IP: 34.27.112.206 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
united.quantummetric.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
sndcdpauthservice.ual.com	ok	IP: 184.86.106.162 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
mobiletravelapi-stage.united.com	ok	IP: 23.45.12.16 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.maptiler.com	ok	IP: 104.17.87.87 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
db62cod6cnasq.cloudfront.net	ok	IP: 18.155.202.87 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
mobileapi-dev.united.com	ok	No Geolocation information available.
location-dev.united.com	ok	IP: 69.192.139.100 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.united.com	ok	IP: 184.26.130.34 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
apim.cformanalytics.com	ok	No Geolocation information available.
drm.ideanovatech.com	ok	IP: 206.81.4.75 Country: United States of America Region: New Jersey City: North Bergen Latitude: 40.804272 Longitude: -74.012077 View: Google Map
www.unitedwifi.com	ok	IP: 23.204.249.161 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
m.uplift.com	ok	IP: 99.84.238.129 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
events.ideanovatech.com	ok	IP: 54.147.161.242 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api.qa.storyly.io	ok	IP: 54.170.184.88 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
travelhelp-qa.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
united.com	ok	IP: 23.197.109.174 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
mobileapi.dev.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileapi.stage.com	ok	IP: 165.160.15.20 Country: United States of America Region: Delaware City: Wilmington Latitude: 39.735779 Longitude: -75.665703 View: Google Map
mileageplusx.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
twitter.com	ok	IP: 104.244.42.129 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
rl.quantummetric.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
uniteddigital.iad1.qualtrics.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
www.unitedprivatescreening.com	ok	IP: 18.238.192.82 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.openssl.org	ok	IP: 34.36.58.177 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
demotiles.maplibre.org	ok	IP: 104.18.12.114 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
mobiletravelapi-qa.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
control.kochava.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
rewardsplus.unitedmileageplus.com	ok	IP: 65.8.161.38 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
eres.app.auth.united.com	ok	IP: 23.45.12.65 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
wfbeta.united.com	ok	IP: 23.45.12.16 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
www.example.com	ok	IP: 93.184.216.34 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
wifi.inflightinternet.com	ok	No Geolocation information available.
api.qa.aws.united.com	ok	IP: 23.45.12.8 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
open.qa.storyly.io	ok	IP: 52.31.59.227 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
csmc.qa.api.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cdn.uplift-platform.com	ok	IP: 34.236.166.174 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
ft.ual.com	ok	IP: 96.7.79.80 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
api.storyly.io	ok	IP: 76.223.41.93 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
mobileapi.dev.preview.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.apple.com	ok	IP: 23.204.249.243 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
app.usebutton.com	ok	IP: 34.208.81.164 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
smartphone-preprod.united.com	ok	IP: 23.64.181.185 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
marketplace.locuslabs.com	ok	IP: 18.155.192.48 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobileapi-preprod.united.com	ok	No Geolocation information available.
www.theexplorercard.com	ok	IP: 159.53.117.170 Country: United States of America Region: New York City: New York City Latitude: 40.705376 Longitude: -74.008949 View: Google Map
open.storyly.io	ok	IP: 13.248.169.71 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.dev.aws.united.com	ok	IP: 23.45.12.50 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
smartphone-preview.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
token.api.kochava.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
ad.doubleclick.net	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
s.mobileapi.usebutton.com	ok	IP: 54.244.86.188 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
click.enews.united.com	ok	IP: 128.245.151.164 Country: United States of America Region: California City: San Francisco Latitude: 37.788464 Longitude: -122.394608 View: Google Map
journeyapps.com	ok	IP: 108.139.10.80 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
m.mpdining.rewardsnetwork.com	ok	No Geolocation information available.
mobiletravelapi-dev.united.com	ok	No Geolocation information available.
apps.mapbox.com	ok	IP: 13.227.74.125 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.opentravel.org	ok	IP: 104.196.47.36 Country: United States of America Region: South Carolina City: North Charleston Latitude: 32.888561 Longitude: -80.007507 View: Google Map
rarepixels.com	ok	IP: 173.247.240.81 Country: United States of America Region: California City: Los Angeles Latitude: 34.108696 Longitude: -118.260590 View: Google Map
promotions.united.com	ok	IP: 23.65.43.87 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
location.united.com	ok	IP: 216.136.1.67 Country: United States of America Region: Texas City: Houston Latitude: 29.760900 Longitude: -95.362503 View: Google Map

DOMAIN	STATUS	GEOLOCATION
baltazar.microblink.com	ok	IP: 104.22.76.119 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
checkinstage.united.com	ok	IP: 23.64.181.185 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileshopapi-qa.united.com	ok	IP: 23.65.43.87 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileapi.preprod.cuw.aws.ual.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
qa9.united.com	ok	IP: 23.64.181.185 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileshopapi-stage.united.com	ok	IP: 23.45.12.16 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
smart.link	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
airborne.inflightinternet.com	ok	No Geolocation information available.
services.inflightpanasonic.aero	ok	No Geolocation information available.
airbornemedia.inflightinternet.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
media.united.com	ok	IP: 23.65.39.99 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
play.google.com	ok	IP: 142.251.46.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.googleapis.com	ok	IP: 142.251.46.170 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
mobileshopapi.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ns.adobe.com	ok	No Geolocation information available.
play.theq.live	ok	No Geolocation information available.
adroit-nectar-425.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
apigw.united.com	ok	IP: 216.136.1.112 Country: United States of America Region: Texas City: Houston Latitude: 29.760900 Longitude: -95.362503 View: Google Map
www.mapbox.com	ok	IP: 199.232.192.143 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
buymiles.mileageplus.com	ok	IP: 104.18.36.210 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
otasecure.cartrawler.com	ok	IP: 98.129.166.132 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
www.bd0064d00640064dwhiteboxpolicy.class	ok	No Geolocation information available.
aws.qagw.api.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.clearme.com	ok	IP: 104.18.39.206 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
csmc.stage.api.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
cars.cartrawler.com	ok	IP: 72.21.91.191 Country: United States of America Region: Nevada City: Las Vegas Latitude: 36.174969 Longitude: -115.137222 View: Google Map
drmlicsrv.inflightinternet.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
liveperson.net	ok	IP: 208.89.12.169 Country: United States of America Region: New York City: New York City Latitude: 40.754997 Longitude: -73.993462 View: Google Map
wftest.united.com	ok	IP: 216.136.1.76 Country: United States of America Region: Texas City: Houston Latitude: 29.760900 Longitude: -95.362503 View: Google Map
mobiletravelapi.stage.united.com	ok	No Geolocation information available.
www.facebook.com	ok	IP: 157.240.22.35 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
location-stage.united.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
192.168.1.25	ok	IP: 192.168.1.25 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
drm3.ideanovatech.com	ok	IP: 206.81.4.75 Country: United States of America Region: New Jersey City: North Bergen Latitude: 40.804272 Longitude: -74.012077 View: Google Map
www.iab.net	ok	IP: 104.21.30.69 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
mobileapi.preview.united.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
ct-esdata.cartrawler.com	ok	IP: 3.232.242.170 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
tag.cartrawler.com	ok	IP: 54.73.26.109 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
ls.inflytxp.net	ok	No Geolocation information available.
s.qualtrics.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
www.bd0064d00640064dinauthenticatelogtype.class	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
api.prd.aws.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
news.united.com	ok	IP: 104.99.239.10 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
img.locuslabs.com	ok	IP: 18.239.199.76 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.cartrawler.com	ok	IP: 52.51.196.183 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map

DOMAIN	STATUS	GEOLOCATION
external-dev.cartrawler.com	ok	IP: 63.33.107.232 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
beta.united.com	ok	No Geolocation information available.
wf.united.com	ok	IP: 23.65.40.49 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileapi-preview.united.com	ok	No Geolocation information available.
example.com	ok	IP: 93.184.216.34 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ajaxgeo.cartrawler.com	ok	IP: 64.12.0.90 Country: United States of America Region: New York City: New York City Latitude: 40.731323 Longitude: -73.990089 View: Google Map
walletservices.united.com	ok	IP: 23.204.249.161 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
mobileapi.qa.united.com	ok	IP: 23.45.12.59 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
ct-supplierimage.imgix.net	ok	IP: 151.101.42.208 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
kvinit-prod.api.kochava.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
ct-errs.cartrawler.com	ok	IP: 54.221.251.148 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www.sdefaultimpl	ok	No Geolocation information available.
schemas.android.com	ok	No Geolocation information available.
smartphone-qa.united.com	ok	IP: 23.64.181.185 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobileapi.united.com	ok	IP: 23.65.43.87 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
S-S.S	ok	No Geolocation information available.
eres.app.stage.auth.united.com	ok	IP: 23.62.46.142 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map
cdn.cartrawler.com	ok	IP: 34.251.53.17 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map

DOMAIN	STATUS	GEOLOCATION
trk.qa.storyly.io	ok	IP: 54.170.184.88 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
tracker.flightview.com	ok	IP: 52.149.184.19 Country: United States of America Region: Virginia City: Washington Latitude: 38.713451 Longitude: -78.159439 View: Google Map
cdn.quantummetric.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
fonts.googleapis.com	ok	IP: 142.251.214.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
smartphone-prod.united.com	ok	No Geolocation information available.
ping.microblink.com	ok	IP: 172.67.12.184 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
mobilepassport.us	ok	IP: 34.206.255.123 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
s3.amazonaws.com	ok	IP: 54.231.233.40 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
ufs.ltv	ok	No Geolocation information available.
mobileapi.dev.cuw.aws.ual.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
ct-images.imgix.net	ok	IP: 151.101.42.208 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
location.api.kochava.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
aws.prdgw.api.united.com	ok	IP: 23.45.12.16 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
survey.qualtrics.com	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
api.mapbox.com	ok	IP: 18.238.192.6 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
xml.org	ok	IP: 104.239.240.11 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
www.acuitybrands.com	ok	IP: 13.107.246.69 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map

DOMAIN	STATUS	GEOLOCATION
aws.devgw.api.united.com	ok	IP: 23.45.12.16 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

FIREBASE DATABASES

FIREBASE URL	DETAILS
https://adroit-nectar-425.firebaseio.com	info App talks to a Firebase Database.

EMAILS

EMAIL	FILE
devsupport@getgrab.com	com/locuslabs/sdk/llprivate/GrabController.java
lynethpeou2003@hotmail.com brussell@example.com	com/united/mobile/android/checkin/utils/CheckInMockDataSource.java
kmjones3@gmail.com	com/united/mobile/android/checkin/service/MockCheckInServiceImpl.java

EMAIL	FILE	
wifi@united.com	com/united/mobile/android/unifiedplayer/repository/unifiedplayer/Constants.java	
8rf@oa3.0j99	com/inmobile/iiivvv.java	
carhire-excess@axa-assistance.co games@united.com emailaddress@gmail.com	Android String Resource	
contact@rarepixels.com	apktool_out/lib/arm64-v8a/libMyGame.so	
contact@rarepixels.com	lib/arm64-v8a/libMyGame.so	

A TRACKERS

TRACKER	CATEGORIES	URL
Button	Analytics, Profiling, Identification	https://reports.exodus-privacy.eu.org/trackers/340
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Inmobi		https://reports.exodus-privacy.eu.org/trackers/106
Kochava	Analytics, Profiling, Advertisement	https://reports.exodus-privacy.eu.org/trackers/127
Locuslabs		https://reports.exodus-privacy.eu.org/trackers/60


TRACKER	CATEGORIES	URL
Qualtrics		https://reports.exodus-privacy.eu.org/trackers/306
Snowplow	Analytics	https://reports.exodus-privacy.eu.org/trackers/108

▶ HARDCODED SECRETS

POSSIBLE SECRETS "voice_cobrowseSessionStarting" : " "GT.Private.Transfer" : "Einkaflutningur" "booking_boardingtotals_authorized": "Authorized" $"Il_shared_preferences_key_preferWheelchairAccessibleNavigation": "preferWheelchairAccessibleNavigation" is "preferWheelchairAccessibleNavigation". The preferWheelchairAccessibleNavigation is "preferWheelchairAccessibleNavigation" is "pre$ "PrivateTransfer.Added" : " "booking_key_is_disabled_for_corporate_leisure" : "isMustRideTraveler" "GT.Private.Transfer": "DDDD" "library_zxingandroidembedded_author": "JourneyApps" "ll_shared_preferences_key_time_zone": "ll_shared_preferences_key_time_zone" "ll_shared_preferences_key_install_id": "sdktestapp_shared_preferences_key_install_id"

POSSIBLE SECRETS
"booking_boarding_total_authorized" : "Authorized"
"google_crash_reporting_api_key" : "AlzaSyApEkqXqdoUYd2s6X8BoP-dUa9hlvO6tVo"
"ll_shared_preferences_key_account_id" : "ll_shared_preferences_key_account_id"
"library_zxingandroidembedded_authorWebsite" : "https://journeyapps.com/"
"common_ui_webview_password" : "password"
"google_api_key" : "AlzaSyApEkqXqdoUYd2s6X8BoP-dUa9hlvO6tVo"
"video_cobrowseSessionStarting" : " " ""
"checkin_web_view_http_auth_password" : "Password"
"common_ui_webview_username" : "username"
"PrivateTransfer.Added" : "000000000"
"PrivateTransfer.Added" : "0000000000"
"video_cobrowseSessionStarting" : "□□□□□□□"
"voice_cobrowseSessionStarting" : "□□□□"
"firebase_database_url" : "https://adroit-nectar-425.firebaseio.com"
"lp_google_maps_key" : ""





"api_url_test": "https://external-dev.cartrawler.com"

"ll_shared_preferences_key_recent_search_results_data_for_venue": "recent_search_results_data_for_venue_%1\$s"

"api_url_production_mock": "http://10.0.2.2:8080"

"Il_shared_preferences_key_security_types_selected_data_for_queuetype": "security_types_selected_for_queuetype_%1\$s"

"google_maps_key" : "AlzaSyDWsu3tPbwQ4M8smrxnyVMpAzqAjY81Ztw"

"api_target_mock" : "Mock"

8UC+BMIoCN+KAKrN9TZmuJsGMmo3RUHS+FjVMSp9QfgjxjGZ10kqO/oSdOn5Rw29

36DF0AAFD8B8D7597CA10520D04B

E8C2505DEDFC86DDC1BD0B2B6667F1DA34B82574761CB0E879BD081CFD0B6265EE3CB090F30D27614CB4574010DA90DD862EF9D4EBEE4761503190785A71C760

96341f1138933bc2f503fd44

883423532389192164791648750360308885314476597252960362792450860609699839

A9FB57DBA1EEA9BC3E660A909D838D726E3BF623D52620282013481D1F6E5374

04026EB7A859923FBC82189631F8103FE4AC9CA2970012D5D46024804801841CA44370958493B205E647DA304DB4CEB08CBBD1BA39494776FB988B47174DCA88C7 E2945283A01C89720349DC807F4FBF374F4AEADE3BCA95314DD58CEC9F307A54FFC61EFC006D8A2C9D4979C0AC44AEA74FBEBBB9F772AEDCB620B01A7BA7AF1B32 0430C8591984F601CD4C143EF1C7A3

B4E134D3FB59EB8BAB57274904664D5AF50388BA

04009D73616F35F4AB1407D73562C10F00A52830277958EE84D1315ED31886

020ffa963cdca8816ccc33b8642bedf905c3d358573d3f27fbbd3b3cb9aaaf

Eg2eC3eNesWzbAUINzxj1mXRcYgmzS654CxZFoVQbAM=

 $12702124828893241746590704277717644352578765350891653581281750726570503126098509849742318833348340118092599999512098893413065920561499\\67242541210492743493570749203127695614516892241105793112488126102296785346384016935200132889950003622606842227508135323070045173416336\\85004541062586971416883686778842537820383$

0401F481BC5F0FF84A74AD6CDF6FDEF4BF6179625372D8C0C5E10025E399F2903712CCF3EA9E3A1AD17FB0B3201B6AF7CE1B05

0108B39E77C4B108BED981ED0E890E117C511CF072

keEhYPq98yaHF5Dzpggt8ckKDSAXe9vFpWufiQ8oXDY=

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057148

C8619ED45A62E6212E1160349E2BFA844439FAFC2A3FD1638F9E

POSSIBLE SECRETS
1l/ngTeh7Ob+HSjt2mKdxpX2SEfG+yjkE9qsfrYWj1c=
D35E472036BC4FB7E13C785ED201E065F98FCFA6F6F40DEF4F92B9EC7893EC28FCD412B1F1B32E27
1f3bdba585295d9a1110d1df1f9430ef8442c5018976ff3437ef91b81dc0b8132c8d5c39c32d0e004a3092b7d327c0e7a4d26d2c7b69b58f9066652911e457779de
5037EA654196CFF0CD82B2C14A2FCF2E3FF8775285B545722F03EACDB74B
DB7C2ABF62E35E668076BEAD2088
E2E31EDFC23DE7BDEBE241CE593EF5DE2295B7A9CBAEF021D385F7074CEA043AA27272A7AE602BF2A7B9033DB9ED3610C6FB85487EAE97AAC5BC7928C1950148
key=AlzaSyDMLcE1tgmHw8Eg5rUvrdPFgXT6VQl
04017232BA853A7E731AF129F22FF4149563A419C26BF50A4C9D6EEFAD612601DB537DECE819B7F70F555A67C427A8CD9BF18AEB9B56E0C11056FAE6A3
68363196144955700784444165611827252895102170888761442055095051287550314083023
4a6cPehI7OG6cuDZka5NDZ7FR8a60d3auda+sKfg4Ng=
0066647EDE6C332C7F8C0923BB58213B333B20E9CE4281FE115F7D8F90AD
C49D360886E704936A6678E1139D26B7819F7E90
wuFo2c62LxPcBxajXZblz51/QLk1c9RXgln2kF6l+tg=
zo8V8X8kshYkxeE23t3OyXdoh3FPhn0ETnxP8vKAUZieFhalf6x5LNoDw8Q1oLRS
4D696E676875615175985BD3ADBADA21B43A97E2

df9776a5-4813-48a7-9196-7c9aa3d55519

26DC5C6CE94A4B44F330B5D9BBD77CBF958416295CF7E1CE6BCCDC18FF8C07B6

03F7061798EB99E238FD6F1BF95B48FEEB4854252B

iibTgWRTbrwM2W7HZGJP5cjM0DLiCyA9TVVy1genRaa4nvgE3+CiRN/Fx87DVDsO

7BC86E2102902EC4D5890E8B6B4981ff27E0482750FEFC03

6b8cf07d4ca75c88957d9d670591

127971af8721782ecffa3

3EE30B568FBAB0F883CCEBD46D3F3BB8A2A73513F5EB79DA66190EB085FFA9F492F375A97D860EB4

216EE8B189D291A0224984C1E92F1D16BF75CCD825A087A239B276D3167743C52C02D6E7232AA

f81ea1f1-7094-4451-ac99-f5eb834af6f9

04AA87CA22BE8B05378EB1C71EF320AD746E1D3B628BA79B9859F741E082542A385502F25DBF55296C3A545E3872760AB73617DE4A96262C6F5D9E98BF9292DC29F8F41DBD289A147CE9DA3113B5F0B8C00A60B1CE1D7E819D7A431D7C90EA0E5F

POSSIBLE SECRETS
D7C134AA264366862A18302575D0FB98D116BC4B6DDEBCA3A5A7939F
3086d221a7d46bcde86c90e49284eb153dab
FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
8325710961489029985546751289520108179287853048861315594709205902480503199884419224438643760392947333078086511627871
NOrE2caDXO4nkFR2Fjy7NgGPKtPllg1WAorknl/US68=
tGUqnRBT0Z8VLsYZLT0loD5T4HRaaLpJNvmxlM5fu89BQ2YOdHgaf4qUlK58s24H
0400D9B67D192E0367C803F39E1A7E82CA14A651350AAE617E8F01CE94335607C304AC29E7DEFBD9CA01F596F927224CDECF6C
Hf8oHWnCgsj7Y9XZDlAl+qeEGkjuhCtSnXpSHq9fewc=
s7rU1m4XsqJ83s2reljdkboWJYkg+gYouDrDcn3Ghpw=
3PwoDnm3HnsskB+3ZnJHoZ7BzV0InxUqaAwJBlSwKFs=
RSyr2AK130nKbepDTsaNV0Uv17TWUb4O6ebliV3GgVs=
2GY9xtlRxNZciAlhlColbv+iSeAm7ZM43xRzSyyZ7zc=
000E0D4D696E6768756151750CC03A4473D03679
5745402dc96e9440568a2bc2ccb4907f
8B829A83-85B7-4ED4-87CA-CA3F61203782

POSSIBLE SECRETS
72E12436-761D-4E12-80F7-94B39D26F32F
044AD5F7048DE709AD51236DE65E4D4B482C836DC6E410664002BB3A02D4AAADACAE24817A4CA3A1B014B5270432DB27D2
3045AE6FC8422F64ED579528D38120EAE12196D5
0620048D28BCBD03B6249C99182B7C8CD19700C362C46A01
B3312FA7E23EE7E4988E056BE3F82D19181D9C6EFE8141120314088F5013875AC656398D8A2ED19D2A85C8EDD3EC2AEF
A9FB57DBA1EEA9BC3E660A909D838D718C397AA3B561A6F7901E0E82974856A7
00689918DBEC7E5A0DD6DFC0AA55C7
c103703e120ae8cc73c9248622f3cd1e
0667ACEB38AF4E488C407433FFAE4F1C811638DF20
0017858FEB7A98975169E171F77B4087DE098AC8A911DF7B01
520883949DFDBC42D3AD198640688A6FE13F41349554B49ACC31DCCD884539816F5EB4AC8FB1F1A6
4e26b6d4-d131-48f1-9923-99635bea3d3e
gL88T2vBvJS+jBemUvhPpVS5leaU7cU4wFVgyT6PJl7pFldWXOd3mZxVZlQUSll5
sQRnRw5AtmLjG4zPuRRzbU9KCNWkvhkIESw7dU0UKjciZOTbDwuGbxSLRs8Rwqdx
10099790675505530477208181553592522486984108257205345787482351587557714799052927277724415285269929879648335669968284202797289605274717 31754805904856071347468521419286809125615028022221856475391909026561163678472701450190667942909301854462163997308722217328898303231940 97355403213400972588322876850946740663962

beFEMZ/YBSUug4MSXb2BKymKiM6ZxOOlxExWa37jMlM=
0340340340340340340340340340340340340340
KHu8Xbxzr2mu9S25CNgKE5zXBf18Zj2waiAPYoFRjyhOXCyg+mYLv2x/JjCH7GjX
6-79b618dd49af763e6e70f226030939da
22123dc2395a05caa7423daeccc94760a7d462256bd56916
6EE3CEEB230811759F20518A0930F1A4315A827DAC
32879423AB1A0375895786C4BB46E9565FDE0B5344766740AF268ADB32322E5C
E95E4A5F737059DC60DF5991D45029409E60FC09
DNoIUzNgQ+tGaWufl617pdeOeFxPy3ypVgJRNb/REDqvDPWkZ+hwt80uPBr78PA1
0289FDFBE4ABE193DF9559ECF07AC0CE78554E2784EB8C1ED1A57A
7f4296fc5b6a4e3b35d3c369623e364ab1af381d8fa7121533c9d6c633ea2461
AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA703308717D4D9B009BC66842AECDA12AE6A380E62881FF2F2D82C68528AA6056583A48F3
07B6882CAAEFA84F9554FF8428BD88E246D2782AE2
108576C80499DB2FC16EDDF6853BBB278F6B6FB437D9

3E1AF419A269A5F866A7D3C25C3DF80AE979259373FF2B182F49D4CE7E1BBC8B

AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA70330870553E5C414CA92619418661197FAC10471DB1D381085DDADDB58796829CA90069

30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b300906035504081302434131123010060355040713
0950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b06035504031314466163
65626f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a180f32303530303932353231353231365a307a310b3009060355040613025553310b
3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b13084
6616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c2
07d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de20
18ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864
886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483
998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b4
2bd928a2

023809B2B7CC1B28CC5A87926AAD83FD28789E81E2C9E3BF10

6b8cf07d4ca75c88957d9d67059037a4

1ZhioNexfONxLbr8oNixHPTbX/qv3RsJiyYoeeb0m+g=

f7e1a085d69b3ddecbbcab5c36b857b97994afbbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b5 47c8d28e0a3ae1e2bb3a675916ea37f0bfa213562f1fb627a01243bcca4f1bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a

6127C24C05F38A0AAAF65C0EF02C

04161FF7528B899B2D0C28607CA52C5B86CF5AC8395BAFEB13C02DA292DDED7A83

1AB597A5B4477F59E39539007C7F977D1A567B92B043A49C6B61984C3FE3481AAF454CD41BA1F051626442B3C10

POSSIBLE SECRETS
70B5E1E14031C1F70BBEFE96BDDE66F451754B4CA5F48DA241F331AA396B8D1839A855C1769B1EA14BA53308B5E2723724E090E02DB9
bJ19ecmml/ZL+PAjNo6P4un4Ulg2zol83OavxH1sy4lr9vgJAAspRAybhulko55U
DCB524E68ECD476ABCC8BBE5EBC55EC1
9a04f079-9840-4286-ab92-e65be0885f95
71FE1AF926CF847989EFEF8DB459F66394D90F32AD3F15E8
662C61C430D84EA4FE66A7733D0B76B7BF93EBC4AF2F49256AE58101FEE92B04
0163F35A5137C2CE3EA6ED8667190B0BC43ECD69977702709B
1CEF494720115657E18F938D7A7942394FF9425C1458C57861F9EEA6ADBE3BE10
04A8C7DD22CE28268B39B55416F0447C2FB77DE107DCD2A62E880EA53EEB62D57CB4390295DBC9943AB78696FA504C11
77E2B07370EB0F832A6DD5B62DFC88CD06BB84BE
114ca50f7a8e2f3f657c1108d9d44cfd8
362c7b8f5405380ec3c36f0910e46edc
6b016c3bdcf18941d0d654921475ca71a9db2fb27d1d37796185c2942c0a
49f946663a8deb7054212b8adda248c6
03Rb8b+VDPWNz2ZsdwvaSzyRMvfwK65RukwsWnYSmw87NOTFb26HoizUZBquofyN

643E1E47-1242-4B6C-AB7E-64024E4BC84C

28E9FA9E9D9F5E344D5A9E4BCF6509A7F39789F515AB8F92DDBCBD414D940E93

5EEEFCA380D02919DC2C6558BB6D8A5D

sK9i540XcONymgaiZVMKYXr1VbNcwMhjwo2LFhhSCFg=

308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a4361 6c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64 726f69643110300e06035504031307416e64726f6964301e170d3038303832313233313333345a170d33336303130373233313333345a3074310b3009060355040613025 553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632 0100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a4 3b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c27222252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764 cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db89 99552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04 160414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b30 f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d13040530030 101ff300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce607 63b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f60 09ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb62 7ca674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308 а

51DEF1815DB5ED74FCC34C85D709

POSSIBLE SECRETS
4A6E0856526436F2F88DD07A341E32D04184572BEB710
F1FD178C0B3AD58F10126DE8CE42435B3961ADBCABC8CA6DE8FCF353D86E9C00
FmiCZESJMiUiPEVFp8/sySGg9zk5i1lJsy88E60+KsD4lJB1UVftaJnD830H1Cnc
AAf4eb96f8d4d33dac5dbf36565791ea30e0095fdf
oSBV0gkM1yTotHLC+K1O/2QESKvM1OzdR7LLRpJm660IC9CZK+wk8pHl5h8TdV48
753E3681-3603-47E8-B134-C6104E916350
6BA06FE51464B2BD26DC57F48819BA9954667022C7D03
26617408020502170632287687167233609607298591687569731477066713684188029449964278084915450806277719023520942412250655586621571135455709 16814161637315895999846
3FA8124359F96680B83D1C3EB2C070E5C545C9858D03ECFB744BF8D717717EFC
a1bdc0572580f0f3c615eaca8e42fab1
E0D2EE25095206F5E2A4F9ED229F1F256E79A0E2B455970D8D0D865BD94778C576D62F0AB7519CCD2A1A906AE30D
ZVHCdOeJUA1S4bCrFb9VMsUCP8Sf65wDnbBE+q4M36k=
BD71344799D5C7FCDC45B59FA3B9AB8F6A948BC5
9B9F605F5A858107AB1EC85E6B41C8AACF846E86789051D37998F7B9022D759B

cc22d6dfb95c6b25e49c0d6364a4e5980c393aa21668d953

5fdc4542884401d9314f469cf5b63395bb2b2418dc489f695008aaddad62a81f

zmLnsak1Fo/LHy30EeWswBCxcOoFKuH08l3DkSTUgzb476o6nl+C8ZUC+d8tLJwZ

QB5q1SF7dU7PAKI1Qfw/e+quDFkRrjwkZl4xOfEvluE=

11fedaaf-dbad-46cb-9dcd-bb13993c72ff

0095E9A9EC9B297BD4BF36E059184F

D09E8800291CB85396CC6717393284AAA0DA64BA

040369979697AB43897789566789567F787A7876A65400435EDB42EFAFB2989D51FEFCE3C80988F41FF883

03eea2bae7e1497842f2de7769cfe9c989c072ad696f48034a

6f366db36c024868078647a56f90300e1cfd5dc4b685f62ffb4fdfe2f7020d8f

af243da6-c879-4213-a260-69ea45e51b7c

7A556B6DAF535B7B51FD2C4D7DAA7A0B5C55F380

Jz2tk/JKeGJKcc4wwXH5Pf6ZM64fYgV4wWxByPOgNQE=

POSSIBLE SECRETS
1A62BA79D98133A16BBAE7ED9A8E03C32E0824D57AEF72F88986874E5AAE49C27BED49A2A95058068426C2171E99FD3B43C5947C857D
0100FAF51354E0E39E4892DF6E319C72C8161603FA45AA7B998A167B8F1E629521
a9e31b3d-e446-4ee0-9c30-b2874d50486e
7167EFC92BB2E3CE7C8AAAFF34E12A9C557003D7C73A6FAF003F99F6CC8482E540F7
103FAEC74D696E676875615175777FC5B191EF30
e4437ed6010e88286f547fa90abfe4c42212
04B8266A46C55657AC734CE38F018F2192
883c940b7493ee4322cc1f30cbdb079226245a520905acb1a5f48bcdd82710f7
27580193559959705877849011840389048093056905856361568521428707301988689241309860865136260764883745107765439761230575
DB7C2ABF62E35E668076BEAD208B
e9f40f43-fb68-4d58-ace5-c8bd45568445
F5CE40D95B5EB899ABBCCFF5911CB8577939804D6527378B8C108C3D2090FF9BE18E2D33E3021ED2EF32D85822423B6304F726AA854BAE07D0396E9A9ADDC40F
e43bb460f0b80cc0c0b075798e948060f8321b7d
04C0A0647EAAB6A48753B033C56CB0F0900A2F5C4853375FD614B690866ABD5BB88B5F4828C1490002E6773FA2FA299B8F
4D41A619BCC6EADF0448FA22FAD567A9181D37389CA

POSSIBLE SECRETS
790408F2EEDAF392B012EDEFB3392F30F4327C0CA3F31FC383C422AA8C16
010090512DA9AF72B08349D98A5DD4C7B0532ECA51CE03E2D10F3B7AC579BD87E909AE40A6F131E9CFCE5BD967
Za6LxNnVxz2lEtZQYrJ2QLB5PwaCpmcdWBAdgk+Rc+b6fjcW8QKpJ7lTar8M3xU9
1OxyLDHu2cwu0U7XKtDO3q+DghLeQ8xcTgpGCDWDuEeCcfs+HPxSt8kldIfiq1K0
003088250CA6E7C7FE649CE85820F7
68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151
bObXLZFRWAdU6+me08AeNX2ciqxi45ddv3QSqAplzos=
810444a4a31c42f07a59387ce17986ee
EC0F65560BA9B74611511D18D0A946B6EFC2290E
bac97846-7a88-44eb-8a46-8a90efd4830e
71169be7330b3038edb025f1
payment/EiligibilityCheckToAddNewCCForInFlightPurchase
QnEQ5Lj6VZj+Zylvg9+5D3/xHwfXHkc5MHdc8LLlnMs=
10B51CC12849B234C75E6DD2028BF7FF5C1CE0D991A1
4230017757A767FAE42398569B746325D45313AF0766266479B75654E65F

POSSIBLE SECRETS 3045AE6FC8422f64ED579528D38120EAE12196D5 SMfJnKfhfLLyTw7dzHC+3CXVRNFLWK4N2mQHKB3gm/o= 040303001D34B856296C16C0D40D3CD7750A93D1D2955FA80AA5F40FC8DB7B2ABDBDE53950F4C0D293CDD711A35B67FB1499AE60038614F1394ABFA3B4C850D9 27E1E7769C8EEC2D19037BF27342DA639B6DCCFFFEB73D69D78C6C27A6009CBBCA1980F8533921E8A684423E43BAB08A576291AF8F461BB2A8B3531D2F0485C19B 16E2F1516E23DD3C1A4827AF1B8AC15B e6wNdaLD6UNhzFmw+sulW0Dd6tS/ZIj4VP2rchYxgmyyl8SG0R852+ZvHvO065IU D35E472036BC4FB7E13C785ED201E065F98FCFA5B68F12A32D482EC7EE8658E98691555B44C59311 9fe8047b1022c24fbba9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c7 10E723AB14D696E6768756151756FEBF8FCB49A9 4cd8ea90-bae2-43a5-8fe0-50bcdfb4232c c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66 043AE9E58C82F63C30282E1FE7BBF43FA72C446AF6F4618129097E2C5667C2223A902AB5CA449D0084B7E5B3DE7CCC01C9 w5tjCRfZfXWJzckDvIkXwf5aGJEVejLzfxhnwyqJH5E= DC9203E514A721875485A529D2C722FB187BC8980EB866644DE41C68E143064546E861C0E2C9EDD92ADE71F46FCF50FF2AD97F951FDA9F2A2EB6546F39689BD3 8jULXqwjN4p3qVyOWkn9K2tUG5k4XuLNgEq0xlRqu/g=

FFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1 356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA483 61C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C18 0E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1C BA64ECFB850458DBEF0A8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DCEE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86 A64521F2B18177B200CBBE117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFCE0FD108E4B82D120A92108011A723C12A787E6D788719A10BDBA5B2 699C327186AF4E23C1A946834B6150BDA2583E9CA2AD44CE8DBBBC2DB04DE8EF92E8EFC141FBECAA6287C59474E6BC05D99B2964FA090C3A2233BA186515BE7ED 1F612970CEE2D7AFB81BDD762170481CD0069127D5B05AA993B4EA988D8FDDC186FFB7DC90A6C08F4DF435C93402849236C3FAB4D27C7026C1D4DCB2602646DE C9751E763DBA37BDF8FF9406AD9E530EE5DB382F413001AEB06A53ED9027D831179727B0865A8918DA3EDBEBCF9B14ED44CE6CBACED4BB1BDB7F1447E6CC254B3 32051512BD7AF426FB8F401378CD2BF5983CA01C64B92ECF032EA15D1721D03F482D7CE6E74FEF6D55E702F46980C82B5A84031900B1C9E59E7C97FBEC7E8F323A9 7A7E36CC88BE0F1D45B7FF585AC54BD407B22B4154AACC8F6D7EBF48E1D814CC5ED20F8037E0A79715EEF29BE32806A1D58BB7C5DA76F550AA3D8A1FBFF0EB19CC B1A313D55CDA56C9FC2FF29632387FF8D76F3C0468043F8F663F4860FF12BF2D5B0B7474D6F694F91F6DBF115974A3926F12FF5F438777CB6A932DF8CD8BFC4D07 3B931BA3BC832B68D9DD300741FA7BF8AFC47ED2576F6936BA424663AAB639C5AE4F5683423B4742BF1C978238F16CBE39D652DE3FDB8BEFC848AD922222E04A40 37C0713EB57A81A23F0C73473FC646CEA306B4BCBC8862F8385DDFA9D4B7FA2C087E879683303ED5BDD3A062B3CF5B3A278A66D2A13F83F44F82DDF310EE074AB6 A364597E899A0255DC164F31CC50846851DF9AB48195DED7EA1B1D510BD7EE74D73FAF36BC31ECFA268359046F4EB879F924009438B481C6CD7889A002ED5EE382 BC9190DA6FC026E479558E4475677E9AA9E3050E2765694DFC81F56E880B96E7160C980DD98EDD3DFFFFFFFFFFFFFFFFFFF

25FBC363582DCEC065080CA8287AAFF09788A66DC3A9E

8138e8a0fcf3a4e84a771d40fd305d7f4aa59306d7251de54d98af8fe95729a1f73d893fa424cd2edc8636a6c3285e022b0e3866a565ae8108eed8591cd4fe8d2ce86165a9 78d719ebf647f362d33fca29cd179fb42401cbaf3df0c614056f9c8f3cfd51e474afb6bc6974f78db8aba8e9e517fded658591ab7502bd41849462f

1053CDF42C14D696F67687561517533BF3F83345

1C97BEFC54BD7A8B65ACF89F81D4D4ADC565FA45

9B9F605F5A858107AB1FC85F6B41C8AACF846F86789051D37998F7B9022D7598

01AF286BCA1AF286BCA1AF286BCA1AF286BCA1AF286BCA1AF286BC9FB8F6B85C556892C20A7EB964FE7719E74F490758D3B

030024266E4EB5106D0A964D92C4860E2671DB9B6CC5

EQnlrBUlHjk2AEt0zmKDh6D/4LKq1nD5m8E6B+NGkhfc83YRi+bdMQpWJDofZ7UC

POSSIBLE SECRETS
8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B412B1DA197FB71123ACD3A729901D1A71874700133107EC50
07A11B09A76B562144418FF3FF8C2570B8
C302F41D932A36CDA7A3462F9E9E916B5BE8F1029AC4ACC1
EEAF0AB9ADB38DD69C33F80AFA8FC5E86072618775FF3C0B9EA2314C9C256576D674DF7496EA81D3383B4813D692C6E0E0D5D8E250B98BE48E495C1D6089DAD15 DC7D7B46154D6B6CE8EF4AD69B15D4982559B297BCF1885C529F566660E57EC68EDBC3C05726CC02FD4CBF4976EAA9AFD5138FE8376435B9FC61D2FC0EB06E3
D6031998D1B3BBFEBF59CC9BBFF9AEE1
0228F9D04E900069C8DC47A08534FE76D2B900B7D7EF31F5709F200C4CA205
AC6BDB41324A9A9BF166DE5E1389582FAF72B6651987EE07FC3192943DB56050A37329CBB4A099ED8193E0757767A13DD52312AB4B03310DCD7F48A9DA04FD50E 8083969EDB767B0CF6095179A163AB3661A05FBD5FAAAE82918A9962F0B93B855F97993EC975EEAA80D740ADBF4FF747359D041D5C33EA71D281E446B14773BCA9 7B43A23FB801676BD207A436C6481F1D2B9078717461A5B9D32E688F87748544523B524B0D57D5EA77A2775D2ECFA032CFBDBF52FB3786160279004E57AE6AF874E 7303CE53299CCC041C7BC308D82A5698F3A8D0C38271AE35F8E9DBFBB694B5C803D89F7AE435DE236D525F54759B65E372FCD68EF20FA7111F9E4AFF73
GsEHhtmZy7+TitdN6KLdSnSR7WpVlkZahwBwH9Jv1wQ=
D7C134AA264366862A18302575D1D787B09F075797DA89F57EC8C0FC
EE353FCA5428A9300D4ABA754A44C00FDFEC0C9AE4B1A1803075ED967B7BB73F
469A28EF7C28CCA3DC721D044F4496BCCA7EF4146FBF25C9
00F50B028E4D696E676875615175290472783FB1
0452DCB034293A117E1F4FF11B30F7199D3144CE6DFEAFFEF2E331F296E071FA0DF9982CFEA7D43F2E
D35E472036BC4FB7E13C785ED201E065F98FCFA6F6F40DEF4F92B9EC7893EC28FCD412B1F1B32E24

POSSIBLE SECRETS
1ACF9476-D320-4D75-B5C9-31F5C89A82D0
ttulHg/yfWDxJlotLoMLf9WBnVTbWFFKY03C8KHR8FAhlQHccw4LaDLJatYkpo23
AlzaSyDRKQ9d6kfsoZT2lUnZcZnBYvH69HExNPE
03188da80eb03090f67cbf20eb43a18800f4ff0afd82ff1012
NuaVE443qhtP6/N+u8tA8HilHNLFyQFq7pn4MjW5OGwcdLTSMQ1k8XjYehsxVeon
115792089210356248762697446949407573530086143415290314195533631308867097853951
0403F0EBA16286A2D57EA0991168D4994637E8343E3600D51FBC6C71A0094FA2CDD545B11C5C0C797324F1
b63589900d4243a0ff2b357cbcfae04c
0101BAF95C9723C57B6C21DA2EFF2D5ED588BDD5717E212F9D
C302F41D932A36CDA7A3463093D18DB78FCE476DE1A86297
004D696E67687561517512D8F03431FCE63B88F4
03E5A88919D7CAFCBF415F07C2176573B2
d3v6g4Tar8wWCvEH14HbijPYjtBikHzW
046B17D1F2E12C4247F8BCE6E563A440F277037D812DEB33A0F4A13945D898C2964FE342E2FE1A7F9B8EE7EB4A7C0F9E162BCE33576B315ECECBB6406837BF51F5
659EF8BA043916EEDE8911702B22

GLyIO6R2q01pjCn0D3/H49YHLEvqvbC5vDeJpi09sqQ=

5E5CBA992E0A680D885EB903AEA78E4A45A469103D448EDE3B7ACCC54D521E37F84A4BDD5B06B0970CC2D2BBB715F7B82846F9A0C393914C792E6A923E2117AB8 05276A975AADB5261D91673EA9AAFFEECBFA6183DFCB5D3B7332AA19275AFA1F8EC0B60FB6F66CC23AE4870791D5982AAD1AA9485FD8F4A60126FEB2CF05DB8A7F 0F09B3397F3937F2E90B9E5B9C9B6EFEF642BC48351C46FB171B9BFA9EF17A961CE96C7E7A7CC3D3D03DFAD1078BA21DA425198F07D2481622BCE45969D9C4D606 3D72AB7A0F08B2F49A7CC6AF335E08C4720E31476B67299E231F8BD90B39AC3AE3BE0C6B6CACEF8289A2E2873D58E51E029CAFBD55E6841489AB66B5B4B9BA6E2F 784660896AFF387D92844CCB8B69475496DE19DA2E58259B090489AC8E62363CDF82CFD8EF2A427ABCD65750B506F56DDE3B988567A88126B914D7828E2B63A6D7 ED0747EC59E0E0A23CE7D8A74C1D2C2A7AFB6A29799620F00E11C33787F7DED3B30E1A22D09F1FBDA1ABBBFBF25CAE05A13F812E34563F99410E73B

s1ejGoWFNJedDDJqGqL3B22F5ZMvy0oaymBcWJepS9Hv4/6KtsHBpmbtFfwgqqen

E95E4A5F737059DC60DFC7AD95B3D8139515620F

021085E2755381DCCCE3C1557AFA10C2F0C0C2825646C5B34A394CBCFA8BC16B22E7E789E927BE216F02E1FB136A5F

040356DCD8F2F95031AD652D23951BB366A80648F06D867940A5366D9E265DE9EB240F

91771529896554605945588149018382750217296858393520724172743325725474374979801

A3EfeXObjqx38Tdc4wdTZSQNpfpw6YVck+944M4A/m0=

85E25BFE5C86226CDB12016F7553F9D0E693A268

F1FD178C0B3AD58F10126DE8CE42435B53DC67E140D2BF941FFDD459C6D655E1

0432C4AE2C1F1981195F9904466A39C9948FE30BBFF2660BE1715A4589334C74C7BC3736A2F4F6779C59BDCEE36B692153D0A9877CC62A474002DF32E52139F0A0

1A8F7EDA389B094C2C071E3647A8940F3C123B697578C213BE6DD9E6C8EC7335DCB228FD1EDF4A39152CBCAAF8C0398828041055F94CEEEC7E21340780FE41BD

36abc32656acfc645c61b71613c4bf21c787f5cabbee48348d58597803d7abc9

POSSIBLE SECRETS
b4288ecf-a5c8-4c5d-8dcd-efb1a3608c59
64210519E59C80E70FA7E9AB72243049FEB8DEECC146B9B1
77d0f8c4dad15eb8c4f2f8d6726cefd96d5bb399
10686D41FF744D4449FCCF6D8EEA03102E6812C93A9D60B978B702CF156D814EF
7830A3318B603B89E2327145AC234CC594CBDD8D3DF91610A83441CAEA9863BC2DED5D5AA8253AA10A2EF1C98B9AC8B57F1117A72BF2C7B9E7C1AC4D77FC94CA
43FC8AD242B0B7A6F3D1627AD5654447556B47BF6AA4A64B0C2AFE42CADAB8F93D92394C79A79755437B56995136
0051953EB9618E1C9A1F929A21A0B68540EEA2DA725B99B315F3B8B489918EF109E156193951EC7E937B1652C0BD3BB1BF073573DF883D2C34F1EF451FD46B503F0
040060F05F658F49C1AD3AB1890F7184210EFD0987E307C84C27ACCFB8F9F67CC2C460189EB5AAAA62EE222EB1B35540CFE902374601E369050B7C4E42ACBA1DACB F04299C3460782F918EA427E6325165E9EA10E3DA5F6C42E9C55215AA9CA27A5863EC48D8E0286B
c1b80624cb2a615ba60f9b09b20ff299b707300a89a311c1f6678e22a72a28e7
bldCWkVDnh6c0tW17EB2lmW8Helv6jy9hD1h4hlV/96dlwBa7zb3YoFOuZ30CDAy
040D9029AD2C7E5CF4340823B2A87DC68C9E4CE3174C1E6EFDEE12C07D58AA56F772C0726F24C6B89E4ECDAC24354B9E99CAA3F6D3761402CD
010092537397ECA4F6145799D62B0A19CE06FE26AD
MQVwithSHA384KDFAndSharedInfo
0257927098FA932E7C0A96D3FD5B706EF7E5F5C156E16B7E7C86038552E91D
f7ecded5c66047d28ed6466b543c40e0743abe81d109254dcf845d4c2c7853c5

tfuuP59pzWN+H8zv1geT3jADiBKBGMQRjmCPolvL5f45Lvl5qgJ0PgBqZF4WPnQj 687D1B459DC841457E3E06CF6F5E2517B97C7D614AF138BCBF85DC806C4B289F3E965D2DB1416D217F8B276FAD1AB69C50F78BEE1FA3106EFB8CCBC7C5140116 41ECE55743711A8C3CBF3783CD08C0EE4D4DC440D4641A8F366E550DFDB3BB67 3086d221a7d46bcde86c90e49284eb15 BkxOKZDOMH8NUFJEmpCq1X+PtlP0kLl1Ua0ujwsrkUE= C2173F1513981673AF4892C23035A27CE25E2013BF95AA33B22C656F277E7335 1b9fa3e518d683c6b65763694ac8efbaec6fab44f2276171a42726507dd08add4c3b3f4c1ebc5b1222ddba077f722943b24c3edfa0f85fe24d0c8c01591f0be6f63 68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449 MbAcGuLi+XGl3MsgqAiQYLikemL120ZFxn+dlhaD+rHWJuTeO/M8+1c58cczHjCs 985BD3ADBAD4D696E676875615175A21B43A97E3 3826F008A8C51D7B95284D9D03FF0E00CE2CD723A 000102030405060708090A0B0C0D0E0F101112131415161718191A1B1C1D1E1F 32670510020758816978083085130507043184471273380659243275938904335757337482424 047B6AA5D85E572983E6FB32A7CDEBC14027B6916A894D3AEE7106FE805FC34B44

POSSIBLE SECRETS
4H+WN9tl0y+WKEjRpYWQhzjGaRdS7qtgrPx+7wzXofs=
bb85691939b869c1d087f601554b96b80cb4f55b35f433c2
340E7BE2A280EB74E2BE61BADA745D97E8F7C300
2866537B676752636A68F56554E12640276B649EF7526267
8D91E471E0989CDA27DF505A453F2B7635294F2DDF23E3B122ACC99C9E9F1E14
42debb9da5b3d88cc956e08787ec3f3a09bba5f48b889a74aaf53174aa0fbe7e3c5b8fcd7a53bef563b0e98560328960a9517f4014d3325fc7962bf1e049370d76d1314a76 137e792f3f0db859d095e4a5b932024f079ecf2ef09c797452b0770e1350782ed57ddf794979dcef23cb96f183061965c4ebc93c9c71c56b925955a75f94cccf1449ac43d586 d0beee43251b0b2287349d68de0d144403f13e802f4146d882e057af19b6f6275c6676c8fa0e3ca2713a3257fd1b27d0639f695e347d8d1cf9ac819a26ca9b04cb0eb9b7b 035988d15bbac65212a55239cfc7e58fae38d7250ab9991ffbc97134025fe8ce04c4399ad96569be91a546f4978693c7a
033C258EF3047767E7EDE0F1FDAA79DAEE3841366A132E163ACED4ED2401DF9C6BDCDE98E8E707C07A2239B1B097
d6a6d45e-2b1d-4df9-a7b9-3075ad42ca22
1A827EF00DD6FC0E234CAF046C6A5D8A85395B236CC4AD2CF32A0CADBDC9DDF620B0EB9906D0957F6C6FEACD615468DF104DE296CD8F
e8b4011604095303ca3b8099982be09fcb9ae616
91E38443A5E82C0D880923425712B2BB658B9196932E02C78B2582FE742DAA28
F1FD178C0B3AD58F10126DE8CE42435B3961ADBCABC8CA6DE8FCF353D86E9C03
29C41E568B77C617EFE5902F11DB96FA9613CD8D03DB08DA
c469684435deb378c4b65ca9591e2a5763059a2e

POSSIBLE SECRETS
8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B412B1DA197FB71123ACD3A729901D1A71874700133107EC53
06973B15095675534C7CF7E64A21BD54EF5DD3B8A0326AA936ECE454D2C
6db14acc9e21c820ff28b1d5ef5de2b0
91A091F03B5FBA4AB2CCF49C4EDD220FB028712D42BE752B2C40094DBACDB586FB20
6A941977BA9F6A435199ACFC51067ED587F519C5ECB541B8E44111DE1D40
04A1455B334DF099DF30FC28A169A467E9E47075A90F7E650EB6B7A45C7E089FED7FBA344282CAFBD6F7E319F7C0B0BD59E2CA4BDB556D61A5
48439561293906451759052585252797914202762949526041747995844080717082404635286
0402FE13C0537BBC11ACAA07D793DE4E6D5E5C94EEE80289070FB05D38FF58321F2E800536D538CCDAA3D9
324A6EDDD512F08C49A99AE0D3F961197A76413E7BE81A400CA681E09639B5FE12E59A109F78BF4A373541B3B9A1
b28ef557ba31dfcbdd21ac46e2a91e3c304f44cb87058ada2cb815151e610046
b3fb3400dec5c4adceb8655d4c94
0479BE667EF9DCBBAC55A06295CE870B07029BFCDB2DCE28D959F2815B16F81798483ADA7726A3C4655DA4FBFC0E1108A8FD17B448A68554199C47D08FFB10D4B 8
FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
4NIIZpWANWCeruMUGSc5tEkf3o6K0hyRt+/1nSu0QU8=

7B425ED097B425ED097B425ED097B425ED097B425ED097B4260B5E9C7710C864

6C01074756099122221056911C77D77E77A777E7E7E77FCB

2b071c59a0a0ae76b0eadb2bad23bad4580b69c3601b630c2eaf0613afa83f92

0021A5C2C8EE9FEB5C4B9A753B7B476B7FD6422EF1F3DD674761FA99D6AC27C8A9A197B272822F6CD57A55AA4F50AE317B13545F

7BC382C63D8C150C3C72080ACE05AFA0C2BEA28E4FB22787139165EFBA91F90F8AA5814A503AD4EB04A8C7DD22CE2826

GsNdMg7ydPRZME6lhbr2mgr/qEeHLJHBW4TYBUuwzuP8n8dRXIAExueisFv9fzjL

3d84f26c12238d7b4f3d516613c1759033b1a5800175d0b1

26247035095799689268623156744566981891852923491109213387815615900925518854738050089022388053975719786650872476732087

b8adf1378a6eb73409fa6c9c637ba7f5

7qOZVP58PfP3kLkbSBo98onihlohkIEpZC40FvE5nnCJ8ryn0NERK9JAnlww55zq

POSSIBLE SECRETS
044BA30AB5E892B4E1649DD0928643ADCD46F5882E3747DEF36E956E97
0370F6E9D04D289C4E89913CE3530BFDE903977D42B146D539BF1BDE4E9C92
9ba48cba5ebcb9b6bd33b92830b2a2e0e192f10a
a789a02e-3639-43bc-8fa7-e10f42b98152
8TuFRBonuBtW00ahPYnJAWZnTcWXpcoE1bCQTDltbuY
B8qnlZWGEs7xms3SbQDilR0QM+SibSnQfZbTzlo06bE=
1Q5N5QhnMtop76rkewUHBq0dfu+Fpixkwg9xHoBYaMc=
vAwaartPSmuJV+jFjOXlfyM3UPFY8tl7jDP13kq4YYw=
y+BEEb1lYOUGwTehZ9Vlg/2gibmtEOjDZzKXHhs5BV0=
XCj6cS5OVeEeObzd394PGDbjTuQh+vSye2UT6221ugsKtO2/oznWOSes2cnebrVR
payment/VerifySavedCCForInflightPurchase
9CA8B57A934C54DEEDA9E54A7BBAD95E3B2E91C54D32BE0B9DF96D8D35
00FDFB49BFE6C3A89FACADAA7A1E5BBC7CC1C2E5D831478814
393C7F7D53666B5054B5E6C6D3DE94F4296C0C599E2E2E241050DF18B6090BDC90186904968BB
CE595720-7AA4-4014-9DAA-aE9F006F1BAE3

POSSIBLE SECRETS
04B199B13B9B34EFC1397E64BAEB05ACC265FF2378ADD6718B7C7C1961F0991B842443772152C9E0AD
D98791A4-DCC2-4219-934F-8A55222DEA31
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
71169be7330b3038edb025f1d0f9
BDB6F4FE3E8B1D9E0DA8C0D46F4C318CEFE4AFE3B6B8551F
0202F9F87B7C574D0BDECF8A22E6524775F98CDEBDCB
4089d6a775648628dc2488aecab49f3d1fd0adcd4683e0e891bf47f64fc21e98
0123456789abcdefABCDEF
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
A9FB57DBA1EEA9BC3E660A909D838D726E3BF623D52620282013481D1F6E5377
4B337D934104CD7BEF271BF60CED1ED20DA14C08B3BB64F18A60888D
13945487119911582560140965510769071310704170705992803179775800145437576535772298409412436852228823983303911468164807668823692122073732 26721607407477717009111345504320538046476949046861201130878162407401848004770471573366629262494235712488239685422217536601433914856808 40520336859458494803187341288580489525163
10D9B4A3D9047D8B154359ABFB1B7F5485B04CEB868237DDC9DEDA982A679A5A919B626D4E50A8DD731B107A9962381FB5D807BF2618
MQVwithSHA512KDFAndSharedInfo
B4C4EE28CEBC6C2C8AC12952CF37F16AC7EFB6A9F69F4B57FFDA2E4F0DE5ADE038CBC2FFF719D2C18DE0284B8BFEF3B52B8CC7A5F5BF0A3C8D2319A5312557E1

5DDA470ABE6414DE8EC133AE28E9BBD7FCEC0AE0FFF2
295F9BAE7428ED9CCC20E7C359A9D41A22FCCD9108E17BF7BA9337A6F8AE9513
2E45EF571F00786F67B0081B9495A3D95462F5DE0AA185EC
Ee4p/yPQz67p3LoSNbpt1G8K9rDuoWxBYT8E4CbWyr8=
5F49EB26781C0EC6B8909156D98ED435E45FD59918
f9a0f6df-1564-4508-b42d-96b2bc03b9b3
023b1660dd701d0839fd45eec36f9ee7b32e13b315dc02610aa1b636e346df671f790f84c5e09b05674dbb7e45c803dd
82b19aff-806b-4076-b0cc-626f175dcabb
D2C0FB15760860DEF1EEF4D696E6768756151754
115792089237316195423570985008687907853269984665640564039457584007908834671663
BRgqZ9Vg4IM5miPoGPKIX+tShrXoisnhV1cWTsEoWNSALbfoi2OgJtSBw3h9+Bqo
I5I5b06e/m6OPcJVryww5aceHDWuWNMRDm4mYVrBvJQ=
02F40E7E2221F295DE297117B7F3D62F5C6A97FFCB8CEFF1CD6BA8CE4A9A18AD84FFABBD8EFA59332BE7AD6756A66E294AFD185A78FF12AA520E4DE739BACA0C7F FEFF7F2955727A
10B7B4D696E676875615175137C8A16FD0DA2211

POSSIBLE SECRETS
Y0trGqGVEUAa7A3LYgSQFKe4N9h1BuTC7OKFYCHfLSg=
7ae96a2b657c07106e64479eac3434e99cf0497512f58995c1396c28719501ee
ZHFOx+FjaOsul7gEklcfA8auDnyRWXmT0qbiHVEO6U1RLulNSOFK3tPEgm+pvQxr
0400C6858E06B70404E9CD9E3ECB662395B4429C648139053FB521F828AF606B4D3DBAA14B5E77EFE75928FE1DC127A2FFA8DE3348B3C1856A429BF97E7E31C2E5B D66011839296A789A3BC0045C8A5FB42C7D1BD998F54449579B446817AFBD17273E662C97EE72995EF42640C550B9013FAD0761353C7086A272C24088BE94769FD1 6650
04925BE9FB01AFC6FB4D3E7D4990010F813408AB106C4F09CB7EE07868CC136FFF3357F624A21BED5263BA3A7A27483EBF6671DBEF7ABB30EBEE084E58A0B077AD4 2A5A0989D1EE71B1B9BC0455FB0D2C3
00C9BB9E8927D4D64C377E2AB2856A5B16E3EFB7F61D4316AE
10C0FB15760860DEF1EEF4D696E676875615175D
FC1217D4320A90452C760A58EDCD30C8DD069B3C34453837A34ED50CB54917E1C2112D84D164F444F8F74786046A
850114c973a14a1a37ee1814df9a331aa3add37d7ca7bd216d5cc23398ac24c0
z5NXQuc0uiNSVbndYdMaUlJv3uv2TfesAU8D9T9pl4E=
7CBBBCF9441CFAB76E1890E46884EAE321F70C0BCB4981527897504BEC3E36A62BCDFA2304976540F6450085F2DAE145C22553B465763689180EA2571867423E
BDDB97E555A50A908E43B01C798EA5DAA6788F1EA2794EFCF57166B8C14039601E55827340BE
QTFg2pa0CDlg9dgYpioKGLNjWwgLSvJpA082RZAjjog=
043B4C382CE37AA192A4019E763036F4F5DD4D7EBB938CF935318FDCED6BC28286531733C3F03C4FEE

POSSIBLE SECRETS
4E13CA542744D696E67687561517552F279A8C84
10938490380737342745111123907668055699362075989516837489945863944959531161507350160137087375737596232485921322967063133094384525315910 12912142327488478985984
68A5E62CA9CE6C1C299803A6C1530B514E182AD8B0042A59CAD29F43
MQVwithSHA256KDFAndSharedInfo
0101D556572AABAC800101D556572AABAC8001022D5C91DD173F8FB561DA6899164443051D
74D59FF07F6B413D0EA14B344B20A2DB049B50C3
B99B99B099B323E02709A4D696E6768756151751
gzR6fJL0MpYPfJ/UkFL9UHjS7jlytQ+eyVRsQJTsxzK4yqDaskM4UtldyBDUp+Z9
5D9306BACD22B7FAEB09D2E049C6E2866C5D1677762A8F2F2DC9A11C7F7BE8340AB2237C7F2A0
115792089237316195423570985008687907852837564279074904382605163141518161494337
517cc1b727220a94fe13abe8fa9a6ee0
8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B31F166E6CAC0425A7CF3AB6AF6B7FC3103B883202E9046565
02197B07845E9BE2D96ADB0F5F3C7F2CFFBD7A3EB8B6FEC35C7FD67F26DDF6285A644F740A2614
072546B5435234A422E0789675F432C89435DE5242
XdACBmHPjNtNHtvuxJlzO5lNAuD0sY2N7klXkPlZf2/7KHZWQ+7Wr4DDubVydJNF

POSSIBLE SECRETS
74937056-71c6-42b2-9f01-0fe2109cbdf3
115792089210356248762697446949407573530086143415290314195533631308867097853948
vT7QqRHPYW89dMOJkMQAS7XgxAAvbeOb6ybNiPRYWg8=
e9e642599d355f37c97ffd3567120b8e25c9cd43e927b3a9670fbec5d890141922d2c3b3ad2480093799869d1e846aab49fab0ad26d2ce6a22219d470bce7d777d4a21fbe 9c270b57f607002f3cef8393694cf45ee3688c11a8c56ab127a3daf
0418DE98B02DB9A306F2AFCD7235F72A819B80AB12EBD653172476FECD462AABFFC4FF191B946A5F54D8D0AA2F418808CC25AB056962D30651A114AFD2755AD33 6747F93475B7A1FCA3B88F2B6A208CCFE469408584DC2B2912675BF5B9E582928
0443BD7E9AFB53D8B85289BCC48EE5BFE6F20137D10A087EB6E7871E2A10A599C710AF8D0D39E2061114FDD05545EC1CC8AB4093247F77275E0743FFED117182EAA 9C77877AAAC6AC7D35245D1692E8EE1
04015D4860D088DDB3496B0C6064756260441CDE4AF1771D4DB01FFE5B34E59703DC255A868A1180515603AEAB60794E54BB7996A70061B1CFAB6BE5F32BBFA783 24ED106A7636B9C5A7BD198D0158AA4F5488D08F38514F1FDF4B4F40D2181B3681C364BA0273C706
04188DA80EB03090F67CBF20EB43A18800F4FF0AFD82FF101207192B95FFC8DA78631011ED6B24CDD573F977A11E794811
FFFFFFF00000000FFFFFFFFFFFFFFFFFBCE6FAADA7179E84F3B9CAC2FC632551
b0b4417601b59cbc9d8ac8f935cadaec4f5fbb2f23785609ae466748d9b5a536
3FCDA526B6CDF83BA1118DF35B3C31761D3545F32728D003EEB25EFE96
5FF6108462A2DC8210AB403925E638A19C1455D21
038D16C2866798B600F9F08BB4A8E860F3298CE04A5798

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a436 16c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f696 43110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333 635365a170d3335303930313233333635365a308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4 d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964311 2302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d01010105000382010d00308201080282010100d 6ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a 92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4d d9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87d d3c645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148 d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b3009 060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e6 4726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e6 4726f69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d0101040500038201010019d30cf105fb78923f4c0d7dd223233 d40967acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e6181 86673a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c196 2fa0c18333335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb 21f277c151aa5f2aa627d1e89da70ab6033569de3b9897bfff7ca9da3e1243f60b

28d0c380-d963-11e8-adf3-0fba785cebed

55008866990a7ac4b4eb782d8110a1d54e9d9725e814f41c23e12421ab73d664

5dATknTk87foLpzL0Dq3Gho5ELQoI7cNb0jy2DaFKNg=

9DEF3CAFB939277AB1F12A8617A47BBBDBA51DF499AC4C80BEEEA9614B19CC4D5F4F5F556E27CBDE51C6A94BE4607A291558903BA0D0F84380B655BB9A22E8DCD F028A7CEC67F0D08134B1C8B97989149B609E0BE3BAB63D47548381DBC5B1FC764E3F4B53DD9DA1158BFD3E2B9C8CF56EDF019539349627DB2FD53D24B7C48665 772F437D6C7F8CF442734AF7CCB7AF837C264AF3A9BFB87F8A2FF9B8B5292F5A021FFF5F91479F8CF7A28C2442C6F315180F93499A234DCF76F3FFD135F9BB

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

AA25617cd214ecd7f8e8f64c059a7f9cbb1cc0357d

04640ECE5C12788717B9C1BA06CBC2A6FEBA85842458C56DDE9DB1758D39C0313D82BA51735CDB3EA499AA77A7D6943A64F7A3F25FE26F06B51BAA2696FA9035D A5B534BD595F5AF0FA2C892376C84ACE1BB4E3019B71634C01131159CAE03CEE9D9932184BEEF216BD71DF2DADF86A627306ECFF96DBB8BACE198B61E00F8B332

0409487239995A5EE76B55F9C2F098A89CE5AF8724C0A23E0E0FF77500

210152bd29d6dfff573d2436616ca856

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

044A96B5688EF573284664698968C38BB913CBFC8223A628553168947D59DCC912042351377AC5FB32

64210519e59c80e70fa7e9ab72243049feb8deecc146b9b1

 $13353181327272067343385951994831900121794237596784748689948235959936964252873471246159040332773182141032801252925387191478859899310331\\05677441361963648030647213778266568986864684632777101508094011826087702016153249904683329312949209127762411378780302243557466062839716\\59376426832674269780880061631528163475887$

7D5A0975FC2C3057EEF67530417AFFE7FB8055C126DC5C6CE94A4B44F330B5D9

04DB4FF10EC057E9AE26B07D0280B7F4341DA5D1B1EAE06C7D9B2F2F6D9C5628A7844163D015BE86344082AA88D95E2F9D

x LOAO7 ms IR4 UFUyld Un5 st L2 wwb LdISu2 CSITLg4 f6 Q=

FFFFFFFFFFFFADF85458A2BB4A9AAFDC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3EFE8721DF158A136ADE73530ACCA4F483A797ABC0AB1 82B324FB61D108A94BB2C8E3FBB96ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFFA886B4238611FCFDCDE355B3B6519035BBC34F4DEF99 C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6 9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEF3C1B20EE3FD59D7C25E41D2B669E1EF16E6F52C3164DF4FB7930E9E4E58857B 6AC7D5F42D69F6D187763CF1D5503400487F55BA57E31CC7A7135C886EFB4318AED6A1E012D9E6832A907600A918130C46DC778F971AD0038092999A333CB8B7A1 A1DB93D7140003C2A4ECEA9F98D0ACC0A8291CDCEC97DCF8EC9B55A7F88A46B4DB5A851F44182E1C68A007E5E0DD9020BFD64B645036C7A4E677D2C38532A3A23 BA4442CAF53EA63BB454329B7624C8917BDD64B1C0FD4CB38E8C334C701C3ACDAD0657FCCFEC719B1F5C3E4E46041F388147FB4CFDB477A52471F7A9A96910B855 322EDB6340D8A00EF092350511E30ABEC1FFF9E3A26E7FB29F8C183023C3587E38DA0077D9B4763E4E4B94B2BBC194C6651E77CAF992EEAAC0232A281BF6B3A739C 1226116820AE8DB5847A67CBEF9C9091B462D538CD72B03746AE77F5E62292C311562A846505DC82DB854338AE49F5235C95B91178CCF2DD5CACEF403EC9D1810C 6272B045B3B71F9DC6B80D63FDD4A8F9ADB1F6962A69526D43161C1A41D570D7938DAD4A40F329CCFF46AAA36AD004CF600C8381F425A31D951AF64FDB23FCFC 9509D43687FEB69EDD1CC5E0B8CC3BDF64B10EF86B63142A3AB8829555B2F747C932665CB2C0F1CC01BD70229388839D2AF05E454504AC78B7582822846C0BA35C 35F5C59160CC046FD8251541FC68C9C86B022BB7099876A460E7451A8A93109703FEE1C217E6C3826E52C51AA691E0E423CFC99E9E31650C1217B624816CDAD9A95 F9D5B8019488D9C0A0A1FE3075A577E23183F81D4A3F2FA4571EFC8CE0BA8A4FE8B6855DFE72B0A66EDED2FBABFBE58A30FAFABE1C5D71A87E2F741EF8C1FE86FEA

7d7374168ffe3471b60a857686a19475d3bfa2ff

13D56FFAFC78681F68F9DFB43B35BFC2FB68542F27897B79

2472E2D0197C49363F1FE7F5B6DB075D52B6947D135D8CA445805D39BC345626089687742B6329E70680231988

02120FC05D3C67A99DF161D2F4092622FFCA701BF4F50F4758714F8A87BBF2A658FF8C21F7C5FFF965361F6C2999C0C247B0DBD70CF6B7

FD0D693149A118F651E6DCE6802085377E5F882D1B510B44160074C1288078365A0396C8E681

31a92ee2029fd10d901b113e990710f0d21ac6b6

678471b27a9cf44ee91a49c5147db1a9aaf244f05a434d6486931d2d14271b9e35030b71fd73da179069b32e2935630e1c2062354d0da20a6c416e50be794ca4

b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef

POSSIBLE SECRETS
1fb473dd-cc5a-4b07-8a5e-96d1d6ea0433
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
040503213F78CA44883F1A3B8162F188E553CD265F23C1567A16876913B0C2AC245849283601CCDA380F1C9E318D90F95D07E5426FE87E45C0E8184698E45962364E 34116177DD2259
c97445f45cdef9f0d3e05e1e585fc297235b82b5be8ff3efca67c59852018192
32010857077C5431123A46B808906756F543423E8D27877578125778AC76
BB8E5E8FBC115E139FE6A814FE48AAA6F0ADA1AA5DF91985
24B7B137C8A14D696E6768756151756FD0DA2E5C
WUfVTOsJHOND4XgPghL23YwTgyX5VPyE24WQrLHqNZz9nfhclwl4H/j9q0Mn+psv
115792089210356248762697446949407573529996955224135760342422259061068512044369
dsH99Z2rkUKkldFxul1Y0+14Lw9GA4hWLh0RcEKja+lMBEoQnGZF5kVhq/lmGdeP
aZvf8nokSQAvHIIdmzwu8civ2+qb07zM1ZEz6qZf1UzLfoKt8BndVgmiOXFGATXV
E6543293-B81A-424E-8AA7-100100AF0730
E95E4A5F737059DC60DFC7AD95B3D8139515620C
0481AEE4BDD82ED9645A21322E9C4C6A9385ED9F70B5D916C1B43B62EEF4D0098EFF3B1F78E2D0D48D50D1687B93B97D5F7C6D5047406A5E688B352209BCB9F82 27DDE385D566332ECC0EABFA9CF7822FDF209F70024A57B1AA000C55B881F8111B2DCDE494A5F485E5BCA4BD88A2763AED1CA2B2FA8F0540678CD1E0F3AD80892

B3EEABB8EE11C2BE770B684D95219ECB qUEdP6yfmpdCkPVqoE8EyrX/MPjGh4YKRo5g3kOeMoc= A7F561E038EB1ED560B3D147DB782013064C19F27ED27C6780AAF77FB8A547CEB5B4FEF422340353 027B680AC8B8596DA5A4AF8A19A0303FCA97FD7645309FA2A581485AF6263E313B79A2F5 1eWk7vHD3Ee+FybzKEoWLH07Pvdxo5flYR768ntLvpJZNSFjE7xgNzi+al9tiZC4 1243ae1b4d71613bc9f780a03690e 95475cf5d93e596c3fcd1d902add02f427f5f3c7210313bb45fb4d5bb2e5fe1cbd678cd4bbdd84c9836be1f31c0777725aeb6c2fc38b85f48076fa76bcd8146cc89a6fb2f706 dd719898c2083dc8d896f84062e2c9c94d137b054a8d8096adb8d51952398eeca852a0af12df83e475aa65d4ec0c38a9560d5661186ff98b9fc9eb60eee8b030376b236bc 73be3acdbd74fd61c1d2475fa3077b8f080467881ff7e1ca56fee066d79506ade51edbb5443a563927dbc4ba520086746175c8885925ebc64c6147906773496990cb714ec 667304e261faee33b3cbdf008e0c3fa90650d97d3909c9275bf4ac86ffcb3d03e6dfc8ada5934242dd6d3bcca2a406cb0b 12511cfe811d0f4e6bc688b4d 7503CFE87A836AE3A61B8816E25450E6CE5E1C93ACF1ABC1778064FDCBEFA921DF1626BE4FD036E93D75E6A50E3A41E98028FE5FC235F5B889A589CB5215F2A4 9760508f15230bccb292b982a2eb840bf0581cf5 2mbuydE9pw99Ld1EHQbedo6oUJcW1o/QWNiH9X+lclw= imkXrXt9Pm120JpUHL8YLbEPATsGBx

026108BABB2CEEBCF787058A056CBE0CFE622D7723A289E08A07AE13EF0D10D171DD8D

CFA0478A54717B08CE64805B76E5B14249A77A4838469DF7F7DC987EFCCFB11D

4099B5A457F9D69F79213D094C4BCD4D4262210B

0F72DFBE-3834-4299-B708-661A83689DE4

fca682ce8e12caba26efccf7110e526db078b05edecbcd1eb4a208f3ae1617ae01f35b91a47e6df63413c5e12ed0899bcd132acd50d99151bdc43ee737592e17

E4E6DB2995065C407D9D39B8D0967B96704BA8E9C90B

714114B762F2FF4A7912A6D2AC58B9B5C2FCFE76DAEB7129

0713612DCDDCB40AAB946BDA29CA91F73AF958AFD9

AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA703308717D4D9B009BC66842AECDA12AE6A380E62881FF2F2D82C68528AA6056583A48F0

hMVcCX1S6+m7rVEDNdCHhVgXRFILMOQ9RgLSmTdPHeNgAU8CbmBsymKBuqLQcQaUarder for the following properties of the properties o

55066263022277343669578718895168534326250603453777594175500187360389116729240

2F2F85F5DD74CF983A5C4237229DAF8A3F35823BF

036768ae8e18bb92cfcf005c949aa2c6d94853d0e660bbf854b1c9505fe95a

0429A0B6A887A983E9730988A68727A8B2D126C44CC2CC7B2A6555193035DC76310804F12E549BDB011C103089E73510ACB275FC312A5DC6B76553F0CA

fe0e87005b4e83761908c5131d552a850b3f58b749c37cf5b84d6768

00E8BEE4D3E2260744188BE0E9C723

0307AF69989546103D79329FCC3D74880F33BBE803CB

90066455B5CFC38F9CAA4A48B4281F292C260FEEF01FD61037E56258A7795A1C7AD46076982CE6BB956936C6AB4DCFE05E6784586940CA544B9B2140E1EB523F009 D20A7E7880E4E5BFA690F1B9004A27811CD9904AF70420EEFD6EA11EF7DA129F58835FF56B89FAA637BC9AC2EFAAB903402229F491D8D3485261CD068699B6BA58A 1DDBBEF6DB51E8FE34E8A78E542D7BA351C21EA8D8F1D29F5D5D15939487E27F4416B0CA632C59EFD1B1EB66511A5A0FBF615B766C5862D0BD8A3FE7A0E0DA0FB 2FE1FCB19E8F9996A8EA0FCCDE538175238FC8B0EE6F29AF7F642773EBE8CD5402415A01451A840476B2FCEB0E388D30D4B376C37FE401C2A2C2F941DAD179C540C 1C8CE030D460C4D983BE9AB0B20F69144C1AE13F9383EA1C08504FB0BF321503EFE43488310DD8DC77EC5B8349B8BFE97C2C560EA878DE87C11E3D597F1FEA742D 73EEC7F37BE43949EF1A0D15C3F3E3FC0A8335617055AC91328EC22B50FC15B941D3D1624CD88BC25F3E941FDDC6200689581BFEC416B4B2CB73

f7Ni+qJ74MqRBDIn5zt+Qvnt6llN8c82PMULXlCAep3wzlprbOB6YjqpQltX7QwB

 $42941826148615804143873447737955502392672345968607143066798112994089471231420027060385216699563848719957657284814898909770759462613437\\66945636488273037083893479108083593264797677860191534347440096103423131667257868692048219493287863336020338479709268434224762105576023\\5016132614780652761028509445403338652341$

eecfe128-4f09-4d04-bbbf-c7ad2c3cf1a6

DB7C2ABF62E35E7628DFAC6561C5

Q+fOnDUQnIPH75lusFutOgWOI4DeJ6z7X13oo1pZ5m19Kfyi56UOJglWSBqO3AzA

nIX5 dAPvXYWFlvHlyxyLt0TnZ91UnAjFxZwf2qcoWSGcs+p5B5p88VCOzepPfMpE

POSSIBLE SECRETS fxU2A2MjpZ4aJWGzXeMNURilSCaKosw3oXImrgnhSVmXB+tMi32JakdNlHCV3t0c B4050A850C04B3ABF54132565044B0B7D7BFD8BA270B39432355FFB4 db92371d2126e9700324977504e8c90e zzBoiLmCSl4qpONTaYkbu2H1+be7dFpyqhOnbG674OZpERvkqiVrsp9nWT5kU4lr 5319c7784e35cab06eee7e3d00b0c0e4a9e67b80-14201174159756348119636828602231808974327613839524373876287257344192745939351271897363116607846760036084894662356762579528277471921224 19290710461342083806363940845126918288940005715246254452957693493567527289568315417754417631393844571917550968471078465956625479423122 93338483924514339614727760681880609734239 04B70F0CBD6BB4BF7F321390B94A03C1D356C21122343280D6115C1D21BD376388B5F723FB4C22DFF6CD4375A05A07476444D5819985007F34 f8183668ba5fc5bb06b5981e6d8b795d30b8978d43ca0ec572e37e09939a9773 b869c82b35d70e1b1ff91b28e37a62ecdc34409b 5319c7784e35cab06eee7e3d00b0c0e4a9e67b80 036b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296 A59A749A11242C58C894E9E5A91804E8FA0AC64B56288F8D47D51B1EDC4D65444FECA0111D78F35FC9FDD4CB1F1B79A3BA9CBEE83A3F811012503C8117F98E5048 B089E387AF6949BF8784EBD9EF45876F2E6A5A495BE64B6E770409494B7FEE1DBB1E4B2BC2A53D4F893D418B7159592E4FFFDF6969E91D770DAEBD0B5CB14C00AD 68EC7DC1E5745EA55C706C4A1C5C88964E34D09DEB753AD418C1AD0F4FDFD049A955E5D78491C0B7A2F1575A008CCD727AB376DB6E695515B05BD412F5B8C2F4C 77EE10DA48ABD53F5DD498927EE7B692BBBCDA2FB23A516C5B4533D73980B2A3B60E384ED200AE21B40D273651AD6060C13D97FD69AA13C5611A51B9085

6A91174076B1F0F19C39C031FF8685C1CAF040F5C69A28FF

POSSIBLE SECRETS
048BD2AEB9CB7E57CB2C4B482FFC81B7AFB9DE27E1E3BD23C23A4453BD9ACE3262547EF835C3DAC4FD97F8461A14611DC9C27745132DED8E545C1D54C72F04699 7
9mv9lhk+HlE8P3WJWSjhrxWrdB7cEu1gaxdteA5kBJ6DKumpWYk1Q5Vf8aocVg4i
60dcd2104c4cbc0be6eeefc2bdd610739ec34e317f9b33046c9e4788
046AB1E344CE25FF3896424E7FFE14762ECB49F8928AC0C76029B4D5800374E9F5143E568CD23F3F4D7C0D4B1E41C8CC0D1C6ABD5F1A46DB4C
af06b81338173992b60dda2ef6aa0fb6
2AA058F73A0E33AB486B0F610410C53A7F132310
cb93532d-b793-4784-bd23-9fe82ccf2120
0400FAC9DFCBAC8313BB2139F1BB755FEF65BC391F8B36F8F8EB7371FD558B01006A08A41903350678E58528BEBF8A0BEFF867A7CA36716F7E01F81052
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
36134250956749795798585127919587881956611106672985015071877198253568414405109
255705fa2a306654b1f4cb03d6a750a30c250102d4988717d9ba15ab6d3e
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
MVJdjUEx+rB88W0UPnVsndOuLU6aovPyFF5b36lJGoA=
02A29EF207D0E9B6C55CD260B306C7E007AC491CA1B10C62334A9E8DCD8D20FB7
9162fbe73984472a0a9d0590

POSSIBLE SECRETS
401028774D7777C7B7666D1366EA432071274F89FF01E718
90EAF4D1AF0708B1B612FF35E0A2997EB9E9D263C9CE659528945C0D
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
MIrDuKB7N0O22daoYjLtFOJg5TtVRHK1+0ktwmGNtdU=
4de97fb1-8980-43dd-a76b-d26c677dbe01
027d29778100c65a1da1783716588dce2b8b4aee8e228f1896
zahwJ4oRFMB+Gn9BGkfZDZ8TzDEfKTB8Y6I4bT4vlwkVFXvqlnkWd7htbiUzWQyR
0401A57A6A7B26CA5EF52FCDB816479700B3ADC94ED1FE674C06E695BABA1D
160MEUCIQDpyrX3Lhg5ue5g00lAkkXPfPj0kHCbG9Bj8qgMBrHIRQIgDl86JLBrZQdseSJHNnSu3mwADZX4F/zTlqxvi0wBJdl=
1fofpOOYcFfS5YFFd3ctXz8Mp5NAKFN2TSgOzUMkaRdV9dKus3ViOY+jtkwxi6r2
fffffff00000000ffffffffffffbce6faada7179e84f3b9cac2fc632551
0c14416e6f6e796d6f75732053656e64657220202020
00C9517D06D5240D3CFF38C74B20B6CD4D6F9DD4D9
1854BEBDC31B21B7AEFC80AB0ECD10D5B1B3308E6DBF11C1
b431376c2fec58b306f5887d618ce5b9

07A526C63D3E25A256A007699F5447E32AE456B50E

c49d360886e704936a6678e1139d26b7819f7e90

9B9F605F5A858107AB1EC85E6B41C8AA582CA3511EDDFB74F02F3A6598980BB9

c39c6c3b3a36d7701b9c71a1f5804ae5d0003f4

03375D4CF24FDF434489DF8746F71786015009F66F38A926DD

C196BA05AC29E1F9C3C72D56DFFC6154A033F1477AC88EC37F09BE6C5BB95F51C296DD20D1A28A067CCC4D4316A4BD1DCA55ED1066D438C35AEBAABF57E7DAE4 28782A95ECA1C143DB701FD48533A3C18F0FE23557EA7AE619ECACC7E0B51652A8776D02A425567DED36EABD90CA33A1E8D988F0BBB92D02D1D20290113BB562C E1FC856EEB7CDD92D33EEA6F410859B179E7E789A8F75F645FAE2E136D252BFFAFF89528945C1ABE705A38DBC2D364AADE99BE0D0AAD82E5320121496DC65B3930 E38047294FF877831A16D5228418DE8AB275D7D75651CEFED65F78AFC3EA7FE4D79B35F62A0402A1117599ADAC7B269A59F353CF450E6982D3B1702D9CA83

A335926AA319A27A1D00896A6773A4827ACDAC73

kMdUJlXzMwplT8jSHASgWSZqedBabCsM4bGGMxTrHLk=

1E589A8595423412134FAA2DBDEC95C8D8675E58

SAUyhp29xMzgJ0ZztJ0iGlnn+oDyrZ4+r7quECKL/6s=

POSSIBLE SECRETS
160MEQCIC82L9qw+HkdN6XEQIT0KEBNNQveBoLXlQqVOxm8N9rfAiBYN3ZsFhFcslhp22ZnApPcK68GzG9FzztPLpqNGSIU0w==
3DF91610A83441CAEA9863BC2DED5D5AA8253AA10A2EF1C98B9AC8B57F1117A72BF2C7B9E7C1AC4D77FC94CADC083E67984050B75EBAE5DD2809BD638016F723
7A1F6653786A68192803910A3D30B2A2018B21CD54
9e1747493f14722e44af43c014bac4cd92cfa5696bd4b826aba36091ea80a7da
D7C134AA264366862A18302575D1D787B09F075797DA89F57EC8C0FF
FFFFFFE0000000075A30D1B9038A115
8C23ADF05E814E5C99302C1624A199FD
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
r6m9xWOlfK6iHuNH3QiJQf71aQCKDM6NhABQld+yaKg=
617fab6832576cbbfed50d99f0249c3fee58b94ba0038c7ae84c8c832f2c
a39d69093e08809a0190ad4a15b9232394bdcc8ca6d1334a7066f246923d1bb6
040081BAF91FDF9833C40F9C181343638399078C6E7EA38C001F73C8134B1B4EF9E150
020A601907B8C953CA1481EB10512F78744A3205FD
002757A1114D696E6768756151755316C05E0BD4
9B8C2AB9-A9DB-4E71-BEB5-2EBCB3F6BD76

16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

E87579C11079F43DD824993C2CEE5ED3

30470ad5a005fb14ce2d9dcd87e38bc7d1b1c5facbaecbe95f190aa7a31d23c4dbbcbe06174544401a5b2c020965d8c2bd2171d3668445771f74ba084d2029d83c1c1585 47f3a9f1a2715be23d51ae4d3e5a1f6a7064f316933a346d3f529252

payment/SaveCCPNROnlyForInflightPurchase

04A3E8EB3CC1CFE7B7732213B23A656149AFA142C47AAFBC2B79A191562E1305F42D996C823439C56D7F7B22E14644417E69BCB6DE39D027001DABE8F35B25C9BE

9cdbd84c9f1ac2f38d0f80f42ab952e7338bf511

3757180025770020463545507224491183603594455134769762486694567779615544477440556316691234405012945539562144444453728942852258566672919658810124344277578376784

7F519EADA7BDA81BD826DBA647910F8C4B9346ED8CCDC64E4B1ABD11756DCE1D2074AA263B88805CED70355A33B471EE

04B6B3D4C356C139EB31183D4749D423958C27D2DCAF98B70164C97A2DD98F5CFF6142E0F7C8B204911F9271F0F3ECEF8C2701C307E8E4C9E183115A1554062CFB

C302F41D932A36CDA7A3463093D18DB78FCE476DE1A86294

5667676A654B20754F356EA92017D946567C46675556F19556A04616B567D223A5E05656FB549016A96656A557

POSSIBLE SECRETS
BDB6F4FE3E8B1D9E0DA8C0D40FC962195DFAE76F56564677
8d5155894229d5e689ee01e6018a237e2cae64cd
f0c83142-3052-4aad-a9a1-5812742a0e37
0405F939258DB7DD90E1934F8C70B0DFEC2EED25B8557EAC9C80E2E198F8CDBECD86B1205303676854FE24141CB98FE6D4B20D02B4516FF702350EDDB0826779C8 13F0DF45BE8112F4
962eddcc369cba8ebb260ee6b6a126d9346e38c5
79885141663410976897627118935756323747307951916507639758300472692338873533959
7fffffffffffffffffffffffffffffffffffff
0238af09d98727705120c921bb5e9e26296a3cdcf2f35757a0eafd87b830e7
5363ad4cc05c30e0a5261c028812645a122e22ea20816678df02967c1b23bd72
03CE10490F6A708FC26DFE8C3D27C4F94E690134D5BFF988D8D28AAEAEDE975936C66BAC536B18AE2DC312CA493117DAA469C640CAF3
8e722de3125bddb05580164bfe20b8b432216a62926c57502ceede31c47816edd1e89769124179d0b695106428815065
041D1C64F068CF45FFA2A63A81B7C13F6B8847A3E77EF14FE3DB7FCAFE0CBD10E8E826E03436D646AAEF87B2E247D4AF1E8ABE1D7520F9C2A45CB1EB8E95CFD5526 2B70B29FEEC5864E19C054FF99129280E4646217791811142820341263C5315
2580F63CCFE44138870713B1A92369E33E2135D266DBB372386C400B
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112316
5AC635D8AA3A93E7B3EBBD55769886BC651D06B0CC53B0F63BCE3C3E27D2604B

41058363725152142129326129780047268409114441015993725554835256314039467401291

MerchandizingServices/GetDOTBaggageCalculatorInfoWithPNR

11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650

aC7c3pDenGsdb0eFildzKOBrhobw8fKkmd52rTlBEKM=

0236B3DAF8A23206F9C4F299D7B21A9C369137F2C84AE1AA0D

04BED5AF16EA3F6A4F62938C4631EB5AF7BDBCDBC31667CB477A1A8EC338F94741669C976316DA6321

fbe3018031f9586bcbf41727e417b7d1c45c2f47f93be372a17b96b50757d5a2

0217C05610884B63B9C6C7291678F9D341



> PLAYSTORE INFORMATION

Title: United Airlines

Score: 4.6648636 Installs: 10,000,000+ Price: 0 Android Version Support: Category: Travel & Local Play Store URL: com.united.mobile.android

Developer Details: United Airlines, United+Airlines, None, https://hub.united.com/united-app-travel-enhancements-2019-2625355292.html, ssqa@united.com,

Release Date: Aug 23, 2011 Privacy Policy: Privacy link

Description:

Meet the United app From planning, to booking, to day of travel, we've got you covered. On our app you can: • look for flights across our global network and book them easily for yourself, or your friends and family • check in for your flight and get your boarding pass before you get to the airport • change seats, or flights, if something

better becomes available • make sure you're prepared for your trip with our Travel-Ready Center • add your bags, drop them at bag drop shortcut, and track them along your journey • use our built-in terminal guide to find your gate and navigate the airport with ease • watch movies, play games, and pay for inflight snacks and drinks while you're in the air • enroll in MileagePlus or manage your MileagePlus account and use your miles to book award travel in our app • talk, text or video chat with an agent if you have any questions about your trip • figure out your next move if your flight is delayed or cancelled

Report Generated by - MobSF v3.9.3 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2024 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.