# 422 Quiz

| ⚠ | This Quiz Will Be Submitted In Thirty Minutes | ✕ |

⚠ This is a preview of the published version of the quiz

Started: Jan 20 at 5:30pm

# Quiz Instructions

This quiz covers Adaboost and Ensembles. The questions are mostly conceptual, so you don't have to do a bunch of math. But it's important that you understand the adaboost algorithm intuitively.

---

| **Question 1** | **2 pts** |

True/False: If two samples are misclassified in a round of Adaboost, they are updated in the same way. Explain in 2 sentences or less.

Edit   View   Insert   Format   Tools   Table

12pt ∨   Paragraph ∨   |   **B**   *I*   U̲   A ∨   ✎ ∨   T² ∨   |   ⋮

p                                                    ⌨  ⓘ  |  0 words  |  </>  ↗  ⋮

**Ques** ⚠ This Quiz Will Be Submitted In Thirty Minutes ✕ **2 pts**

True/False: I can use decision trees trained on the same data to create an ensemble that performs better than a single decision tree trained on the same data. Explain.

Edit   View   Insert   Format   Tools   Table

12pt ⌄   Paragraph ⌄   |   **B**   *I*   U̲   A ⌄   ✎ ⌄   T² ⌄   |   ⋮

p                                                              ⌨   ⓘ   |   0 words   |   </>   ⤢   ⋮

## Question 3                                                   **4 pts**

How can we use a perceptron in an ensemble? Be clear but concise. No more than 4 sentences are needed here.

Edit   View   Insert   Format   Tools   Table

12pt ⌄   Paragraph ⌄   |   **B**   *I*   U̲   A ⌄   ✎ ⌄   T² ⌄   |   ⋮

⚠ This Quiz Will Be Submitted In Thirty Minutes ✕

p · ⌨ · ⓘ · 0 words · </> · ↗ · ⋮

---

**Question 4** **2 pts**

True/False: Adaboost adjusts sample and classifier weights and at the end uses the final trained classifier $f^K$ to make predictions. Explain.

Edit   View   Insert   Format   Tools   Table

12pt ⌄   Paragraph ⌄   **B**   $I$   U   A ⌄   🖊 ⌄   $T^2$ ⌄   ⋮

p · ⌨ · ⓘ · 0 words · </> · ↗ · ⋮

This Quiz Will Be Submitted In Thirty Minutes ✕

Not saved | Submit Quiz

This Quiz Will Be Submitted In Thirty Minutes ✕