http://localhost:4173/

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint
0.6 s

Largest Contentful Paint
0.7 s

Total Blocking Time
170 ms

Cumulative Layout Shift
0

Speed Index
0.7 s

View Treemap



Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲ Preload Largest Contentful Paint image — Potential savings of 50 ms

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. Learn more about preloading LCP elements. LCP

URL	Potential Savings
localhost 1st Party	**50 ms**
 img.logo /assets/logo-hrne….png (localhost)	50 ms

▲ Page prevented back/forward cache restoration — 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache

Failure reason	Failure type
The page has an unload handler in the main frame. http://localhost:4173	Actionable
Back/forward cache is disabled due to extensions using messaging API. http://localhost:4173	Pending browser support
Back/forward cache is disabled by flags. Visit chrome://flags/#back-forward-cache to enable it locally on this device. http://localhost:4173	Not actionable

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS

URL
localhost 1st Party
 img.logo /assets/logo-hrne….png (localhost)

Minify JavaScript — Potential savings of 14 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
Unattributable	**26.7 KiB**	**10.1 KiB**
chrome-extension://cjpalhdlnbpafiamejdnhcphjbkeiagm/js/contentscript.js	14.7 KiB	7.7 KiB
chrome-extension://ohcpnigalekghcmgcdcenkpelffpdolg/colorpick.user.js	12.0 KiB	2.4 KiB
UserTesting Browser Recorder Extension Chrome Extension	**17.3 KiB**	**4.2 KiB**
chrome-extension://amknhmabbohfejeloijiedaejffaeplk/index-b629ae6b.js	17.3 KiB	4.2 KiB

Serve images in next-gen formats — Potential savings of 18 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats. FCP LCP

URL	Resource Size	Potential Savings
localhost 1st Party	**22.0 KiB**	**18.0 KiB**
 img.logo /assets/logo-hrne….png (localhost)	22.0 KiB	18.0 KiB

Properly size images — Potential savings of 10 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images. FCP LCP

URL	Resource Size	Potential Savings
localhost 1st Party	**22.0 KiB**	**10.1 KiB**

	URL	Resource Size	Potential Savings
	img.logo /assets/logo-hrne….png (localhost)	22.0 KiB	10.1 KiB

Avoid serving legacy JavaScript to modern browsers — Potential savings of 59 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn how to use modern JavaScript FCP LCP

Show 3rd-party resources (5)

URL		Potential Savings
Unattributable		**58.6 KiB**
`chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-install.js`		8.9 KiB
lockdown-install.js:1	`Object.isExtensible`	
lockdown-install.js:1	`Object.isFrozen`	
lockdown-install.js:1	`Object.isSealed`	
lockdown-install.js:1	`Reflect.isExtensible`	
`chrome-extension://acaonckckmmakfgjfkgbfeepdhmajkeg/static/js/content.js`		8.5 KiB
content.js:23	`@babel/plugin-transform-classes`	
content.js:31	`Array.isArray`	
content.js:49	`Object.keys`	
`chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/contentScript.js`		8.2 KiB
contentScript.js:1	`@babel/plugin-transform-classes`	
contentScript.js:8	`Array.isArray`	

URL	Potential Savings
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/solanaActionsContentScript.js	8.2 KiB
solanaActionsContentScript.js:1 @babel/plugin-transform-classes	
solanaActionsContentScript.js:8 Array.isArray	
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/solana.js	8.2 KiB
solana.js:3 Array.isArray	
solana.js:3 @babel/plugin-transform-classes	
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/evmAsk.js	8.2 KiB
evmAsk.js:3 Array.isArray	
evmAsk.js:3 @babel/plugin-transform-classes	
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/btc.js	8.2 KiB
btc.js:3 Array.isArray	
btc.js:3 @babel/plugin-transform-classes	
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/inpage.js	0.1 KiB
inpage.js:12 @babel/plugin-transform-classes	
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js	0.1 KiB
contentscript.js:62 @babel/plugin-transform-classes	
Venom Wallet Chrome Extension	**0.2 KiB**
chrome-extension://ojggmchlghnjlapmfbnjholfjkiidbch/js/inpage.js	0.2 KiB
inpage.js:2 @babel/plugin-transform-classes	

URL	Potential Savings
chrome-extension://ojggmchlghnjlapmfbnjholfjkiidbch/js/contentscript.js	0.1 KiB
contentscript.js:2 @babel/plugin-transform-classes	
UniSat Wallet Chrome Extension	**0.2 KiB**
chrome-extension://ppbibelpcjmhbdihakflkdcoccbgbkpo/pageProvider.js	0.2 KiB
pageProvider.js:1 @babel/plugin-transform-classes	
chrome-extension://ppbibelpcjmhbdihakflkdcoccbgbkpo/content-script.js	0.1 KiB
content-script.js:1 @babel/plugin-transform-classes	
Argent X - Starknet Wallet Chrome Extension	**0.2 KiB**
chrome-extension://dlcobpjiigpikoobohmabehhmhfoodbb/inpage.js	0.2 KiB
inpage.js:33 @babel/plugin-transform-classes	
localhost 1st Party	**0.0 KiB**
/assets/index-GGE_9Rrd.js (localhost)	0.0 KiB
index-GGE_9Rrd.js:65 @babel/plugin-transform-classes	

Reduce unused JavaScript — Potential savings of 3,954 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP

Show 3rd-party resources (8)

URL	Transfer Size	Potential Savings
Unattributable	**4,012.0 KiB**	**2,430.7 KiB**

URL	Transfer Size	Potential Savings
chrome-extension://acaonckckmmakfgjfkgbfeepdhmajkeg/static/js/content.js	1,516.1 KiB	970.6 KiB
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	737.6 KiB	422.4 KiB
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js	555.7 KiB	293.4 KiB
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/solanaActionsContentScript.js	252.7 KiB	182.6 KiB
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/contentScript.js	212.7 KiB	153.4 KiB
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/btc.js	160.8 KiB	106.0 KiB
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/solana.js	160.8 KiB	105.8 KiB
chrome-extension://bfnaelmomeimhlpmgjnjophhpkkoljpa/evmAsk.js	160.8 KiB	105.2 KiB
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/inpage.js	118.9 KiB	64.3 KiB
chrome-extension://pejdijmoenmkgeppbflobdenhhabjlaj/content_script.js	135.9 KiB	27.1 KiB
Argent X - Starknet Wallet Chrome Extension	**815.4 KiB**	**662.3 KiB**
chrome-extension://dlcobpjiigpikoobohmabehhmhfoodbb/inpage.js	815.4 KiB	662.3 KiB
Keplr Chrome Extension	**622.2 KiB**	**382.9 KiB**
chrome-extension://dmkamcknogkgcdfhhbddcghachkejeap/injectedScript.bundle.js	583.4 KiB	354.1 KiB
chrome-extension://dmkamcknogkgcdfhhbddcghachkejeap/contentScripts.bundle.js	38.8 KiB	28.8 KiB
Venom Wallet Chrome Extension	**376.9 KiB**	**240.5 KiB**
chrome-extension://ojggmchlghnjlapmfbnjholfjkiidbch/js/inpage.js	244.0 KiB	147.1 KiB
chrome-extension://ojggmchlghnjlapmfbnjholfjkiidbch/js/contentscript.js	132.9 KiB	93.4 KiB
UniSat Wallet Chrome Extension	**181.1 KiB**	**116.5 KiB**

URL	Transfer Size	Potential Savings
chrome-extension://ppbibelpcjmhbdihakflkdcoccbgbkpo/pageProvider.js	145.5 KiB	95.1 KiB
chrome-extension://ppbibelpcjmhbdihakflkdcoccbgbkpo/content-script.js	35.5 KiB	21.4 KiB
localhost 1st Party	**160.9 KiB**	**96.0 KiB**
/assets/index-GGE_9Rrd.js (localhost)	160.9 KiB	96.0 KiB
Text Blaze: Templates and Snippets Chrome Extension	**29.7 KiB**	**24.6 KiB**
chrome-extension://idgadaccgipmpannjkmfddolnnhmeklj/js/contentScript.js	29.7 KiB	24.6 KiB

JavaScript execution time — 0.7 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT

Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	**446 ms**	**259 ms**	**147 ms**
http://localhost:4173	446 ms	259 ms	147 ms
Unattributable	**309 ms**	**73 ms**	**161 ms**
chrome-extension://acaonckckmmakfgjfkgbfeepdhmajkeg/static/js/content.js	186 ms	61 ms	118 ms
Unattributable	67 ms	2 ms	0 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	56 ms	10 ms	43 ms
Argent X - Starknet Wallet Chrome Extension	**89 ms**	**55 ms**	**21 ms**
chrome-extension://dlcobpjiigpikoobohmabehhmhfoodbb/inpage.js	89 ms	55 ms	21 ms

Minimizes main-thread work — 1.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT

Category	Time Spent
Script Evaluation	483 ms
Script Parsing & Compilation	370 ms
Other	103 ms
Garbage Collection	28 ms
Parse HTML & CSS	12 ms
Style & Layout	3 ms
Rendering	1 ms

Avoid long main-thread tasks — 4 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT

Show 3rd-party resources (1)

URL	Start Time	Duration
localhost 1st Party		**402 ms**
http://localhost:4173	182 ms	402 ms
Unattributable		**239 ms**
chrome-extension://acaonckckmmakfgjfkgbfeepdhmajkeg/static/js/content.js	681 ms	184 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	913 ms	55 ms
Argent X - Starknet Wallet Chrome Extension		**80 ms**
chrome-extension://dlcobpjiigpikoobohmabehhmhfoodbb/inpage.js	601 ms	80 ms

Minimize third-party usage — Third-party code blocked the main thread for 30 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimize third-party impact. TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Argent X - Starknet Wallet Chrome Extension	**815 KiB**	**30 ms**
chrome-extension://dlcobpjiigpikoobohmabehhmhfoodbb/inpage.js	815 KiB	30 ms
Keplr Chrome Extension	**585 KiB**	**0 ms**
chrome-extension://dmkamcknogkgcdfhhbddcghachkejeap/injectedScript.bundle.js	585 KiB	0 ms
Venom Wallet Chrome Extension	**244 KiB**	**0 ms**
chrome-extension://ojggmchlghnjlapmfbnjholfjkiidbch/js/inpage.js	244 KiB	0 ms
UniSat Wallet Chrome Extension	**146 KiB**	**0 ms**
chrome-extension://ppbibelpcjmhbdihakflkdcoccbgbkpo/pageProvider.js	146 KiB	0 ms
UserTesting Browser Recorder Extension Chrome Extension	**23 KiB**	**0 ms**
chrome-extension://amknhmabbohfejeloijiedaejffaeplk/index-b629ae6b.js	17 KiB	0 ms
chrome-extension://amknhmabbohfejeloijiedaejffaeplk/types.d-4685b2a9.js	3 KiB	0 ms
chrome-extension://amknhmabbohfejeloijiedaejffaeplk/types.d-e4c0ebec.js	2 KiB	0 ms
chrome-extension://amknhmabbohfejeloijiedaejffaeplk/taskbar-ca2d33f3.js	0 KiB	0 ms
Martian Aptos & Sui Wallet Extension Chrome Extension	**17 KiB**	**0 ms**
chrome-extension://efbglgofoippbgcjepnhiblaibcnclgk/inpage.js	17 KiB	0 ms
Wappalyzer - Technology profiler Chrome Extension	**6 KiB**	**0 ms**
chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/dom.js	4 KiB	0 ms
chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/js.js	3 KiB	0 ms
Text Blaze: Templates and Snippets Chrome Extension	**2 KiB**	**0 ms**
chrome-extension://idgadaccgipmpannjkmfddolnnhmeklj/js/tbremap.js	2 KiB	0 ms

User Timing marks and measures — 3 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks.

Name	Type	Start Time	Duration
Wappalyzer: getDom	Measure	2,041.70 ms	6.40 ms
Wappalyzer: getDom	Measure	2,054.60 ms	1.60 ms
Wappalyzer: getDom	Measure	2,054.60 ms	1.70 ms

Initial server response time was short — Root document took 0 ms

Keep the server response time for the main document short because all other requests depend on it. Learn more about the Time to First Byte metric. FCP LCP

URL	Time Spent
localhost 1st Party	**0 ms**
http://localhost:4173	0 ms

Avoids enormous network payloads — Total size was 191 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes.

URL	Transfer Size
localhost 1st Party	**190.7 KiB**
/assets/index-GGE_9Rrd.js (localhost)	161.7 KiB
/assets/logo-hrne….png (localhost)	22.3 KiB
/assets/index-C918i0Ma.css (localhost)	4.8 KiB
/vite.svg (localhost)	1.1 KiB
http://localhost:4173	0.7 KiB

URL	Transfer Size
/vite.svg (localhost)	0.1 KiB

Avoids an excessive DOM size — 58 elements

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn how to avoid an excessive DOM size. TBT

Statistic	Element	Value
Total DOM Elements		58
Maximum DOM Depth	 path	11
Maximum Child Elements	 form#create-employee	12

Avoid chaining critical requests — 2 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn how to avoid chaining critical requests.

Maximum critical path latency: **73.838 ms**

Initial Navigation

http://localhost:4173

/assets/index-C918i0Ma.css (localhost) **- 10.268 ms, 4.83 KiB**

/assets/index-GGE_9Rrd.js (localhost) **- 40.034 ms, 161.67 KiB**

Largest Contentful Paint element — 700 ms

This is the largest contentful element painted within the viewport. Learn more about the Largest Contentful Paint element LCP

Element	
	img.logo

Phase	% of LCP	Timing
TTFB	18%	130 ms
Load Delay	54%	380 ms
Load Time	0%	0 ms
Render Delay	28%	200 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20) Hide

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn how to eliminate render-blocking resources. FCP LCP

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images. FCP LCP

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP

Efficiently encode images

Optimized images load faster and consume less cellular data. Learn how to efficiently encode images. FCP LCP

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn more about text compression. FCP LCP

Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins. LCP FCP

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects. LCP FCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more about HTTP/2. LCP FCP

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more about efficient video formats FCP LCP

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

Uses efficient cache policy on static assets — 0 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.

All text remains visible during webfont loads

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. Learn more about `font-display`.

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn how to defer third-parties with a facade. TBT

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading. LCP

Element	
	img.logo

Avoid large layout shifts

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to windowing. Learn how to improve CLS CLS

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more about adopting passive event listeners.

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. Learn how to avoid document.write().

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

Captured at Mar 21, 2025, 11:21 AM GMT+1
Initial page load

Emulated Desktop with Lighthouse 12.3.0
Custom throttling

Single page session

Using Chromium 134.0.0.0 with devtools