
BBR | speedtestfl.telecom.mu:5205 | Congestion window
snd_cwnd (segments)
0
1000
2000
3000
4000
5000
0
10
20
30
40
50
60
elapsed time (s)
run 1
run 2
run 3


BBR | speedtestfl.telecom.mu:5205 | RTT estimate
RTT (ms)
elapsed time (s)
run 1
run 2
run 3
0
100
200
300
400
500
600
0
10
20
30
40
50
60

BBR | speedtestfl.telecom.mu:5205 | Retransmissions per interval



Loss proxy: new TCP retransmissions in each sample interval.


BBR | speedtestfl.telecom.mu:5205 | Acknowledged goodput
run 1
run 2
run 3
goodput (Mbps)
0
20
40
60
80
0
10
20
30
40
50
60
elapsed time (s)


BBR | speedtestfl.telecom.mu:5205 | snd_cwnd (segments) vs goodput
run 1
run 2
run 3
goodput (Mbps)
0
20
40
60
80
0
1000
2000
3000
4000
5000
snd_cwnd (segments)


BBR | speedtestfl.telecom.mu:5205 | RTT (ms) vs goodput
run 1
run 2
run 3
goodput (Mbps)
0
20
40
60
80
RTT (ms)
0
100
200
300
400
500
600



Loss proxy: new TCP retransmissions in each sample interval.