

Exp No. : 11

Date: 28-07-2026

DATABASE WITH AUTO_INCREMENT SEQUENCES

AIM:

To create **Auto Increment sequence** on the given relation.

PROCEDURE:

Step 1: Select the database containing the movies table.

Step 2: Create a new table with M_id defined as an AUTO_INCREMENT column.

Step 3: Insert movie details without specifying the M_id value.

Step 4: Verify that MySQL automatically generates the Movie ID.

Step 5: Insert another movie record without specifying the Movie ID.

Step 6: Verify that the next Movie ID is generated automatically in sequence.

Step 7: Insert a movie record by manually specifying the Movie ID.

Step 8: Display all the records and verify the automatically and manually populated IDs.

Step 9: Remove the AUTO_INCREMENT property from the Movie ID column.

Step 10: Verify the final table structure and records.

Syntax

Query 1

```
CREATE TABLE movies_auto (M_id INT AUTO_INCREMENT PRIMARY KEY,movies_name VARCHAR(50),Ott VARCHAR(15));
```

Output 1 :

```
mysql> CREATE TABLE movies_auto (M_id INT AUTO_INCREMENT PRIMARY KEY,movies_name VARCHAR(50),Ott VARCHAR(15));  
Query OK, 0 rows affected (0.08 sec)
```

Query 2

```
INSERT INTO movies_auto (movies_name,Ott) VALUES ('Vikram','Netflix');
```

Output 2 :

```
mysql> INSERT INTO movies_auto (movies_name,Ott) VALUES ('Vikram','Netflix');  
Query OK, 1 row affected (0.02 sec)
```

Query 3

INSERT INTO movies_auto (movies_name,Ott) VALUES ('Master','Hotstar');

Output 3 :

```
mysql> INSERT INTO movies_auto (movies_name,Ott) VALUES ('Master','Hotstar');
Query OK, 1 row affected (0.01 sec)
```

Query 4

SELECT * FROM movies_auto;

Output 4 :

```
mysql> SELECT * FROM movies_auto;
+-----+-----+-----+
| M_id | movies_name | Ott      |
+-----+-----+-----+
| 1    | Vikram      | Netflix  |
| 2    | Master      | Hotstar  |
+-----+-----+-----+
2 rows in set (0.00 sec)
```

Query 5

INSERT INTO movies_auto (M_id,movies_name,Ott) VALUES (10,'Leo','Prime Video');

Output 5 :

```
mysql> INSERT INTO movies_auto (M_id,movies_name,Ott) VALUES (10,'Leo','Prime Video');
Query OK, 1 row affected (0.01 sec)
```

Query 6

SELECT * FROM movies_auto;

Output 6 :

```
mysql> SELECT * FROM movies_auto;
+-----+-----+-----+
| M_id | movies_name | Ott      |
+-----+-----+-----+
| 1    | Vikram      | Netflix  |
| 2    | Master      | Hotstar  |
| 10   | Leo         | Prime Video |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

Query 7

ALTER TABLE movies_auto MODIFY M_id INT;

Output 7 :

```
mysql> ALTER TABLE movies_auto MODIFY M_id INT;
Query OK, 3 rows affected (0.19 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

Query 8

DESC movies_auto;

Output 8 :

```
mysql> DESC movies_auto;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| M_id           | int           | NO   | PRI | NULL    |       |
| movies_name    | varchar(50)   | YES  |     | NULL    |       |
| Ott            | varchar(15)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.03 sec)
```

RESULT:

Thus, the AUTO_INCREMENT sequence was successfully created, automatically populated, manually populated, and removed from the movies_auto table.