

EXP: 7

Date : 20-7-2026

SELECT with Various Clauses – GROUP BY, HAVING, ORDER BY

AIM:

To view the records from the movies table using **GROUP BY, HAVING and ORDER BY** clauses.

PROCEDURE:

Step 1: Select the database containing the movies table.

Step 2: Verify the records available in the movies table.

Step 3: Use the **GROUP BY** clause to group the movie records based on the OTT platform.

Step 4: Use the **COUNT()** aggregate function with GROUP BY to count the number of movies available on each OTT platform.

Step 5: Use the **HAVING** clause to filter the groups based on the required condition.

Step 6: Use the **ORDER BY** clause to arrange the retrieved records in ascending order.

Step 7: Use the **ORDER BY DESC** clause to arrange the records in descending order.

Step 8: Verify and observe the results obtained from all the queries.

Query 1

SELECT Ott, COUNT(*) AS Total_Movies FROM movies GROUP BY Ott;

Output 1 :

```
mysql> SELECT Ott, COUNT(*) AS Total_Movies FROM movies GROUP BY Ott;
+-----+-----+
| Ott    | Total_Movies |
+-----+-----+
| Hotstar | 1           |
| N       | 1           |
| Netflix | 1           |
| Zee5    | 1           |
+-----+-----+
4 rows in set (0.00 sec)
```

Query 2

```
SELECT Ott, COUNT(*) AS Total_Movies FROM movies GROUP BY Ott HAVING COUNT(*)  
>= 1;
```

Output 2 :

```
mysql> SELECT Ott, COUNT(*) AS Total_Movies FROM movies GROUP BY Ott HAVING COUNT(*) >= 1;  
+-----+-----+  
| Ott    | Total_Movies |  
+-----+-----+  
| Hotstar | 1 |  
| N       | 1 |  
| Netflix | 1 |  
| Zee5    | 1 |  
+-----+-----+  
4 rows in set (0.01 sec)
```

Query 3

```
SELECT M_id, movies_name, Ott FROM movies ORDER BY M_id ASC;
```

Output 3 :

```
mysql> SELECT M_id, movies_name, Ott FROM movies ORDER BY M_id ASC;  
+-----+-----+-----+  
| M_id | movies_name | Ott    |  
+-----+-----+-----+  
| 101  | Dude       | Netflix |  
| 102  | Premalu    | Hotstar |  
| 103  | OG         | N       |  
| 104  | Petta      | Zee5    |  
+-----+-----+-----+  
4 rows in set (0.00 sec)
```

Query 4

```
SELECT M_id, movies_name, Ott FROM movies ORDER BY M_id DESC;
```

Output 4 :

```
mysql> SELECT M_id, movies_name, Ott FROM movies ORDER BY M_id DESC;  
+-----+-----+-----+  
| M_id | movies_name | Ott    |  
+-----+-----+-----+  
| 104  | Petta      | Zee5    |  
| 103  | OG         | N       |  
| 102  | Premalu    | Hotstar |  
| 101  | Dude       | Netflix |  
+-----+-----+-----+  
4 rows in set (0.00 sec)
```

RESULT:

Thus, the records from the movies table were successfully displayed using SELECT commands with GROUP BY, HAVING and ORDER BY clauses.