

Ex. No.: 9

Date: 24-07-2026

Query with Joins – EquiJoin, InnerJoin, OuterJoin

AIM:

To perform **JOIN operations such as Equi Join, Inner Join and Outer Join** on the given relations.

PROCEDURE:

Step 1: Select the database containing the movies table.

Step 2: Create a movie_reviews table with M_id as the common column.

Step 3: Insert sample review records into the movie_reviews table.

Step 4: Use **Equi Join** to combine records from the movies and movie_reviews tables.

Step 5: Use **INNER JOIN** to display matching records from both tables.

Step 6: Use **LEFT JOIN** to display all records from the movies table along with matching review records.

Step 7: Use **RIGHT JOIN** to display all records from the movie_reviews table along with matching movie records.

Step 8: Verify and observe the results obtained from the different JOIN operations.

Query 1

```
SELECT movies.movies_name, movie_reviews.Rating FROM movies, movie_reviews  
WHERE movies.M_id=movie_reviews.M_id;
```

Output 1 :

```
mysql> SELECT movies.movies_name, movie_reviews.Rating FROM movies, movie_reviews WHERE movies.M_id=movie_reviews.M_id;  
+-----+-----+  
| movies_name | Rating |  
+-----+-----+  
| Dude       | 4.5    |  
| Premalu    | 4.2    |  
| OG         | 4.0    |  
+-----+-----+  
3 rows in set (0.00 sec)
```

Query 2

SELECT m.movies_name,r.Rating,r.Review FROM movies m INNER JOIN movie_reviews r ON m.M_id=r.M_id;

Output 2 :

```
mysql> SELECT m.movies_name,r.Rating,r.Review FROM movies m INNER JOIN movie_reviews r ON m.M_id=r.M_id;
+-----+-----+-----+
| movies_name | Rating | Review |
+-----+-----+-----+
| Dude       | 4.5    | Excellent |
| Premalu    | 4.2    | Very Good |
| OG         | 4.0    | Good     |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

Query 3

SELECT m.movies_name,r.Rating,r.Review FROM movies m LEFT JOIN movie_reviews r ON m.M_id=r.M_id;

Output 3 :

```
mysql> SELECT m.movies_name,r.Rating,r.Review FROM movies m LEFT JOIN movie_reviews r ON m.M_id=r.M_id;
+-----+-----+-----+
| movies_name | Rating | Review |
+-----+-----+-----+
| Dude       | 4.5    | Excellent |
| Premalu    | 4.2    | Very Good |
| OG         | 4.0    | Good     |
| Petta      | NULL   | NULL    |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

Query 4

SELECT m.movies_name,r.Rating,r.Review FROM movies m RIGHT JOIN movie_reviews r ON m.M_id=r.M_id;

Output 4 :

```
mysql> SELECT m.movies_name,r.Rating,r.Review FROM movies m RIGHT JOIN movie_reviews r ON m.M_id=r.M_id;
+-----+-----+-----+
| movies_name | Rating | Review |
+-----+-----+-----+
| Dude       | 4.5    | Excellent |
| Premalu    | 4.2    | Very Good |
| OG         | 4.0    | Good     |
| NULL      | 4.7    | Excellent |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

RESULT:

Thus, the records from the tables were successfully displayed using JOIN operations such as Equi Join, Inner Join and Outer Join.

