

नाशिकरोड

दी. / /20

मा. सहाय्यक पोलीस आयुक्त साहेब नाशिकरोड विभाग नाशिक शहर.

विषय:- पारंपारिक वाद्यात मिरवणुकीला परवानगी देण्याबाबत.

अर्जदार :- ओमकार रवि सहाणे ,

रा. दसक गांव, मारुती

मंदिराजवळ , जेलरोड , नाशिक रोड , नाशिक.

मो. नं :- ९६३७६२७९०६

महोदय,

मी वरील विषयान्वये अर्ज करतो की, दसकगांवचा महाराजा, दसकगांव , जेलरोड नाशिकरोड सार्वजनिक गणेश उत्सव मंडळाचा मी अध्यक्ष आहे. चालु वर्ष 2023 मधिल उत्सवा निमित्ताने आमच्या मंडळाकडुन श्रीगणेश मुर्ती आगमण मिरवणुकीचे आयोजन दि. १९.०९.२०२३ रोजी सायंकाळी ६:०० ते १०:०० वेळे दरम्यान केले आहे. सदर मिरवणूक छत्रपती शिवाजी महाराज चौक ते दसकगांव मारुती मंदिर असा मार्ग असणार आहे . सदर मिरवणुकीत एकता बँजो ग्रुप असणार असून एकूण जन समुदाय २०० ते ३०० असा राहणार आहे. शहर वाहतुक शाखा नाशिक शहर यांना अर्ज केला असुन त्यांनी नाहरकत प्रमाणपत्र दिले आहे. कृपया मिरवणुकीस परवानगी मिळावी अशी विनंती आहे.

आपला विश्वासू,

ओमकार रवि सहाणे,

जेलरोड , नाशिकरोड.

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>HOME PAGE</title>
  <link rel="stylesheet" href="/style.css">

</head>

<body>
  <!-- the header tag -->
  <header>
    this is header
    <!-- nav tag it is used for navigation bar on your web -->
    <!-- link attribute are of two types
    1. To open in same tag we use it simple tag <a href ="">
    2. to open in new tab we use the differnt tag by just adding in tag <a
href="" target="_main">
    -->
    <nav>
      <p> this is navigation bar</p>
      <button>
        <!-- example for opening in same tab -->
        <a href="/index.html">home

        </a>
      </button>
      <button>
        <!-- example of opening in different tab -->
        <a href="/about.html" target="_main">about

        </a>
      </button>
      <button>
        <a href="\practice.html">practice

        </a>
      </button>
    </nav>
  </header>
  <!-- the main tag started main tag contains three main tags
  1.section-A page section
  2. article- self contained content
  3. aside-content aside from content (ads )
  -->

```

```

<main>
  <p>The main section started</p>
  <!-- this is section tag -->
  <section>
    <!--this is comment -->
    <!-- horizontal line tag -->
    <hr>
    <!-- heading tag -->
    <div>
      <h1>
        my first heading
      </h1>
    </div>
    <!-- html link attribute -->
    <!-- this is absolute link which take you to website -->
    <p>
      <h2> the paragraph tag </h2>
      <a href="https://openai.com/chatgpt" target="_main">TO GO TO
CHATGPT CLICK HERE</a>

      <!-- this is reltive link which takes you to html page -->

      <br><a href="/about.html">go to about page</a>
      <!-- we can also use image to direct to the website or the html
page following is the example -->
      <br>
      <br>
      <!-- button tag also included -->
      <!-- this is link attribute for opening in another tab we use
target="_main" -->
      <a
href="https://www.google.com/maps/@18.8181772,76.7698374,7z?entry=ttu"
target="_main"></a></button>
      <br>
      <button style="color: black;"><a
href="https://www.google.com/maps/@18.8181772,76.7698374,7z?entry=ttu"
target="_main">google map</a></button>
      <br>
      <br>
      <!-- for opening in same tab we use normal link attribute -->
      <button>
        <a href="\practice.html"></a>
      </button>
    </p>

```

```
<!-- bold italic underline tag -->
```

```
<p>
  <b>
    this is bold
  </b>
</p>
<p>
  <i>
    this is italic
  </i>
</p>
<p>
  <u>
    this is underline
  </u>
</p>
```

```
<!-- subscript superscript tag -->
```

```
<p>
  CO<sub>2</sub>
</p>
<p>
  ax<sup>2</sup>+bx+c
</p>
```

```
<!-- to render the text as it is on website like python code to
display it as it is we use pre tag -->
```

```
<div>
  <h2>the pre tag </h2>
  <pre>
<p>
```

agraphParagraphs are the group of sentences combined together, about a certain topic. It is a very important form of writing as we write almost everything in paragraphs, be it an answer, essay, story, emails, etc. We can say that a well-structured paragraph is the essence of good writing. The purposes of the paragraph are to give information, to explain something, to tell a story, and to convince someone that our idea is right.

Paragraphs are blocks of textual content that segment out a larger piece of writing—stories, novels, articles, creative writing, or professional writing portions—making it less complicated to read and understand. Excellent paragraphs are an available writing skill for plenty of types of literature, and proper writers can substantially beautify the clarity of their news, essays, or fiction writing whilst constructing nicely.

Structure of a Paragraph

A paragraph has three major parts-

Topic sentence

Supporting sentences

Concluding sentence

1. Topic Sentence

A topic sentence is a precise statement that reflects the main idea of the paragraph. It should be carefully written as it will show the reader what you are going to talk about. Words chosen for this should not be cluttered and ambiguous as readers will decide to read further based on this. It is not necessary to write the topic sentence at the beginning of the paragraph. It can be put anywhere, as long as it reflects the main topic. For instance, if you mention that you are going to talk about the advantages of using the hand sanitizer, then in supporting sentence you should only talk about advantages, not the features or anything else.

```
</p>
</pre>
</div>
</section>
<!-- image tag -->
<!-- for image tag only use height or width cause setting both aspect
ratio can get changed -->
<br><br>
<div id="a1">
  
</div>

<!-- one more section tag for use of div . The div is used to set the
elements in one block and make changes in only those elements. The div
occupies the complete space even if the elements are not there it occupies all
the space in left and right. -->
<section>
  <div style="background-color: chocolate;">
    <h2>
      SECOND HEADING
    </h2>
    <p>
      Lorem ipsum dolor sit, amet consectetur adipisicing elit.
      Tenetur, ullam dolorum debitis harum iste
      porro sed consectetur, enim est et fugit eaque fugiat
      quisquam impedit ad corrupti id officia,
      cumque inventore. Impedit, commodi corporis! Quidem
      aliquid aut eveniet ex tenetur.
```

```

        </p>
    </div>
    <div style="background-color:bisque; margin-top:-0.3cm;">
        <h1>
            third heading

        </h1>
        <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit.
Doloribus id laudantium cumque magnam!
        </p>
    </div>
    <!-- The span tag. It is a inline tag i doesn't occupy the space
like div .You can check this by inspecting -->
    <span>
        This is span.
    </span>
    <span>
        This is another span
    </span>
</section>
<!-- list tag -->
<section>
    <!-- two types of list
1)ul tag- unordered list
2)ol tag -ordered list -->
    <div>
        <!-- example of ul tag
        the ul tag has the type attribute it offers us to choose the type
of the bullet like square ,circle,disc etc-->
        <!-- li tag is the list item tag -->
        <!-- ul with type attribute -->
        <ul type="square">
            <li>chatgpt</li>
            <li>open ai</li>
            <li>brad</li>

        </ul>
        <!-- ul without type attribute -->
        <ul>
            <li>chatgpt</li>
            <li>open ai</li>
            <li>brad</li>
        </ul>
        <!-- this is example of ordered list -->
        <!-- same as ul it also has type attribute -->
        <ol type="A">

```

```

        <li>google</li>
        <li>edge</li>
        <li>firefox</li>

    </ol>
</div>
<hr>

</section>
<!-- table tag =<table> </table>.It contains three more tags
1)<th></th> = stands for table header use for header of the table
2)<tr></tr> = used for rows of the table
3)<td></td> = table data used to give data-->
<table align="center">
    <colgroup>
        <col style="background-color: #0f0" />
        <col span="2" />
    </colgroup>
    <!-- to add the caption in the table we used the caption tag -->
    <caption>MARKS TABLE</caption>
    <tr>
        <th>sr.no</th>
        <th>name</th>
        <th>marks</th>
    </tr>
    <tr>
        <td>1</td>
        <td>a</td>
        <td>50</td>
    </tr>
    <tr>
        <td>2</td>
        <td>b</td>
        <td>40</td>
    </tr>
    <tr>
        <td>2</td>
        <td>c</td>
        <td>54</td>
    </tr>

</table>
<!-- we can use colspan tag to increase the columns span -->
<section>
    <hr>
    <!-- form making in html using form tags its used to collect input
from user and the action is the attribute given for the handling of the form
data

```

```

1)input tag with id and all
2)textarea for writing any text
3)select tag to select-->
<div align="center">
    <h3>FORM </h3>
    <form action="form.php">
        <!-- For taking input from the user we use input tag as
the follows with the type and placeholder attribute -->
        <input type="text" placeholder="ENTER YOUR NAME">
        <br>
        <input type="email" placeholder="ENTER YOUR EMAIL">
        <br>
        <input type="password" placeholder="ENTER THE PASSWORD">
        <br>
        <input type="number" placeholder="enter your age">
        <br>
        <input type="radio" name="radio" value="radio"
id="radio1"><label for="radio1">undergraduate</label>
        <input type="radio" name="radio" id="radio2"
values="radio">
        <label for="radio">graduated</label>
        <br>
        <input type="tel" name="no" id="no" placeholder="Enter
your phone number" size="10" minlength="10"
maxlength="10">
        <br>
        <input type="range" name="range" id="range" min="0"
max="100">
        <label for="range">volume</label>
        <br>
        <label for="sub">Select your subjects</label>
        <br>
        <span>
            <input type="checkbox" value="sub" id="sub"
name="sub">maths
        </span>
        <span>
            <input type="checkbox" name="sub" id="sub"
value="sub">graphics
        </span>
        <br>
        <label>choose color for head and body</label>
        <br>
        <input type="color" id="head" name="head" value="red">
        <label for="head"> HEAD</label>
        <br>
        <input type="color" id="body" name="body" value="#f6b73c">

```



```

        <label for="body"> BODY</label>
        <br>
        <label for="date">Enter the starting date</label><br>
        <input type="date" name="date" id="date">
        <br>
        <label for="di">enter date and time</label>
        <br>
        <input type="datetime-local" name="datetime" id="di">
        <br>
        <label>Upload the file</label><br>
        <input type="file" name="file" id="file">
        <br>
        <textarea name="explain" id="o" cols="30"
placeholder="explanation" rows="10"></textarea>
        <br>
        <label for="search">Search site:</label>
        <br>
        <input type="search" id="search">
        <br>
        <br>
        <select name="car" id="mycar">
            <option value="no-car">select your car</option>
            <option value="swift">swift</option>
            <option value="odi">odi</option>
            <option value="tata">tata</option>
            <option value="mahindra">mahindra</option>
        </select>
        <label for="mycar">select the car</label>
        <br>
        <br>
        <input type="reset" name="reset" id="reset">
        <input type="submit" value="SUBMIT">
        <br>

    </form>
</div>
</section>

</img>
<hr>
<!-- this is video tag same like a img tag
1) we have to copy link from youtube to embedded the video of youtube-
->
<section>
    <div align="center">
        <!-- iframe tag is used to give the content from the other
website -->

```

```

        <iframe src="https://www.bing.com" frameborder="0"
width="892"></iframe>
        <br>
        <br>
        <br>
        <hr>
        <br>
        <iframe width="560" height="315"
src="https://www.youtube.com/embed/xCx5w5R3k7M?si=9ZmyDY1seqoyJgyQ"
        title="YouTube video player" frameborder="0"
        allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; picture-in-picture; web-share"
        allowfullscreen></iframe>
    </div>
    <div align="center">
        <!-- to direct embedded video we use video tag we can also
use autoplay, loop attribute and the controls are used to add controls to play
video-->
        <video src="video/video.mp4" controls width="523px"
loop>error</video>
    </div>
</section>
<!-- this is article tag -->
<article>
    <!-- paragraph tag -->
    <p>
        <hr>
    <div>
        Lorem ipsum dolor sit, amet consectetur adipisicing elit.
Sapiente, tempore assumenda, quidem ullam iure
        aut optio eaque debitis aperiam totam corrupti consequuntur
reiciendis eveniet soluta nihil sed earum.
        Consectetur laudantium dolore perspiciatis doloribus ipsam
non! Aspernatur natus, ea enim officia
        doloremque explicabo. Consequatur dolorum accusamus corrupti
aut possimus minus quibusdam! Cupiditate,
        quas. Blanditiis velit necessitatibus nesciunt, architecto
quisquam voluptas excepturi expedita officia
        ipsa hic adipisci debitis fuga, sequi unde aperiam porro
dolore maxime! Reiciendis veritatis velit ex
        saepe voluptate officia aliquid doloribus non ducimus. Ipsa,
modi mollitia quaerat odit earum culpa
        officia possimus sed autem amet et consectetur pariatur nemo
ut eius, voluptatum soluta nam officiis
        eveniet nulla! Ducimus voluptates ipsam ex fugiat velit. Minus
eaque, a officiis quibusdam eveniet
        blanditiis quasi illum nemo ut recusandae, tempore temporibus?
Explicabo ipsa deserunt, ipsam magnam

```

harum reiciendis labore in, eligendi inventore eos recusandae
exercitationem obcaecati, dolore nisi
optio sed deleniti cum vitae rerum? Ipsam a totam,
necessitatibus cupiditate maxime aliquam temporibus
veritatis provident recusandae natus vitae odit, sint ullam
dolorum laborum quisquam? Deserunt
cupiditate neque minima quam aliquam repellendus aspernatur
accusantium aut at voluptatibus, inventore
porro! A velit inventore harum quod. Vel, magni? Quibusdam hic
quam earum officia cum assumenda ab iste
voluptates, animi et facere maxime harum doloremque molestias,
modi temporibus eum nobis nostrum at!
Eaque corporis, itaque cumque voluptate fuga harum tenetur?
Maxime atque perferendis quae, sunt
accusamus quisquam a, nisi reprehenderit maiores blanditiis,
possimus voluptas quis tenetur dolorem
aliquid fuga provident hic recusandae aliquam sed deserunt
nobis in. Nesciunt hic voluptatum culpa
deleniti velit odit dolor, odio, nam nisi eligendi accusantium
quae. Sit nisi alias nesciunt cum unde
exercitationem veritatis, distinctio iste molestias
perferendis. Neque corrupti, esse deserunt vitae
iusto labore! Porro dignissimos commodi voluptas quis quidem
accusantium quam beatae perspiciatis
deleniti laborum, esse unde facere? Consequatur, vero facilis?

</p>

</div>

<hr>

</article>

<!-- this is aside tag -->

<aside>

 this is aside

</aside>

</main>

<!-- footer started -->

<footer>

 this is footer

</footer>

</body>

</html>