

1. What is Git?

=> Git is a distributed version control system that helps manage and track changes in source code during software development. It allows multiple developers to collaborate on a project by keeping track of different versions of the codebase.

2. What do you understand by the term 'Version Control System'?

=> A Version Control System (VCS) is a software tool that helps manage and track changes to files over time, particularly in the context of software development. It provides a systematic way to keep track of different versions of files, enabling collaboration among multiple developers while maintaining a history of changes.

3. What is GitHub?

=> GitHub is a web-based platform and service that provides a hosting repository for version control using Git. It is widely used for collaborative software development and offers features beyond basic version control.

- Some key aspects of GitHub include Git Repository Hosting, Collaboration, Pull Requests, Forks, GitHub Actions, Social Coding, and Issues and Projects.

4. Mention some popular Git hosting services.

=> - GitHub
- GitLab
- Bitbucket
- GitKraken Glo Boards
- Azure DevOps Services
- SourceForge
- Gitea

5. What benefits come with using GIT?

=> - Version Tracking
- Collaboration
- Branching and Merging
- Distributed Development
- Undo Changes (Rollback)
- Pull Requests
- Open Source Collaboration
- Security and Integrity
- Speed and Efficiency
- Backup and Recovery

6. What is a Git repository?

=> A Git repository is a data structure that stores metadata and a set of files, representing a collection of versions or snapshots of a project over time. It is the core component of a version control system, specifically Git, used for tracking changes in source code and other project files.

In simple terms, a Git repository is a directory or folder managed by Git to keep track of the history and changes made to the files within that directory.

7. How can you initialize a repository in Git?

=> - Open a terminal or command prompt.

- Navigate to your project directory using `cd`.

- Type `git init` and press Enter.

- Optionally, create a `.gitignore` file to specify files Git should ignore.

- If you have files to commit initially, use `git add .` and `git commit -m "Initial commit."`

- Now, your Git repository is initialized in the project directory.

8. How can you initialize a repository in Git?

=>

Open a terminal or command prompt.

Navigate to our project directory using `cd`.

Type `git init` and press Enter.

Optionally, create a **.gitignore** file to specify files Git should ignore.

If we have files to commit initially, use `git add .` and `git commit -m "Initial commit."`

Now, our Git repository is initialized in the project directory.