

# Self-reported LLM usage and results on a data science project: Evidence from a Canadian undergraduate data science course\*

Rohan Alexander

Luca Carnegie

Nathalie Moon

August 12, 2024

To help understand the effect of Large Language Models (LLMs) on data science practice we examine the extent to which LLM usage is correlated with the mark that a student gets on a final paper in a classroom data science setting. We find some very mild evidence from this observational study that LLM usage may be associated with better scores, but our main conclusion is that there is no clear relationship between more extensive LLM usage and the student’s mark. Despite the classroom setting used for evaluation, the particular activity of interest reflects the work done by professional data scientists. Our finding suggests the need for more extensive work evaluating how LLMs can be integrated into the data science workflow in a way that provides value.

## 1 Introduction

Trustworthy data science is the practice of conducting data analysis in a transparent, ethical, and reliable manner. These principles are reflected in various ways, through education, culture, and workflow. To stay current, data scientists must continually update their knowledge of best practices for transparency and reproducibility, foster a culture which values different perspectives and accountability, and critically think about the broader impact of data-driven decisions. The wide release of user-friendly Large Language Models (LLMs), particularly OpenAI’s ChatGPT, has transformed the data science toolkit, offering powerful tools for natural language processing and generation, thus enhancing aspects of data analysis and automation.

---

\*Code and data are available at: <https://github.com/lcarnegie/llms-achievement>. We thank Tiffany Timbers and attendees at JSM 2024 for helpful suggestions. This research is currently under review by the University of Toronto’s Research Ethics Board. Comments can be sent to: [rohan.alexander@utoronto.ca](mailto:rohan.alexander@utoronto.ca).

Like all new tools, however, LLMs have created both excitement and apprehension. ChatGPT’s public release on November 30, 2022, brought LLMs into the mainstream conversation. LLMs have quickly been put to use in both industry and academia. By now, many people, especially educators and students, have some experience with LLMs, in both personal and professional contexts.

In the context of teaching statistics and data science, LLMs could be useful for many tasks. For instance, there is considerable interest in the potential of chatbots to act as personalized tutors for students [fulgencio2024developing; afzal2024tailoring; (**Winkler\_2018?**)]. ChatGPT has also been the catalyst for many interesting and important conversations around academic integrity (Eke 2023), the development of critical thinking skills, and what effective learning looks like (Baidoo-Anu and Ansah 2023).

In this paper we are interested in better understanding LLMs as a tool for producing trustworthy data science. We study how they were used by students in an upper-year undergraduate data science course and whether students who used LLMs tended to have higher scores than those who did not.

The tasks involved in a trustworthy data science workflow can be generally broken down into a number of key competencies (Adhikari, DeNero, and Jordan 2021; Gibbs and Taback 2021). The first is programming, which is done when cleaning, analyzing, visualizing data often using languages like R or Python. The second is writing, which is primarily done when communicating results. The potential for LLMs to positively affect students’ academic performance in data science can be clearly inferred from already-demonstrated effects in a number of those competencies on adjacent professional fields.

In terms of computer programming, Peng et al. (2023) found a positive impact of GitHub Copilot (an LLM-powered programming assistant) on productivity. Specifically, in an experiment involving 95 freelance programmers, they found that that programmers with access to GitHub Copilot completed a standardized programming task 56% faster than the control group. Programmers with less experience saw the greatest improvements in productivity.

Dell’Acqua et al. (2023), focusing on management consulting tasks, provide evidence that LLMs can improve writing productivity. In a field experiment involving consultants from Boston Consulting Group they found that the use of OpenAI’s GPT-4 led to a 25% increase in delivery speed of business tasks (most involving some writing), as well as a 40% increase in human-rated performance on those tasks. Similar to computer programming, these productivity increases were most pronounced for those with below average performance, with their output increasing by 43%.

On the other hand, Valenzuela et al. (2024) argue that LLMs lead to a loss of serendipity (which leads to less original work) and de-skilling (primarily with respect to programming ability), among other consequences. These outcomes could negatively affect students’ effective learning of data science.

Ellis and Slade (2023) take a more optimistic perspective and argue that LLMs are just another technology that will impact statistics and data science education. Similarly, Tu et al. (2024) acknowledge that LLMs can streamline many parts of a data science workflow. With that in mind, they suggest that data-scientists-in-training should shift their self-perspectives from primarily being an ‘analyst’ to primarily being a ‘product manager’ responsible for strategic oversight of the analysis carried out by LLMs.

At the high school level Lazar et al. (2023) conducted an informal survey of secondary school teachers and students on their opinions of ChatGPT, and found that while LLMs could: help creativity, provide academic support when teachers were unavailable, and model certain types of writing well; teachers were also aware of LLMs potential to limit students’ learning in certain ways through over-reliance. Beyond academic integrity concerns, teachers had similar concerns to Valenzuela et al. (2024) about de-skilling and an overall loss of agency in writing and critical thinking.

Cahill and McCabe (2024) surveyed undergraduate political science students on their attitudes toward and usage of AI tools. They found that the use of ChatGPT was widespread. However, they also found that many students lacked confidence in using AI for academic purposes. In particular, only 11% “strongly agreed” that they know how to use AI to improve their writing. Students had nuanced views on appropriate AI use. In particular, respondents found that using it to write whole papers as inappropriate, while using it for basic tasks like general assistance, writing feedback and basic data visualization was perceived as more appropriate.

To understand the current state of LLMs as a tool for trustworthy data science, this paper focuses on the association between student academic performance and their LLM usage. Specifically, we examine the relationship between students’ grades and self-reported measures of student LLM usage, as well as student attitudes toward LLMs in general. This is based on students’ final papers and a survey, conducted in a third-year undergraduate data science course at the University of Toronto. By examining how students interact with and perceive LLMs as tools, and how these variables translate into student outcomes, the effects of LLM integration in data science can be more precisely determined, leading to better recommendations for their future development.

The remainder of this paper is structured as follows: Section 2 visualizes and analyzes survey data and coursework from students. Section 3 specifies a model used to investigate the relationship. Section 4 describes and analyzes the model’s results. Section 5 discusses the implications of the findings for data science education and future research and practice at the intersection of LLMs and trustworthy data science.

## 2 Data

### 2.1 Background

To investigate students’ usage and attitudes towards LLMs and how they related to their academic performance, a dataset containing their usage/attitudes, coursework, and academic performance was constructed. This was based on three components:

1. an optional survey;
2. self-reported LLM usage; and
3. student marks on their final paper.

All data are from the cohort of students taking STA302 “Methods of Data Analysis I” in the Winter 2024 semester at the University of Toronto. This course had 275 students initially enrolled which, reflecting a normal rate of attrition for undergraduate statistics courses at the University of Toronto, reduced to 154 students by the end of the semester. Assessment was heavily based on three papers submitted over the course of the 12 week semester.

The student marks that we analyze are based only on the final paper, which is done individually. By this stage, uninterested students have typically dropped the course, and students are familiar with course expectations. A typical paper submission is 10-20 pages, and requires students to conduct original research to answer a research question of interest to them. It reflects the skills typically used by a professional data scientist. Students are expected to develop a research question of interest to them, identify or collect data to answer the question, conduct statistical analysis, and write a short paper. Examples of final papers (shared with consent) include: Yu (2024); Su (2024); and Rochweg (2024).

By the time they are working on their final paper, students have submitted and received feedback on two previous papers with similar requirements and rubrics to that of the final paper. Each paper has the same basic structure and expectations. Before the final paper is due, students have received feedback on all their previous work in the class (including their past papers) and there is an optional two-day period of peer review.

By virtue of pre-requisites of this course the typical student is an upper-year undergraduate. Coding and writing are major parts of the course. Students are welcome to use R or Python, but the majority code in R because that is the programming language currently mostly taught in pre-requisite courses. All writing must be in English. The primary aim of the course for students is to create a public portfolio of work they can use to apply for jobs.

Throughout the semester students were encouraged to use LLMs. Formal instruction was provided twice during the semester, with a masterclass taught by a computer science faculty member on the ethics of using LLMs (see Horton et al. (2024) for details), and another masterclass taught by a TA on writing with LLMs.

Data was collected from students through an optional end-of-course survey. Appendix A provides all the questions asked in the survey. Whether or not they consented to their data being used, all respondents received a 1% increase in their final course grade for their participation. Consenting responses were then matched to their final paper mark, as well as the GitHub repository for their final paper. The responses were anonymized by removing any personal references to the students themselves including names, emails, student numbers, and GitHub links.

All data cleaning and analysis was done using the R statistical programming language (R Core Team 2023), and especially uses the `tidyverse` (Wickham et al. 2019), `janitor` (Firke 2023), `reshape2` (Wickham 2007), and `readxl` (Wickham and Bryan 2023) packages.

## 2.2 Survey data

There were 146 responses to the survey. Of these, 119 respondents provided authorization for their data to be collected and used. Four of those respondents submitted the survey twice, and after removing their second response, 115 responses remained. Of those, 15 respondents did not include a statement on LLM usage in the README of the GitHub repository of their final paper, leaving 100 responses that were of use and were merged based on student name.


All but one respondent completed the survey within 45 minutes (Figure 1a). That one respondent took more than 4,000 minutes to complete the survey, suggesting they took a break while filling it out. That respondent is included in the analysis dataset, but without them, the average time to complete the survey was 11 minutes, and the standard deviation was 8 minutes.

There is a wide distribution of self-reported GPAs (Figure 1b). Seven of the 100 respondents included in the analysis dataset did not report their GPA. The majority of responses cluster around a B (3.0/4.0), and the average is 3.06 with a standard deviation of 0.55. One factor that may affect the range is that the course is required for programs in the Statistics, Mathematics and Computer Science Departments. Self-reported GPAs also introduce the possibility of reporting bias. For instance, respondents may have provided their cumulative GPA, their most recent term’s GPA, or could have misreported it entirely.


Students from a range of years took the course, however the majority of respondents were in their 3rd or 4th year of study (Table 1). The course’s prerequisite of general statistics, which is a two-course sequence typically completed by students in their second year, would make it difficult to take this course earlier than their 3rd year.

Table 1: “What year are you?”

2nd	3rd	4th	5th or over
4	52	42	2



(a) Distribution of survey response times



(b) "What is your GPA?"

Figure 1: Distribution of respondents' survey response times and GPA

Respondents had a varied self-perception of their coding and writing abilities (Figure 2). Most respondents believed it is important to be good at writing, but many are either indifferent or do not like to write (Figure 2a). Respondents also do not find writing to be particularly easy, which could be associated with the reported relative antipathy toward writing. Most respondents were at least somewhat confident in their own writing abilities, but a substantial contingent felt otherwise. Although few respondents felt that they were confident in their writing ability, more felt that they were able to catch their mistakes, which could indicate a disconnect between how respondents perceive their work and how the work was evaluated.


Respondent self-perceptions regarding coding proficiency and importance varied (Figure 2b). There was strong consensus on the perceived importance of coding skills, with a majority of respondents strongly affirming this belief. However, respondents' self-assessed coding abilities and enjoyment are more heterogeneous, with a substantial proportion reporting moderate rather than high levels of ease and enjoyment in coding tasks. These findings suggest a complicated relationship between respondents' recognition of coding's importance and their personal experience with coding.

Overall there was a moderate level of confidence among respondents in their overall coding ability, willingness to share code, and capacity to identify errors (Figure 2b). Notably, respondents express slightly higher confidence in detecting their own coding mistakes compared to general coding ability or code sharing. These patterns suggest that while respondents have developed some coding self-efficacy, there is still considerable potential for enhancing their perceived competence and comfort across various coding-related activities.


The majority of respondents were at least "somewhat familiar" with generative AI such as ChatGPT (Table 2a). Though respondents' self-perceptions around writing and coding are varied, there was strong consensus that the use of generative AI tools is appropriate within an academic setting (Table 2b). Most respondents who responded "It depends" generally found artificial intelligence tools to be appropriate, though with certain guidelines and rules governing their use.

To understand the role of LLMs in learning, students identified their usage in a more granular way by checking off various pre-defined use cases in the survey (Figure 3a). Technical questions and explaining concepts were the two top use cases among students in the course. More than half of students also used LLMs for quick questions, general knowledge, writing paper code, and checking solutions. Just less than half used it to write paper content, which could suggest that students do not feel confident using it to improve writing.

Respondents were also asked to rate the helpfulness of LLMs on various tasks assigned during the course on a 4-point scale of "Did not use" to "Very Helpful" (Figure 3b). To simplify the presentation, responses were grouped into two main categories: "Less Helpful" and "More Helpful." The "Less Helpful" category combines responses where students found the AI either "Not helpful" or did not use it for the task, while the "More Helpful" category includes responses where the AI was considered "Somewhat helpful" or "Very helpful".




(a) "Please rate how much each statement describes you, on a scale from 'This is very different to me' to 'This is a lot like me' "




(b) "Please rate how much each statement describes you, on a scale from 'This is very different to me' to 'This is a lot like me' "

Figure 2: Self-perception of coding and writing abilities





(a) “If you have used generative AI tools such as OpenAI’s ChatGPT or equivalents, in what ways have you used it (select all that apply)?”



(b) “How helpful did you find generative AI tools such as ChatGPT by OpenAI (or equivalents) for each component of STA302?”

Figure 3: Use and usefulness of generative AI

Table 2: Familiarity with, and appropriateness of, generative AI

(a) 'How familiar are you with using generative AI tools such as OpenAI's ChatGPT or equivalents?'

Extent of AI familiarity	Students
Very familiar	42
Somewhat familiar	56
Not familiar	2

(b) 'To what extent do you think using generative AI tools such as ChatGPT by OpenAI (or equivalents) is ethical and appropriate for schoolwork?'

Ethical & Appropriate for school?	Students
Appropriate	80
It depends	11
Inappropriate	9

Respondents differed in terms of how they used LLMs in the course (Figure 3b). While most tasks were roughly split between respondents finding LLMs helpful or not, respondents found them most helpful in generating code. In the context of the course, this meant generating R code for transforming, analyzing, and visualizing data. To a lesser extent, respondents also found LLMs to be helpful in improving the existing writing they had, while at the same time not favouring it for writing content from scratch.

Finally, one question asked students to elaborate on whether they thought generative AI tools such as ChatGPT were ethical and appropriate for schoolwork. This was an open-response question. To provide a sense of the responses, we used Anthropic's Claude 3.5 Sonnet model (as at 5 August 2024) to summarize the comments and it provided:

Many students view AI as a helpful supplementary tool, comparing it to resources like Google or calculators. They believe it can aid in understanding concepts, debugging code, brainstorming ideas, and saving time on routine tasks. However, there's a consensus that AI should not be used to complete entire assignments or replace original thinking. Students emphasize the importance of using AI ethically, citing it when appropriate, and not relying on it exclusively. Some argue that learning to use AI effectively is a valuable skill for future careers. Concerns raised include the potential for plagiarism, the risk of hindering critical thinking skills, and the possibility of receiving incorrect information. Overall, most students support the responsible use of AI in education, with proper guidelines and transparency, while recognizing the need to maintain academic integrity and develop independent learning skills.

### 2.3 LLM usage and final paper marks

Two other components were merged with the survey responses: self-reported LLM usage on the final paper, and final paper mark.

Students were encouraged to use LLMs to complete their papers. Each paper required the students to disclose their usage through a statement in the GitHub repository README for the paper. Even students who did not use generative AI at all were required to state this in the README. For students who did use generative AI, there was an additional requirement that they save the logs of their usage in a txt file which was also included in their GitHub repository.

Those README statements were gathered and parsed using OpenAI’s ChatGPT 4o model (as at 26 July). The following prompt was used:

The following statement is about to what extent LLMs were used by a student. Please characterize it as one of: “None”, “Minimal”, “Somewhat”, “Extensive”, “Unsure”. Respond with only one of those options.

All classifications were then manually checked by hand for reasonableness.

We find a varied extent of self-reported LLM usage (Table 3). 41 respondents were classified as having made extensive use of LLMs, while 28 were classified as having made somewhat use. 31 respondents were classified as having made minimal or no use of LLMs. In the analysis dataset we combine those two classifications because only 8 respondents were classified as having minimal usage.

Table 3: Self-reported LLM usage in final paper

Self-reported LLM usage	Number
Extensive	41
Somewhat	28
Minimal	8
None	23

The third, and final, component is the mark, in percentages, on the final paper (Figure 4a). The overall mean was 78% and standard deviation was 17 percentage points. However there was considerable differences by the extent of LLM usage (Table 4; Figure 4b).

Table 4: Self-reported LLM usage in final paper and final paper mark

Self-reported LLM usage	Mean	Std dev
Extensive	0.82	0.15

Table 4: Self-reported LLM usage in final paper and final paper mark

Self-reported LLM usage	Mean	Std dev
Somewhat	0.77	0.16
Minimal	0.74	0.23
None	0.75	0.19

### 3 Model

The goal of our modelling strategy is to better understand how a respondents' result on their final paper associates with their self-reported LLM usage. Students received their result on the final paper as a proportion (a 0-100% mark), so we use zero-one-inflated beta regression to best fit the distribution in this interval. We use this type of regression given the ability of the beta distribution to effectively describe continuous and skewed or heteroskedastic datasets, which we can see in the asymmetrical histogram of the distribution of marks.

Transforming the regression with a logit function as the link function ensures that the predicted values stay between zero and one, respecting the boundaries of the data. Some students got full marks for the paper, so we use the zero-one-inflated beta model.

Here we briefly describe the model that we use, which follows Kurz (2023). Model diagnostics are included in Appendix B.

Define  $y_i$  as the percentage received on the final paper. Then  $\beta_1$  and  $\beta_2$  are the effect of self-reported LLM usage and self-reported GPA on the final paper grade, respectively.

$$y_i \sim \text{Beta}(\mu_i, \phi) \quad (1)$$


$$\text{logit}(\mu_i) = \beta_0 + \beta_1 \times \text{LLM usage}_i + \beta_2 \times \text{GPA}_i \quad (2)$$

$$\beta_0, \beta_1, \beta_2 \sim \text{Normal}(0, 1) \quad (3)$$


$$\phi \sim \text{Gamma}(4, 0.1) \quad (4)$$

We estimate the model in R (R Core Team 2023) as well, using `brms` (Bürkner 2017).

The expected relationship between LLM usage and final mark is unclear. It could be that stronger students used LLMs in a more sophisticated way or that they did not need to use them. However, the relationship between GPA and final mark is expected to be positive.



(a) Overall



(b) By self-reported LLM usage

Figure 4: Distribution of marks on final paper (in percentages)

Table 5: Coefficient estimates and mean absolute deviation (MAD)

	Base model	Including self-reported GPA
b_Intercept	1.61 (0.15)	−1.84 (0.40)
b_llm_usageNoneorminimal	−0.46 (0.21)	−0.58 (0.17)
b_llm_usageSomewhat	−0.35 (0.22)	−0.32 (0.19)
phi	5.49 (0.76)	10.39 (1.48)
b_what_is_your_gpa		1.17 (0.13)
Num.Obs.	93	93
R2	0.052	0.507
ELPD	55.2	82.9
ELPD s.e.	6.4	8.1
LOOIC	−110.4	−165.8
LOOIC s.e.	12.8	16.1
WAIC	−110.4	−165.9
RMSE	0.15	0.11




Figure 5: Coefficient estimates and 90 per cent credibility intervals

## 4 Results

Our results are summarized in Table 5 and Figure 5. We especially draw on `modelsummary` (Arel-Bundock 2022).

Interestingly, we find a slightly negative effect, relative to self-reported extensive use, of using LLMs less (Figure 5). As expected, self-reported GPA is positively associated with final mark.

## 5 Discussion

There is some very mild evidence from this observational study that LLM usage may be associated with better scores. However, this work should mostly be treated as a direction for future research in this area. More broadly, our work has three major take-aways: 1) LLMs have a major role to play in enhancing the trustworthiness of data science. 2) Making general purpose chatbots more opinionated and knowledgeable about data science would considerably help (i.e. fine-tuning them - maybe talk more about the GPT store and the “Telling Stories with Data chatbot”) 3) Alternative interaction approaches, beyond a chatbot interface, could be especially useful.

## **5.1 Impact of LLMs on trustworthy data science**

## **5.2 General purpose compared with opinionated specific chatbots**

## **5.3 On the need for LLM-based infrastructure**

## **5.4 Weaknesses and next steps**

There are a number of substantial weaknesses of this study. The foundational one is that we used observational data, much of which was self-reported. There may be selection bias present in terms of who used LLMs, who reported their LLM usage truthfully, and even who remained in the class. A different design, specifically a randomized controlled trial (RCT) would deal with many of these issues, although likely at some cost.

Regression reports average estimates over the full dataset. However, many earlier studies found distributional effects, with low-performing individuals benefiting more than high-performing individuals. Again, a change in design toward an RCT could enable the exploration of this question. Stratification of our dataset would result in small sample size, but nonetheless our data does provide some limited suggestive evidence that this effect may be present in data science. For instance, looking at the 28 students who received an A+ for the final paper, 13 of them had extensive LLM usage, whereas looking at the same number of worst performing students finds that only six of them had extensive LLM usage.

Along these lines, we have considered LLM usage for code and writing as equivalent, but they should actually have different impacts depending on student backgrounds. Distinguishing between native and second-language English speakers, and then focusing on differential LLM usage, could have added a great deal of nuance to the analysis.

Finally, we only considered one outcome measure, namely grade on the final paper. Each paper required a considerable amount of time for the student to produce. If an LLM was found to reduce the time taken to produce a paper, without any reduction in quality, then that would be a similarly useful outcome.

Despite these shortcomings, our work clearly identifies a need for further research examining how LLMs can be used to develop a more trustworthy data science.



## Appendix

### A Survey questions

1. After carefully reading the informed consent document, please indicate below whether you consent to have your anonymized responses included in the research study?
  - Yes, I authorize the use of the data collected about me for the STA302 course survey to be used. I will be compensated 1% of my course grade for completing the survey.
  - No I do not want my data included in the research study, but I want to complete the survey. I will be compensated 1% of my course grade for completing the survey.
  - I do not want to complete this survey. I realize that I am forfeiting the corresponding course credit.
2. What is your full name on Quercus?
3. What is your Student ID?
4. What year are you?
5. What is your specialization?
6. What is/are your major/s?
7. What is/are your minor/s?
8. What is your GPA?
9. Please rate how much each statement describes you, on a scale from “This is very different to me” to “This is a lot like me” [“This is very different to me”; “This somewhat describes me”; “This is a lot like me”]
  - Writing is easy for me
  - I like to write
  - I believe it is important to be a good writer.
  - When I edit it is easy for me to catch my mistakes.
  - I feel confident sharing my writing.
  - I am confident in my overall writing ability.
10. Please rate how much each statement describes you, on a scale from “This is very different to me” to “This is a lot like me”. When answering, please consider whichever programming language you are most familiar with. [“This is very different to me”; “This somewhat describes me”; “This is a lot like me”]
  - Coding is easy for me
  - I like to code
  - I believe it is important to be a good coder.
  - When I check my code it is easy for me to catch my mistakes.
  - I feel confident sharing my code.
  - I am confident in my overall coding ability.

11. How familiar are you with using generative AI tools such as OpenAI's ChatGPT or equivalents?
  - Very familiar
  - Somewhat familiar
  - Not familiar
  - Other
12. Have you used any generative AI tools such as OpenAI's ChatGPT or equivalents for any reason (personal or educational)?
  - Yes
  - No
  - Other
13. If you have used generative AI tools such as OpenAI's ChatGPT or equivalents, in what ways have you used it (select all that apply)?
  - Asking technical questions
  - Carrying on a conversation out of curiosity
  - Asking general knowledge questions
  - Solving homework
  - Checking solutions
  - Asking quick questions when stuck
  - Explaining concepts
  - Writing essays or paragraphs
  - Writing code
  - Never used it
  - Other
14. To what extent do you think using generative AI tools such as ChatGPT by OpenAI (or equivalents) is ethical and appropriate for schoolwork?
  - Appropriate
  - Inappropriate
  - Other
15. Please elaborate on your answer above.
16. Did you use any generative AI tools such as OpenAI's ChatGPT or equivalents for STA302?
  - Yes
  - No
  - Other
17. How helpful did you find generative AI tools such as ChatGPT by OpenAI (or equivalents) for each component of STA302? ["Not helpful"; "Somewhat helpful"; "Very helpful"; "I did not use generative AI for this component"]

- Weekly quiz
  - Weekly mini-essay
  - Papers: Generating ideas
  - Papers: Writing code
  - Papers: Writing content
  - Papers: Improving content
18. What is your recommendation for how generative AI tools such as ChatGPT by OpenAI (or equivalents) should be used in the course in future?
  19. (Optional) Any other comments?

Table 6: Model comparison

	elpd_diff	se_diff
fit2	0.0	0.0
fit1	-27.7	6.7

## B Model details

We use `bayesplot` (Gabry and Mahr 2024) and `loo` (Vehtari et al. 2024) help with posterior predictive checks and model diagnostics.

### B.1 Posterior predictive check




Figure 6: Posterior predictive checking

## B.2 Diagnostics




Figure 7: Base model diagnostics




Figure 8: Model including self-reported GPA diagnostics

## References

- Adhikari, Ani, John DeNero, and Michael I. Jordan. 2021. “Interleaving Computational and Inferential Thinking: Data Science for Undergraduates at Berkeley.” *Harvard Data Science Review* 3 (2). <https://doi.org/10.1162/99608f92.cb0fa8d2>.
- Arel-Bundock, Vincent. 2022. “modelssummary: Data and Model Summaries in R.” *Journal of Statistical Software* 103 (1): 1–23. <https://doi.org/10.18637/jss.v103.i01>.
- Baidoo-Anu, David, and Leticia Owusu Ansah. 2023. “Education in the Era of Generative Artificial Intelligence (AI): Understanding the Potential Benefits of ChatGPT in Promoting Teaching and Learning.” *SSRN Electronic Journal*. <https://api.semanticscholar.org/CorpusID:256347543>.
- Bürkner, Paul-Christian. 2017. “brms: An R Package for Bayesian Multilevel Models Using Stan.” *Journal of Statistical Software* 80 (1): 1–28. <https://doi.org/10.18637/jss.v080.i01>.
- Cahill, Christine, and Katherine McCabe. 2024. “Context Matters: Understanding Student Usage, Skills, and Attitudes Toward AI to Inform Classroom Policies.” *PS: Political Science & Politics*, May, 1–8. <https://doi.org/10.1017/S1049096524000155>.
- Dell’Acqua, Fabrizio, Edward McFowland, Ethan R. Mollick, Hila Lifshitz-Assaf, Katherine Kellogg, Saran Rajendran, Lisa Kraye, François Candelon, and Karim R. Lakhani. 2023. “Navigating the Jagged Technological Frontier: Field Experimental Evidence of the Effects of AI on Knowledge Worker Productivity and Quality.” *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4573321>.
- Eke, Damian Okaibedi. 2023. “ChatGPT and the Rise of Generative AI: Threat to Academic Integrity?” *Journal of Responsible Technology* 13 (April). <https://doi.org/10.1016/j.jrt.2023.100060>.
- Ellis, Amanda R., and Emily Slade. 2023. “A New Era of Learning: Considerations for ChatGPT as a Tool to Enhance Statistics and Data Science Education.” *Journal of Statistics and Data Science Education* 31 (2): 128–33. <https://doi.org/10.1080/26939169.2023.2223609>.
- Firke, Sam. 2023. *janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Gabry, Jonah, and Tristan Mahr. 2024. “bayesplot: Plotting for Bayesian Models.” <https://mc-stan.org/bayesplot/>.
- Gibbs, Alison L., and Nathan Taback. 2021. “The Building Blocks of Statistical Education in the Data Science Ecosystem.” *Harvard Data Science Review* 3 (2). <https://doi.org/10.1162/99608f92.8bb28793>.
- Horton, Diane, David Liu, Sheila A. McIlraith, Steven Coyne, and Nina Wang. 2024. “Do Embedded Ethics Modules Have Impact Beyond the Classroom?” In *Proceedings of the 55th ACM Technical Symposium on Computer Science Education v.1*. SIGCSE 2024. ACM. <https://doi.org/10.1145/3626252.3630834>.
- Kurz, Solomon. 2023. “Causal Inference with Beta Regression,” June. <https://solomonkurz.netlify.app/blog/2023-06-25-causal-inference-with-beta-regression/>.
- Lazar, Nicole, James Byrns, Danielle Crowe, Meghan McGinty, Angela Abraham, Mike Guo, Megan Mann, et al. 2023. “Perils and Opportunities of ChatGPT: A High School Perspec-



- tive.” *Harvard Data Science Review* 5 (4). <https://doi.org/10.1162/99608f92.9f0adc39>.
- Peng, Sida, Eirini Kalliamvakou, Peter Cihon, and Mert Demirer. 2023. “The Impact of AI on Developer Productivity: Evidence from GitHub Copilot,” no. arXiv:2302.06590 (February). <http://arxiv.org/abs/2302.06590>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Rochweg, Benny. 2024. “Evidence of Racial Profiling by the Austin Police Department in 2020.” <https://github.com/bennyrochweg/profiling/blob/main/paper/paper.pdf>.
- Su, Emily. 2024. “Characteristics of Top Songs Has Changed from Pandemic Brain: An analysis of songs on Billboard’s Year-End Hot 100 singles list (2014 to 2023).” <https://github.com/moonsdust/top-songs/blob/main/paper/paper.pdf>.
- Tu, Xinming, James Zou, Weijie Su, and Linjun Zhang. 2024. “What Should Data Science Education Do With Large Language Models?” *Harvard Data Science Review* 6 (1). <https://doi.org/10.1162/99608f92.bff007ab>.
- Valenzuela, Ana, Stefano Puntoni, Donna Hoffman, Noah Castelo, Julian De Freitas, Berkeley Dietvorst, Christian Hildebrand, et al. 2024. “How Artificial Intelligence Constrains the Human Experience.” *Journal of the Association for Consumer Research* 9 (3): 241–56. <https://doi.org/10.1086/730709>.
- Vehtari, Aki, Jonah Gabry, Måns Magnusson, Yuling Yao, Paul-Christian Bürkner, Topi Paananen, and Andrew Gelman. 2024. “loo: Efficient leave-one-out cross-validation and WAIC for Bayesian models.” <https://mc-stan.org/loo/>.
- Wickham, Hadley. 2007. “Reshaping Data with the reshape Package.” *Journal of Statistical Software* 21 (12): 1–20. <http://www.jstatsoft.org/v21/i12/>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Wickham, Hadley, and Jennifer Bryan. 2023. *readxl: Read Excel Files*. <https://CRAN.R-project.org/package=readxl>.
- Yu, Hannah. 2024. “Fake News vs Fox News: The Influence of Media Preferences on Voting Behavior in the 2020 U.S. Presidential Election Among Party Voters.” [https://github.com/hannahyu07/Fox-News/blob/main/paper/Fake\\_News\\_vs\\_Fox\\_News.pdf](https://github.com/hannahyu07/Fox-News/blob/main/paper/Fake_News_vs_Fox_News.pdf).