Muhammad Rohan Jabbar
F2024332019
OS lab D3

Q1) Create a folder with your name and id

```
rohan@rohan-Satellite-L830:~/Documents/rohan-f2024332019$
```

First we created a folder with our name and id by writing command mkdir following with our name and id.

Q2) Create 5 sub folder:

```
rohan@rohan-Satellite-L830:~/Documents/rohan-f2024332019$ mkdir -p folder1/folder2/folder3/folder4/folder 5
```

Then we created 5 sub folders using command mkdir -p the following writing the names of folders, which then created 5 sub folders.

Q3) Show the folders recursively

```
5  folder1

./5:

./folder1:
folder2

./folder1/folder2:
folder3

./folder1/folder2/folder3:
folder4

./folder1/folder2/folder3/folder4:
folder
```

Now we show our files recursively with the command ls -R

Q4) Create nano file in folder 3

```
rohan@rohan-Satellite-L830:~/Documents/rohan-f2024332019/folder1/folder2/folder3$ nano intro.txt
```

```
  GNU nano 7.2                                                    intro.txt
My name is Rohan, i study in umt, i use Zorin OS based on ubuntu linux
```

We then created nano file in folder 3 by first accessing folder 3 then with the

command nano intro.txt, it open a window in which we write some content then save by clickng ctrl+s and ctrl+x to exit the nano window

Q5) Show the content saved in nano file



We accessed the file by using the command cat intro.txt to show us the output of the content we wrote in nano file.