

HeatHack Test Book!!!!

Contents

- Admonitions formatting
- Test of panels
- Test of sidebars
- Markdown Files
- Notebooks with MyST Markdown
- Demonstration that we can produce the graphs we want easily in the Jupyter Book

This is a test of Github Pages rendering, before we commit to Jupyter Book. It's mostly the default Jupyter Book with a few simple format tests added to the beginning.

This is public, but of no use to anyone but the developers yet (sorry).

See [the Jupyter Book documentation](#) for documentation.

Admonitions formatting

Note

Notes have a nice format with a relevant icon and a specific colour.

Warning

See, this one is a bit different because it's a warning. We want a bunch of possibilities like this that aren't types they have natively: Key Concept (which is a some science), Fun Fact!, and Further Readings.

[Skip to main content](#)

Admonitions are the general case where you can say gets in the “header”, but how do you set the icon and colour - where does the “class” go and what are the ones that are already defined?

Key Concepts

Here's some text about some science.

Further Readings

How do we make this one different?

Fun Fact!

And this one - can it be fun?

Test of panels

We want to know what panels look like on GitHub Pages. Here's one.

At some point we want to know, how hard is it to put a javascript simulation in (for now, any simple one will do)?

Test of sidebars

This is a place to look at the side bar rendering. Maybe it can have classes like admonitions do. We might want to have some of our admonition types be side bars instead.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do

Here's a sidebar!

[Skip to main content](#)

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Markdown Files

Whether you write your book's content in Jupyter Notebooks (`.ipynb`) or in regular markdown files (`.md`), you'll write in the same flavor of markdown called **MyST Markdown**. This is a simple file to help you get started and show off some syntax.

What is MyST?

[Skip to main content](#)

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

MyST stands for “Markedly Structured Text”. It is a slight variation on a flavor of markdown called “CommonMark” markdown, with small syntax extensions to allow you to write **roles** and **directives** in the Sphinx ecosystem.

For more about MyST, see [the MyST Markdown Overview](#).

Sample Roles and Directives

Roles and directives are two of the most powerful tools in Jupyter Book. They are kind of like functions, but written in a markup language. They both serve a similar purpose, but **roles are written in one line**, whereas **directives span many lines**. They both accept different kinds of inputs, and what they do with those inputs depends on the specific role or directive that is being called.

Here is a “note” directive:

Note

Here is a note

It will be rendered in a special box when you build your book.

Here is an inline directive to refer to a document: [Notebooks with MyST Markdown](#).

Citations

You can also cite references that are stored in a `bibtex` file. For example, the following syntax:

`{cite}`holdgraf_evidence_2014`` will render like this: [\[HdHPK14\]](#).

Moreover, you can insert a bibliography into your page with this syntax: The `{bibliography}` directive must be used for all the `{cite}` roles to render properly. For example, if the references for your book are stored in `references.bib`, then the bibliography is inserted with:

[\[HdHPK14\]](#) Christopher Ramsay Holdgraf, Wendy de Heer, Brian N. Pasley, and Robert T. Knight. Evidence for Predictive Coding in Human Auditory Cortex. In *International Conference on Cognitive Neuroscience*. Brisbane, Australia, Australia, 2014. Frontiers in Neuroscience.

[Skip to main content](#)

Learn more

This is just a simple starter to get you started. You can learn a lot more at jupyterbook.org.

Notebooks with MyST Markdown

Jupyter Book also lets you write text-based notebooks using MyST Markdown. See [the Notebooks with MyST Markdown documentation](#) for more detailed instructions. This page shows off a notebook written in MyST Markdown.

An example cell

With MyST Markdown, you can define code cells with a directive like so:

```
print(2 + 2)
```

4

When your book is built, the contents of any `{code-cell}` blocks will be executed with your default Jupyter kernel, and their outputs will be displayed in-line with the rest of your content.

See also

Jupyter Book uses [Jupyter text](#) to convert text-based files to notebooks, and can support [many other text-based notebook files](#).

Create a notebook with MyST Markdown

MyST Markdown notebooks are defined by two things:

1. YAML metadata that is needed to understand if / how it should convert text files to notebooks (including information about the kernel needed). See the YAML at the top of this page for example.
- 2 The presence of `{code-cell}` directives which will be executed with your book

[Skip to main content](#)

That's all that is needed to get started!

Quickly add YAML metadata for MyST Notebooks

If you have a markdown file and you'd like to quickly add YAML metadata to it, so that Jupyter Book will treat it as a MyST Markdown Notebook, run the following command:

```
jupyter-book myst init path/to/markdownfile.md
```

Demonstration that we can produce the graphs we want easily in the Jupyter Book

This is a test file for some of the kinds of plots we will want in HeatHack-Sessions, so we can see what builds look like and how much we can automate. Although this uses csv files uploaded to Github manually, it may be possible to automate temp/RH feed download and the production of books specific to the venues we serve.

Basic plot showing a thingspeak temperature feed marked up for 16C, the child care commission minimum (not relevant for this particular data, just a test). This plot is also useful for assessing temperature control, especially on a short test for overshoot that tries holding a building at a temperature - cheapest in autumn. We'll want similar plots showing suggested RH bounds for the comfort of people and for organs/oil paintings and so on.

Note pan, zoom, etc - not beautiful, but even this basic level of plot would work. I wonder whether they'll be worried by the rogue readings. We could probably remove based on improbably fast temperature changes.

On our current thingspeak feeds, temperature is field1 and RH is field2 - we may be able to assign better names in future. I think I had to change the time format so that's either some scripting or a configuration change on the platform.

Plotly express is syntactic sugar over graph_objects; drop down into the graph_objects themselves allows more possibilities.

Information about new plotly approach here: <https://www.tekbook.org/interactive/interactive.html> One

[Skip to main content](#)

when they're together if they meet on the premises. Altair sounded like it might be useful in that situation.

:TODO: find out if we can hide the code.

The graphs look terrible in pdf as generated via html.

```
import plotly.express as px
import plotly.graph_objects as go

import pandas as pd


filename = "thingspeak-feed"
dfthingspeak = pd.read_csv(filename + ".csv")
dfthingspeak["timestamp"] = pd.to_datetime(dfthingspeak['created_at'])

fig = px.line(dfthingspeak, x='timestamp', y='field1', range_x=['2021-11-21', '2022-04-0']

fig.add_hline(y=16)

fig.show()
```

Temperature in a worship space: thingspeak-feed



Simple demonstration of data from two data frames on the same plot - with the wrinkle that one frame is from a lascar logger. We will be roughly exploring the calibration of the RH sensors by running batches of 10 DHT22s alongside a few Lascars over an RH range and showing groups the results, so they can judge how much to trust the data.

Lascars aren't configurable for what they export. I've removed a Unicode character this couldn't deal with (degree symbol) and used Excel to change the data format. These things should be fixable in code, but we won't use Lascars enough for that to be a priority task. Any processing we need to do on Thingspeak feeds is a priority, though.

We need every line labelled. Doing that requires us to pull out each line into a separate command to add it, I think - this might be an odd way of combining `express` and `graph_object`?


```
# Using plotly.express
import plotly.express as px
import plotly.graph_objects as go

import pandas as pd
dfthingspeak = pd.read_csv("thingspeak-feed.csv")
dfthingspeak["timestamp"] = pd.to_datetime(dfthingspeak['created_at'])


dflascar = pd.read_csv("lascar-data.csv")
dflascar['timestamp'] = pd.to_datetime(dflascar['Time'])

# fig = px.line(dfthingspeak, x='timestamp', y='field2', range_x=['2021-11-21', '2022-04-07'], range_y=[40, 80])
fig = px.line(dfthingspeak, x='timestamp', range_x=['2021-11-21', '2022-04-07'], range_y=[40, 80])
fig.add_scatter(x = dfthingspeak['timestamp'], y = dfthingspeak['field2'], name = 'thingspeak')
fig.add_scatter(x = dflascar['timestamp'], y = dflascar['RH'], name = 'lascar')

fig.show()
```



Comparing RH in a worship space as measured by different devices side by side



Vertical lines are useful for the start and end time of events. It would be better rendered as a separate

[Skip to main content](#)

Perhaps we can set up a worksheet where they put in their usual weekly schedule with a descriptive short string to render these. We could use diary export, but if their diary doesn't have a busy/free option, there's too much risk of personal data being in there, and there could be too many diary systems to deal with.

:TODO: It would be helpful if there were a dropdown control for choosing to view a day or a week, and then which specific day or week. That sort of control could be used to choose the group and venue, as well, so we're only producing one master book for everyone.

```
# Using plotly.express
import plotly.express as px

import pandas as pd
df = pd.read_csv("thingspeak-feed.csv")
df["timestamp"] = pd.to_datetime(df['created_at'])

#animation_frame and animation_group should make it possible to add a range slider??

fig = px.line(df, x='timestamp', y='field1', range_x=['2021-12-24', '2021-12-26'], range_y=[0, 100])
fig.add_vline(x='2021-12-24 23:00')
fig.add_vline(x='2021-12-25 00:00')
fig.add_vline(x='2021-12-25 10:00')
fig.add_vline(x='2021-12-25 11:30')

fig.show()
```

The figure is a step plot showing the value of 'field1' over time. The x-axis is labeled 'timestamp' and spans from 00:00 on Dec 24, 2021, to 00:00 on Dec 26, 2021. The y-axis is labeled 'field1' and ranges from 0 to 20. The plot shows a step-wise increase from 6 to 15 on Dec 24, a plateau at 15 on Dec 25, a sharp peak to 16, and a step-wise decrease back to 9 by Dec 26. Vertical lines mark midnight transitions.

Timestamp	field1
00:00 Dec 24, 2021	6
12:00 Dec 24, 2021	6
13:00 Dec 24, 2021	7
14:00 Dec 24, 2021	8
15:00 Dec 24, 2021	9
16:00 Dec 24, 2021	10
17:00 Dec 24, 2021	11
18:00 Dec 24, 2021	12
19:00 Dec 24, 2021	13
20:00 Dec 24, 2021	14
21:00 Dec 24, 2021	14
22:00 Dec 24, 2021	15
00:00 Dec 25, 2021	15
01:00 Dec 25, 2021	15
02:00 Dec 25, 2021	15
03:00 Dec 25, 2021	15
04:00 Dec 25, 2021	15
05:00 Dec 25, 2021	15
06:00 Dec 25, 2021	15
07:00 Dec 25, 2021	15
08:00 Dec 25, 2021	15
09:00 Dec 25, 2021	15
10:00 Dec 25, 2021	15
11:00 Dec 25, 2021	15
12:00 Dec 25, 2021	15
13:00 Dec 25, 2021	15
14:00 Dec 25, 2021	15
15:00 Dec 25, 2021	15
16:00 Dec 25, 2021	15
17:00 Dec 25, 2021	15
18:00 Dec 25, 2021	15
19:00 Dec 25, 2021	15
20:00 Dec 25, 2021	15
21:00 Dec 25, 2021	15
22:00 Dec 25, 2021	15
23:00 Dec 25, 2021	15
00:00 Dec 26, 2021	15
01:00 Dec 26, 2021	15
02:00 Dec 26, 2021	15
03:00 Dec 26, 2021	15
04:00 Dec 26, 2021	15
05:00 Dec 26, 2021	15
06:00 Dec 26, 2021	15
07:00 Dec 26, 2021	15
08:00 Dec 26, 2021	15
09:00 Dec 26, 2021	15
10:00 Dec 26, 2021	15
11:00 Dec 26, 2021	15
12:00 Dec 26, 2021	15
13:00 Dec 26, 2021	15
14:00 Dec 26, 2021	15
15:00 Dec 26, 2021	15
16:00 Dec 26, 2021	15
17:00 Dec 26, 2021	15
18:00 Dec 26, 2021	15
19:00 Dec 26, 2021	15
20:00 Dec 26, 2021	15
21:00 Dec 26, 2021	15
22:00 Dec 26, 2021	15
23:00 Dec 26, 2021	15
00:00 Dec 27, 2021	15
01:00 Dec 27, 2021	15
02:00 Dec 27, 2021	15
03:00 Dec 27, 2021	15
04:00 Dec 27, 2021	15
05:00 Dec 27, 2021	15
06:00 Dec 27, 2021	15
07:00 Dec 27, 2021	15
08:00 Dec 27, 2021	15
09:00 Dec 27, 2021	15
10:00 Dec 27, 2021	15
11:00 Dec 27, 2021	15
12:00 Dec 27, 2021	15
13:00 Dec 27, 2021	15
14:00 Dec 27, 2021	15
15:00 Dec 27, 2021	15
16:00 Dec 27, 2021	15
17:00 Dec 27, 2021	15
18:00 Dec 27, 2021	15
19:00 Dec 27, 2021	15
20:00 Dec 27, 2021	15
21:00 Dec 27, 2021	15
22:00 Dec 27, 2021	15
23:00 Dec 27, 2021	15
00:00 Dec 28, 2021	15
01:00 Dec 28, 2021	15
02:00 Dec 28, 2021	15
03:00 Dec 28, 2021	15
04:00 Dec 28, 2021	15
05:00 Dec 28, 2021	15
06:00 Dec 28, 2021	15
07:00 Dec 28, 2021	15
08:00 Dec 28, 2021	15
09:00 Dec 28, 2021	15
10:00 Dec 28, 2021	15
11:00 Dec 28, 2021	15
12:00 Dec 28, 2021	15
13:00 Dec 28, 2021	15
14:00 Dec 28, 2021	15
15:00 Dec 28, 2021	15
16:00 Dec 28, 2021	15
17:00 Dec 28, 2021	15
18:00 Dec 28, 2021	15
19:00 Dec 28, 2021	15
20:00 Dec 28, 2021	15
21:00 Dec 28, 2021	15</