

12 - Testing QA Acceptance Criteria

Visor DOM-to-Agent Context Compiler
DOC-12 | 0.1 requirements pack | Generated 2026-06-14

This testing document defines fixture pages, test layers, acceptance matrix, example tests, and release-blocking bugs.

Field	Value
Owner	Rohan PX / Visor project
Audience	AI coding agent, reviewer, future contributors
Status	Draft baseline for MVP build
Decision rule	MVP is local-first, minimal-permission, Chrome Manifest V3, no backend unless explicitly enabled.

Document control

Item	Value
Project	Visor DOM-to-Agent Context Compiler
Document code	DOC-12
Generated on	2026-06-14
Primary goal	Turn raw webpage DOM into safe, structured, agent-ready context.
MVP boundary	Chrome extension, local-only compiler, JSON/Markdown export, privacy redaction, tests.

1. Testing philosophy

Testing must focus on compiler correctness, privacy safety, and browser-extension reliability. The MVP is accepted only when representative fixture pages compile without crashes and generated AgentContext outputs validate against schema.

2. Test layers

Layer	Scope	Examples
Unit	Pure functions	token estimate, redaction regex, scoring, dedupe, schema validators.
Fixture integration	Extractor/compiler on local HTML fixtures	article, docs, product, table, form, dashboard, noisy blog.
Extension integration	Message passing and popup behavior	compile active tab, restricted page, timeout, copy output.
Manual QA	Chrome unpacked extension	install, settings, preview, export, clear data.
Security QA	Privacy and UI rendering	no network calls, escaped content, no password values.

3. Fixture pages

- simple-article.html - headings, paragraphs, links.
- docs-with-code.html - nested headings, code blocks, sidebar.
- product-page.html - price, specs table, buy buttons, reviews.
- dashboard.html - cards, status text, private-looking numbers.
- form-heavy.html - labels, inputs, select, required fields, errors.
- table-heavy.html - large table with headers and captions.
- noisy-blog.html - ads, cookie banner, newsletter popup, related posts.
- hidden-elements.html - display none, aria-hidden, hidden attribute.
- secrets.html - email, phone, JWT-like string, API-key-like string.
- large-page.html - stress test for node/block/token limits.

4. Acceptance matrix

ID	Requirement	Priority	Acceptance signal
QA-001	Extension installs locally as unpacked build.	P0	Chrome loads dist folder without manifest error.
QA-002	Popup opens and shows active page state.	P0	Page title visible or fallback message shown.
QA-003	Compile button returns valid context on article fixture.	P0	AgentContext validator passes.

ID	Requirement	Priority	Acceptance signal
QA-004	Extractor captures links/buttons/forms/tables on relevant fixtures.	P0	Expected counts meet fixture assertions.
QA-005	Hidden nodes are excluded from normal output.	P0	Hidden fixture text absent except debug removed list.
QA-006	Secrets are redacted in strict mode.	P0	Secret fixture masks expected values.
QA-007	No external network call occurs during compile.	P0	Network inspector and test spy show zero calls.
QA-008	Restricted pages show graceful error.	P0	No crash; user-readable error appears.
QA-009	Large page compiles partially with warning.	P1	Partial result has warning and no freeze.
QA-010	Debug mode shows kept/removed/scored blocks.	P1	Debug view populated.

5. Example unit tests

```
describe('redactor', () => {
  it('masks email and JWT-like tokens in strict mode', () => {
    const input = 'Contact rohan@example.com token eyJhbGciOiJIUzI1NiJ9.x.y';
    const result = redact(input, { level: 'strict' });
    expect(result.text).not.toContain('rohan@example.com');
    expect(result.redactedItems).toContainEqual(expect.objectContaining({ type: 'email' }));
    expect(result.redactedItems).toContainEqual(expect.objectContaining({ type: 'jwt' }));
  });
});
```

6. Release blocking bugs

- Any password value appears in output.
- Any compile path makes an external network call in MVP.
- AgentContext is invalid for normal fixture pages.
- Extension requests broad host permissions without justification.
- Preview UI renders extracted HTML as executable HTML.
- Compile freezes browser on large fixture instead of degrading gracefully.