

SRM Institute of Science and Technology College of Engineering and Technology School of Computing

Mode of Exam
OFFLINE
SET D

DEPARTMENT OF COMPUTING TECHNOLOGIES

SRM Nagar, Kattankulathur – 603203, Chengalpattu District, Tamilnadu

Academic Year: 2023-24 (EVEN)

Test: CLAT-1

Course Code & Title:21CSC206T – Artificial Intelligence

Year & Sem: II /4th

Date: 22nd Feb 2024

Duration: 1 period

Max. Marks: 25

Course Articulation Matrix:

		PO									PSO				
	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3
CO1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
CO2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
CO3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
CO4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
CO5	3	2	3	-	-	-	-	-	2	-	-	-	-	-	-


	Doub A (5 - 1 5 Montes) To describe	A ma	ATT			
Q. No	Part – A (5 x 1 = 5 Marks) Instructions: Question	Marks	BL	СО	PO	PI Code
1	Deep blue defeated Garry Kasparov in the year(1997)	1	1	1	1	1.6.1
2	The solution to the problem is not guaranteed and may vary with different executions.(Non deterministic)	1	1	1	1	1.6.1
3	Match the following: problem criterion on left (two) among the three descriptions given on the right. 1. Utility- a) Capture maximum instances of the problem 2. Generality- b) Reasoning with efficient representation c) Good solution algorithms (1-c, 2-a)	1	1	1	1	1.6.1
4	 Which of the following sentences are TRUE pertaining to AI hypothesis? a) Weak AI Hypothesis states that the machines could act as if they were intelligent. b) Weak AI Hypothesis states that for machines to act intelligently, they must also think intelligently. c) Strong AI Hypothesis states that the machines could act as if they were intelligent. d) Strong AI Hypothesis states that for machines to act intelligently, they must also think intelligently. 	1	2	1	1	1.6.1
5	 Which of the following sentence is FALSE pertaining to evolution of AI? Which is the correct chronological order of the evolution of AI based on its prominence? a) Probabilistic, Neural, Logic is the chronological order of the evolution of AI b) Logic, Probabilistic, Neural is the chronological order of the evolution of AI c) AlphaGo is an AI system that defeated Lee Sedol in the game of Go in the year 2016 utilizing Deep Neural Networks. d) The task of the DARPA grand challenge is Autonomous Driving. 	1	2	1	1	1.6.1
	Part - B (1 x 10 = 10 Mark					
6	Consider the problem to determine number of drivers they will need or incentives to offer when drivers are in demand and associating the thumbs-up gesture with positivity. Discuss and justify the AI model employed for the above two problems. Driver: decision making-statistical model and thumbs up-	10	3	1	2	2.7.1


Seminist model These models are based on sign processes or signification and communication. The process of carrying meaning dispension is coded. Seministrations clearly stages or sign species in the control of the c							
Them models are based on sign processes or signification and communication. The process of carrying meaning, depends on codes. Smitiotical enably signs or sign process depends on the moderness. In complete, these space and elementary of a bigolal sequence. **Suttitude Models** **Suttitude models refer to representation and formalisation of relationships through statistical stechniques. Most of the Al problems can be represented as a statistical or patient maching problems. Names bearing models from all prespective are blased or statistics. **Part — C (1 x 10 = 10 Marks) Instructions: Answer any 1 **In the "Missionaries and Cannibals" problem, there are six orcoss to the other side using a boot that can carry at most three people. However, if the missionaries ever outnumber the camibals on either side of the river, the camibals will eat the missionaries. **Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one camibal crossing the river. **Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one camibal crossing the river. **Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one camibal crossing the river. **Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one camibal crossing the river. **Secondary Comments** **Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one camibal sould be lift, after the comments of the first camibal separate and 15 minutes. Using the camibals. List down the optimize stapes and 15 minutes. Stape		semiotic model					
of carrying meaning depends on codes. Seminiciations classify stage or stigat systems in relations to the problem. This material assignment and empring persons depends on the movements. In computers, there signs are determined for a logical sequence. Statistical models where to representation and formalisation of relationships through statistical techniques. Most of the Alf problems on the represented as statistical or potent matching problems. Various learning models from Al perspective are based on statistics. Part – C (1 x 10 = 10 Marks) Instructions: Answer any 1 7 In the "Missionaries and Caminbals" problem, there are six missionaries and six caminbals on one side of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries and six caminbals on the caminbals on either side of the river, the caminbals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. Leg 2D Re 31 Do C. Leg 1D Ne 3 a do C. Leg 2D Re 33 1D C. Leg 1D Ne 3 a do C. Leg 1D Ne 4 a do C.							
Substitute models refer to representation and formalisation of relationships through statistical techniques. Most of the Al probleme on the Propensental as statistical or pattern matching problems. Various learning models from Al perspective are based on statistics, approaches and is synathyla scaledistic models. Part — C (1 x 10 = 10 Marks) Instructions: Answer any 1. 7 In the "Missionarics and Camnibals" problems, there are six missionaries and six cannibals on one side of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries very continumber the camnibals on either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. **COUNTY** **C		of carrying meaning depends on codes. Semiotictans classify signs or sign systems in relation to the problem. This meaning assignment and mapping process depends on the use of codes based on individual sounds or letters that humans use to form words or					
Substitute models refer to representation and formalisation of relationships through statistical techniques. Most of the Al probleme on the Propensental as statistical or pattern matching problems. Various learning models from Al perspective are based on statistics, approaches and is synathyla scaledistic models. Part — C (1 x 10 = 10 Marks) Instructions: Answer any 1. 7 In the "Missionarics and Camnibals" problems, there are six missionaries and six cannibals on one side of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries very continumber the camnibals on either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. **COUNTY** **C		Statistical Models					
Part – C (1 x 10 = 10 Marks) Instructions: Answer any 1 7 In the "Missionaries and Camibals" problem, there are six missionaries and six camibals on estige of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries ever outnumber the camibals on either side of the river, the camibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river.		Statistical models refer to representation and formalisation of relationships through statistical techniques. Most of the AI problems can be represented as statistical or pattern matching problems. Various learning models from AI perspective are based on statistics. The historical data is used here in decision-making. Statistical model employs probabilistic approaches and is typically a collection of probability density functions and distribution					
In the "Missionaries and Cannibals" problem, there are six missionaries and cannibals on one side of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries ever outnumber the cannibals on either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river.		1,739972932					
missionaries and six cannibals on one side of a river. They need to cross to the other side using a boat that can carry at most three people. However, if the missionaries ever outnumber the cannibals on either side of the river, the cannibals will ear the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. Common					1	2	201
cross to the other side using a boat that can carry at most three people. However, if the missionaries ever outnumber the cannibals on either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. Common Comm	7		10	3,4	1	2	2.8.1
people. However, if the missionaries ever outnumber the cannibals on either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. COUNTY COUNTY							
On either side of the river, the cannibals will eat the missionaries. Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. COUNTRY CO							
Determine the sequence of trips to safely transport everyone to the other side starting with one missionary and one cannibal crossing the river. COUNTY							
other side starting with one missionary and one cannibal crossing the river. COMMON C							
COMMINGE CONTINUE							
Secnario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step 1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles, List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit, but only one end of the second candle should be lit. After		CCCMMM					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles, List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit, but only one end of the second candle should be lit. After							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles, List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit, but only one end of the second candle should be lit. After							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit, After		CC> CM> MM>					
COMMINGE		CHMM-CC CCMM-CM CCCM-MM					
COMMINGE							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit. After							
CONTINUE		CCMMM-C CCMMM-C					
CONTINUE							
CONTINUE		21 21					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		CC> CN> MM>					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		MMM-CCC CMM-CCM CCM-CMM					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
CCC COMMAND							
CCC COMMAND							
CCC COMMAND		CNO MM>					
CCCMMMN CCMM CMM-CCM CCSCMMNN CCMM CCMMNN CMM-CCM CCSCMMNN CCMMNN CMM-CCM CCMMNN CMMNN CMM-CCM CCMMNN CMMNN CMM-CCM CCMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CCMMNN CCMMN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMN CCMNN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMNN CCMMN CCMMN CCMMN CCMMN		MM>CCCM CM>CCMM					
CCCMMMN CCMM CMM-CCM CCSCMMNN CCMM CCMMNN CMM-CCM CCSCMMNN CCMMNN CMM-CCM CCMMNN CMMNN CMM-CCM CCMMNN CMMNN CMM-CCM CCMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CMMNN CCMMNN CCMMN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMNN CCMMN CCMNN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMN CCMMNN CCMMN CCMMN CCMMN CCMMN							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		<cc <c="" cm="" m<="" td=""><td></td><td></td><td></td><td></td><td></td></cc>					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		CCCM-SMM CCM-CCM CCM-CMM CMM-CCM					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		Le03 0 x Be 3 1 0 x					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		WEST CONTRACTOR					
CCR L<021>R<310> CCR L<000>R<331> repeat the above steps twice 8 Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		to come of the contract of the					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
CL L<021>R<310> CCR L<000>R<331> repeat the above steps twice 8 Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		*					
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		•					
8 Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		on one of the contract of the					
8 Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		№ 0 VSC=1.00					
8 Scenario: Given two candles. Each of them burns for one hour. They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After		L<000>R<331> repeat the above steps twice					
They burn unevenly in different parts though. In addition, let's have a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After			10	2.1	4		201
a box of matches. Your goal is to Measure 45 minutes and 15 minutes. Using the candles. List down the optimal steps. Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After	8		10	3,4		2	2.8.1
minutes. Using the candles. List down the optimal steps. Solution: Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
Solution: • Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
Step1: Both ends of the first candle should be lit, but only one end of the second candle should be lit. After							
only one end of the second candle should be lit. After							
		•					
	<u></u>		<u>I</u>	<u> </u>	<u> </u>	1	<u> </u>

remaining time is 30 minutes to burn the other candle
with one end unburned.
• Step2: Now lit both the ends of the 30-min(remaining)
length of candle 2, it will burn in 15 minutes. Now let's
have a look at the solution candle-wise.
Candle1: The first candle is lit from the end,
So it will be completely burned in 30 minutes.
Candle2: After 30 minutes, the two candles
will be half burned. Now, let's lit the second
end also and candle 2 will be burned
completely in 15 minutes.

^{*}Performance Indicators are available separately for Computer Science and Engineering in AICTE examination reforms policy.

Course Outcome (CO) and Bloom's level (BL) Coverage in Questions





Approved by the Audit Professor/Course Coordinator