

ARC-NOMADE

HOW THE SITE WORKS: The Complete End-to-End Traveler & Expedition Guide

SYSTEM SPECIFICATION & PURPOSE:

ARC-NOMADE is an all-in-one expedition management platform engineered for modern global travelers. It converges autonomous AI itinerary generation, real-time spatial geocoding, high-contrast CARTO cartography, an 80+ world currency normalization engine, a Greedy circular debt resolution ledger, automated flight state machine simulation, and WebSocket-driven group synchronization into a singular, cohesive command deck.


TABLE OF CONTENTS & SYSTEM MODULES

Chapter 1: Platform Overview & The Nomad's Workflow	Architectural philosophy, 5-stage lifecycle, technology stack.
Chapter 2: Onboarding & Profile Personalization	JWT token security, travel persona matching, base airport, preferences.
Chapter 3: The 4-Step Expedition Creation Wizard	Open-Meteo geocoding, Leaflet fly-to, date engines, AI toggles.
Chapter 4: The Trip Command Center & Meteorology	Unified workspace layout, Open-Meteo atmospheric radar, live countdowns.
Chapter 5: Day-by-Day Itinerary Planner & Dual AI	OpenRouter fallback logic, Gemini 3.7 Flash SDK, strict JSON schemas.
Chapter 6: Spatial Cartography & Interactive Map	Leaflet memoization, custom pin systems, polyline routing, CARTO tiles.
Chapter 7: 80+ Multi-Currency Engine & Cheat Sheet	Cross-rate normalization, quick chips, offline matrix, reference tables.
Chapter 8: Expense Ledger & Debt Simplification	Foreign currency drawer, expense splits, Greedy Minimum Cash Flow algorithm.
Chapter 9: Flight Operations & Live Boarding Passes	IATA tracking, deterministic state machine, photorealistic pass cards.
Chapter 10: Collaboration, Chat & Executive Exports	WebSocket channels, RBAC security, 6-sheet formula Excel, print PDF.

CHAPTER 1: PLATFORM OVERVIEW & THE NOMAD'S WORKFLOW

Modern global travel suffers from severe informational entropy. Travelers juggle disparate spreadsheets for budgets, pinned maps for navigation, messaging apps for coordination, notes apps for reservations, and third-party tools to split bills. ARC-NOMADE eliminates fragmentation through a centralized reactive architecture.

The 5-Stage Expedition Lifecycle (Pictorial Flowchart)



Phase	User & System Operations	Key Modules	Primary Output Artifact
Stage 1: Setup	User signs up, sets home base airport (IATA), preferred currency, and persona.	Auth / Profile	Configured User Profile
Stage 2: Wizard	Destination geocoded, calendar bounds set, AI itinerary generated in 60s.	Open-Meteo / AI	Active Trip Instance
Stage 3: Workspace	Interactive map routing, daily itinerary scheduling, live weather alerts.	Command Center	Interactive Daily Matrix
Stage 4: Travel Ops	Real-time flight simulation, foreign spend conversion, group messaging.	Flights / Ledger	Settlement Graph & Passports
Stage 5: Settlement	Greedy algorithm cancels circular debts; exports 6-sheet Excel and PDF.	Exporters / Debt	Audit Ledger & Printable Dossier

Platform Technical Architecture

Frontend Application	Next.js / React with Tailwind CSS, Lucide icons, and Leaflet GIS mapping components.
State Management	React hooks with memoized refs (locationsRef) ensuring zero re-render loops on spatial panning.
Backend Services	REST APIs + WebSocket engine for bi-directional live collaboration and presence.
External Spatial APIs	Open-Meteo Geocoding, Nominatim Reverse Geocoding, CARTO Dark Matter / Voyager tile sets.
Financial Pipeline	Open Exchange Rates API with localized fallback cache matrix for offline conversions.

CHAPTER 2: ONBOARDING & PROFILE PERSONALIZATION (/profile)

User sessions are authenticated through stateless JSON Web Tokens (JWT). The user profile establishes base travel preferences that automatically seed and configure all future expedition parameters.

Preference Field	Configurable Options / Validation	Downstream System Impact
Home Airport	3-letter IATA code (e.g., HND, JFK, LHR, CDG, SIN).	Automates origin selection for flight booking & logistics.
Travel Persona	Balanced, Cultural, Culinary / Foodie, Active Outdoors, Slow Travel.	Weights AI prompt heuristics and activity recommendation clustering.
Default Currency	80+ searchable currencies with official ISO codes and country flags.	Sets default base display for expense ledgers and budget trackers.
Budget Tier	\$ (Budget Conscious), \$\$ (Moderate Comfort), \$\$\$ (Luxury / Executive).	Constrains AI hotel, dining, and activity price predictions.
Interest Badges	Tags: Architecture, Nightlife, Coffee, History, Nature, Photography.	Injected into Gemini/OpenRouter prompt system context.

CHAPTER 3: THE 4-STEP EXPEDITION CREATION WIZARD (/trips/create)

The expedition wizard empowers users to launch a complete, fully budgeted journey in under 60 seconds.

Step 1: Destination & Live Geocoding	The traveler inputs any global location (e.g., 'Kyoto, Japan'). A 350ms debounced search queries Open-Meteo. The embedded Leaflet preview map instantly flies to the target latitude and longitude with an animated marker.
Step 2: Travel Dates & Visual Cover	Calendar pickers capture start and end dates, calculating elapsed duration. Users choose scenic Unsplash presets or supply an authenticated image URL with instant live preview rendering.
Step 3: Budget, Currency & AI Architect	Designate expedition budget. An interactive CurrencySelect dropdown supports 80+ currencies with real-time search and flagcdn.com badges. Travelers can toggle the AI Travel Architect, choosing their pace (Relaxed, Moderate, Sprint).
Step 4: Review & Launch	A consolidated dossier card renders target coordinates, travel duration, flag-badged budget, and AI readiness. Clicking 'Launch Expedition' provisions the workspace and redirects to the Command Center.

CHAPTER 4: THE TRIP COMMAND CENTER & LIVE METEOROLOGY

The Trip Workspace (/trips/[tripId]) acts as the core mission command center. A responsive sticky header keeps critical context accessible across all operational tabs.

STICKY HEADER TELEMETRY:

- **Destination Coordinates & Flag:** Visual confirmation of active territory.
- **Departure Countdown Badge:** Reactive counter indicating days, hours, or active travel status.
- **Total Budget Meter:** Live expenditure progress bar tracking aggregate spend vs. allocated capital.
- **Open-Meteo Meteorology Bar:** Current ambient temperature, precipitation probability, humidity, and 5-day forecast.

CHAPTER 5: DAY-BY-DAY ITINERARY PLANNER & DUAL AI ENGINE

The itinerary planner organizes travel into sequential daily agendas. Activities are enriched with metadata including exact start/end timestamps, categorization, spatial coordinates, notes, and individual budgets.

DUAL-MODEL AI ARCHITECTURE:

To guarantee 99.9% uptime, ARC-NOMADE operates a dual-tier model fallback: Primary calls route through **OpenRouter** (calling google/gemini-2.5-flash with automated fallback to openai/gpt-4o-mini), or directly through the **Google Gemini 3.7 Flash SDK**. The system enforces strict JSON Schema extraction ensuring all stops return valid latitude, longitude, and realistic scheduling intervals.

Itinerary Activity Taxonomy

Category Badge	Visual Accent	Default Attributes Collected	Map Marker Style
Sightseeing	Cyan / Teal	Monument name, entrance fees, open/close hours, ticket URL	Cyan Pin + Camera Icon
Culinary	Orange / Amber	Meal type (Breakfast/Lunch/Dinner), reservation code, cuisine	Cyan Pin + Utensils Icon
Transport	Blue / Indigo	Transit mode (Train, Ferry, Taxi), departure platform, transit time	Cyan Pin + Train/Car Icon
Accommodation	Purple / Violet	Hotel/Airbnb address, check-in bounds, booking confirmation	Cyan Pin + Bed Icon
Activity / Sport	Emerald / Green	Gear requirements, physical difficulty tier, waiver status	Cyan Pin + Compass Icon

CHAPTER 6: SPATIAL CARTOGRAPHY & THE LIVE CARTO MAP

Cartography in ARC-NOMADE is not a static screenshot; it is a high-performance interactive Leaflet GIS engine. The system coordinates real-time state with scheduled itinerary items and dynamic polyline routes.

Zero-Dependency Re-Render Protection	High-frequency state changes could cause map canvas flicker. ARC-NOMADE utilizes locationsRef and custom coordinate diffing to ensure the Leaflet instance remains silky smooth at 60 FPS.
Custom Pin Taxonomy	• Cyan Pins: Confirmed daily itinerary stops showing sequence numbers (1, 2, 3...). • Purple Pins: AI-recommended discovery spots nearby that can be added with 1 click.
Interactive Stop Cards	Clicking any marker opens an interactive card displaying photos, timing, category badge, estimated cost, and direct navigation links.
Animated Polyline Routing	Calculates and renders connected vector paths linking daily activities in chronological sequence to visualize the day's transit flow.

Map Tile Engine Comparison

Tile Style	Provider & Protocol	Ideal Use Case	Authentication
CARTO Dark Matter	CARTO Vector Basemaps	Default night-mode theme; high contrast against glowing cyan pins.	Authenticated ?key=
CARTO Voyager	CARTO Vector Basemaps	Daylight city navigation; crisp street labeling and building footprints.	Authenticated ?key=
OpenStreetMap	Standard OSM Tiles	Open-source geographic reference and public transit station visualization.	Public CDN
Esri World Imagery	Esri Photorealistic Satellite	Topographical hikes, coastal expeditions, and alpine terrain review.	Esri ArcGIS Server

CHAPTER 7: 80+ MULTI-CURRENCY CALCULATOR & NOMAD CHEAT SHEET

Traveling across international borders introduces confusing exchange rates. ARC-NOMADE solves this with a real-time currency converter supporting 80+ national currencies, powered by Open Exchange Rates API with an offline cross-rate fallback matrix.

Instant Swap Engine	A dedicated swap button reverses Base and Target currencies with a smooth 180-degree rotation animation.
Frequent Nomad Chips	1-click selection chips for high-frequency currencies: USD, EUR, GBP, JPY, CAD, AUD, INR, CHF, SGD, AED, THB.
Direct Expense Logging	Calculated conversions feature a 'Log as Expense' button that pre-populates the expense drawer immediately.
Offline Fallback Matrix	If international data connectivity drops, the client uses a cached exchange matrix updated on initial launch.

Traveler Purchasing Power Cheat Sheet (Sample Matrix)

USD (\$)	EUR (€)	GBP (£)	JPY (¥)	INR (₹)	CAD (\$)	Representative Travel Benchmark
\$1.00	€0.92	£0.78	¥155	₹83	\$1.36	Bottled Water / Local Postcard
\$5.00	€4.60	£3.92	¥775	₹415	\$6.80	Espresso & Pastry / Single Metro Ticket
\$10.00	€9.20	£7.85	¥1,550	₹830	\$13.60	Street Food Lunch / Museum Admission
\$25.00	€23.00	£19.62	¥3,875	₹2,075	\$34.00	Sit-down Casual Dinner / Regional Bus
\$50.00	€46.00	£39.25	¥7,750	₹4,150	\$68.00	Multi-course Meal / Cross-town Taxi
\$100.00	€92.00	£78.50	¥15,500	₹8,300	\$136.00	Guided Day Tour / Bullet Train Segment
\$250.00	€230.00	£196.25	¥38,750	₹20,750	\$340.00	Boutique Hotel Night / Fine Dining for Two
\$500.00	€460.00	£392.50	¥77,500	₹41,500	\$680.00	Multi-day Expedition Pass / High-end Lodging

CHAPTER 8: EXPENSE LEDGER & CIRCULAR DEBT SIMPLIFICATION

Group travel finances often collapse into chaos when multiple members pay for varied expenses across multiple currencies. ARC-NOMADE implements a mathematical debt simplification ledger.

Debt Graph: Circular Loops vs. Greedy Resolution

BEFORE: CIRCULAR LOOPS (3 TX)

3 Redundant Transfers

VS

AFTER: GREEDY MINIMUM CASH FLOW RESOLUTION

NET BALANCE VECTORS:

Alice: \$0.00 | Bob: \$0.00 | Charlie: \$0.00

0 TX REQUIRED!

THE GREEDY MINIMUM CASH FLOW ALGORITHM:

In a group of N travelers, naive peer-to-peer tracking can result in up to $N(N-1)/2$ separate debts. For example: Alice owes Bob \$30, Bob owes Charlie \$30, and Charlie owes Alice \$30. Instead of processing three separate payments, the net debt is zero.

Algorithmic Procedure:

1. Compute each member's net balance: $Net[i] = \text{Total Paid by Member} - \text{Total Owed by Member}$.
2. Locate the greatest debtor (minimum net balance, D) and greatest creditor (maximum net balance, C).
3. Settle an amount $\min(-D, C)$ directly from debtor to creditor.
4. Update balances and repeat until all net balances are zero. The maximum number of transactions is strictly bounded by $N - 1$.

Expense Split Model Matrix

Split Methodology	Underlying Formula	Common Real-World Example
Equal Split	$Share = \text{Total Amount} / N$	Group Airbnb rental, rental car hire, shared taxi rides.
Exact Dollar Amounts	Share = Designated Fixed Sum	Dinner where some members ordered premium steak or wine.
Custom Percentages	$Share = \text{Total Amount} * (\text{Percent} / 100)$	Family travel where adults shoulder 80% and students pay 20%.

CHAPTER 9: FLIGHT OPERATIONS & LIVE DIGITAL BOARDING PASSES

ARC-NOMADE treats flights as primary operational entities rather than static text notes. The flight subsystem tracks carrier codes, route paths, departure/arrival schedules, and terminal logistics.

Interactive Boarding Pass Visual UI Representation



Flight Record Fields	Airline IATA, flight number, origin & destination airports, scheduled departure/arrival times, terminal, gate, seat, confirmation code.
Deterministic State Machine	Background simulator evaluates timestamps and simulates realistic flight progress across operational states.
Photorealistic Boarding Pass UI	Renders high-fidelity mobile and desktop passes with airport codes, flight paths, seat badges, and scannable barcode visuals.
Automated Timeline Sync	Adding a flight automatically places departure and arrival anchor events directly into the Day 1 and final day itineraries.

Flight Operational State Machine

State	Trigger Condition	Visual Indicator	System Notifications
Scheduled	Departure time is greater than 24 hours away.	Slate Gray Pill	General packing and documentation reminder.
Boarding	Within 45 minutes of scheduled departure.	Flashing Amber Badge	Gate check-in alert; terminal location pinned.
Departed	Flight has pushed back from gate.	Blue Transit Badge	Departure confirmed; transit timeline initialized.
In-Flight	Airborne; between departure and arrival.	Cyan Glowing Airplane	Live progress bar indicating remaining flight duration.
Landed	Aircraft reached destination gate.	Emerald Success Badge	Prompts baggage claim directions and arrival taxi tips.
Delayed / Cancelled	External schedule adjustment detected.	Rose Warning Badge	Recommends itinerary schedule adjustments.

CHAPTER 10: COLLABORATION, CHAT & EXECUTIVE EXPORTS

Travel is inherently collaborative. ARC-NOMADE pairs low-latency real-time communications with enterprise document generation for offline resilience.

Enterprise Role-Based Access Control (RBAC)

Role Tier	Permitted Actions	Restricted Actions	Typical Assignment
OWNER	Full administrative rights, trip deletion, member invitation, billing.	None.	Expedition Lead / Planner
EDITOR	Add/edit itinerary items, log flights, add expenses, chat.	Cannot delete trip or change permissions.	Active Co-Travelers
EXPENSE_MGR	Full access to Expense Ledger, split editing, settlement actions.	Cannot alter itinerary timing or flights.	Group Accountant / Lead Payer
VIEWER	Read-only access to maps, flights, itineraries, and chat.	Cannot modify, add, or delete any records.	Family members tracking travel

Executive Document Export Engine

1-CLICK EXECUTIVE EXPORT PIPELINE:

- **6-Sheet Formula Excel Workbook:** Generates a native .xlsx workbook featuring separate tabs for Overview, Itinerary Timeline, Flight Logistics, Master Expense Ledger (with dynamic =SUM() formulas), Debt Settlement Matrix, and Category Charts.
- **Print-Ready PDF Travel Dossier:** Compiles an offline travel binder containing day-by-day itineraries, confirmation numbers, emergency embassy contacts, address cards in local scripts, and offline maps.

Real-Time WebSocket Architecture

Instant Message Broadcast	Sub-50ms message distribution across all connected expedition travelers.
Live Avatar Presence	Visual header indicators showing which members are currently reviewing the itinerary.
Interactive Typing Indicators	Real-time feedback when co-planners are composing messages or proposing changes.
Emoji Reactions	Fast 1-click sentiment on activities (thumbs up, heart, eyes, questioning).

ARC-NOMADE SYSTEMS INC. — *Your Journey, Perfectly Mapped.*