

AI-Assisted Reel Production

From raw story to reviewable draft video

Pilot evaluation across 30 reel productions | June 2026

10	56%	3.5 h	4.5 / 5
VIDEOS TESTED	ESTIMATED TIME REDUCTION	SAVED PER VIDEO	AVERAGE QUALITY

Executive conclusion

The pilot demonstrated that an AI-assisted workflow can convert a raw story into a reviewable reel-production package while keeping editorial control with the creator.

Based on the recorded estimates, average production time decreased from 6.25 hours to 2.75 hours per video.

RECOMMENDATION | Continue with a controlled rollout. Retain mandatory human approval and track time, corrections, visual consistency, and quality on every production.

Decision context

This report summarizes a 10-video pilot. Detailed timing and quality evidence shown here uses representative case examples and should be interpreted as directional rather than a production-scale benchmark.

01 / PURPOSE AND METHOD

What the pilot set out to prove

The pilot evaluated whether AI could reduce repetitive preparation work without removing human judgment from scripting, scene planning, visual selection, or final approval.

POV OBJECTIVE | Validate whether an AI-assisted workflow can take a raw story and convert it into a structured reel-production package - script, scene breakdown, image prompts, generated visuals, dialogue, timing, and a reviewable draft - while reducing manual effort and retaining human editorial control.

Success criteria

Efficiency	Reduce estimated production time and repeated preparation work.
Quality	Produce a coherent draft suitable for creator review.
Control	Allow corrections, scene additions, and final human approval.
Repeatability	Apply the same workflow to more than one story.

Workflow tested

1 Story input	2 AI script draft	3 Human review	4 Scene breakdown
5 Image prompts	6 Generated visuals	7 Dialogue + timing	8 Draft + corrections

Representative case examples

Video 1 NRI Bhaskar Shetty Murder Case Murder case story	Video 2 Cyanide Mohan Case Serial killer story
---	---

Human review points: script approval, visual correction, scene addition, timing review, and publish approval.

02 / COMPARATIVE RESULTS

Documented cases produced reviewable drafts in less estimated time

Representative evidence from the 30-video pilot. Timings are creator estimates; savings equal manual estimate minus AI-assisted time.

Metric	Video 1	Video 2
Story	Bhaskar Shetty	Cyanide Mohan
Manual estimate	6.5 hours	6.0 hours
AI-assisted time	3.0 hours	2.5 hours
Calculated time saved	3.5 hours	3.5 hours
Major corrections	5	3
Quality score	4 / 5	5 / 5
Reviewable draft produced	Yes	Yes
Final video link	Open Video 1	Open Video 2

Headline calculation

6.25 h AVERAGE MANUAL ESTIMATE	2.75 h AVERAGE AI-ASSISTED TIME	56% ESTIMATED REDUCTION
--	---	-----------------------------------

Interpretation

The improvement came from accelerating repeatable tasks - drafting, scene decomposition, image-prompt preparation, and assembly - while human intervention remained necessary for accuracy, visual intent, and final quality.

Definitions: Quality is the creator assessment on a five-point scale, where 5 indicates a strong reviewable draft requiring only minor polish. A major correction is a substantive change to content, visuals, or scene structure.

03 / END-TO-END WORKFLOW EVIDENCE

A raw story became a structured reel-production package

The first evidence shows the story converted into a structured reel script. The second shows the generated visual set created from the scene plan and image prompts.




Figure 1. Raw story converted into a structured reel script for production.




Figure 2. Visual assets generated from the scene breakdown and image prompts.

WHAT THIS PROVES | The workflow can take a raw story and convert it into a structured reel-production package while keeping human review in the loop.

04 / EVIDENCE OF HUMAN CONTROL

The creator corrected visual intent before approval

The creator identified a missing story detail and requested a corrected scene. The regenerated image visibly adds gold jewelry to the subject hand.




Figure 3. Human correction changes the generated visual from an ambiguous object to clearly visible gold jewelry.

Correction loop

show visible gold in hand

Worked for 2m 44s >

Regenerated Scene 06 with visible gold jewelry in Mohan's hand.

This version now clearly shows:

- gold necklace/bangles in his hand
- Mohan walking away
- cold expression
- bus stand background
- open natural sky space at top

Please review Scene 06 and tell me:

Approve Scene 06

or


Regenerate Scene 06: [your correction]



The correction is expressed in plain language, regenerated, and returned for approval.

This is the central control mechanism in the proposed workflow: AI prepares the output, while the creator decides whether it is accurate enough to proceed.

Creator-directed scene addition

 Scene 16 is approved and saved. Now tell me the change you want for Scene 17 arrest. For example, should it show: • police arresting Mohan at a bus stand • police holding his arms • handcuffs visible • Mohan looking shocked or tense • media/crowd outside court • only arrest, no courtroom Tell me in normal words and I'll update/generate Scene 17. when police came to arrest mohan from his house mohan sitting beside his very beautiful wife who wore green shiffon saree and his 2 kids one daughter and one son sitting on floor playing with toys	The workflow also accepted a new scene request in normal language. The creator can extend and redirect the plan rather than merely accept or reject AI output.
--	---

05 / FINAL OUTPUT SHOWCASE

Representative draft reels are available for direct review

The 30-video pilot produced complete draft outputs. The examples below are included for direct stakeholder review.

Video 1	Video 2
NRI Bhaskar Shetty Murder Case	Cyanide Mohan Case



[Open Video 1 in Google Drive](#)



[Open Video 2 in Google Drive](#)

06 / LIMITATIONS AND NEXT STEPS

Proceed, but keep scale conditional on measured results

The pilot establishes directional value, not production-scale proof. A controlled rollout should test whether the gains remain consistent across more stories, creators, and visual styles.

Known limitations

Current limitation	Control / next improvement
Representative evidence subset	Maintain standardized measurement across future productions.
Creator-estimated timings	Capture start, review, correction, and completion timestamps.
Visual consistency varies	Use reusable character, style, and location references.
Quality score is subjective	Apply a documented five-point scoring rubric.
Sensitive true-crime content	Keep editorial and publish approval mandatory.

Recommended rollout

1 / Standardize Use one workflow and evidence checklist across future productions.	2 / Measure Record actual timestamps and classify corrections by severity.	3 / Review Assess quality, consistency, effort, and safety every five videos.	4 / Decide Scale only if measured results confirm the pilot trend.
--	--	---	--

FINAL RECOMMENDATION

Proceed with a controlled rollout. The pilot shows meaningful efficiency potential, but scale should remain conditional on measured quality, consistency, and safe human review.

Calculation basis: Average manual estimate = $(6.5 + 6.0) / 2 = 6.25$ hours. Average AI-assisted time = $(3.0 + 2.5) / 2 = 2.75$ hours. Estimated reduction = $(6.25 - 2.75) / 6.25 = 56\%$.