

Quiz navigation

1	2	3	4	5
✓	✓	✓	✓	✓
6	7	8	9	10
✓	✓		✓	✓

Show one page at a time

Finish review

Status	Finished
Started	Wednesday, 1 July 2026, 2:11 PM
Completed	Wednesday, 1 July 2026, 2:19 PM
Duration	7 mins 59 secs
Grade	9.00 out of 10.00 (90%)

Question **1**

Correct

Mark 1.00 out of 1.00

Flag question

What command initializes a new Node.js project?

- ☐ A. node create
- ☐ B. npm start
- ☒ C. npm init ✓
- ☐ D. node init

Your answer is correct.

The correct answer is: npm init

Question **2**

Correct

Mark 1.00 out of 1.00

Flag question

Which of the following is NOT a TypeScript primitive type?

- ☐ A. String
- ☐ B. Boolean
- ☐ C. Number
- ☒ D. Object ✓

Your answer is correct.

The correct answer is: Object

Question **3**

Correct

Mark 1.00 out of 1.00

Flag question

Which keyword declares a block-scoped variable?

- ☒ A. Both let and const ✓
- ☐ B. var
- ☐ C. let
- ☐ D. const

Your answer is correct.

The correct answer is: Both let and const

Question **4**

Correct

Mark 1.00 out of 1.00

Flag question

Which of the following is a valid TypeScript type annotation?

- ☐ A. let isDone boolean = true;
- ☐ B. const list = Array<number> = [1, 2, 3];
- ☐ C. let age: number = "25";
- ☒ D. let name: string = "Alice"; ✓

Your answer is correct.

The correct answer is: let name: string = "Alice";

Question **5**

Correct

Mark 1.00 out of 1.00

Flag question

What does the following TypeScript code produce?

```
enum Direction {  
    Up,  
    Down,  
    Left,  
    Right  
}
```

- ☐ A. An object with string values
- ☐ B. A string enum
- ☐ C. A runtime error
- ☒ D. An object with numeric values starting at 0 ✓

Your answer is correct.

The correct answer is: An object with numeric values starting at 0

Question **6**

Correct

Mark 1.00 out of 1.00

Flag question

Which is a correct way to define a function with typed parameters?

- ☐ A. function greet(name, age) {}
- ☐ B. function greet: string(name, age):atring{}
- ☒ C. function greet(name: string, age: number): string {} ✓
- ☐ D. function greet(name: string): number {}

Your answer is correct.

The correct answer is: function greet(name: string, age: number): string {}

Question **7**

Correct

Mark 1.00 out of 1.00

Flag question

Playwright uses what type of communication to control browsers?

- ☐ A. TCP/IP
- ☐ B. Shared memory
- ☒ C. RPC over WebSockets ✓
- ☐ D. REST API

Your answer is correct.

The correct answer is: RPC over WebSockets

Question **8**

Incorrect

Mark 0.00 out of 1.00

Flag question

How do you run Playwright tests in all supported browsers from the CLI?

- ☒ A. npx playwright test --browser=all ✗
- ☐ B. npx playwright test --project=all
- ☐ C. npx playwright test --all
- ☐ D. npx playwright run all

Your answer is incorrect.

The correct answer is: npx playwright test --project=all

Question **9**

Correct

Mark 1.00 out of 1.00

Flag question

What is the purpose of defining "projects" in playwright.config.ts?

- ☐ A. To define environment variables
- ☒ B. To run the same tests across multiple browsers or devices ✓
- ☐ C. To separate API and UI tests
- ☐ D. To specify test retries

Your answer is correct.

The correct answer is: To run the same tests across multiple browsers or devices

Question **10**

Correct

Mark 1.00 out of 1.00

Flag question

If you forget await, in the test script for a particular line

- ☐ A. test script will show error
- ☒ B. corresponding line might run before the action is completed. ✓
- ☐ C. test results as expected
- ☐ D. corresponding line will not be executed

Your answer is correct.

The correct answer is: corresponding line might run before the action is completed.

Finish review