

Cucumber Report

18-May-2026, 12:14:59 pm

Start : May 18, 12:10:55.489 pm

End : May 18, 12:14:57.679 pm

Duration : 4 m 2.190 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 0


PASSED - 48
FAILED - 3
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement</u>	58.703 s	2	0	2	0	10	4	2	4
<u>Rohini_14May2026_OrangeHRM_Create User Credential</u>	24.574 s	1	0	1	0	9	6	1	2
<u>Login Functionality</u>	1 m 50.514 s	7	7	0	0	30	30	0	0
<u>Reshma_13May2026_ScriptX_OrangeHRM File for PersonalDetails</u>	48.323 s	1	1	0	0	8	8	0	0

#	Feature Name	Scenario Name
1	<u>Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement</u>	<u>Add leave entitlement successfully</u>
2		<u>Add leave entitlement without mandatory fields</u>
3	<u>Rohini_14May2026_OrangeHRM_Create User Credential</u>	<u>Create user login credential</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@myl	1	0	1	0	1	0	1	0
@ValidLogin	1	1	0	0	1	1	0	0
@InvalidLogin	1	1	0	0	1	1	0	0
@EmptyLogin	1	1	0	0	1	1	0	0
@InvalidPassword	1	1	0	0	1	1	0	0
@InvalidUsername	1	1	0	0	1	1	0	0
@Logout	1	1	0	0	1	1	0	0
@EmployeeValidLogin	1	1	0	0	1	1	0	0
@Reshma	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>MyIambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement</u>	2	0	2	0	58.703 s
2	<u>Rohini_14May2026_OrangeHRM_Create User Credential</u>	1	0	1	0	24.574 s
3	<u>Login Functionality</u>	7	7	0	0	1 m 50.514 s
4	<u>Reshma_13May2026_ScriptX_OrangeHRM File for PersonalDetails</u>	1	1	0	0	48.323 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement</u>	<u>Add leave entitlement successfully</u>	5	2	1	2	36.484 s
2		<u>Add leave entitlement without mandatory fields</u>	5	2	1	2	22.178 s
3	<u>Rohini_14May2026_OrangeHRM_Create User Credential</u>	<u>Create user login credential</u>	9	6	1	2	24.571 s
4	<u>Login Functionality</u>	<u>Login with valid default admin credentials</u>	4	4	0	0	9.269 s
5		<u>Login with invalid username and password</u>	5	5	0	0	12.289 s
6		<u>Login with empty username and password</u>	4	4	0	0	9.090 s
7		<u>Login with valid username and invalid password</u>	4	4	0	0	15.912 s
8		<u>Login with invalid username and valid password</u>	4	4	0	0	18.736 s
9		<u>Verify logout functionality after successful login</u>	5	5	0	0	29.877 s
10		<u>Login with valid Employee credentials</u>	4	4	0	0	15.297 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Reshma_13May2026_ScriptX_Orange-HRM File for PersonalDetails</u>	<u>Update personal details with valid data</u>	8	8	0	0	48.323 s


Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement

FAILED	DURATION - 58.703 s	Scenarios		Steps	
/ 12:10:55.489 pm // 12:11:54.192 pm /		Total - 2		Total - 10	
		Pass - 0		Pass - 4	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	


Add leave entitlement successfully

FAILED	DURATION - 36.484 s		Steps	
/ 12:10:55.498 pm // 12:11:31.982 pm /			Total - 5	
Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement			Pass - 2	
@myl			Fail - 1	
			Skip - 2	


#	Step / Hook Details	Status	Duration
1	Given Admin is on the Leave page	PASSED	0.924 s
2	And Admin clicks on Entitlements and Admin selects Add Entitlements	PASSED	5.623 s
3	When Admin enters valid employee leave entitlement details	FAILED	21.002 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='CAN - Bereavement']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e00b796192e81f8d633541c63c2e743b, findElement {using=xpath, value=//div[text()='CAN - Bereavement']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58713}, goog:processID: 5508, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58713/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e00b796192e81f8d633541c63c2e743b at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.actions.Add_leave_entitlement_action.leaveType_field(Add_leave_entitlement_action.java:38) at com.stepdefinitions.Add_leave_entitlement_Steps. admin_enters_valid_employee_leave_entitlement_details(Add_leave_entitlement_Steps.java:29) at ?.Admin enters valid employee leave entitlement details(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/ Add_leave_entitlement.feature:10) * Not displayable characters are replaced by '?'. </pre>		
4	And clicks on the Save button	SKIPPED	0.001 s
5	Then the Updating Entitlement pop-up should be displayed and leave entitlement should be added successfully	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.659 s
	Add leave entitlement successfully		
			


Add leave entitlement without mandatory fields

FAILED DURATION - 22.178 s			Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
/ 12:11:32.014 pm // 12:11:54.192 pm /				
Mylambigai_13May2026_ScriptX_OrangeHRM File for Add leave entitlement				



#	Step / Hook Details	Status	Duration
1	Given Admin is on the Leave page	PASSED	0.919 s
2	And Admin clicks on Entitlements and Admin selects Add Entitlements	PASSED	5.929 s
3	When Admin leaves the employee name field empty" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='CAN - Bereavement']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [319815c2ae6accaa6afcb39bafb4eef, findElement {using=xpath, value=//div[text()='CAN - Bereavement']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57929}, goog:processID: 16928, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57929/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 319815c2ae6accaa6afcb39bafb4eef at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.actions.Add_leave_entitlement_action.leaveType_field(Add_leave_entitlement_action.java:38) at com.stepdefinitions.Add_leave_entitlement_Steps.admin_leaves_the_employee_name_field_empty(Add_leave_entitlement_Steps.java:45) at ?.Admin leaves the employee name field empty"(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/Add_leave_entitlement.feature:15) * Not displayable characters are replaced by '?'.	FAILED	11.113 s
4	And clicks on the Save button	SKIPPED	0.000 s
5	Then the error message should be displayed	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.515 s
	Add leave entitlement without mandatory fields		

#	Step / Hook Details	Status	Duration
			


Rohini_14May2026_OrangeHRM_Create User Credential

FAILED	DURATION - 24.574 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 12:11:54.216 pm // 12:12:18.790 pm /					


Create user login credential

FAILED	DURATION - 24.571 s		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 12:11:54.219 pm // 12:12:18.790 pm /				
Rohini_14May2026_OrangeHRM_Create User Credential				


#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.002 s
2	When user enters valid username and password	PASSED	0.744 s
3	And user clicks on login button	PASSED	0.147 s
4	Then user should be navigated to dashboard page	PASSED	1.132 s
5	Given user is on OrangeHRM Admin User Management page	PASSED	1.627 s
6	When user clicks on Add button	PASSED	1.429 s
7	And user enters user credential details "Admin" "Rohini M" "Enabled" "Rohini16" "Rohini@123" "Rohini@123"	FAILED	11.500 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='listbox']/span"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/nosuchelementexception Build info: version: '4.43.0', revision:		

#	Step / Hook Details	Status	Duration
	'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd00f5be772819687f13d193854728bd, findElement {using=xpath, value=//div[@role='listbox']//span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63040}, goog:processID: 16924, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63040/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd00f5be772819687f13d193854728bd at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at com.pages.CreateUserCredentialsPage.enterEmployeeName(CreateUserCredentialsPage.java:94) at com.actions.CreateUserCredentialsActions.enterUserCredentialDetails(CreateUserCredentialsActions.java:39) at com.stepdefinitions.CreateUserCredentialsSteps.user_enters_user_credential_details(CreateUserCredentialsSteps.java:31) at ?.user enters user credential details "Admin" "Rohini M" "Enabled" "Rohini16" "Rohini@123" "Rohini@123"(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/CreateUserCredentials.feature:16) * Not displayable characters are replaced by '?'.		
8	And user clicks on Save button	SKIPPED	0.001 s
9	Then user credential should be created successfully	SKIPPED	0.000 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.619 s
	Create user login credential		
			

Login Functionality


PASSED	DURATION - 1 m 50.514 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 30 Pass - 30 Fail - 0 Skip - 0	
/ 12:12:18.816 pm // 12:14:09.330 pm /					

Login with valid default admin credentials

PASSED	DURATION - 9.269 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:12:18.817 pm // 12:12:28.086 pm /				
Login Functionality				
@ValidLogin				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.003 s
2	When user enters valid username and password	PASSED	1.459 s
3	And user clicks on login button	PASSED	0.140 s
4	Then user should be navigated to dashboard page	PASSED	3.370 s


Login with invalid username and password

PASSED	DURATION - 12.289 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:12:28.094 pm // 12:12:40.383 pm /				
Login Functionality				
@InvalidLogin				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When user enters invalid username and password	PASSED	1.819 s
3	And user clicks on login button	PASSED	0.126 s
4	Then user should see invalid credentials error message	PASSED	3.302 s
5	And user should remain on login page	PASSED	0.009 s

Login with empty username and password

PASSED	DURATION - 9.090 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:12:40.392 pm // 12:12:49.482 pm /				
Login Functionality				
@EmptyLogin				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.002 s
2	When user enters empty username and password	PASSED	6.091 s
3	And user clicks on login button	PASSED	0.151 s
4	Then user should see required field validation message	PASSED	0.015 s


Login with valid username and invalid password

PASSED	DURATION - 15.912 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:12:49.488 pm // 12:13:05.400 pm /				
Login Functionality				
@InvalidPassword				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.002 s
2	When user enters valid username and invalid password	PASSED	3.220 s


#	Step / Hook Details	Status	Duration
3	And user clicks on login button	PASSED	0.134 s
4	Then user should see invalid credentials error message	PASSED	6.741 s

Login with invalid username and valid password

PASSED	DURATION - 18.736 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:13:05.405 pm // 12:13:24.141 pm /				
Login Functionality				
@InvalidUsername				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.003 s
2	When user enters invalid username and valid password	PASSED	4.088 s
3	And user clicks on login button	PASSED	0.198 s
4	Then user should see invalid credentials error message	PASSED	9.082 s


Verify logout functionality after successful login

PASSED	DURATION - 29.877 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:13:24.150 pm // 12:13:54.027 pm /				
Login Functionality				
@Logout				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.001 s
2	When user enters valid username and password	PASSED	2.017 s
3	And user clicks on login button	PASSED	0.145 s
4	Then user should be navigated to dashboard page	PASSED	7.634 s

#	Step / Hook Details	Status	Duration
5	And user should be logged out successfully	PASSED	14.149 s

Login with valid Employee credentials

PASSED	DURATION - 15.297 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:13:54.033 pm // 12:14:09.330 pm /				
Login Functionality				
@EmployeeValidLogin				

#	Step / Hook Details	Status	Duration
1	Given user is on OrangeHRM login page	PASSED	0.001 s
2	When user enters valid employee_username and employee_password	PASSED	2.021 s
3	And user clicks on login button	PASSED	0.137 s
4	Then user should be navigated to dashboard page	PASSED	6.522 s

Reshma_13May2026_ScriptX_OrangeHRM File for PersonalDetails

PASSED	DURATION - 48.323 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 12:14:09.356 pm // 12:14:57.679 pm /					

Update personal details with valid data

PASSED	DURATION - 48.323 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 12:14:09.356 pm // 12:14:57.679 pm /				
Reshma_13May2026_ScriptX_OrangeHRM File for PersonalDetails				
@Reshma				

#	Step / Hook Details	Status	Duration												
1	Given Employee is on OrangeHRM login page	PASSED	0.005 s												
2	When Employee enters valid username and password	PASSED	3.361 s												
	<table><tr><td>username</td><td>password</td></tr><tr><td>Renukka R</td><td>RenukkaR@123</td></tr></table>			username	password	Renukka R	RenukkaR@123								
username	password														
Renukka R	RenukkaR@123														
3	And Employee clicks on login button														
4	And the Employee is on the Dashboard page	PASSED	8.387 s												
5	When Employee navigates to My Info page	PASSED	5.763 s												
6	And Employee updates personal details with following data	PASSED	19.979 s												
	<table><tr><td>LicenseExpiryDate</td><td>Nationality</td><td>MaritalStatus</td><td>Gender</td><td>BloodType</td><td>TestField</td></tr><tr><td>2026-06-12</td><td>Indian</td><td>Single</td><td>Female</td><td>O+</td><td>234</td></tr></table>			LicenseExpiryDate	Nationality	MaritalStatus	Gender	BloodType	TestField	2026-06-12	Indian	Single	Female	O+	234
LicenseExpiryDate	Nationality			MaritalStatus	Gender	BloodType	TestField								
2026-06-12	Indian	Single	Female	O+	234										
7	And Employee clicks on Save button														
8	Then Personal details should be updated successfully	PASSED	4.718 s												