

Cucumber Report

18-May-2026, 2:09:36 pm

Start : May 18, 2:06:32.149 pm

End : May 18, 2:09:33.970 pm

Duration : 3 m 1.821 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 3
SKIPPED - 0


PASSED - 13
FAILED - 3
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Employee Functionality</u>	3 m 1.821 s	5	2	3	0	20	13	3	4

#	Feature Name	Scenario Name
1	<u>Create Employee Functionality</u>	<u>Create employee with multiple data combinations</u>
2		<u>Create employee with multiple data combinations</u>
3		<u>Create employee with multiple data combinations</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreateEmployee	5	2	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Create Employee Functionality	5	2	3	0	3 m 1.821 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Employee Functionality</u>	<u>Create employee with multiple data combinations</u>	4	4	0	0	34.130 s
2		<u>Create employee with multiple data combinations</u>	4	4	0	0	20.257 s
3		<u>Create employee with multiple data combinations</u>	4	3	1	0	26.033 s
4		<u>Create employee with multiple data combinations</u>	4	0	1	3	1 m 4.664 s
5		<u>Create employee with multiple data combinations</u>	4	2	1	1	36.672 s

Create Employee Functionality


FAILED	DURATION - 3 m 1.821 s	Scenarios Total - 5 Pass - 2 Fail - 3 Skip - 0		Steps Total - 20 Pass - 13 Fail - 3 Skip - 4	
/ 2:06:32.149 pm // 2:09:33.970 pm /					

Create employee with multiple data combinations

PASSED	DURATION - 34.130 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:06:32.158 pm // 2:07:06.288 pm /				
Create Employee Functionality				
@CreateEmployee				


#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	17.919 s
2	When admin enters employee details "Jagadeep" "KC" "1001"	PASSED	1.009 s
3	And admin clicks save button	PASSED	0.162 s
4	Then employee result should be "success"	PASSED	5.123 s

Create employee with multiple data combinations

PASSED	DURATION - 20.257 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:07:06.315 pm // 2:07:26.572 pm /				
Create Employee Functionality				
@CreateEmployee				

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	6.120 s
2	When admin enters employee details "Rohit" "Kumar" "1002"	PASSED	1.070 s
3	And admin clicks save button	PASSED	0.297 s
4	Then employee result should be "success"	PASSED	5.153 s


Create employee with multiple data combinations

FAILED DURATION - 26.033 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 2:07:26.579 pm // 2:07:52.612 pm /				
Create Employee Functionality				
@CreateEmployee				


#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	8.642 s
2	When admin enters employee details "Arun" "" "1003"	PASSED	0.929 s
3	And admin clicks save button	PASSED	0.151 s
4	Then employee result should be "success"	FAILED	10.045 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[text()='Personal Details']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception> Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [777965a5faa22ff1d20f2d730e16f7ac, findElement {value=//h6[text()='Personal Details'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64102}, goog:processID: 18984, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64102/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 777965a5faa22ff1d20f2d730e16f7ac

at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at com.pages.PIMPage.isPersonalDetailsDisplayed(PIMPage.java:60) at com.actions.PIMActions.verifyEmployeeCreated(PIMActions.java:38) at com.stepdefinitions.PIMStepDefinition.employee_result_should_be(PIMStepDefinition.java:47) at ?.employee result should be "success"(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/CreateEmployee.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.600 s
	Create employee with multiple data combinations		
			

Create employee with multiple data combinations


FAILED DURATION - 1 m 4.664 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:07:52.626 pm // 2:08:57.290 pm /				
Create Employee Functionality				
@CreateEmployee				

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	FAILED	20.824 s
	<pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (90583e53fa2bd59d203a84db23add01b)] -> name: username] (tried for 20 seconds with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234) at com.utilities.HelperClass.waitForElement(HelperClass.java:43) at com.utilities.HelperClass.enterText(HelperClass.java:54) at com.pages.LoginPage.enterUsername(LoginPage.java:29) at com.actions.LoginActions.enterValidCredentials(LoginActions.java:16) at com.stepdefinitions.PIMStepDefinition.admin_is_logged_into_orangehrm(PIMStepDefinition.java:18) at ?.admin is logged into OrangeHRM(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/CreateEmployee.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [90583e53fa2bd59d203a84db23add01b, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65001}, goog:processID: 24916, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65001/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 90583e53fa2bd59d203a84db23add01b at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:365) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:351) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:348) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:210) * Not displayable characters are replaced by '?'. </pre>		
2	When admin enters employee details "@Jagadeep" "%KC" "1004"	SKIPPED	0.001 s
3	And admin clicks save button	SKIPPED	0.000 s
4	Then employee result should be "success"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.662 s
	Create employee with multiple data combinations		
			

Create employee with multiple data combinations

FAILED		DURATION - 36.672 s			Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 2:08:57.298 pm // 2:09:33.970 pm /						
Create Employee Functionality						
@CreateEmployee						

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	26.574 s
2	When admin enters employee details "" "" ""	PASSED	2.284 s
3	And admin clicks save button	FAILED	1.156 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button data-v-10d463b7="" data-v-304890b0="" type="submit" class="oxd-button oxd-button--medium oxd-button--secondary orangehrm-left-space">...</button> is not clickable at point (1402, 491). Other element would receive the click: <div data-v-d5bfe35b="" class="oxd-form-loader">...</div> (Session info: chrome=148.0.7778.168) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26b3fcf5d15dc06ef5a01dbe61fe4292, clickElement {id=f.A9013A4FAB598BE13205545A6EB9E3C5.d.E4D1DB2531EE765C68B14CB817DF416F.e.230}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\jagad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62795}, goog:processID: 1480, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62795/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (26b3fcf5d15dc06ef5a01dbe61fe4292)] -> xpath: //button[@type='submit']] Session ID: 26b3fcf5d15dc06ef5a01dbe61fe4292 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.utilities.HelperClass.clickElement(HelperClass.java:62) at com.pages.PIMPage.clickSaveButton(PIMPage.java:56) at com.actions.PIMActions.clickSaveButton(PIMActions.java:32) at com.stepdefinitions.PIMStepDefinition.admin_clicks_save_button(PIMStepDefinition.java:39) at ?.admin clicks save button(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/CreateEmployee.feature:9) </pre> * Not displayable characters are replaced by '?'.		
4	Then employee result should be "required"	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.833 s
	Create employee with multiple data combinations		
	