

Cucumber Report

18-May-2026, 9:48:04 pm

Start : May 18, 9:45:04.475 pm

End : May 18, 9:48:01.757 pm

Duration : 2 m 57.282 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 3
FAILED - 3
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search user based on different fields</u>	2 m 57.282 s	3	0	3	0	15	3	3	9

#	Feature Name	Scenario Name
1	<u>Search user based on different fields</u>	<u>Search user by User name</u>
2		<u>Search user by user role</u>
3		<u>Search user by Employee name</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Search user based on different fields</u>	3	0	3	0	2 m 57.282 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search user based on different fields</u>	<u>Search user by User name</u>	5	1	1	3	51.074 s
2		<u>Search user by user role</u>	5	1	1	3	1 m 19.351 s
3		<u>Search user by Employee name</u>	5	1	1	3	46.791 s


Search user based on different fields

FAILED	DURATION - 2 m 57.282 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 15 Pass - 3 Fail - 3 Skip - 9	
/ 9:45:04.475 pm // 9:48:01.757 pm /					



Search user by User name

FAILED DURATION - 51.074 s			Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 9:45:04.480 pm // 9:45:55.554 pm /				
Search user based on different fields				


#	Step / Hook Details	Status	Duration
1	Given the admin on the Home page	PASSED	0.865 s
2	And click on the Admin menu org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']' (tried for 15 seconds with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234) at com.actions.Search_user_action.clickAdminMenu(Search_user_action.java:26) at com.stepdefinitions.Search_user_Steps.click_on_the_admin_menu(Search_user_Steps.java:22) at ?.click on the Admin menu(file:///C:/Users/MyIambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/Search_users.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a4d1ef09b8d6732538ae47ae23099064, findElement {using=xpath, value=//h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50186}, goog:processID: 9912, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50186/devtoo...,	FAILED	33.182 s

#	Step / Hook Details	Status	Duration
	se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a4d1ef09b8d6732538ae47ae23099064 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:365) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:351) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:348) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:210) * Not displayable characters are replaced by '?'.		
3	When the Admin enter "<UserName>" in the input field	SKIPPED	0.003 s
4	And click on search button	SKIPPED	0.002 s
5	Then the Admin can see the searched username details	SKIPPED	0.020 s
	UserName Essaki		
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario) Search user by User name 	PASSED	0.791 s



Search user by user role

FAILED DURATION - 1 m 19.351 s			Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 9:45:55.599 pm // 9:47:14.950 pm /				
Search user based on different fields				

#	Step / Hook Details	Status	Duration
1	Given the admin on the Home page	PASSED	2.616 s
2	And click on the Admin menu org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']' (tried for 15 seconds with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234) at com.actions.Search_user_action.clickAdminMenu(Search_user_action.java:26) at com.stepdefinitions.Search_user_Steps.click_on_the_admin_menu(Search_user_Steps.java:22) at ?.click on the Admin menu(file:///C:/Users/MyLambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/Search_users.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [306bb4dcf0299c4f69292fc5fd928c1e, findElement {using=xpath, value=//h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49655}, goog:processID: 7424, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49655/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 306bb4dcf0299c4f69292fc5fd928c1e at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166)	FAILED	32.095 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:365) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:351) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:348) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:210) </pre> * Not displayable characters are replaced by '?'. 		
3	When the Admin select the particular user role	SKIPPED	0.001 s
4	And click on search button	SKIPPED	0.001 s
5	Then the admin can see the result based on the selected user role	SKIPPED	0.002 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.648 s
	Search user by user role		
			

Search user by Employee name

FAILED DURATION - 46.791 s			Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 9:47:14.966 pm // 9:48:01.757 pm /				
Search user based on different fields				

#	Step / Hook Details	Status	Duration
1	Given the admin on the Home page	PASSED	1.753 s
2	And click on the Admin menu	FAILED	35.083 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath:		

#	Step / Hook Details	Status	Duration
	<pre>//h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title'] (tried for 15 seconds with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234) at com.actions.Search_user_action.clickAdminMenu(Search_user_action.java:26) at com.stepdefinitions.Search_user_Steps.click_on_the_admin_menu(Search_user_Steps.java:22) at ?.click on the Admin menu(file:///C:/Users/MyLambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/Search_users.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26f3d48932e1d1fe8b81cb3691230fb0, findElement {using=xpath, value=/h5[@class='oxd-text oxd-text--h5 oxd-table-filter-title']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53787}, goog:processID: 26028, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53787/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 26f3d48932e1d1fe8b81cb3691230fb0 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:365) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:351) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:348) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:210) * Not displayable characters are replaced by '?'. </pre>		
3	When the admin enters "<employee name>" in the input field	SKIPPED	0.001 s
4	And click on search button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	Then the Admin can see the result of entered employee name	SKIPPED	0.007 s
	employeeName Ravi M B		
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.724 s
	Search user by Employee name		
	