

Cucumber Report

19-May-2026, 12:31:32 pm

Start : May 19, 12:29:55.298 pm

End : May 19, 12:31:30.648 pm

Duration : 1 m 35.350 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 2
SKIPPED - 0


PASSED - 20
FAILED - 2
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality</u>	1 m 35.350 s	7	5	2	0	24	20	2	2

#	Feature Name	Scenario Name
1	<u>Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality</u>	<u>Search employee with invalid employee name</u>
2		<u>Search employee with invalid employee ID</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreateEmployee	3	3	0	0	1	0	1	0
@SearchByEmployeeName	1	1	0	0	1	0	1	0
@SearchByEmployeeId	1	1	0	0	1	0	1	0
@InvalidEmployeeName	1	0	1	0	1	0	1	0
@InvalidEmployeeId	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality	7	5	2	0	1 m 35.350 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Fun *</u>	<u>Create employee with multiple data combinations</u>	4	4	0	0	20.356 s
2		<u>Create employee with multiple data combinations</u>	4	4	0	0	17.022 s
3		<u>Create employee with multiple data combinations</u>	4	4	0	0	18.111 s
4		<u>Search employee by employee name</u>	3	3	0	0	9.060 s
5		<u>Search employee by employee ID</u>	3	3	0	0	9.835 s
6		<u>Search employee with invalid employee name</u>	3	1	1	1	9.858 s
7		<u>Search employee with invalid employee ID</u>	3	1	1	1	11.000 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality


FAILED	DURATION - 1 m 35.350 s	Scenarios Total - 7 Pass - 5 Fail - 2 Skip - 0		Steps Total - 24 Pass - 20 Fail - 2 Skip - 2	
/ 12:29:55.298 pm // 12:31:30.648 pm /					

Create employee with multiple data combinations

PASSED	DURATION - 20.356 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:29:55.315 pm // 12:30:15.671 pm /				
Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality				
@CreateEmployee				

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	6.993 s
2	When admin enters employee details "Jagadee" "KC" "9011"	PASSED	1.056 s
3	And admin clicks save button	PASSED	0.214 s
4	Then employee result should be "success"	PASSED	5.642 s

Create employee with multiple data combinations

PASSED	DURATION - 17.022 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:30:15.707 pm // 12:30:32.729 pm /				
Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality				
@CreateEmployee				

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	5.733 s
2	When admin enters employee details "Rohi" "Kumar" "9012"	PASSED	0.969 s
3	And admin clicks save button	PASSED	0.500 s
4	Then employee result should be "success"	PASSED	5.476 s

Create employee with multiple data combinations

PASSED		DURATION - 18.111 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 12:30:32.738 pm // 12:30:50.849 pm /							
Jagadeep_15-05- 2026_ScriptX_OrangeHRm_PIM_Functionality							
@CreateEmployee							

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM	PASSED	5.143 s
2	When admin enters employee details "Anan" "Kumar" "9013"	PASSED	0.889 s
3	And admin clicks save button	PASSED	0.084 s
4	Then employee result should be "success"	PASSED	5.302 s


Search employee by employee name

PASSED DURATION - 9.060 s	<table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>5.143</td></tr><tr><td>2</td><td>0.889</td></tr><tr><td>3</td><td>0.084</td></tr></tbody></table>	Step	Duration (s)	1	5.143	2	0.889	3	0.084	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Step		Duration (s)									
1		5.143									
2		0.889									
3	0.084										
/ 12:30:50.860 pm // 12:30:59.920 pm /											
Jagadeep_15-05- 2026_ScriptX_OrangeHRm_PIM_Functionality											
@SearchByEmployeeName											

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM search page	PASSED	4.014 s
2	When admin searches employee by employee name	PASSED	0.534 s


#	Step / Hook Details	Status	Duration
3	Then employee search result should be displayed	PASSED	0.409 s

Search employee by employee ID

PASSED DURATION - 9.835 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:30:59.929 pm // 12:31:09.764 pm /			
Jagadeep_15-05- 2026_ScriptX_OrangeHRm_PIM_Functionality			
@SearchByEmployeeId			

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM search page	PASSED	4.240 s
2	When admin searches employee by employee ID	PASSED	1.004 s
3	Then employee search result should be displayed	PASSED	0.475 s

Search employee with invalid employee name

FAILED DURATION - 9.858 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:31:09.777 pm // 12:31:19.635 pm /				
Jagadeep_15-05-2026_ScriptX_OrangeHRm_PIM_Functionality				
@InvalidEmployeeName				

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM search page	PASSED	5.100 s
2	When admin searches employee with invalid employee name java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" because the return value of "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" is null at com.utilities.ExcelUtility.getData(ExcelUtility.java:33) at com.actions.PIMActions.searchInvalidEmployeeName(PIMActions.java:68) at com.stepdefinitions.PIMStepDefinition.admin_searches_employee_with_invalid_employee_name(PIMStepDefinition.java:79)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at ?.admin searches employee with invalid employee name(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/PIM.feature:31) * Not displayable characters are replaced by '?'.		
3	Then no employee records should be displayed	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.601 s
	Search employee with invalid employee name		

Search employee with invalid employee ID

FAILED DURATION - 11.000 s / 12:31:19.648 pm // 12:31:30.648 pm / Jagadeep_15-05- 2026_ScriptX_OrangeHRM_PIM_Functionality @InvalidEmployeeId	A bar chart with a y-axis from 0 to 4 and an x-axis with labels 1, 2, and 3. A single black bar is present at position 1, reaching a height of 4.	Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	A donut chart with a central number '3'. The chart is divided into three segments: a green segment (Pass - 1), a red segment (Fail - 1), and a yellow segment (Skip - 1).
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given admin is logged into OrangeHRM search page	PASSED	3.859 s
2	When admin searches employee with invalid employee ID java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" because the return value of "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" is null at com.utilities.ExcelUtility.getData(ExcelUtility.java:33) at com.actions.PIMActions.searchInvalidEmployeeId(PIMActions.java:77) at com.stepdefinitions.PIMStepDefinition.admin_searches_employee_with_invalid_employee_id(PIMStepDefinition.java:85) at ?.admin searches employee with invalid employee ID(file:///D:/ScriptX_Project/ScriptX_OrangeHRM/src/test/resources/features/PIM.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then no employee records should be displayed	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.502 s
	Search employee with invalid employee ID		

#	Step / Hook Details	Status	Duration
			