

Cucumber Report

19-May-2026, 11:14:25 am

Start : May 19, 11:11:20.491 am

End : May 19, 11:14:24.791 am

Duration : 3 m 4.300 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 10
FAILED - 4
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>MyIambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	3 m 4.300 s	4	0	4	0	28	10	4	14

#	Feature Name	Scenario Name
1	<u><i>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</i></u>	<u><i>Approve employee leave request</i></u>
2		<u><i>Reject employee leave request</i></u>
3		<u><i>Verify approved status in Leave List</i></u>
4		<u><i>Verify rejected status in Leave List</i></u>



#	Feature Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	4	0	4	0	3 m 4.300 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrang-eHRM file for Approve or Reject *</u>	<u>Approve employee leave request</u>	7	1	1	5	1 m 1.861 s
2		<u>Reject employee leave request</u>	7	3	1	3	38.876 s
3		<u>Verify approved status in Leave List</u>	7	3	1	3	43.665 s
4		<u>Verify rejected status in Leave List</u>	7	3	1	3	39.801 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request

FAILED	DURATION - 3 m 4.300 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 28 Pass - 10 Fail - 4 Skip - 14	
/ 11:11:20.491 am // 11:14:24.791 am /					


Approve employee leave request

FAILED DURATION - 1 m 1.861 s			Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 11:11:20.496 am // 11:12:22.357 am /				
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request				

#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	44.453 s
2	And click on the Leave menu org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable, but the element was not found: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Leave']"}. (tried for 10 seconds with 500 milliseconds interval) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60783}, goog:processID: 27628, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60783/devtoo..., se.cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 625a3adeb5738cec0ee14c1ca113981a at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234) at com.utilities.HelperClass.waitForElementToBeClickable(HelperClass.java:49) at com.utilities.HelperClass.clickElement(HelperClass.java:61) at com.actions.AdminLeaveManagement_LeaveApproval_Actions.clickLeaveMenu(AdminLeaveManagement_LeaveApproval_Actions.java:143)	FAILED	10.117 s

#	Step / Hook Details	Status	Duration				
	at com.stepdefinitions.AdminLeaveManagement_LeaveApprovel_Steps. click_on_the_leave_menu(AdminLeaveManagement_LeaveApprovel_Steps.java:22) at ?.click on the Leave menu(file:///C:/Users/MyIambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/ AdminLeaveManagement_LeaveApprovel.feature:7) * Not displayable characters are replaced by '?'. 						
3	And User navigates to the Leave List page	SKIPPED	0.000 s				
4	When User set the date from "<fromDate>" to "<toDate>" <table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>	fromDate	toDate	2026-01-01	2026-12-31	SKIPPED	0.011 s
fromDate	toDate						
2026-01-01	2026-12-31						
5	And selects a pending leave request and click on search button	SKIPPED	0.001 s				
6	And User clicks on the Approve button	SKIPPED	0.001 s				
7	Then Leave request should be approved successfully	SKIPPED	0.001 s				
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.595 s				
	Approve employee leave request						
							

Reject employee leave request

FAILED DURATION - 38.876 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 11:12:22.387 am // 11:13:01.263 am /				
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request				

#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	9.005 s
2	And click on the Leave menu	PASSED	8.715 s
3	And User navigates to the Leave List page	PASSED	5.396 s
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.022 s

#	Step / Hook Details	Status	Duration				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table> io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)	fromDate	toDate	2026-01-01	2026-12-31		
fromDate	toDate						
2026-01-01	2026-12-31						

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		
5	And selects a pending leave request	SKIPPED	0.002 s
6	And User clicks on the Reject button	SKIPPED	0.003 s
7	Then Leave request should be rejected successfully	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.451 s
	Reject employee leave request		

Verify approved status in Leave List

FAILED DURATION - 43.665 s / 11:13:01.304 am // 11:13:44.969 am / Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration	
1	Given the User on the Home page	PASSED	6.257 s	
2	And click on the Leave menu	PASSED	7.903 s	
3	And User navigates to the Leave List page	PASSED	4.258 s	
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.006 s	
	fromDate			toDate
	2026-01-01			2026-12-31

#	Step / Hook Details	Status	Duration
	io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	And selects a Sheduled leave status	SKIPPED	0.001 s
6	When User views the Leave List	SKIPPED	0.000 s
7	Then The leave status should be displayed as "Approved"	SKIPPED	0.000 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.630 s
	Verify approved status in Leave List		

Verify rejected status in Leave List

FAILED DURATION - 39.801 s	<table><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Fail</td><td>1</td></tr><tr><td>Pass</td><td>2</td></tr><tr><td>Skip</td><td>3</td></tr></tbody></table>	Category	Count	Fail	1	Pass	2	Skip	3	Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
Category	Count										
Fail	1										
Pass	2										
Skip	3										
/ 11:13:44.990 am // 11:14:24.791 am /											
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request											

#	Step / Hook Details	Status	Duration				
1	Given the User on the Home page	PASSED	2.997 s				
2	And click on the Leave menu	PASSED	10.427 s				
3	And User navigates to the Leave List page	PASSED	6.875 s				
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.006 s				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>			fromDate	toDate	2026-01-01	2026-12-31
fromDate	toDate						
2026-01-01	2026-12-31						
	io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>"						

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		

#	Step / Hook Details	Status	Duration
5	And selects a Rejected leave status	SKIPPED	0.000 s
6	When User views the Leave List	SKIPPED	0.002 s
7	Then The leave status should be displayed as "Rejected"	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.490 s
	Verify rejected status in Leave List		
	