

Cucumber Report

19-May-2026, 12:01:10 pm

Start : May 19, 12:00:01.898 pm

End : May 19, 12:01:09.829 pm

Duration : 1 m 7.931 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 12
FAILED - 4
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>MyIambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	1 m 7.931 s	4	0	4	0	28	12	4	12

#	Feature Name	Scenario Name
1	<u><i>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</i></u>	<u><i>Approve employee leave request</i></u>
2		<u><i>Reject employee leave request</i></u>
3		<u><i>Verify approved status in Leave List</i></u>
4		<u><i>Verify rejected status in Leave List</i></u>



#	Feature Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	4	0	4	0	1 m 7.931 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrang-eHRM file for Approve or Reject *</u>	<u>Approve employee leave request</u>	7	3	1	3	16.440 s
2		<u>Reject employee leave request</u>	7	3	1	3	17.907 s
3		<u>Verify approved status in Leave List</u>	7	3	1	3	13.110 s
4		<u>Verify rejected status in Leave List</u>	7	3	1	3	20.391 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request

FAILED	DURATION - 1 m 7.931 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 28 Pass - 12 Fail - 4 Skip - 12	
/ 12:00:01.898 pm // 12:01:09.829 pm /					

Approve employee leave request


FAILED DURATION - 16.440 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 12:00:01.907 pm // 12:00:18.347 pm /				
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request				

#	Step / Hook Details	Status	Duration				
1	Given the User on the Home page	PASSED	0.977 s				
2	And click on the Leave menu	PASSED	4.633 s				
3	And User navigates to the Leave List page	PASSED	1.857 s				
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.050 s				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>			fromDate	toDate	2026-01-01	2026-12-31
fromDate	toDate						
2026-01-01	2026-12-31						
	io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87)						

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	And selects a pending leave request and click on search button	SKIPPED	0.002 s
6	And User clicks on the Approve button	SKIPPED	0.002 s
7	Then Leave request should be approved successfully	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.465 s
	Approve employee leave request		

#	Step / Hook Details	Status	Duration

Reject employee leave request


FAILED		DURATION - 17.907 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 12:00:18.370 pm // 12:00:36.277 pm /						
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request						

#	Step / Hook Details	Status	Duration				
1	Given the User on the Home page	PASSED	1.115 s				
2	And click on the Leave menu	PASSED	3.214 s				
3	And User navigates to the Leave List page	PASSED	1.174 s				
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.010 s				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>			fromDate	toDate	2026-01-01	2026-12-31
	fromDate			toDate			
2026-01-01	2026-12-31						
io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)							

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	And selects a pending leave request	SKIPPED	0.003 s
6	And User clicks on the Reject button	SKIPPED	0.002 s
7	Then Leave request should be rejected successfully	SKIPPED	0.002 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.464 s
	Reject employee leave request		

#	Step / Hook Details	Status	Duration

Verify approved status in Leave List


FAILED		DURATION - 13.110 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 12:00:36.317 pm // 12:00:49.427 pm /						
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request						

#	Step / Hook Details	Status	Duration				
1	Given the User on the Home page	PASSED	2.313 s				
2	And click on the Leave menu	PASSED	2.657 s				
3	And User navigates to the Leave List page	PASSED	1.500 s				
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.006 s				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>			fromDate	toDate	2026-01-01	2026-12-31
	fromDate			toDate			
2026-01-01	2026-12-31						
io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)							

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	And selects a Sheduled leave status	SKIPPED	0.001 s
6	When User views the Leave List	SKIPPED	0.002 s
7	Then The leave status should be displayed as "Approved"	SKIPPED	0.002 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.446 s
	Verify approved status in Leave List		

#	Step / Hook Details	Status	Duration

Verify rejected status in Leave List

FAILED		DURATION - 20.391 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3 
/ 12:00:49.438 pm // 12:01:09.829 pm /					
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request					

#	Step / Hook Details	Status	Duration				
1	Given the User on the Home page	PASSED	1.095 s				
2	And click on the Leave menu	PASSED	2.792 s				
3	And User navigates to the Leave List page	PASSED	2.035 s				
4	When User set the date from "<fromDate>" to "<toDate>"	FAILED	0.008 s				
	<table><tr><td>fromDate</td><td>toDate</td></tr><tr><td>2026-01-01</td><td>2026-12-31</td></tr></table>			fromDate	toDate	2026-01-01	2026-12-31
	fromDate			toDate			
2026-01-01	2026-12-31						
io.cucumber.core.exception.CucumberException: Step [User set the date from {string} to {string}] is defined with 2 parameters at 'com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.user_set_the_date_from_to(java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "<fromDate>" * "<toDate>" * Table: fromDate toDate 2026-01-01 2026-12-31 Step text: User set the date from "<fromDate>" to "<toDate>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:55) at io.cucumber.core.runner.TestCase.run(TestCase.java:87) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)							

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:697) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:1005) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:744) at org.testng.TestRunner.run(TestRunner.java:616) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	And selects a Rejected leave status	SKIPPED	0.001 s
6	When User views the Leave List	SKIPPED	0.002 s
7	Then The leave status should be displayed as "Rejected"	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.431 s
	Verify rejected status in Leave List		

#	Step / Hook Details	Status	Duration
			