

Cucumber Report

19-May-2026, 12:35:32 pm

Start : May 19, 12:34:03.618 pm

End : May 19, 12:35:31.301 pm

Duration : 1 m 27.683 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 4

SKIPPED - 0

PASSED - 16


FAILED - 4

SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>MyIambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	1 m 27.683 s	4	0	4	0	28	16	4	8

#	Feature Name	Scenario Name
1	<u><i>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</i></u>	<u><i>Approve employee leave request</i></u>
2		<u><i>Reject employee leave request</i></u>
3		<u><i>Verify approved status in Leave List</i></u>
4		<u><i>Verify rejected status in Leave List</i></u>




#	Feature Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request</u>	4	0	4	0	1 m 27.683 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Mylambigai_18May2026_ScriptXOrang-eHRM file for Approve or Reject *</u>	<u>Approve employee leave request</u>	7	4	1	2	23.733 s
2		<u>Reject employee leave request</u>	7	4	1	2	24.373 s
3		<u>Verify approved status in Leave List</u>	7	4	1	2	14.213 s
4		<u>Verify rejected status in Leave List</u>	7	4	1	2	25.191 s

* The feature name and/or scenario name has been cropped to fit in the available space.


Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request

FAILED	DURATION - 1 m 27.683 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 28 Pass - 16 Fail - 4 Skip - 8	
/ 12:34:03.618 pm // 12:35:31.301 pm /					

Approve employee leave request

FAILED	DURATION - 23.733 s		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 12:34:03.622 pm // 12:34:27.355 pm /				
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request				


#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	1.934 s
2	And click on the Leave menu	PASSED	1.605 s
3	And User navigates to the Leave List page	PASSED	1.302 s
4	When User set the date from "2026-01-01" to "2026-12-31"	PASSED	1.090 s
5	And selects a pending leave request and click on search button org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')]"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b79b558b2ca14f48b3cb9f2e09b52827, findElement {using=xpath, value=//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59431}, goog:processID: 11808, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59431/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b79b558b2ca14f48b3cb9f2e09b52827	FAILED	10.111 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:535) at com.actions.AdminLeaveManagement_LeaveApproval_Actions.selectStatus(AdminLeaveManagement_LeaveApproval_Actions.java:54) at com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps. selects_a_pending_leave_request_and_click_on_search_button(AdminLeaveManagement_LeaveApproval_Steps.java:39) at ?.selects a pending leave request and click on search button(file:///C:/Users/MyIambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/ resources/features/AdminLeaveManagement_LeaveApproval.feature:12) * Not displayable characters are replaced by '?'. </pre>		
6	And User clicks on the Approve button	SKIPPED	0.001 s
7	Then Leave request should be approved successfully	SKIPPED	0.002 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.730 s
	Approve employee leave request		
			


Reject employee leave request

FAILED DURATION - 24.373 s		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 12:34:27.380 pm // 12:34:51.753 pm /			
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request			

#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	0.979 s
2	And click on the Leave menu	PASSED	3.392 s
3	And User navigates to the Leave List page	PASSED	1.008 s
4	When User set the date from "2026-01-01" to "2026-12-31"	PASSED	0.930 s
5	And selects a pending leave request	FAILED	10.040 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')]"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0f1e6bcf99a50dcb505314cc7fcc8ed, findElement {using=xpath, value=//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50601}, goog:processID: 6680, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50601/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c0f1e6bcf99a50dcb505314cc7fcc8ed at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:535) at com.actions.AdminLeaveManagement_LeaveApproval_Actions.selectStatus(AdminLeaveManagement_LeaveApproval_Actions.java:54) at com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps.selects_a_pending_leave_request(AdminLeaveManagement_LeaveApproval_Steps.java:57) at ?.selects a pending leave request(file:///C:/Users/MyLambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/AdminLeaveManagement_LeaveApproval.feature:17) * Not displayable characters are replaced by '?'. </pre>		
6	And User clicks on the Reject button	SKIPPED	0.002 s
7	Then Leave request should be rejected successfully	SKIPPED	0.006 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.248 s
	Reject employee leave request		
			

Verify approved status in Leave List

FAILED DURATION - 14.213 s			Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 12:34:51.881 pm // 12:35:06.094 pm /				
Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request				

#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	2.544 s
2	And click on the Leave menu	PASSED	1.980 s
3	And User navigates to the Leave List page	PASSED	1.608 s
4	When User set the date from "2026-01-01" to "2026-12-31"	PASSED	1.416 s
5	And selects a Sheduled leave status	FAILED	0.002 s
	Step undefined		
6	When User views the Leave List	SKIPPED	0.001 s
7	Then The leave status should be displayed as "Approved"	SKIPPED	0.001 s

Verify rejected status in Leave List

FAILED DURATION - 25.191 s / 12:35:06.110 pm // 12:35:31.301 pm / Mylambigai_18May2026_ScriptXOrangeHRM file for Approve or Reject Employee Leave Request		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given the User on the Home page	PASSED	2.652 s
2	And click on the Leave menu	PASSED	2.283 s
3	And User navigates to the Leave List page	PASSED	1.396 s
4	When User set the date from "2026-01-01" to "2026-12-31"	PASSED	1.519 s
5	And selects a Rejected leave status	FAILED	10.043 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')]"} (Session info: chrome=148.0.7778.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '21.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b9dcf420dcf6d21e48f4c354008f2c4, findElement {using=xpath, value=//label[text()='Status']/following-sibling::div/div[contains(@class,'oxd-select-text')}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.168, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\MYLAMB~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52733}, goog:processID: 11892, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52733/devtoo..., se:cdpVersion: 148.0.7778.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b9dcf420dcf6d21e48f4c354008f2c4 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:166) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:429) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:423) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:535) at com.actions.AdminLeaveManagement_LeaveApproval_Actions.selectStatus(AdminLeaveManagement_LeaveApproval_Actions.java:54) at com.stepdefinitions.AdminLeaveManagement_LeaveApproval_Steps. selects_a_rejected_leave_status(AdminLeaveManagement_LeaveApproval_Steps.java:90) at ?.selects a Rejected leave status(file:///C:/Users/Mylambigai/Selenium_basic/ScriptX_OrangeHRM/src/test/resources/features/ AdminLeaveManagement_LeaveApproval.feature:27) * Not displayable characters are replaced by '?'.		
6	When User views the Leave List	SKIPPED	0.001 s
7	Then The leave status should be displayed as "Rejected"	SKIPPED	0.000 s
	AFTER - com.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.664 s
	Verify rejected status in Leave List		

#	Step / Hook Details	Status	Duration
	