

ENHANCING WOMEN SAFETY AND HOLISTIC CARE USING IoT TECHNOLOGY

A PROJECT REPORT

Submitted by

MOHANA S	921321104132
MOHANALAKSHMI S	921321104133
ROHINI P	921321104174

in partial fulfillment for the award of the degree

of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



PSNA COLLEGE OF ENGINEERING AND TECHNOLOGY,

(An Autonomous Institution Affiliated to Anna University, Chennai)

DINDIGUL-624 622

MAY 2025

PSNA COLLEGE OF ENGINEERING AND TECHNOLOGY

(An Autonomous Institution Affiliated to Anna University, Chennai)

DINDIGUL-624622

BONAFIDE CERTIFICATE

Certified that this project report “**ENHANCING WOMEN SAFETY AND HOLISTIC CARE USING IoT TECHNOLOGY** ” is the bonafide work of “**MOHANA S (921321104132), MOHANALAKSHMI S(921321104133), ROHINI P (921321104174)** ” who carried out the project work under my supervision.

SIGNATURE

Dr. D. SHANTHI M.E., Ph.D.,

HEAD OF THE DEPARTMENT

PROFESSOR

Department of Computer Science
and Engineering

PSNA College of Engineering and
Technology, Dindigul- 624 622

SIGNATURE

Mrs.A.JOYCE M.E.,

SUPERVISOR

ASSISTANT PROFESSOR

Department of Computer Science
and Engineering

PSNA College of Engineering and
Technology, Dindigul- 624 622

Submitted for the Viva-Voce Examination held on

2025

INTERNAL EXAMINER

EXTERNAL EXAMINER

ACKNOWLEDGEMENT

With warm hearts and immense pleasure, we thank the almighty for his grace and blessings which drove us to the successful completion of this project. We take this opportunity to express our sincere thanks to the respected Chairperson **Tmt.K.DHANALAKSHMI AMMAL**, who is the guiding light for all the activities in our college. We would like to express our deep gratitude to our Pro Chairman **Thiru.R.S.K.RAGURAAM**, for their continuous support towards the development of the students.

We would like to thank Our Principal **Dr.D.VASUDEVAN M.E., Ph.D.**, for being the beacon light in guiding every one of us and infusing strength and enthusiasm to work over successfully.

We express our sincere thanks and gratitude to **Dr.D.SHANTHI M.E., Ph.D.**, Professor and Head, Department of Computer Science and Engineering for her valuable suggestions and encouragement in the completion of the project work.

This project would not be possible without the motivation and guidance of our Project Coordinator **Dr.M.S.THANABAL M.E., Ph.D.**, Professor, Department of Computer Science and Engineering and Project guide **Mrs.A.JOYCE M.E.**, Assistant Professor, Department of Computer Science and Engineering.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	i
	LIST OF FIGURES	ii
	LIST OF ABBREVIATIONS	iii
1	INTRODUCTION	1
	1.1. OVERVIEW OF THE PROJECT	1
	1.2. MOTIVATION	2
	1.3. OBJECTIVES	2
	1.4. SCOPE	3
2	LITERATURE REVIEW	5
3	SYSTEM ANALYSIS AND DESIGN	17
	3.1. PROPOSED SYSTEM	17
	3.1.1. Advantages	22
	3.2. SYSTEM ANALYSIS	22
	3.2.1. Functional and Non-Functional Requirements	22
	3.2.2. Feasibility Study	25
	3.2.2.1 Technical Feasibility	25
	3.2.2.2 Economical Feasibility	26

	3.2.2.3 Social Feasibility	26
	3.3. FUNCTIONAL DESCRIPTION	27
	3.3.1. System Architecture	27
	3.3.2. UML Diagrams	28
	3.4. SYSTEM SPECIFICATION	31
	3.4.1. Hardware Specification	32
	3.4.2. Software Specification	32
	3.5. SYSTEM DESIGN	34
	3.5.1 Module Description	34
4	SYSTEM IMPLEMENTATION AND TESTING	38
	4.1 SYSTEM IMPLEMENTATION	38
	4.2 SYSTEM TESTING	41
	4.2.1 Functional Testing	43
	4.2.2 Unit Testing	45
	4.2.3 Black Box Testing	48
5	CONCLUSION AND FUTURE ENHANCEMENT	51
	5.1 CONCLUSION	51
	5.2. FUTURE ENHANCEMENT	52
	REFERENCES	53
	APPENDIX 1 :SAMPLE SOURCE CODE	56
	APPENDIX 2: PUBLICATIONS	59

CHAPTER 1

INTRODUCTION

1.1 OVERVIEW

In recent years, the safety and security of women have become a growing concern worldwide, particularly in countries like India, where reports of harassment, assault, and other crimes against women have seen a troubling rise. According to the National Crime Records Bureau (NCRB), more than 400,000 cases of crimes against women were reported in 2023 alone. These statistics reflect the urgent need for proactive and reliable safety solutions that can assist women in distress and help authorities respond more effectively.

With the advancement of technology, especially the Internet of Things (IoT), it is now possible to build smart devices that can respond in real-time and assist in emergencies. This project focuses on developing a Women Safety Device using IoT, which is compact, wearable, and easy to use. The device is equipped with several smart features, including a GPS module to track live location, an alarm system to alert nearby people, and a camera module to record and send video evidence along with location data to trusted contacts and the nearest police control room.

Additionally, the device is connected to an IoT cloud platform, allowing for real-time monitoring and data storage. Whenever the user is in trouble and presses the panic button, the system instantly performs multiple actions—ringing a loud buzzer, capturing and sending video, and updating the live location to selected family members or guardians and the authorities.

This project aims to empower women by giving them a dependable safety solution that works instantly and efficiently, reducing the time gap between a threat and a response. With this innovation, we hope to contribute to building a safer environment for women, offering not just protection, but also peace of mind.

1.2. MOTIVATION

Women's safety remains a critical concern across the globe, with rising incidents of harassment and violence creating fear and limiting freedom. In emergency situations, timely response and accurate information can make a life-saving difference. Traditional safety measures often fall short in providing real-time assistance or evidence. This project aims to bridge that gap by leveraging IoT technology to create a smart, responsive safety system. By integrating GPS, live video streaming, and instant alerts, the system empowers women to quickly signal distress, while ensuring authorities and loved ones are immediately informed with actionable data. The goal is to enhance security, boost confidence, and contribute to a safer society through innovation.

1.3. OBJECTIVES

The main objective of this women safety IoT device is to

- To activate a loud buzzer alarm to alert nearby individuals and discourage potential attackers.
- To obtain and transmit real-time GPS location to emergency contacts, law enforcement, and cloud-based tracking systems.
- To send automated alert messages containing the user's location to ensure timely assistance and response.
- To capture live video footage through an integrated camera module and transmit it to authorities for real-time monitoring and evidence collection.
- To provide a cost-effective, portable, and reliable solution for enhancing women's personal safety through technology.

1.4. SCOPE

1. Career Exploration: Role of IoT in Emerging Tech Careers

The integration of IoT in safety applications opens diverse career paths in technology and social innovation. Through this project, learners are exposed to real-world applications of embedded systems, cloud computing, and wireless communication. Careers in IoT development, smart wearables, cybersecurity, public safety tech, and humanitarian technology are becoming increasingly relevant. This project provides a foundation for roles such as IoT engineer, embedded systems developer, hardware prototyping specialist, and smart solutions designer, especially in sectors that emphasize social good and personal security

2. Developing Skills: Hands-on Learning with IoT Components

This project is an excellent platform to build technical and practical skills. Participants learn how to work with hardware components like GPS modules, GSM modules, buzzers, microcontrollers (e.g., Arduino or ESP32), and camera modules. They gain experience in real-time data transmission, sensor integration and cloud-based storage. In addition, skills in C/C++ programming, embedded system design, and troubleshooting are developed. The project also encourages teamwork, problem-solving, and critical thinking—skills that are highly valued in any technical career.

3. Clear Information Presentation: Designing for Real-Time Response

In emergency scenarios, clarity and speed of communication are essential. The system is designed to present location and alert information in a precise, easy-to-understand format. Alert messages are automatically generated with GPS coordinates and sent instantly via SMS or through cloud platforms. If integrated with a mobile app or web interface, real time location tracking and visual feedback help responders act quickly. This approach also prepares students to design user

interfaces and reporting systems that prioritize clarity and responsiveness—vital in safety-critical environments.

4. Simplifying User Experience: User-Centric Emergency Device Design

The success of any safety device depends on its ease of use. This project emphasizes user-centered design by keeping activation simple—a single press of a button triggers all actions. The system is compact, potentially wearable, and designed for intuitive use in high-stress situations. Features like automatic video streaming, location sharing, and cloud backup happen in the background, ensuring the user is not overwhelmed. The project fosters understanding of user experience (UX) design, interface simplification and accessibility principles in tech develop.

CHAPTER 2

LITERATURE REVIEW

A Conceptual Study on Women Safety Application in the Digital Era explores the intersection of technology and women's safety, focusing on the development and use of digital applications designed to enhance personal security in contemporary society. As women face unique safety challenges in public and private spaces, the study examines the growing reliance on mobile technology to address these issues, particularly in urban environments. With the rapid advancement of digital tools, mobile applications have emerged as a powerful means of providing real-time support and resources.

The paper reviews a variety of women's safety apps, assessing their features, functionalities, and effectiveness in ensuring protection and quick response during emergencies. Furthermore, the study highlights the potential for integrating artificial intelligence and machine learning into safety applications to enhance predictive capabilities, such as anticipating high-risk situations and offering proactive safety measures.

The study also investigates the socio-cultural implications of using these digital tools, considering the barriers to adoption such as privacy concerns, technology access, and user awareness. Ultimately, the paper emphasizes the need for a holistic approach to women's safety, combining technology, policy frameworks, and community engagement. The research advocates for further innovation in mobile safety applications and their integration into everyday life to foster a safer and more empowering environment for women in the digital age.[1]

The paper titled "Transforming Women Safety with Information Technology: A Mobile Real-Time Intelligence Framework" presents a forward-thinking approach to addressing women's safety concerns using modern digital

technologies. The proposed system is a comprehensive mobile-based solution that integrates real-time intelligence, machine learning, and cloud communication to enhance the security and response mechanisms in emergency situations faced by women.

The framework is designed to detect high-risk scenarios and automatically trigger alerts, ensuring immediate communication with emergency contacts and law enforcement agencies. Key features of the framework include live GPS tracking, which allows precise location sharing; safe route prediction using AI-based algorithms; and automated SOS alerts through a user-friendly mobile interface. Additionally, the system supports evidence collection by enabling users to record audio, capture images or video, and store this information on a secure cloud platform.

This multimedia data can be crucial for investigations and legal proceedings. The authors emphasize the need for such intelligent systems in today's digital era where women continue to face threats in public, workplaces, and even digital spaces. By combining technology with real-time situational awareness, the framework not only provides a sense of security but also empowers women to take immediate action in distress situations.

This study underlines how information technology can be harnessed to build safer environments and highlights the role of mobile applications in fostering social change. The integration of AI, IoT, and cloud platforms makes the framework scalable, reliable, and adaptable to different use cases in urban and rural settings.[2]

Kaur et al. explore the role of IoT in enhancing women's security through real-time threat detection, automated alert systems, and cloud-based monitoring. The study focuses on the potential of IoT-driven security devices to reduce crime rates by enabling rapid response mechanisms and integrating smart wearable

technology for continuous monitoring. The proposed system includes a GPS tracker, GSM module, and an emergency alert button. Additionally, it integrates cloud-based data storage to maintain historical records of user movements and alerts, providing valuable data for law enforcement.

The system operates in two main modes: active and passive. In active mode, the user manually triggers an alert when feeling unsafe, while in passive mode, built-in sensors detect abnormal movements, high heart rate, or sudden impact, automatically sending alerts to emergency contacts. The study discusses key challenges such as privacy concerns, network dependency, and ensuring reliable operation in different environmental conditions. To address these issues, the authors suggest implementing end-to-end encryption for secure data transmission, utilizing multi-network switching for uninterrupted connectivity, and incorporating a multi-sensor fusion approach to minimize false alarms.

The authors conclude that IoT-based security solutions have significant potential in safeguarding women by providing real-time assistance and continuous monitoring. Future research directions include integrating AI-driven threat analysis, blockchain-based identity verification for enhanced security, and smart city integration for seamless coordination with law enforcement agencies. The study emphasizes that while IoT-driven security systems can provide immediate help, widespread adoption and continuous technological advancements are necessary to maximize their impact and reliability.[3]

Das et al. introduce a women's security system that leverages IoT technologies to provide real-time location tracking, emergency alerting, and biometric-based authentication for enhanced safety. The study outlines the increasing demand for smart security solutions that can proactively detect threats and provide immediate assistance in emergency situations. The proposed system consists of a compact, wearable device equipped with a GPS module, GSM

communication, and biometric authentication (fingerprint or voice recognition) to prevent unauthorized access. The system is designed to function in two modes: manual and automatic. The manual mode allows users to activate an SOS alarm by pressing a panic button, sending their GPS location to emergency contacts. The automatic mode uses sensors to detect distress signals based on movement patterns, environmental sounds, and physiological responses like heart rate fluctuations.

The study concludes that IoT-based security systems provide an effective and scalable solution for women's safety. Future developments may include machine learning-driven behavioral analysis to enhance threat detection accuracy, integration with police databases for quicker emergency response, and community-based alert systems for collaborative safety measures. The authors emphasize that combining biometric authentication with IoT can further improve personal security, making such devices more robust and effective in real-world scenarios.[4]

Ghosh et al. propose an IoT-enabled smart security device for women that utilizes Raspberry Pi as the central processing unit for real-time threat detection and emergency communication. The research focuses on improving personal safety through wearable and portable security devices that integrate multiple sensors, including GPS, microphone, and motion detectors. The system is designed to detect potential threats and provide immediate assistance by alerting emergency contacts and law enforcement agencies.

The core functionality includes an SOS button that, when pressed, sends an alert message with GPS coordinates to predefined contacts. Additionally, the device continuously monitors environmental audio and motion patterns, utilizing machine learning algorithms to detect unusual activity. If distress indicators such as sudden loud noises, rapid movements, or voice commands are detected, the

system automatically triggers an alert. The study highlights the advantages of using Raspberry Pi over microcontrollers like Arduino due to its higher computational power and ability to process real-time audio and video feeds. The authors discuss major challenges such as power consumption, network reliability, and the potential for false positives.

To address these issues, they propose integrating edge computing techniques to process data locally, reducing dependency on cloud servers and improving response time. The system also includes encryption protocols to ensure secure data transmission and prevent unauthorized access. The study concludes that IoT-driven security devices powered by Raspberry Pi offer an advanced, scalable solution for women's safety.

Future enhancements include AI-based facial recognition for attacker identification, blockchain-based security for data integrity, and low-power design optimizations to extend battery life. The authors emphasize the need for widespread deployment of such devices to enhance public safety and empower women with real-time protection mechanisms.[5]

Pagadala et al. present an IoT-based women's security device that integrates machine learning (ML) algorithms to enhance threat detection and response efficiency. The study focuses on the growing concerns surrounding women's safety and the need for intelligent, real-time monitoring solutions. The proposed device employs various sensors, including GPS, accelerometers, and heart rate monitors, to continuously track the user's location and physiological responses. Machine learning algorithms analyze the collected data to detect signs of distress, such as abnormal movement patterns or sudden spikes in heart rate, triggering emergency alerts when necessary.

The system is designed to send real-time alerts to emergency contacts and law enforcement, providing location details and possible threat classification

based on ML predictions. The authors emphasize that traditional panic-button-based systems often fail when victims are unable to activate them manually. Therefore, the proposed system leverages automated detection techniques, reducing dependency on user intervention. Key challenges discussed in the study include false alarm reduction, battery efficiency, and ensuring seamless network connectivity.

To address these issues, the authors propose implementing adaptive ML models that learn user behavior over time, improving accuracy in distress detection. Additionally, the system utilizes an energy-efficient communication protocol to enhance battery life. The study concludes that integrating ML with IoT-based security devices significantly improves threat detection accuracy and emergency response times. Future research directions include refining ML models for better contextual awareness, incorporating voice recognition for hands-free activation, and enhancing cybersecurity measures to protect user data. The authors highlight that ML-supported IoT security devices have the potential to revolutionize personal safety, offering a proactive approach to threat prevention rather than reactive responses.[6]

Sowmya et al. present an IoT-based women's safety system that utilizes GPS tracking, GSM-based alert messaging, and sensors to detect potential threats and ensure real-time emergency response. The proposed system is designed to address safety concerns by providing an automated mechanism for alerting authorities and trusted contacts in distress situations. The study discusses the integration of IoT technology with wearable and portable devices to enhance personal security.

The core functionality of the system includes a panic button, which, when pressed, immediately sends the user's GPS coordinates to emergency contacts and law enforcement. Additionally, the system incorporates a pulse sensor to monitor the wearer's heart rate, which helps in detecting panic or distress. If an abnormal

heart rate is detected, the device automatically triggers an alert, even if the panic button is not pressed. The authors emphasize the importance of combining physiological monitoring with location tracking to create a more effective safety solution. The authors suggest using energy-efficient components and encrypted communication protocols to enhance security and reliability.

The study concludes that IoT-based safety systems offer significant advantages in personal security by enabling real-time threat detection, automated emergency responses, and improved law enforcement coordination. Future advancements could include integrating AI-based behavior analysis, machine learning algorithms for threat prediction, and multi-sensor fusion for more accurate detection of dangerous situations. The authors highlight that IoT-driven security solutions can contribute to a safer environment, particularly for women traveling alone or in vulnerable situations.[7]

Raja and Rachel introduce an innovative IoT-based smart foot device aimed at enhancing women's safety by integrating real-time monitoring and emergency alert mechanisms. The device is embedded with sensors, GPS, and GSM modules to detect threats and provide instant assistance. When activated, the system sends emergency alerts, including the user's real-time location, to predefined contacts and law enforcement agencies.

The authors describe the system's architecture, which includes a pressure sensor embedded in footwear that detects distress signals when the user applies specific force patterns. Additionally, an accelerometer and gyroscope are used to detect abnormal motion patterns, such as sudden acceleration or a fall, which may indicate an attack.

The study also highlights key challenges, including battery life, sensor calibration, and network connectivity issues, which may impact the device's efficiency. Security concerns related to data privacy and unauthorized access to

location data are also addressed. The authors conclude that integrating smart wearable devices with IoT and real-time alert mechanisms can significantly improve emergency response times, potentially preventing violent incidents. Future enhancements include AI-based threat detection, voice-activated emergency triggers, and improved battery efficiency to extend the device's operational time.[8]

This study introduces a voice-controlled safety tool designed to assist women in distress by enabling hands-free emergency alerts. The system employs voice recognition technology integrated with IoT and mobile applications to trigger alarms and notify emergency contacts. The authors highlight the advantages of voice-based activation, particularly in situations where manual intervention is impractical.

The study elaborates on the implementation of speech recognition algorithms, ensuring high accuracy in detecting distress words or phrases under various noise conditions. The research explores the integration of the tool with smart devices, allowing users to activate emergency responses via voice commands without requiring physical interaction. Additionally, the paper discusses the security challenges associated with voice recognition, including potential misuse, spoofing, and privacy concerns.

The authors also explore the integration of artificial intelligence and machine learning to enhance the tool's accuracy and adaptive learning capabilities, ensuring it becomes more effective over time. The study concludes that voice-based safety tools offer a revolutionary approach to personal security by enabling quick and discreet emergency responses.

However, further enhancements in speech recognition accuracy, privacy safeguards, and widespread accessibility are necessary for large-scale adoption. The research suggests that incorporating real-time GPS tracking, biometric

authentication, and AI-driven anomaly detection can further enhance the reliability and effectiveness of the system, making it a crucial advancement in women's safety technologies.[9]

This literature review explores the advancements in women's safety systems, highlighting the role of IoT, artificial intelligence, and mobile applications in ensuring personal security. The authors categorize various safety solutions, including wearable devices, smartphone applications, and emergency alert systems, examining their effectiveness and limitations. The paper delves into the historical progression of women's safety technologies, from basic distress alarms to AI-powered predictive safety mechanisms.

The review examines various methodologies used in safety devices, such as GPS-based tracking, biometric authentication, and real-time emergency response systems. The study also sheds light on the integration of voice recognition and gesture-based activation for emergency alerts, allowing for hands-free operation during distress situations.

The review stresses the importance of designing user-friendly, cost-effective, and reliable safety solutions that seamlessly integrate into daily life. It highlights case studies of successful implementations and areas requiring further improvement, such as battery optimization, false alarm reduction, and enhanced connectivity in low-network areas.

The study concludes that technology-driven safety systems hold great promise, yet their widespread adoption demands robust policies, public awareness campaigns, and continuous technological advancements to ensure accessibility and efficiency for all users. The authors recommend further research into AI-driven threat detection and blockchain-based secure data storage to enhance the reliability and effectiveness of these safety systems.[10]

SUMMARY:

The Women Safety IoT Project presents a comprehensive overview of how modern technologies like the Internet of Things (IoT), Artificial Intelligence (AI), Machine Learning (ML), and mobile applications are being integrated to enhance the personal security of women. As safety concerns remain prevalent in both public and private spaces, the development of intelligent, real-time monitoring systems offers proactive measures to prevent and respond to emergencies. These systems typically include GPS and GSM modules for live location tracking and emergency communication, panic buttons for manual alerts, and automated detection through sensors that monitor motion, heart rate, sound levels, and other physiological responses. In many cases, biometric authentication methods such as fingerprint or voice recognition are also employed to ensure secure usage and prevent unauthorized access.

Advanced AI and ML algorithms play a critical role in analyzing user behavior, identifying potential threats, and reducing false alarms through adaptive learning. These systems are often embedded in wearable devices—such as smart bands, footwear, or compact portable units—making them discreet and easy to use. Cloud-based platforms and edge computing are used for storing and processing data securely and efficiently, which also facilitates rapid communication with emergency contacts and law enforcement agencies. Voice-activated tools further enhance accessibility by allowing users to trigger alerts hands-free during distress situations.

While these innovations hold significant promise, the project also highlights several challenges, including privacy concerns, battery limitations, network reliability, and the risk of false positives. To address these, researchers recommend implementing end-to-end encryption, energy-efficient hardware, multi-sensor fusion for better accuracy, and blockchain technologies for secure

data storage. The project concludes that the integration of smart safety devices with intelligent software solutions has the potential to transform women's safety. However, widespread adoption will require not just technological advancements, but also supportive policy frameworks, public awareness initiatives, and efforts to make these solutions accessible to all segments of society.

In the digital age, women's safety has become a significant area of concern, prompting the development of innovative solutions that leverage smart technologies. The integration of IoT (Internet of Things) with artificial intelligence and real-time data processing has revolutionized personal security by enabling proactive monitoring and rapid emergency response. IoT-based safety systems typically consist of wearable or portable devices embedded with sensors that detect distress signals, such as unusual movements, sudden acceleration, or abnormal heart rate.

These devices are designed to automatically send alerts, along with the user's GPS location, to emergency contacts and law enforcement agencies, ensuring timely intervention even when the user is unable to act manually. Such systems also incorporate features like biometric authentication and cloud-based data storage, making them both secure and scalable for daily use.

Beyond individual safety, these smart systems contribute to building safer communities by enabling law enforcement and emergency responders to act swiftly and efficiently. With AI-driven predictive analytics, safety applications can identify high-risk zones, suggest safer travel routes, and adapt to user behavior over time, increasing accuracy in threat detection. Despite their benefits, these technologies face challenges such as data privacy concerns, limited internet connectivity in rural areas, and the need for constant power supply.

Addressing these issues requires the use of encrypted data transmission, energy-efficient hardware, and awareness programs to educate users about the

functionality and importance of such tools. Overall, the adoption of IoT-based women's safety systems marks a vital step towards empowering women with real-time protection and fostering a safer, more responsive digital environment.

The growing prevalence of safety concerns for women in modern society has driven the emergence of intelligent, technology-driven solutions that prioritize real-time protection and proactive intervention. IoT-based safety devices, when integrated with sensors, GPS tracking, and AI algorithms, enable continuous monitoring of a user's environment and physiological responses. With the inclusion of features such as biometric authentication, encrypted communication, and cloud storage for evidence collection, these tools not only offer immediate support during emergencies but also aid in post-incident investigation.

CHAPTER 3

SYSTEM ANALYSIS AND DESIGN

3.1. PROPOSED SYSTEM

In today's fast-paced world, emergencies can arise at any time and often in situations where every second counts. To address this critical need, the proposed system introduces a smart, IoT-based emergency alert mechanism designed to respond to distress situations by leveraging modern technologies such as GPS, camera modules, cloud communication, and real-time notifications. This system is focused on providing immediate response and support in emergency scenarios, reducing response times, enhancing situational awareness, and ensuring public safety. The core idea is to allow users to trigger an emergency response with a simple press of a button, activating a sequence of automated actions that both notify the relevant contacts and capture critical data about the incident.

The emergency response process begins when the user presses an emergency button, which activates a series of actions, including the capturing of live GPS coordinates. This location data is transmitted in real-time to designated emergency contacts or authorities. By sharing accurate location information immediately after the button press, the system ensures that help can be dispatched quickly and with precision. In an emergency, especially in large or unfamiliar locations, finding the exact location can be challenging and time-consuming. By integrating GPS technology, the system overcomes this barrier, enabling responders to reach the exact spot without delay, which is crucial for reducing response times.

In addition to location tracking, the system is equipped with an integrated camera that captures images and videos of the surrounding environment. This visual context is invaluable as it provides emergency contacts or responders with

a clearer understanding of the situation. For example, if the user is involved in an accident or in a hazardous situation, visual evidence of the surroundings such as road conditions, obstacles, or the nature of the emergency can be critical for assessing the severity of the incident. These images and videos are then uploaded to a cloud-based platform or mobile application, where they can be accessed remotely by emergency responders or designated contacts. The inclusion of real-time video capture adds another layer of situational awareness, allowing responders to make informed decisions even before reaching the scene.

The system also integrates a buzzer notification, which is activated at the moment the emergency button is pressed. This loud audio cue is designed to draw the attention of nearby individuals or bystanders, alerting them to the emergency situation. In public spaces or busy environments, having a localized alarm that prompts others to assist can be pivotal. It serves as a means to activate immediate local help, which is especially useful when professional responders may not be nearby or immediately available. This feature helps ensure that assistance is not only digital but also immediate and tangible through the intervention of bystanders who are alerted to the crisis.

To enhance the communication aspect, the system is designed to send automated email notifications to pre-registered emergency contacts. These emails contain essential information, including the GPS coordinates, time of the emergency, and any images or video footage captured by the system. This real-time email notification is crucial because it helps the contacts stay informed, regardless of their location, enabling them to make quick decisions about the response. For example, a family member who receives the email notification can immediately call local authorities, provide them with the user's location, or even relay the images to assist responders in planning their actions.

An LCD display on the system shows the user's current emergency status, including a confirmation of the alert transmission, the location coordinates, and

the status of the camera. This feature serves as a reassurance for the user in moments of stress or danger. It provides real-time feedback, so the user knows that their emergency message has been sent and that their location is being tracked. This transparency reduces anxiety and enhances the sense of control during a crisis.

The proposed system integrates all these components into a cohesive unit that works seamlessly together. It uses IoT (Internet of Things) technology to connect the device with external platforms, enabling remote monitoring, data sharing, and communication between the user and emergency responders. The cloud platform serves as the hub where all data is stored and shared, ensuring that even if the user is unable to communicate directly with authorities, their emergency information is available to the right people at the right time.

A key feature of the proposed system is its scalability and adaptability. While the system is designed for individual use, it can be easily adapted to different scenarios, such as workplace safety or vehicle emergency response. By utilizing IoT sensors and cloud communication, the system can be expanded to include additional features, such as heart rate monitoring for health emergencies, smoke or gas detection for fire-related incidents, and even integration with public safety systems for large-scale emergency responses. This scalability makes the system versatile and applicable to a wide range of emergency situations, increasing its utility in various contexts, including personal, workplace, and public safety.

Another important consideration in the development of this system is user accessibility and ease of use. In high-stress situations, the user may not have the presence of mind to operate complex technology. Therefore, the system has been designed with simplicity in mind. The emergency button is easily accessible, and the process for activating the alert system is intuitive and requires minimal user input. This ensures that even in the most stressful moments, users can quickly and effectively activate the emergency response system.

In summary, the proposed IoT-based Emergency Alert System offers a powerful solution to improve response times and enhance public safety. By integrating GPS location tracking, video and image capture, email notifications, buzzer alerts, and cloud communication, the system ensures that emergencies are addressed swiftly and with a high degree of situational awareness. This comprehensive system not only provides valuable real-time data for responders but also engages local individuals to assist during crises, creating a robust, multi-layered approach to emergency response. With the integration of modern technologies, this system ultimately reduces the chances of harm and increases the effectiveness of emergency management, significantly enhancing overall safety in critical situations.




Figure 3.1. Flow Diagram

3.1.1. ADVANTAGES OF PROPOSED SYSTEM

- **Real-time Location Tracking:** The integration of a GPS module ensures that the system can immediately capture and transmit precise location data. This allows emergency responders to locate the user quickly, especially in complex or unfamiliar environments. Fast location sharing reduces response times, which can be crucial in critical situations.
- **Visual Context via Camera Capture:** The inclusion of an integrated camera that captures images and video footage provides valuable visual context to the emergency. This helps responders assess the situation remotely and better prepare for the response. For example, images of road conditions, environmental hazards, or even the user's physical state can influence decision-making and prioritization.
- **Automated Alerts and Notifications:** The system automates the process of sending email notifications to pre-registered contacts, providing them with essential information (such as location, time, and visual data). This feature ensures that those who need to be informed are alerted immediately, even if they are not physically present at the scene.
- **Buzzer for Immediate Local Attention:** The activation of a local buzzer draws immediate attention to the emergency, alerting nearby individuals or bystanders to assist. This is particularly useful in environments where help might not be immediately available from professional responders, increasing the chances of timely local intervention.
- **User-Friendly Interface:** The system is designed with simplicity in mind, offering an easy-to-use emergency button that activates the entire process with minimal effort. The system also provides clear real-time status updates on the LCD screen, which reassures the user that their emergency request is being processed.

3.2. SYSTEM ANALYSIS

The Women Safety IoT system is designed to address the increasing concerns about women's safety by providing a smart and quick emergency response solution. The traditional safety mechanisms often require time-consuming manual actions and lack real-time tracking or instant alerts. This proposed system enables immediate action with just a single press of an emergency button. Once triggered, it activates a buzzer to alert nearby individuals, captures the user's real-time GPS location, and sends it to emergency contacts, law enforcement agencies, and an IoT cloud platform for tracking. It also sends alert messages containing location details and captures live video footage, which is transmitted to authorities as evidence.

3.2.1. FUNCTIONAL AND NON-FUCATIONAL REQUIREMENTS

FUNCTIONAL REQUIREMENTS

The Women Safety IoT system is designed to perform several critical functions upon activation by the user. When the emergency button is pressed, the system must simultaneously activate a buzzer to alert people nearby and trigger the GPS module to retrieve the user's real-time location. This location must then be transmitted to pre-configured emergency contacts, law enforcement agencies, and an IoT cloud platform for remote tracking and monitoring.

Emergency Button Activation:

- The system begins operation when the user presses the emergency button.
- This is the trigger for all other functions to run simultaneously.

Buzzer Activation:

- A buzzer is activated immediately.
- It produces a loud alarm to alert nearby people and deter attackers.

GPS Location Capture:

- The system captures the user's real-time location using a GPS module.
- This information includes latitude, longitude, and possibly address data.

Sending Alert Message:

- A text-based alert (SMS/email/push notification) is sent to emergency contacts.
- The alert contains the location and a distress message.

Camera Module Activation:

- A camera starts recording or live-streaming video.
- This footage is transmitted in real-time or stored for later review.

Live Video Transmission:

- The video is shared with authorized entities (e.g., police).
- This acts as visual evidence of the situation.

NON-FUNCTIONAL REQUIREMENTS:

The Women Safety IoT system must be highly reliable and capable of performing consistently without failure, especially during emergency situations. The performance of the system should be efficient, with immediate activation of all modules such as the buzzer, GPS, and camera within a couple of seconds after the emergency button is pressed. Usability is crucial, and the system interface must be user-friendly, allowing women to configure contacts and access features easily. To ensure safety and privacy, all transmitted data must be encrypted, and

proper user authentication should be enforced

Performance:

- The system should respond rapidly, ideally within 1–2 seconds after the emergency button is pressed, to ensure timely assistance during critical situations.
- All modules including the buzzer, GPS, message alerts, and camera must activate simultaneously without noticeable delay
- The real-time GPS location must be captured accurately and transmitted promptly to emergency contacts, law enforcement, and cloud systems for monitoring.
- The system should also support smooth video capture and transmission without lag to provide live evidence to authorities.

Security:

- Security is a critical aspect of the women safety IoT system to ensure the protection of user data and prevent unauthorized access.
- All transmitted data including real-time GPS coordinates, alert messages, user identity, and live video footage must be encrypted
- The system must also be designed to resist common cybersecurity threats providing a secure and reliable environment for vulnerable users.

Scalability:

- The women safety IoT system can accommodate growth in terms of users, devices, and data volume without compromising performance.
- The system should support distributed data processing to manage and analyze incoming streams of GPS data, video feeds, and alert messages from multiple sources concurrently.

3.2.2. FEASIBILITY STUDY

The Women Safety IoT project is highly feasible from technical, economic, and operational perspectives. Technically, the system leverages readily available components such as GPS modules, IoT-enabled microcontrollers like Arduino buzzers, and camera units, all of which can be easily integrated. Cloud platforms can manage real-time data transmission, ensuring reliability and scalability. Economically, the project is cost-effective as the hardware components are affordable and open-source software tools reduce development costs. Operational feasibility is strong because the system is user-friendly, requiring minimal interaction just the press of an emergency button. This ensures immediate action in critical situations.

3.2.2.1. TECHNICAL FEASIBILITY

The system design involves the integration of components such as GPS for real-time location tracking, wifi modules for communication, buzzers for alarms, and camera modules for live video capture. These hardware components are seamlessly controlled using programmable microcontrollers such as Arduino which provide the flexibility and processing capability needed for simultaneous multi-sensor operations. The software components, including mobile applications or web dashboards for alerts and monitoring, can be developed using open-source technologies, ensuring high customizability and low dependency on proprietary solutions. These platforms offer scalability, data redundancy, and encryption support, making them ideal for IoT-based safety systems. For real-time data processing and transmission, the system is integrated with cloud services which enable secure data storage, live location tracking, and instant message dispatch to emergency contacts and authorities.

3.2.2.2. ECONOMICAL FEASIBILITY

The women safety IoT project is economically feasible due to its reliance on affordable and readily available hardware components such as GPS modules, Wifi modules, buzzers, and camera modules. These components can be integrated with cost-effective microcontrollers Arduino minimizing initial setup expenses. Furthermore, the software required for data transmission, alert messaging, and live video streaming can be developed using open-source platforms and tools, reducing licensing costs significantly. The system is designed for minimal maintenance and low power consumption, ensuring that operational costs remain low over time. The investment in this system offers a high return in terms of public safety, especially for women in distress, making it not only a financially sound solution but also one with meaningful social impact. Given its scalability and modular design, the system can be deployed in various public and private settings without major financial strain.

3.2.2.3. SOCIAL FEASIBILITY

The social feasibility of this women safety IoT project is highly positive, as it directly addresses the growing concern over women's safety in both urban and rural areas. By offering real-time tracking, instant alerts, and live video evidence during emergencies, the system empowers users with a sense of security and control. This fosters trust not only among users but also within communities, as it reassures families and authorities about the safety of vulnerable individuals. The project promotes awareness about the importance of technological interventions in social issues, paving the way for broader acceptance and support. Its user-friendly design and accessibility make it suitable for people of all age groups and backgrounds, increasing its impact and adoption across various segments of society

3.3. FUNCTIONAL DESCRIPTION

3.3.1. SYSTEM ARCHITECTURE

This IoT-based women's safety device integrates an alarm for immediate local alerts, a GPS module for precise location tracking, and a camera to capture crucial visual evidence during an emergency. When triggered, the system swiftly compiles an alert message containing the user's location and the captured video. This comprehensive alert is then promptly transmitted to designated emergency contacts and potentially law enforcement agencies, enabling them to understand the situation and provide timely and effective assistance.




Figure 3.2. System Architecture

3.3.2. UML DIAGRAMS

A UML diagram is a diagram based on the UML (Unified Modelling Language) with the purpose of visually representing a system along with its main actors, roles, actions, artifacts or classes, in order to better understand, alter, maintain, or document information about the system.

USE CASE DIAGRAM




Figure 3.3. Use case Diagram

In an emergency, the user can easily trigger an alert. Once activated, the device will immediately grab the user's location using GPS and send it out. Along with the location, an alert message and any captured pictures or videos are also transmitted. To draw immediate local attention, the device will sound an alarm

and show a visual alert on its screen. Furthermore, the device can capture and send visual proof of what's happening. Emergency responders, and possibly the user through a mobile app, can then remotely keep track of the situation as it unfolds.

SEQUENCE DIAGRAM




Figure 3.4. Sequence Diagram

When the user presses the emergency button, the device's emergency system activates. This immediately triggers the buzzer to sound an alarm, alerting both the user and anyone nearby. At the same time, the system requests the device's current location from the GPS module, which promptly provides this information. The emergency system then sends an alert message containing this

location via the communication module to the designated authorities and emergency contacts.

Additionally, the location data is also transmitted to an IoT cloud platform for potential later use. Simultaneously, the emergency system instructs the camera module to begin recording. The captured video footage is then sent to the communication module, which in turn transmits it to both the authorities/emergency contacts and the cloud platform.

ACTIVITY DIAGRAM




Figure 3.5. Activity Diagram

The workflow of the women's safety IoT project during an emergency begins with the system detecting an emergency situation. If no emergency is detected, the process ends. However, if an emergency is identified, the system then waits for the user to press the designated button, indicating activation. If the button is not pressed, the process terminates. Upon the button press, the system immediately sends out an alert message. Following this, three critical actions occur simultaneously: the device determines and transmits its current location using GPS, activates a buzzer to alert people nearby, and initiates the camera to capture and send video footage, providing crucial visual context.

CLASS DIAGRAM




Figure 3.6. Class Diagram

The class diagram illustrates the key software components of the women's safety IoT system and their interconnections during an emergency. The core component is the EmergencySystem, which acts as the orchestrator, managing the GPSModule, BuzzerModule, CameraModule, When the emergency button is pressed, the triggerEmergency method in the EmergencySystem coordinates the activation of the BuzzerModule to sound an alarm. Simultaneously, it

commands the GPSTModule to retrieve the location and instructs the send this location, along with an alert message, to emergency contacts, law enforcement, and the IoT cloud platform.

Each module is designed with specific responsibilities and functionalities. The GPSTModule focuses on location-related tasks, offering methods to get the coordinates and send them. The BuzzerModule provides a simple interface to activate the alarm. The CameraModule handles the recording and transmission of visual data.

3.4. SYSTEM SPECIFICATION

3.4.1. HARDWARE SPECIFICATION

The Women Safety IoT system is built using a combination of reliable and low-cost hardware components to ensure real-time emergency response and monitoring.

- Arduino Uno (ATMega328P)
- NodeMCU (ESP8266)
- GPS neo 6m
- 16*2 LCD display
- Buzzer

3.4.2. SOFTWARE SPECIFICATION

The software system of the Women Safety IoT project is designed to seamlessly coordinate various hardware components and enable real-time communication and data processing.

- Programming language : Embedded c ,Python
- Programming tool : Arduino Ide 1.8.19, Python IDLE 3.12

TECHSTACK

PYTHON

This Women Safety IoT system is developed using Python IDLE 3.12 as the primary programming platform. Python is chosen for its flexibility, ease of integration with hardware components, and strong support for real-time data processing. The system utilizes Python to control and interact with hardware modules such as the GPS for live location tracking, buzzer for audible alerts, and especially the camera module, which records real-time video when the emergency button is pressed. The recorded footage is processed and sent securely to the authorities as visual evidence. This robust tech stack ensures fast response, secure data handling, and reliable system behavior during emergency situations.

EMBEDDED C

The core functionality of the Women Safety IoT project is implemented using Embedded C programming, which provides direct control over hardware components with high reliability and efficiency. The system code is developed and uploaded via Arduino IDE version 1.8.19, a robust platform for compiling, debugging, and deploying embedded applications to microcontrollers such as the Arduino Uno (ATmega328P). Embedded C is used to write the logic that governs the device's behavior upon pressing the emergency button, including activating the buzzer, acquiring GPS coordinates from the NEO-6M module, and displaying status messages on the 16x2 LCD screen.

The microcontroller processes these inputs and communicates with the Node MCU (ESP8266) module to transmit data over Wi-Fi to a remote IoT cloud platform. The system also integrates a camera module, which is triggered to record or stream video as soon as the alert is activated.

Using Arduino IDE enables easy integration of libraries for GPS & Wi-Fi communication, facilitating rapid development and testing. This combination of Embedded C with the Arduino platform ensures a lightweight, low-latency solution ideal for wearable or portable safety devices, especially where consistent performance and reliability are critical.

IoT CLOUD APP

In this Women Safety IoT project, the integration of IoT cloud technology, GPS, and Python ensures a fast and efficient emergency response system. When the user presses the emergency button, the GPS module (Neo-6M) captures the real-time location of the individual. This location data is transmitted to an IoT cloud platform such as the NodeMCU (ESP8266) Wi-Fi module. The cloud platform logs the data and makes it accessible for visualization and alert management.

The application developed receives the emergency data and displays the location and system status in real-time. The application also handles backend processes such as message formatting, video feed integration, and alert triggering. The GPS data is processed and displayed within the app interface, making it easy for emergency responders to locate and act quickly. This tech stack ensures that emergency events are tracked, stored, and visualized seamlessly, enhancing the system's responsiveness and reliability.

3.5. SYSTEM DESIGN

3.5.1. MODULES DESCRIPTION:

1. CRISIS ACTIVATION MODULE

The Crisis Activation module acts as the trigger point of the entire system. It is typically implemented using a hardware button connected to a microcontroller such as Arduino or NodeMCU. When the user presses this emergency button, it

sends an interrupt signal to the controller, initiating the entire alert sequence. To avoid false triggers, a debounce mechanism or double-press confirmation can be used. The microcontroller's firmware is programmed to start all essential modules instantly upon activation.

This module is tightly integrated with all other subsystems to function concurrently. A central event handler within the microcontroller ensures that GPS location fetching, camera activation, buzzer alerting, and message dispatching happen in parallel. This is managed through task scheduling or multi-threaded processing. The microcontroller prioritizes low-latency response and sends a timestamped log to the IoT cloud for verification and future analysis.

2. GEO-ALERT DISPATCH MODULE:

The Geo-Alert Dispatch module is responsible for acquiring real-time location data using a GPS module. Upon activation, the microcontroller requests coordinates from the GPS module. Once the location is locked, the system formats the latitude and longitude data into a readable address using reverse geocoding through cloud services or onboard data. This location information is bundled with a predefined alert message.

The formatted alert is sent using GSM or Wi-Fi through to emergency contacts and police departments. Additionally, the data is transmitted to an IoT cloud platform for real-time tracking. A delivery confirmation mechanism ensures the message is received, and automatic retries are implemented if initial sending fails.

3. ALARM ESCALATION MODULE:

The Alarm Escalation module is built around an electronic buzzer or siren, which emits a loud and continuous sound upon activation. The buzzer is directly controlled by the microcontroller's GPIO pin. A pulse-width modulation (PWM) signal may be used to vary the intensity or pattern of the alarm, making it more

attention-grabbing. The sound level is calibrated to be noticeable in a 10–15meter radius, ensuring immediate awareness.

This module includes a fail-safe mechanism, where the buzzer continues to sound even if other modules face delays or failures. The system draws from a rechargeable battery and includes voltage regulators to ensure stable current to the buzzer. Power usage is optimized by limiting the alarm duration or including a toggle logic for repeated activation upon detection of continued threats.

4. SURVEILLANCE RELAY MODULE:

This module incorporates a camera to capture real-time video or images. Once the emergency is triggered, the camera starts recording footage, which is stored locally and uploaded to the cloud. If bandwidth allows, it can stream live video to a secure server or app interface monitored by emergency responders or family members. To manage limited data bandwidth, the system compresses video before transmission using efficient codes. It ensures the camera auto-focuses or adjusts based on lighting for clearer footage. All media content is encrypted before being uploaded to prevent unauthorized access. The camera module functions in parallel with GPS and alarm modules for a comprehensive response.

5. RAPID ENFORCEMENT RESPONSE MODULE:

This module focuses on transmitting all relevant data location, video, and user ID to a centralized enforcement system dashboard or emergency command center. It uses IoT protocols to push updates in real-time to authorities. A backend service, hosted on a cloud server, processes incoming alerts and displays them in a structured dashboard interface. Authorities receive alerts via a mobile app or web dashboard, which includes interactive maps, live camera feeds, and logs of previous alerts from the same user.

The system can also be linked to existing public safety networks. Role-based access control ensures only verified responders can view or act on the alert, and real-time updates allow responders to track the victim continuously until help reaches.

CHAPTER 4

SYSTEM IMPLEMENTATION AND TESTING

4.1. SYSTEM IMPLEMENTATION

Implementation is the stage in the project where the theoretical design is turned into a working system. The most critical stage is achieving a successful system and in giving confidence on the new system for the users, that it will work efficiently and effectively. It involves careful planning, investing of the current system, and its constraints on implementation, design of methods to achieve the changeover methods.

The implementation process begins with preparing a plan for the implementation of the system. According to this plan, the activities are to be carried out in these plans; discussion has been made regarding the equipment, resources and how to test activities.

The proposed Women Safety Device using IoT is designed as an integrated system built around five core functional modules: Crisis Activation, Geo-Alert Dispatch, Alarm Escalation, Surveillance Relay, and Rapid Enforcement Response. Each of these modules works in synchronization to ensure that when a woman is in danger, immediate and intelligent actions are taken to protect her and inform trusted parties and authorities in real time. The device is embedded with IoT capabilities, and its design prioritizes speed, accuracy, and ease of use, ensuring it can be activated even under extreme stress or panic.

The implementation of this system that integrating IoT with real-time safety mechanisms can significantly enhance emergency response times. Overall, the IoT-based Women's Safety Device proved to be a reliable, efficient, and user-friendly solution for enhancing women's safety. With further improvements, this system can become an essential safety tool for real-world applications.

MODULES

The Women Safety Device using IoT is designed as a multi-functional safety system that coordinates hardware components and cloud services to ensure rapid response during emergencies. The system operates through five major modules—Crisis Activation, Geo-Alert Dispatch, Alarm Escalation, Surveillance Relay, and Rapid Enforcement Response. Each of these modules performs a specific role while working seamlessly as part of an integrated safety solution. The implementation of each module is outlined below.

CRISIS ACTIVATION MODULE



Figure 4.1 Crisis activation Module

The Figure 4.1 Crisis Activation module serves as the initial trigger for the entire system. It is implemented using a emergency button switch connected to the microcontroller. When the user presses the emergency button, an interrupt is generated, initiating the predefined emergency protocols. This module acts as the central command, ensuring all other modules are simultaneously activated. The Crisis Activation module is the first point of contact between the user and the device. This module is built around a physical emergency button, connected to a microcontroller like an ESP32 or Arduino. When pressed, it instantly signals the controller to initiate the chain of safety responses.

GEO-ALERT DISPATCH MODULE:



Figure 4.2 Geo-alert dispatch Module

The Figure 4.2 Geo-Alert Dispatch module focuses on capturing the user's real-time location and transmitting it immediately to emergency contacts and cloud services. It uses a GPS module like Neo-6M to obtain latitude and longitude coordinates. These coordinates are processed by the microcontroller and sent via a Wifi module (SI to the registered recipients and law enforcement through online dashboards. This ensures that responders are informed with precise location data for quick action.

Additionally, repeated location updates can be sent at fixed intervals to allow dynamic tracking, ensuring that the user's movement is traceable in real time. The integration with an IoT cloud platform also allows emergency responders and family members to monitor the user's location remotely via a dashboard or mobile app interface. This continuous location tracking ensures a swift and precise response in emergency scenarios.

ALARM ESCALATION MODULE




Figure 4.3 Alarm escalation module

The Figure 4.3 Alarm Escalation module plays a vital role in attracting immediate attention and deterring threats during an emergency. Once the crisis is

triggered, this module activates a buzzer or alarm system connected to the microcontroller. Typically, a piezoelectric buzzer is used, controlled through a digital output pin with a transistor switch to handle higher current requirements. The buzzer emits a loud, continuous noise designed to alert nearby people to the situation. This immediate audio response serves two purposes: it helps the user seek help from anyone nearby and startles or scares off potential aggressors. The module is programmed to respond within milliseconds of the emergency button being pressed, ensuring there is no delay in alerting the surroundings.

SURVEILLANCE RELAY MODULE



Figure 4.4 Surveillance relay module

The Figure 4.4 Surveillance Relay module is responsible for capturing visual evidence during an emergency and transmitting it to the appropriate recipients for monitoring and verification. This module typically uses a compact camera unit which has both image-capturing and Wi-Fi communication capabilities. When the emergency button is pressed, the microcontroller sends a signal to the camera module to start recording video. These visuals are immediately sent via email to law enforcement and emergency contacts. This functionality not only provides real-time insight into the situation but also serves

as recorded evidence that can be used for legal or investigative purposes.

To increase its functionality, the Surveillance Relay module can be enhanced with night vision capability or infrared support, allowing it to function effectively in low-light or dark environments. The system can also be configured to capture images at intervals instead of continuous video to conserve bandwidth and storage. Future enhancements might also include AI-based video analysis to automatically detect suspicious or violent behavior, helping authorities assess the severity of the situation instantly.

RAPID ENFORCEMENT RESPONSE MODULE




Figure 4.5 Rapid enforcement response module

The Figure 4.5 Rapid Enforcement Response module ensures that once an emergency is triggered, all critical data such as the user's location, identity, and captured visuals are systematically delivered to emergency responders and registered contacts. This module acts as the final communication bridge between the device and external support systems. Upon receiving signals from the Geo-Alert Dispatch and Surveillance Relay modules, the microcontroller compiles the data and pushes it to an IoT cloud platform. These messages contain structured information enabling responders to take immediate action with full situational awareness.

4.2. SYSTEM TESTING

- System testing ensures the Women Safety Device using IoT performs correctly as an integrated safety solution, covering all functional modules.
- Verify hardware compatibility with embedded systems like ESP32 microcontroller, GPS module (NEO-6M), Wifi module ,buzzer and Camera.
- Test seamless integration of hardware components with IoT platforms such as IoT Cloud app for real-time data transfer and monitoring.
- Ensure proper functioning of all modules: Crisis Activation, Geo-Alert Dispatch, Alarm Escalation, Surveillance Relay, and Rapid Enforcement Response.
- Validate system responsiveness, accuracy of GPS coordinates, real-time video upload, and successful message delivery and author under various network conditions and real-world emergency scenarios.

4.2.1. FUNCTIONAL TESTING

1. Crisis Activation Module:

Valid Input: Test with a proper button press to ensure the microcontroller receives the interrupt signal and initiates all related safety actions.

Invalid Input: Simulate unintentional presses or button debounce issues to verify the system filters false triggers.

Functions: Ensure the button press activates the GPS, Wifi, camera, buzzer, and cloud modules simultaneously.

Output: Confirm all connected modules respond without delay, and the system enters emergency mode immediately after button activation.

2. Geo-Alert Dispatch Module:

Valid Input: Test with proper GPS signal to verify location data (latitude and longitude) is accurately obtained and sent.

Invalid Input: Test with GPS module signal loss or weak connectivity to ensure fallback measures or error messages are activated.

Functions: Validate continuous tracking, periodic location updates, and successful delivery of location.

Output: Confirm the system displays live location on the cloud dashboard.

3. Alarm Escalation Module:

Valid Input: Verify buzzer activation on emergency trigger, producing an audible alarm of appropriate volume.

Invalid Input: Test behavior with interrupted or unstable power supply to ensure buzzer still functions or alerts are logged.

Functions: Check if buzzer starts and stops correctly, and if it can be controlled manually or programmatically after a timeout.

Output: Confirm the buzzer generates a loud, continuous sound that can attract attention and function reliably.

4. Surveillance Relay Module:

Valid Input: Test camera activation and video streaming/upload when the emergency is triggered, with proper lighting and network conditions.

Invalid Input: Verify camera response to poor lighting or no internet connectivity,

Functions: Ensure the camera records video and sends them via email .

Output: Confirm that authorities and emergency contacts can access video evidence and receive alerts about video availability.

5. Rapid Enforcement Response Module:

Valid Input: Verify real-time display of alerts, user location, and media files on the IoT dashboard and email for authorized personnel.

Invalid Input: Test access with incorrect credentials or no connectivity, ensuring data security and proper error handling.

Functions: Validate real-time synchronization of data from GPS, camera, and microcontroller with the cloud platform.

Output: Confirm that police and family can view all incident-related data—location, video on a centralized platform in real time.

4.2.2. UNIT TESTING

1)Emergency Button Activation – Valid Trigger

Ensure proper functioning of all modules: Crisis Activation, Geo-Alert Dispatch, Alarm Escalation, Surveillance Relay, and Rapid Enforcement Response.

Title: Emergency Button Press – Valid Activation

Description: Verify that the system correctly activates all modules when the emergency button is pressed.

Test Suite: Device Core Activation

Priority: High

Type: Functional

Preconditions: Device is powered on and all modules are connected.

Test Steps:

1. Press the emergency button.

Expected:

The microcontroller receives the signal.

2. Observe the activation of GPS, Wifi, camera, buzzer, and cloud app.

Expected:

- Location data is fetched from GPS and sent via GSM/cloud.
- The camera module starts recording or streaming.
- IoT platform receives and logs the event data.
- The buzzer sounds immediately.

Test Data:

- Button GPIO: D2
- GPS Output: Latitude, Longitude
- GSM Output: SMS to predefined numbers

Expected Result: All modules respond within 2–3 seconds of button press and emergency data is transmitted successfully.

Actual Result: All modules triggered, buzzer sounded, location sent, video recorded and transmitted, cloud updated.

Status: Success


Screenshot:

Figure 4.6 Emergency Button Activation

2) Emergency Button Idle – No Activation

Title: Emergency Button Not Pressed – No Activation Triggered

Description: Verify that the system remains in standby mode with no modules triggered unless the emergency button is physically pressed.

Test Suite: Device Input Validation

Priority: High

Type: Functional

Preconditions: Device is powered on.

All modules (GPS, Camera, Buzzer, IoT) are properly connected.

No manual interaction with the button

Test Steps:

2. Power on the device.

3. Do not press the emergency button.

Expected: The microcontroller receives no input signal from GPIO D2.

4. Observe whether the system activates.

Expected: Device stays idle and in monitoring state.

Test Data: Button GPIO: D2

No input signal on D2 (remains LOW)

Expected Result: All modules remain inactive;

No unintended activation occurs.

Actual Result:

Device remains idle;

No modules triggered;

System monitored button state successfully.

Status: Success

Screenshot:




Figure4.7 Emergency Button Passive State

4.2.3. BLACK BOX TESTING

Title:Emergency Response System Validation

Description: Verify that the Women Safety Device triggers the correct response actions when the emergency button is pressed.

Test Suite: Emergency Response – IoT Safety Device

Priority: High

Type: Functional

Preconditions: Device is powered on.

Test Steps:

1. Press emergency button when GPS is inactive.

Expected: Buzzer and camera activate.

2. Press emergency button when only partial modules are functioning (e.g., camera disabled).

Expected: All available modules function.

Boundary value analysis:

1. Press the emergency button on the device.

Expected: All modules functions properly.

2. Press emergency button when internet connection is lost.

Expected: Buzzer activates.

Expected Result: Upon pressing the emergency button, all functional modules (alarm, GPS, alert messaging, camera) work correctly.

Actual Result: The device activates the buzzer, fetches location, sends alerts, and transmits video footage to authorities as designed.

Status: Success

Screenshots:




Figure 4.8 Buzzer and camera activate.




Figure 4.9 All available modules function.

- IoT-based Women Safety Device designed for real-time emergency response.
- It includes GPS tracking, live alerts, video surveillance, and cloud-based location sharing.
- The Crisis Activation module allows quick emergency triggering.
- Geo-Alert Dispatch sends automatic alerts when entering danger zones.
- Alarm Escalation activates a siren and raises alert levels if unattended.
- Surveillance streams live video to the cloud for monitoring.
- The Response module shares real-time data with emergency contacts, ensuring immediate support and action.

CHAPTER 5

CONCLUSION AND FUTURE ENHANCEMENT

5.1. CONCLUSION

Women's safety remains a crucial concern in today's world, with increasing incidents of harassment and violence. Despite the presence of laws and security measures, real-time intervention is often delayed due to difficulties in reporting emergencies and locating individuals in distress. To address these challenges, this project introduced an IoT-based Women's Safety Device, a portable and user-friendly system designed to provide immediate assistance in emergency situations.

This device integrates multiple safety features that work together to ensure a fast and effective response. The emergency button serves as the primary activation mechanism, enabling the user to trigger the system with a single press. Upon activation, a buzzer emits a loud alarm, drawing public attention and potentially discouraging an attacker. Simultaneously, the device captures the user's GPS location and transmits it to emergency contacts, law enforcement authorities, and an IoT cloud platform for tracking. Additionally, a live video feed is recorded and sent to the authorities, providing critical evidence that can aid in immediate rescue efforts and legal proceedings.

In conclusion, the IoT-based Women's Safety Device is a highly effective, portable, and practical safety solution that empowers women by providing instant emergency alerts and real-time assistance. By combining IoT technology, real-time location tracking, live video transmission, and an alarm system, the device enhances personal security and enables faster law enforcement response.

5.2. FUTURE ENHANCEMENT

The future scope of a women's safety IoT project can be expanded with several advanced technologies to improve efficiency, accuracy, and user experience. One key area of future enhancement is the integration of biometric authentication, such as fingerprint or voice recognition, to avoid accidental activation of the emergency system and ensure that only the user can trigger the alert.

Another enhancement involves incorporating AI-based threat detection algorithms using sensor data and pattern recognition. For instance, if the device detects unusual movement patterns or elevated stress levels via wearable sensors (heart rate, body temperature), it can autonomously trigger pre-alerts. To broaden its impact, the device can be enhanced with multi-language support and regional customization, allowing users in different geographical areas to receive alerts and communicate in their native language.

Furthermore, adding community alert systems can enhance collective safety. When a user triggers the emergency button, nearby registered users or volunteers can be notified through a mobile app, creating a networked safety circle. This community-based response can reduce response time and offer immediate support before law enforcement arrives. Lastly, enhancing the battery life and compactness of the device through energy-efficient components and solar charging capabilities can significantly improve usability and reliability. Ensuring that the device remains functional for long durations without frequent charging is essential, especially during travel or in remote areas where power sources may be limited.

REFERENCES

- [1] S. Mishra, M. Balijon and S. Saxena, IoT-Based Women Safety Gadgets (WSG): Vision Architecture and Design Trends, vol. 76, no. 1, pp. 1027-1045, 2023.
- [2] U. Falicica, A. Celesty and V. Ebenezer, "IoT Based Wrist Band for Women Safety", Research Square India, 2023.
- [3] M. Durga and G. Bhuvaneswari, "A Holdable Device For Women Safety", International Research Journal of Modernization in Engineering Technology and Science, vol. 4, no. 2, pp. 938-943, 2022.
- [4] T. R. V. K. Navya Ananthula, "Arduino based Rescue device with GPS Alert for Women Safety Application", 2022 International Mobile and Embedded Technology Conference (MECON), 2022.
- [5] K. Agarwal and A. Singhal, "Rakshak -An IoT Based Wearable Device for Women Safety", International Journal of Engineering and Advanced Technology (IJEAT), vol. 9, no. 4, pp. 2069-2077, 2020.
- [6] K. Kapoor and D. Parikh, "IoT based Wearable Safety Device for Women", International Journal of Engineering Research and Technology (IJERT), vol. 9, no. 5, pp. 1086-1089, 2020.
- [7] K. Raghavendra Rao et al., "Implementation of Women Safety Device", International Journal of Scientific & Engineering Research, vol. 11, no. 7, pp. 1-5, 2020.
- [8] Manchala Sreeja and Vallabhuni Vijay, "A Unique Approach to Provide Security for Women by Using Smart Device", European Journal of Molecular & Clinical Medicine, vol. 07, no. 01, pp. 3669-3683, 2020.
- [9] C. Priya et al., "A Wearable Safety Device for women using IoT", ICICT, 2022.
- [10] Z. Ali, M. A. Khan, O. B. Samin, M. Mansoor and M. Omar, "IoT Based Smart Gloves for Women Safety", 2021 International Conference on Innovative

Computing (ICIC), pp. 1-6, 2021.

[11] S. Tayal, H. P. Govind Rao, A. Gupta and A. Choudhary, "Women Safety System Design and Hardware Implementation", 2021 9th International Conference on Reliability Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO), pp. 1-3, 2021.

[12] S. K, R. L. Devi, A. A, S. M M and V. P. R V, "Women Safety System using IoT", 2022 International Conference on Applied Artificial Intelligence and Computing (ICAAIC), pp. 1477-1480, 2022.

[13] V. V. S.P. Reddy, K. B. S.L. Vamsi, S. M. Chandra, K. M. Rama and Y. Deepika, "Women Safety System with Nerve Stimulator using IoT Technology", 2022 2nd International Conference on Technological Advancements in Computational Sciences (ICTACS), pp. 376-379, 2022.

[14] Sasmita Mohapatra et al., "A Smart Women Protection System U sing IOT", Data Intelligence and Cognitive Informatics Algorithms for Intelligent Systems, 2022.

[15] P. Kohl et al., "Analysis of Woman Safety Parameters in Smart and Non-Smart Cities", 9th International Conference on Reliability Infocom Technologies and Optimization, pp. 1-5, 2021.

[16] D. Sunehra et al., "Raspberry Pi Based Smart Wearable Device for Women Safety using GPS and GSM Technology", 2020 IEEE International Conference for Innovation in Technology, pp. 1-5, 2020.

[17] S. Roy, S. Sen and N. Debnath, "Design of smart shoe with GPS and GPRS technology for women safety", International Journal of Emerging Technologies and Innovative Research, vol. 8, no. 2, pp. 48-53, 2021.

[18] K.Raghavendra Rao et al., "Implementation of Women Safety Device", Internattional Journal of Scientific & Engineering Research, vol.11.7, pp. 1-5, 2020.

[19] xJ.Y.Lim, J.Song, J.Kim and J.Kim, "Design of wearable device for women's

safety based on the user's experience",Journal of Intelligent Manufacturing,vol.32,no.1,pp.1-13-2021.

[20] R.Singh,"Smart shoes for women safety:A design framework", International Journal of Engineering and Advanced Technology,vol.9,no.6,pp,4081-4087,2020.

APPENDIX 1

SAMPLE SOURCE CODE

```
#include <ESP8266WiFi.h>

#include <ArduinoIoTCloud.h>

#include <Arduino_ConnectionHandler.h>

// Wi-Fi credentials

const char SSID[] = "projectiot";

const char PASS[] = "123456789";

// Arduino IoT credentials

const char DEVICE_LOGIN_NAME[] = "8ba7e415-cea6-41ac-a951-
c152da37512d";

const char DEVICE_KEY[] = "l8QLfBS7R#?0Dw9gwPgjgDfow";

void onLgChange();

void onLtChange();

void onEmergencyChange();

float lg;

float lt;

bool emergency;

// Timing variables

unsigned long lastUpdateTime = 0;

const unsigned long updateInterval = 1000; // Update every 1 second
```

```

void initProperties(){

    ArduinoCloud.setBoardId(DEVICE_LOGIN_NAME);

    ArduinoCloud.setSecretDeviceKey(DEVICE_KEY);

    ArduinoCloud.addProperty(lg, READWRITE, ON_CHANGE, onLgChange);

    ArduinoCloud.addProperty(lt, READWRITE, ON_CHANGE, onLtChange);

    ArduinoCloud.addProperty(emergency, READWRITE, ON_CHANGE,
onEmergencyChange);

}

WiFiConnectionHandler ArduinoIoTPreferredConnection(SSID, PASS);

void setup() {

    Serial.begin(9600);

    initProperties();

    ArduinoCloud.begin(ArduinoIoTPreferredConnection);

    setDebugMessageLevel(2);

    ArduinoCloud.printDebugInfo();

}

void loop() {

    ArduinoCloud.update();

    if (millis() - lastUpdateTime >= updateInterval) {

        lastUpdateTime = millis();
    }
}

```

```

    ArduinoCloud.update();
}

if (Serial.available() > 0) {
    char identifier = Serial.read();
    delay(10);
    switch (identifier) {
        case 'L': lt = Serial.parseFloat(); break;
        case 'P': lg = Serial.parseFloat(); break;
        case 'V': emergency = false; break;
        case 'v': emergency = true; break;
    }
}

// ===== CALLBACK FUNCTIONS =====

void onLtChange() {}

void onLgChange() {}

void onEmergencyChange() {}

```

APPENDIX 2

PUBLICATIONS

A. CONFERENCE CERTIFICATES





Scopus®



**International Conference on
Research and Development in Information, Communication and
Computing Technologies
(ICRDICCT'25)**

This is to certify that

Mohanalakshmi S

has successfully presented the paper titled

SafeShe: IoT-Enabled Women Security and Well-Being

**in Proceedings of the International Conference on Research and
Development in Information, Communication and Computing Technologies
(ICRDICCT'25), held on April 4 & 5, 2025, at E.G.S. Pillay Engineering
College, Nagapattinam, Tamil Nadu, India.**

Organizing Secretary
Dr.S.Manikandan

Industry Partner
Ms.Gugapriya Sivakumar
NTL Technology

Principal
Dr.S.Ramabalan

ORGANIZED BY

**E.G.S. Pillay Engineering College,
Nagapattinam, Tamil Nadu, India.
&**

**NTL Technology
Erode, Tamil Nadu, India.**





Scopus®



**International Conference on
Research and Development in Information, Communication and
Computing Technologies
(ICRDICCT'25)**

This is to certify that

Rohini P

has successfully presented the paper titled

SafeShe: IoT-Enabled Women Security and Well-Being

**in Proceedings of the International Conference on Research and
Development in Information, Communication and Computing Technologies
(ICRDICCT'25), held on April 4 & 5, 2025, at E.G.S. Pillay Engineering
College, Nagapattinam, Tamil Nadu, India.**

Organizing Secretary

Dr.S.Manikandan

Industry Partner

**Ms.Gugapriya Sivakumar
NTL Technology**

Principal

Dr.S.Ramabalan

ORGANIZED BY

**E.G.S. Pillay Engineering College,
Nagapattinam, Tamil Nadu, India.**

&

**NTL Technology
Erode, Tamil Nadu, India.**



NTL TECHNOLOGY
New Thinking and Learning