M.Sc. / III Semester - 2011

INFORMATICS – Paper IT 33

TELECOMMUNICATION NETWORKS AND TECHNOLOGY

Time : 3 hours   Maximum Marks : 75

(Write your Roll No. on the top immediately on receipt of the paper)

Attempt **five** questions in all

1. (a) Find the radius of a circular orbit for which the period is 1 day. (Earth's Gravitational constant can be taken as 3.986005×10^{14} m^3/s^2)   3

   (b) What is satellite and how does a communication satellite differ from a communication relay   3

   (c) List various frequency bands used in satellite communication. Compare the advantages and disadvantages of different bands considering the effects of propagation media in each band.   9

2. (a) The received power in a satellite digital communication link is 0.5 pW. The carrier is BPSK modulated at a bit rate of 1.544 Mbps. If the noise power density is density is 0.5×10^{-19} J, determine bit error rate.   6

   (b) With the help of a neat sketch, explain what is meant by the Apogee and Perigee height and lines of Apsides and lines of nodes.   4

   (c) What is meant by Pre-emphasis and De-emphasis networks? Why are these effective in improving the signal-to-noise ratio in FM transmission. State typical improvement levels expected for both telephony and TV transmission.   5

3. (a) Explain what is meant by redundant receiver in connection with communication satellites. Draw a self explanatory block diagram of a redundant receiver with typical frequencies used in C-band.   7

   (b) What is meant by FDM telephony. Sketch the frequency plans for CCITT designation of group, super group and hyper group.   8

4. (a) A 1000-line exchange has 24 group selectors and 50 final selectors uniformly distributed. How many simultaneous calls can be put through the exchange? How many simultaneous calls in the range 200-299 can be put through?   3

1

(b) Why and how is Rate adaption performed in ISDN? 2

(c) Explain talk-off phenomenon and list the design considerations followed for the touch tone signaling? 3

(d) List some advantages and disadvantages of Multi-stage networks over Single stage networks. 3

(e) Differentiate between in-channel and common-channel signaling? 4

5. (a) Design a 1000 line blocking exchange and compute the following parameters for the proposed design. Calculate:
   i. Number of Switching elements
   ii. Switching Capacity
   iii. Traffic Handling Capacity
   iv. Equipment Utilization Factor
   v. Total cost of the system
   vi. Cost Capacity index

(b) Using block diagrams compare the workings of an Input and Output Controlled Time Division Space Switch. 7

(c) Discuss the architectural model of ISDN. How is N-ISDN different from B-ISDN? 4

6. (a) A diagonal crosspoint matrix exchange supports 500 users. On an average 1000 calls are put through everyday. If the crosspoint contacts have a mean life of 10000 breaks and makes. estimate as to how often a crosspoint may be replaced in this exchange? 4

(b) Discuss in detail the ISDN addressing mechanism. 2

(c) What is the difference between Stored Program Control and hard-wired control? 3

(d) Numbering plan in a telephone network must be independent of call routing. Why? Explain. 2

(e) Explain the difference between space division switching and time division switching? 2

(f) Describe the working of a rotary switch. Differentiate between forward acting and reverse acting types. 3

2

Error Function Table

$$\text{erf}(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2}\, dt$$

x	\multicolumn{10}{c}{Hundredths digit of x}									
	0	1	2	3	4	5	6	7	8	9
0.0	0.00000	0.01128	0.02256	0.03384	0.04511	0.05637	0.06762	0.07886	0.09008	0.10128
0.1	0.11246	0.12362	0.13476	0.14587	0.15695	0.16800	0.17901	0.18999	0.20094	0.21184
0.2	0.22270	0.23352	0.24430	0.25502	0.26570	0.27633	0.28690	0.29742	0.30788	0.31828
0.3	0.32863	0.33891	0.34913	0.35928	0.36936	0.37938	0.38933	0.39921	0.40901	0.41874
0.4	0.42839	0.43797	0.44747	0.45689	0.46623	0.47548	0.48466	0.49375	0.50275	0.51167
0.5	0.52050	0.52924	0.53790	0.54646	0.55494	0.56332	0.57162	0.57982	0.58792	0.59594
0.6	0.60386	0.61168	0.61941	0.62705	0.63459	0.64203	0.64938	0.65663	0.66378	0.67084
0.7	0.67780	0.68467	0.69143	0.69810	0.70468	0.71116	0.71754	0.72382	0.73001	0.73610
0.8	0.74210	0.74800	0.75381	0.75952	0.76514	0.77067	0.77610	0.78144	0.78669	0.79184
0.9	0.79691	0.80188	0.80677	0.81156	0.81627	0.82089	0.82542	0.82987	0.83423	0.83851
1.0	0.84270	0.84681	0.85084	0.85478	0.85865	0.86244	0.86614	0.86977	0.87333	0.87680
1.1	0.88021	0.88353	0.88679	0.88997	0.89308	0.89612	0.89910	0.90200	0.90484	0.90761
1.2	0.91031	0.91296	0.91553	0.91805	0.92051	0.92290	0.92524	0.92751	0.92973	0.93190
1.3	0.93401	0.93606	0.93807	0.94002	0.94191	0.94376	0.94556	0.94731	0.94902	0.95067
1.4	0.95229	0.95385	0.95538	0.95686	0.95830	0.95970	0.96105	0.96237	0.96365	0.96490
1.5	0.96611	0.96728	0.96841	0.96952	0.97059	0.97162	0.97263	0.97360	0.97455	0.97546
1.6	0.97635	0.97721	0.97804	0.97884	0.97962	0.98038	0.98110	0.98181	0.98249	0.98315
1.7	0.98379	0.98441	0.98500	0.98558	0.98613	0.98667	0.98719	0.98769	0.98817	0.98864
1.8	0.98909	0.98952	0.98994	0.99035	0.99074	0.99111	0.99147	0.99182	0.99216	0.99248
1.9	0.99279	0.99309	0.99338	0.99366	0.99392	0.99418	0.99443	0.99466	0.99489	0.99511
2.0	0.99532	0.99552	0.99572	0.99591	0.99609	0.99626	0.99642	0.99658	0.99673	0.99688
2.1	0.99702	0.99715	0.99728	0.99741	0.99753	0.99764	0.99775	0.99785	0.99795	0.99805
2.2	0.99814	0.99822	0.99831	0.99839	0.99846	0.99854	0.99861	0.99867	0.99874	0.99880
2.3	0.99886	0.99891	0.99897	0.99902	0.99906	0.99911	0.99915	0.99920	0.99924	0.99928
2.4	0.99931	0.99935	0.99938	0.99941	0.99944	0.99947	0.99950	0.99952	0.99955	0.99957
2.5	0.99959	0.99961	0.99963	0.99965	0.99967	0.99969	0.99971	0.99972	0.99974	0.99975
2.6	0.99976	0.99978	0.99979	0.99980	0.99981	0.99982	0.99983	0.99984	0.99985	0.99986
2.7	0.99987	0.99987	0.99988	0.99989	0.99989	0.99990	0.99991	0.99991	0.99992	0.99992
2.8	0.99992	0.99993	0.99993	0.99994	0.99994	0.99994	0.99995	0.99995	0.99995	0.99996
2.9	0.99996	0.99996	0.99996	0.99997	0.99997	0.99997	0.99997	0.99997	0.99997	0.99998
3.0	0.99998	0.99998	0.99998	0.99998	0.99998	0.99998	0.99998	0.99999	0.99999	0.99999
3.1	0.99999	0.99999	0.99999	0.99999	0.99999	0.99999	0.99999	0.99999	0.99999	0.99999
3.2	0.99999	0.99999	0.99999	1.00000	1.00000	1.00000	1.00000	1.00000	1.00000	1.00000

Complementary Error Function Table

$$\text{erfc}(x) = \frac{2}{\sqrt{\pi}} \int_x^\infty e^{-t^2} dt$$

x	0	1	2	3	4	5	6	7	8	9
					Hundredths digit of x					
0.0	1.00000	0.98872	0.97744	0.96616	0.95489	0.94363	0.93238	0.92114	0.90992	0.89872
0.1	0.88754	0.87638	0.86524	0.85413	0.84305	0.83200	0.82099	0.81001	0.79906	0.78816
0.2	0.77730	0.76648	0.75570	0.74498	0.73430	0.72367	0.71310	0.70258	0.69212	0.68172
0.3	0.67137	0.66109	0.65087	0.64072	0.63064	0.62062	0.61067	0.60079	0.59099	0.58126
0.4	0.57161	0.56203	0.55253	0.54311	0.53377	0.52452	0.51534	0.50625	0.49725	0.48833
0.5	0.47950	0.47076	0.46210	0.45354	0.44506	0.43668	0.42838	0.42018	0.41208	0.40406
0.6	0.39614	0.38832	0.38059	0.37295	0.36541	0.35797	0.35062	0.34337	0.33622	0.32916
0.7	0.32220	0.31533	0.30857	0.30190	0.29532	0.28884	0.28246	0.27618	0.26999	0.26390
0.8	0.25790	0.25200	0.24619	0.24048	0.23486	0.22933	0.22390	0.21856	0.21331	0.20816
0.9	0.20309	0.19812	0.19323	0.18844	0.18373	0.17911	0.17458	0.17013	0.16577	0.16149
1.0	0.15730	0.15319	0.14916	0.14522	0.14135	0.13756	0.13386	0.13023	0.12667	0.12320
1.1	0.11979	0.11647	0.11321	0.11003	0.10692	0.10388	0.10090	0.09800	0.09516	0.09239
1.2	0.08969	0.08704	0.08447	0.08195	0.07949	0.07710	0.07476	0.07249	0.07027	0.06810
1.3	0.06599	0.06394	0.06193	0.05998	0.05809	0.05624	0.05444	0.05269	0.05098	0.04933
1.4	0.04771	0.04615	0.04462	0.04314	0.04170	0.04030	0.03895	0.03763	0.03635	0.03510
1.5	0.03389	0.03272	0.03159	0.03048	0.02941	0.02838	0.02737	0.02640	0.02545	0.02454
1.6	0.02365	0.02279	0.02196	0.02116	0.02038	0.01962	0.01890	0.01819	0.01751	0.01685
1.7	0.01621	0.01559	0.01500	0.01442	0.01387	0.01333	0.01281	0.01231	0.01183	0.01136
1.8	0.01091	0.01048	0.01006	0.00965	0.00926	0.00889	0.00853	0.00818	0.00784	0.00752
1.9	0.00721	0.00691	0.00662	0.00634	0.00608	0.00582	0.00557	0.00534	0.00511	0.00489
2.0	0.00468	0.00448	0.00428	0.00409	0.00391	0.00374	0.00358	0.00342	0.00327	0.00312
2.1	0.00298	0.00285	0.00272	0.00259	0.00247	0.00236	0.00225	0.00215	0.00205	0.00195
2.2	0.00186	0.00178	0.00169	0.00161	0.00154	0.00146	0.00139	0.00133	0.00126	0.00120
2.3	0.00114	0.00109	0.00103	0.00098	0.00094	0.00089	0.00085	0.00080	0.00076	0.00072
2.4	0.00069	0.00065	0.00062	0.00059	0.00056	0.00053	0.00050	0.00048	0.00045	0.00043
2.5	0.00041	0.00039	0.00037	0.00035	0.00033	0.00031	0.00029	0.00028	0.00026	0.00025
2.6	0.00024	0.00022	0.00021	0.00020	0.00019	0.00018	0.00017	0.00016	0.00015	0.00014
2.7	0.00013	0.00013	0.00012	0.00011	0.00011	0.00010	0.00009	0.00009	0.00008	0.00008
2.8	0.00008	0.00007	0.00007	0.00006	0.00006	0.00006	0.00005	0.00005	0.00005	0.00004
2.9	0.00004	0.00004	0.00004	0.00003	0.00003	0.00003	0.00003	0.00003	0.00003	0.00002
3.0	0.00002	0.00002	0.00002	0.00002	0.00002	0.00002	0.00002	0.00001	0.00001	0.00001
3.1	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001
3.2	0.00001	0.00001	0.00001	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000