Installation of MetaMask and Study of Spending Ether per Transaction

Network: Ethereum Sepolia (test network) | Wallet: MetaMask | Account 1: 0x28459...01Be4

Step 1: MetaMask installed and set to Sepolia test network




Fig 1: MetaMask wallet (Account 1) on Sepolia, balance 0 SepoliaETH

Step 2: Test ETH requested from Google Cloud Web3 faucet




Fig 2: Faucet sending 0.05 Sepolia ETH to the same wallet address

Step 3: Faucet transaction verified on Sepolia Etherscan




Fig 3: Status Success, block 11900369, value 0.05 ETH, transaction fee 0.0000002250636828 ETH, gas price 0.001100018 Gwei (this fee was paid by the faucet, not by the wallet)

Step 4 & 5: Test ETH received, then a transaction sent




Fig 4: Balance after faucet = 0.0500 SepoliaETH




Fig 5: Send 0.01 SepoliaETH, confirmation screen showing network fee and speed

Step 6: Transaction recorded in wallet activity, with summary




Fig 6: Activity shows "Sent SepoliaETH, -0.01"

Item	Observed
Amount sent	0.01 SepoliaETH
Network	Sepolia (test network)
Network fee (shown)	$0.08 in SepoliaETH (display value only)
Speed	Market, about 12 sec
Fee formula	Fee = gas used x gas price
Real money spent	None, test ETH has no real value

Conclusion: MetaMask was installed and connected to Sepolia, test ETH was obtained from a faucet and verified on Etherscan, and a transaction was sent. Each transaction costs a network fee (gas used x gas price) on top of the amount sent.