

Chingiringi — Manual Test Plan

QA / Every Flow

July 15, 2026

CONTENTS

Chingiringi — Manual Test Plan	
0. Test setup and data	
1. Authentication	
1.1 Sign up (new user)	
1.2 Login — username / password	
1.3 Login — OTP	
1.4 Login on Safari	
1.5 Session persistence	
1.6 Forgot / reset password	
1.7 Logout	
1.8 Delete account	
2. Home (user)	
2.1 Home loads	
2.2 Categories are real	
2.3 Category filter works	
2.4 Search works	
2.5 See all	
2.6 Empty states	
2.7 Pull to refresh	

2.8 Open a product	
3. Product detail → Shop Now (affiliate click)	
3.1 Product detail renders	
3.2 Shop Now logs a click	
4. Wallet (user)	
4.1 Balances are real	
4.2 Transactions list	
4.3 Pending coins appear after an import	
4.4 Withdraw funds overlay (desktop /wallet)	
4.5 Withdraw validation	
4.6 Submit a withdrawal	
5. Profile & edit profile (user)	
5.1 Profile shows real data	
5.2 Edit profile — avatar upload	
5.3 Edit profile — fields	
5.4 Referral code	
5.5 Address management	
6. Deals list (user)	
6.1 Deals render	
6.2 Empty state	
6.3 Filter + search	

6.4 Open a deal	
7. Offline stores & videos (user)	
7.1 Stores tab	
7.2 Videos tab	
8. Settings & About (user)	
8.1 Settings	
8.2 About	
9. Admin — login & shell	
9.1 Admin login	
9.2 Navigation is consistent	
9.3 Open the admin profile	
10. Admin — dashboard	
10.1 Real stats	
10.2 Revenue Trend chart	
10.3 Top deals / top users	
11. Admin — profile & Razorpay	
11.1 Profile hero	
11.2 Payouts / Razorpay card	
11.3 Configure Razorpay	
11.4 Quick actions	
12. Admin — Wallet Operations Hub	

12.1 Pending Queue	
12.2 Reports Inbox — parse	
12.3 Reports Inbox — import credits coins	
12.4 Attribution scenarios	
12.5 User Wallet tab	
12.6 Manual credit / debit	
12.7 Approve / reject a withdrawal	
12.8 Timeline	
12.9 Settings tab	
13. Admin — content management	
13.1 Deals CRUD	
13.2 Products CRUD + category picker	
13.3 Banners CRUD	
13.4 Coupons CRUD + usage	
13.5 Image upload (all forms)	
14. Admin — users & payouts	
14.1 Users list	
14.2 Block / unblock	
14.3 Payouts screen	
15. End-to-end affiliate flow (the money path)	
16. Cross-cutting checks	

16.1 Empty states everywhere	
16.2 Responsive layout	
16.3 API failure handling	
16.4 Auth boundaries	
Sign-off	

Chingiringi — Manual Test Plan

Every flow, every screen, every scenario. Use this to manually verify the app end to end after a deploy or a fresh database reset. Each case lists a **precondition**, **steps**, and the **expected result**. Check the box when it passes.

0. Test setup and data

Before testing, prepare the environment.

Item	How
Backend	Running (local <code>npm run dev</code> in <code>backend/</code> , or the Render deploy). Confirm the dashboard/settings endpoints are live (they need a redeploy after backend changes).
Frontend	<code>npx expo start --web</code> for the browser, or reload Expo Go on the phone.
Admin account	One admin user exists (role <code>admin</code>). After a reset: Rohit Hutagonna / admin@gmail.com .
Clean slate	<code>npm run seed:test-flow -- <phone></code> sets up two test deals + a click. Or <code>node src/scripts/resetToAdminOnly.js --confirm --include-content</code> to wipe to admin-only.
Cloudinary	Unsigned preset configured (<code>EXP0_PUBLIC_CLOUDINARY_*</code> in <code>.env</code>) so image uploads work.
Coin economy	Default settings: pass-through 25%, 10 coins = ₹1, 30-day lock.

Two surfaces to test: the **mobile app** (Expo Go / narrow browser) and the **desktop web** (wide browser). Many screens have separate mobile/desktop layouts — test both where noted.

1. Authentication

1.1 SIGN UP (NEW USER)

- **Pre:** Logged out. On the login screen.
- **Steps:** Tap “Sign up” → enter name, username, email, phone, password → submit.

- **Expected:** Account created, auto-logged-in, lands on Home. New user appears in Admin → Users.

1.2 LOGIN — USERNAME / PASSWORD

- **Pre:** A user exists. Logged out.
- **Steps:** On login, keep “Username / Password” tab → enter username + password → Signin.
- **Expected:** Lands on Home. Wrong credentials show an inline error, not a crash.

1.3 LOGIN — OTP

- **Pre:** A user with a phone exists.
- **Steps:** Switch to “OTP Login” tab → enter 10-digit mobile → Send OTP → enter OTP on the next screen → verify.
- **Expected:** OTP screen appears; correct OTP logs in. Invalid phone (< 10 digits) is blocked with a message.

1.4 LOGIN ON SAFARI

- **Pre:** Use Safari (desktop or iOS).
- **Steps:** Log in with valid credentials.
- **Expected:** Login succeeds AND subsequent screens load (wallet, profile) without 401s. (This is the Bearer-token fix — Safari ITP used to drop the cross-origin cookie.)

1.5 SESSION PERSISTENCE

- **Steps:** Log in → close/reopen the app (or refresh the browser tab).
- **Expected:** Still logged in, lands on Home without re-entering credentials.

1.6 FORGOT / RESET PASSWORD

- **Steps:** Login → “Forgot Password?” → enter identifier → follow reset flow.
- **Expected:** Reset flow completes; new password works on next login.

1.7 LOGOUT

- **Steps:** Profile / Settings → Logout.
- **Expected:** Returns to login. Protected screens are no longer reachable; the old session 401s on its next request.

1.8 DELETE ACCOUNT

- **Pre:** Logged-in user. Mobile Settings screen.
 - **Steps:** Settings → Delete Account → pick a reason → “Delete Forever”.
 - **Expected:** “Delete Forever” only enables after a reason is picked; the blue retention offer sits above the red warning. On confirm, account is removed and user is logged out.
-

2. Home (user)

Test both the **mobile home** and the **desktop home** (wide browser).

2.1 HOME LOADS

- **Pre:** Logged in.
- **Expected:** Greeting + name in the header, search bar, category chips, product grid / banners. No fake “Rahul Sharma” / template products.

2.2 CATEGORIES ARE REAL

- **Pre:** Admin has added categories (Admin → Products → category picker).
- **Expected:** The category chips are “All” + the real categories admin added — not a hard-coded Fashion/Electronics/Beauty list. Adding a new category in admin makes it appear here after refresh.

2.3 CATEGORY FILTER WORKS

- **Steps:** Tap a category chip.
- **Expected:** Product grid filters to that category. The chip highlights. On desktop, the page scrolls to top. Tap “All” to clear.

2.4 SEARCH WORKS

- **Steps:** Type a product name / keyword in the search box.
- **Expected:** Grid filters to matching products (by name or description) live. Clearing the box restores the full list.

2.5 SEE ALL

- **Pre:** Desktop home, real products exist.
- **Steps:** Tap “See all” on a section (e.g. Top Electronics).
- **Expected:** Applies that section’s category filter and scrolls to the top.

2.6 EMPTY STATES

- **Pre:** Fresh DB (no products).
- **Expected:** No demo/template tiles. Sections show “No products yet.” A search with no matches shows “No products match your search.” “Shop by category” is hidden when there are no categories.

2.7 PULL TO REFRESH

- **Steps:** Pull down at the top of the home.
- **Expected:** A spinner appears briefly and data refetches; the spinner never sticks.

2.8 OPEN A PRODUCT

- **Steps:** Tap any product card.
 - **Expected:** Navigates to Product Detail with that product’s data.
-

3. Product detail → Shop Now (affiliate click)

3.1 PRODUCT DETAIL RENDERS

- **Expected:** Image, title, price, coins, description. Real data (or the passed product).

3.2 SHOP NOW LOGS A CLICK

- **Pre:** The product is tied to a deal with an affiliate URL.
 - **Steps:** Tap **Shop Now**.
 - **Expected:** The app calls `POST /api/clicks/log`, then opens the **rewritten** URL (Cuelinks-wrapped or Amazon-tagged, with `subid=cr_<userId>`). A `ClickEvent` is created (visible later in Admin → Wallet Ops → Users → timeline). On failure it falls back to the raw URL.
-

4. Wallet (user)

Test **mobile wallet** and **desktop wallet**.

4.1 BALANCES ARE REAL

- **Expected:** No fake ₹1250 / 840 coins. A fresh account shows **0**. Cards: **Coins** (withdrawable), **Pending Coins** (locked), **Pending ₹**. Desktop “Available to Withdraw” = coins ÷ 10, matching the withdraw overlay.

4.2 TRANSACTIONS LIST

- **Expected:** Real transactions only. Empty account shows “**No transactions yet.**” — no Myntra/Amazon mock rows. Filter chips (All / Cashback / Coins / Withdrawal) filter the list.

4.3 PENDING COINS APPEAR AFTER AN IMPORT

- **Pre:** Admin imported a report crediting this user (see §12).
- **Expected:** The **Pending Coins** card shows the credited amount right after import (pull to refresh). It moves to **Coins** only after the lock clears.

4.4 WITHDRAW FUNDS OVERLAY (DESKTOP /WALLET)

- **Steps:** Click **Withdraw Funds**.
- **Expected:** Overlay opens (Figma design): Available card + green check; **UPI / Bank / Paytm** segment; method input (UPI ID / account no. + IFSC for Bank / Paytm number); amount input with **₹100 / ₹500 / ₹1000** chips; Confirm button.

4.5 WITHDRAW VALIDATION

- **Steps:** Try amounts below ₹100, above balance, and empty details.
- **Expected:** Below ₹100 → “Amount too low”; above balance → “Insufficient balance”; empty details → “Missing details”; Bank without IFSC → “Missing IFSC”. Confirm is disabled until valid.

4.6 SUBMIT A WITHDRAWAL

- **Steps:** Enter a valid amount + UPI ID → Confirm.
- **Expected:** “Request submitted” and the request appears in Admin → Wallet Ops → Pending Queue and the user’s timeline as a **pending withdrawal**. Coins are NOT debited yet (debit happens on admin approval).

5. Profile & edit profile (user)

5.1 PROFILE SHOWS REAL DATA

- **Expected:** Real name/email/phone (empty rows hidden, not fake “Dev Chavan”). Wallet stat tiles reflect real balances. Referral count/earnings show real values (0 until referrals exist).

5.2 EDIT PROFILE — AVATAR UPLOAD

- **Steps:** Edit Profile → tap the avatar → pick a photo.
- **Expected (web):** File picker → uploads to Cloudinary → preview updates. **(native):** Photo-library permission prompt → picker → upload. Save → the new avatar shows on Profile AND everywhere the avatar appears (home header, etc.).

5.3 EDIT PROFILE — FIELDS

- **Steps:** Change name / other fields → Save.
- **Expected:** “Saved” and the values persist after navigating away and back.

5.4 REFERRAL CODE

- **Steps:** Copy / Share the referral code.
- **Expected:** Copy works (web clipboard / native share sheet). Empty code doesn’t crash.

5.5 ADDRESS MANAGEMENT

- **Steps:** Profile → addresses → add / edit / delete an address.
 - **Expected:** Empty list shows “No addresses yet.” (no fake Mumbai addresses). Added addresses persist.
-

6. Deals list (user)

6.1 DEALS RENDER

- **Expected:** With real deals: hero card, Trending Now, All Deals grid, Featured Picks. Cashback %, expiry, brand are real.

6.2 EMPTY STATE

- **Pre:** No deals.

- **Expected:** No fake hero (“Up to 20% cashback” / “Electronics Sale” are gone). The hero row is hidden; All Deals shows “No deals yet · Deals you add will appear here.” Trending/Featured are hidden.

6.3 FILTER + SEARCH

- **Steps:** Pick a category chip / type in search.
- **Expected:** All Deals filters; no matches shows “No deals match your filter.”

6.4 OPEN A DEAL

- **Steps:** Tap a deal.
 - **Expected:** Navigates to detail; Shop Now works (see §3.2).
-

7. Offline stores & videos (user)

7.1 STORES TAB

- **Expected:** Lists stores from the local data set (mock — no backend yet). Search/filter works. (*Flagged: this is the only remaining mock feature.*)

7.2 VIDEOS TAB

- **Expected:** The Videos section renders without crashing.
-

8. Settings & About (user)

8.1 SETTINGS

- **Expected:** Profile strip, notification toggles, security/privacy nav, About link, logout, delete-account button. Toggles flip and persist.

8.2 ABOUT

- **Steps:** Settings → About.
 - **Expected:** About screen renders with app info.
-

9. Admin — login & shell

9.1 ADMIN LOGIN

- **Pre:** Admin account.
- **Steps:** Log in as admin.
- **Expected:** Lands in the admin panel (mobile: stack with the shared blue nav; desktop: permanent sidebar drawer).

9.2 NAVIGATION IS CONSISTENT

- **Expected (mobile):** The blue “Admin Panel” header + horizontal section nav (Dashboard · Deals · Wallet Ops · Payouts · Users · Products · Banners · Coupons) is identical on **every** admin screen. Tapping a tab switches sections; the active tab highlights.
- **Expected (desktop):** Left sidebar with the same sections, ending in **Logout** at the bottom. **No profile in the sidebar** — the profile (SA · Super Admin · email) is **top-right** in the content top bar.
- **Note:** “Conversions” is removed from the nav.

9.3 OPEN THE ADMIN PROFILE

- **Steps (desktop):** Click the SA profile badge top-right. **(mobile):** Tap the avatar in the nav header.
 - **Expected:** Opens the Admin Profile screen (§11).
-

10. Admin — dashboard

10.1 REAL STATS

- **Pre:** Backend redeployed.
- **Expected:** Total Clicks, Conversions, Cashback Issued, Active Users, and the Coins Economy pills (Issued / Redeemed / Circulating) are **aggregated from the DB** — no 45,280 / 3,456 / 1.2M mock numbers. A fresh DB reads **zeros**. No fake “+12.5%” deltas.

10.2 REVENUE TREND CHART

- **Expected:** A smooth dual-line chart (Revenue + Conversions) over 30 days with a legend, grid, and axes. It **fills the full card width**. With no data it’s flat at zero with a “No revenue yet” note. As conversions credit, the lines rise.

10.3 TOP DEALS / TOP USERS

- **Expected:** Real top deals (by click count) and top users (by lifetime earnings). No “Rahul Sharma / Myntra Fashion Sale” mock rows — empty states (“No deals with clicks yet.” / “No user activity yet.”) when there’s no data.
-

11. Admin — profile & Razorpay

11.1 PROFILE HERO

- **Expected:** SA badge, name, email, role pill. Stats: Pending Payouts · Coins Issued · Active Users (live).

11.2 PAYOUTS / RAZORPAY CARD

- **Expected:** Shows status **Not connected** / **Configured** / **Connected** based on saved keys, plus pending payout total and request count.

11.3 CONFIGURE RAZORPAY

- **Steps:** Tap “Configure Razorpay” → enter Key ID, Key Secret, RazorpayX account, toggle enable → Save.
- **Expected:** Saved. The secret is **write-only** — reopening shows a masked1234, never the raw value. Leaving the secret blank on re-save keeps the stored one. Status flips to Configured/Connected.

11.4 QUICK ACTIONS

- **Steps:** Tap Wallet Operations / Coin Economy Settings / Manage Users / Manage Deals.
 - **Expected:** Each navigates to the right admin section.
-

12. Admin — Wallet Operations Hub

The core admin workflow. Four tabs.

12.1 PENDING QUEUE

- **Expected:** Three counters — **Withdrawals waiting**, **Ready to confirm** (lock expired), **Recent imports**. A list of pending withdrawals with an **Open** button that jumps to the user’s timeline.

12.2 REPORTS INBOX — PARSE

- **Steps:** Pick a merchant chip (e.g. Cuelinks) → paste a CSV → **Parse Report**.
- **Expected:** Auto-detects columns; preview shows each row with a green “subid ✓” or yellow “unmatched”, plus an estimated coins-per-row using the live pass-through formula.

Sample CSV (Cuelinks):

```
order_id,subid,amount,commission,status
MYN-9X8B,cr_<userId>,2799,179.14,confirmed
```

12.3 REPORTS INBOX — IMPORT CREDITS COINS

- **Steps:** Click **Import**.
- **Expected:** For each matched row, coins = $\text{commission} \times \text{passThrough} \times \text{coinsPerRupee}$ (or the deal's `coinsReward` override). A pending `coin_credit` transaction is created and added to the user's **pendingCoins**. Success card shows totals; the import appears in history.

12.4 ATTRIBUTION SCENARIOS

Row	subid	Expected
Valid	<code>cr_<valid-UserId></code>	Matched (100% confidence), coins credited
Empty	<i>(blank)</i>	Fallback: if exactly one user clicked this merchant in 48h → credited (70%); else <code>no_subid_match</code>
Anonymous	<code>cr_anon_x</code>	<code>no_subid_match</code>
Bad user	<code>cr_<nonexistent id></code>	<code>user_not_found</code>
Zero commission	commission <code>0</code>	<code>zero_commission</code> (failed)
Duplicate order	repeat of an imported orderId	<code>duplicate</code> (failed, no double credit)

12.5 USER WALLET TAB

- **Steps:** Search a user → open.

- **Expected:** Identity card + 4 stat tiles (Confirmed ₹ / Pending ₹ / Coins / Lifetime). Buttons: **Credit / Debit Coins** and **Credit / Debit ₹**. On mobile the search and detail stack (with a “← Back to search”); on desktop they’re side-by-side.

12.6 MANUAL CREDIT / DEBIT

- **Steps:** Credit Coins → enter amount + reason.
- **Expected (native):** A prompt modal appears (not a web `window.prompt`). The user’s coin balance updates; a transaction lands on the timeline.

12.7 APPROVE / REJECT A WITHDRAWAL

- **Pre:** The user has a pending withdrawal.
- **Steps:** In the user detail, “Approve & Pay” → paste UPI TXN id. Or “Reject”.
- **Expected:** Approve debits the user’s coins and marks the withdrawal **completed**; Reject leaves coins untouched. The Pending Queue count drops.

12.8 TIMELINE

- **Expected:** Interleaved clicks + transactions, newest first, color-coded by status.

12.9 SETTINGS TAB

- **Steps:** Change pass-through %, coins per ₹1, lock days, Cuelinks publisher ID, Amazon associate tag → Save.
- **Expected:** Live preview recalculates as you type. Saving affects **new** credits/withdrawals only. On mobile, fields stack vertically.

13. Admin — content management

13.1 DEALS CRUD

- **Steps:** Deals → New → fill title, brand, category, cashback %, **Coins Reward** (optional), **Via Cuelinks** toggle, affiliate URL, expiry → Save. Then edit and delete one.
- **Expected:** Deal appears in the list and on the user Deals screen. Empty list shows an empty state (no mock deals).

13.2 PRODUCTS CRUD + CATEGORY PICKER

- **Steps:** Products → New → fill fields, upload an image, use the inline **category picker** (search / create-on-the-fly / rename / delete) → Save.

- **Expected:** Product appears on the user Home; new categories appear as Home filter chips. Image upload works (web file picker / native photo picker).

13.3 BANNERS CRUD

- **Steps:** Banners → New → pick a **slot** (hero / flash-strip / dual / earn-coins / refer-earn / in-line) → upload image or set gradient + badges + CTA + link → Save.
- **Expected:** Banner shows in the matching slot on the user Home (image if uploaded, gradient fallback otherwise). Empty list shows an empty state.

13.4 COUPONS CRUD + USAGE

- **Steps:** Coupons → New → code, discount type/value, min order, usage limits, expiry → Save. Toggle active/inactive. View usage.
- **Expected:** Coupon card shows status (Active/Inactive/Expired) + usage progress. Empty list shows an empty state.

13.5 IMAGE UPLOAD (ALL FORMS)

- **Expected: Web** → click to upload → Cloudinary → URL returned. **Native** → tap → photo library → upload. “Paste an image URL” fallback works on both. Uploading shows a spinner; success shows the preview.
-

14. Admin — users & payouts

14.1 USERS LIST

- **Expected:** Real users only (no “Rahul Sharma” mock). Empty → “No users yet.” Search by name/phone/email.

14.2 BLOCK / UNBLOCK

- **Steps:** Block a user → unblock.
- **Expected:** Status flips; a blocked user can’t act (verify on the user side if feasible).

14.3 PAYOUTS SCREEN

- **Expected:** Real withdrawal requests (no mock payouts). Empty → “No withdrawal requests yet.” Process / complete / reject actions work and reflect on the user’s wallet.
-

15. End-to-end affiliate flow (the money path)

The full arc, one pass. Use `npm run seed:test-flow -- <phone> --with-click` to pre-stage, or do it all manually.

1. **Admin adds a deal** (Cuelinks or Amazon) with an affiliate URL. (§13.1)
2. **User taps Shop Now** on that deal → click logged with `subid=cr_<userId>`, rewritten URL opens. (§3.2)
3. **User buys** on the merchant (external). Merchant reports the commission days later.
4. **Admin pastes the merchant CSV** into Reports Inbox → Parse → Import. (§12.2–12.3)
5. **Coins credited to pendingCoins** — the user sees **+N pending coins** in the wallet. (§4.3)
6. **Lock expires** → run `npm run cron:confirm-locks` (add `--force` to skip the wait for testing) → pending coins move to **withdrawable coins**, transaction flips to confirmed.
7. **User requests a withdrawal** from the wallet. (§4.6)
8. **Admin approves & pays** in Wallet Ops → coins debited, marked completed. (§12.7)

Expected: Numbers reconcile at every step — `commission × 0.25 × 10` coins credited, `coins ÷ 10` ₹ paid out. No coins are withdrawable until the lock clears.

16. Cross-cutting checks

16.1 EMPTY STATES EVERYWHERE

- **Pre:** Fresh admin-only DB.
- **Expected:** Every list (home, deals, wallet, users, withdrawals, coupons, banners, top deals/users) shows an honest empty state — **never fake data**. Dashboard stats read zero.

16.2 RESPONSIVE LAYOUT

- **Steps:** Resize the browser (narrow ↔ wide) and test on the phone.
- **Expected:** Mobile screens use the stacked layouts; desktop uses side-by-side / sidebar. The revenue chart, wallet ops tabs, and settings adapt.

16.3 API FAILURE HANDLING

- **Steps:** Stop the backend, then open the wallet / dashboard.
- **Expected:** No fake fallback data appears — screens show zeros / empty states or a clear loading/error, not mock balances.

16.4 AUTH BOUNDARIES

- **Steps:** As a non-admin, try to reach `/admin`.
- **Expected:** Admin screens are not served to non-admin roles.

Sign-off

Area	Pass	Notes
Authentication	☐	
Home + search + filters	☐	
Product detail + Shop Now	☐	
Wallet + withdraw	☐	
Profile + edit + avatar	☐	
Deals list	☐	
Admin shell + dashboard	☐	
Admin profile + Razorpay	☐	
Wallet Operations Hub	☐	
Content CRUD + image upload	☐	
Users + payouts	☐	
End-to-end affiliate flow	☐	
Empty states + responsive	☐	