

Wallet Operations Hub

Chingiringi Engineering

July 10, 2026

CONTENTS

Wallet Operations Hub	
Admin Reference Guide	
Tab 1 — Pending Queue (default)	
Tab 2 — Reports Inbox	
Workflow	
Attribution logic	
Tab 3 — User Wallet	
Tab 4 — Settings	
The end-to-end flow at a glance	
Cheat sheet: which tab for which task	
Access	

Wallet Operations Hub

Admin Reference Guide

Single admin screen at `/admin/wallet-ops` that consolidates every coin and cashback action into one workflow. Replaces the separate Users + Withdrawals + Categories screens. Four tabs, one backend hub.

Tab 1 — Pending Queue (default)

"What needs my action right now?"

Three counter cards at the top:

- **Withdrawals waiting** — users who requested payout, admin hasn't paid yet
- **Ready to confirm** — pending coin credits whose 30-day lock has expired (the hourly cron auto-flips these)
- **Recent imports** — last 5 merchant reports ingested

Below the counters: full list of pending withdrawals with an **Open** button that jumps straight to that user's timeline.

Backend endpoint: `GET /api/admin/queue`.

Tab 2 — Reports Inbox

"Import a merchant report and credit coins in one click."

WORKFLOW

1. Pick the merchant chip: Amazon, Myntra, Flipkart, Meesho, Ajo, Nykaa, Cuelinks, Admitad
2. Paste CSV or TSV from the affiliate dashboard
3. Click **Parse Report** — auto-detects columns (`order_id`, `subid` or `ascsubtag`, `amount`, `commission`, `status`) with hard-coded fallbacks for the exact Cuelinks and Amazon Associates header names
4. Preview shows every row with match indicators (green *subid* ✓ or yellow *unmatched*) plus estimated coins per row using the live pass-through formula

- Click **Import** — server runs `coins = commission × passThroughPercent × coinsPerRupee` per row, creates pending `coin_credit` transactions, adds to `pendingCoins`
- Success card shows totals; past imports are listed below for audit

ATTRIBUTION LOGIC

- Primary:** extract userId from the `cr_<userId>` subid pattern (100% confidence)
- Deal promo override:** if the click log finds a matching Deal with `coinsReward > 0`, use that flat reward instead
- Fallback:** no valid subid → look through click log for the last 48h on the same merchant, credit if exactly one distinct user matches (medium confidence 70)

Backend endpoints: `POST /api/admin/reports/import` and `GET /api/admin/reports/imports`.

Tab 3 — User Wallet

"Search any user, see the whole story, act inline."

Left pane: search box (name / phone / email).

Right pane on user select:

- Identity card: name, phone, joined date
- Four stat tiles: **Confirmed ₹** · **Pending ₹** · **Coins** · **Lifetime ₹**
- Four action buttons: **Credit Coins / Debit Coins** (primary economy) plus **Credit ₹ / Debit ₹** (goodwill refunds)
- If user has a pending withdrawal, it surfaces above the timeline with two buttons:
 - Approve & Pay** — prompts for the UPI TXN id, debits coins, marks the withdrawal complete
 - Reject** — no debit, coins stay in the user's balance
- Wallet Timeline** — interleaved clicks + transactions, newest first, color-coded by status. Every click, every credit, every debit, every withdrawal shows up on one scrollable list

Backend endpoint: `GET /api/admin/users/:id/timeline` returns clicks + transactions merged and sorted.

Tab 4 — Settings

"Tune the coin economy."

Five fields:

- **Pass-through %** — the slice of every ₹ of commission that goes to the user as coins (default 25%)
- **Coins per ₹1** — the conversion rate at both credit AND redemption (default 10)
- **Lock period days** — how long pending coins wait before confirming (default 30)
- **Cuelinks publisher ID** — stamped into every Cuelinks-toggled deal's URL at click time
- **Amazon associate tag** — auto-appended to every Amazon URL at click time

Live preview card recalculates as you type:

| ₹1000 order at 5% commission → user gets X coins ($\approx$ ₹Y), we keep ₹Z

Backend endpoints: `GET /api/admin/settings` and `PATCH /api/admin/settings`. Singleton doc so there is exactly one source of truth for the whole economy.

The end-to-end flow at a glance

```
graph TD
    A[User taps Shop Now] --> B[Backend logs ClickEvent + rewrites URL with subid  
(plus Amazon tag / Cuelinks wrapper if applicable)]
    B --> C[User buys on merchant (external)]
    C --> D[Merchant → Cuelinks / Amazon report (days later)]
    D --> E[Admin: Reports Inbox → paste CSV → Parse → Import]
    E --> F[For each row: match user via subid → credit coins to pendingCoins  
→ create pending Transaction]
    F --> G[Lock period passes (Phase D cron, hourly): pending → confirmed,  
pendingCoins → coins]
    G --> H[User requests withdrawal (mobile Withdraw Sheet in the wallet screen)]
    H --> I[Admin: Pending Queue → Open → Approve & Pay → paste UPI TXN id]
    I --> J[Coins debited, user's app shows Completed]
```

Every step is observable from the same hub. No context switching between screens.

Cheat sheet: which tab for which task

Task	Tab
See what needs action today	Pending Queue
Credit users after a merchant report arrives	Reports Inbox
Handle a specific user's complaint / manual credit / withdrawal	User Wallet
Change pass-through %, coin rate, or merchant credentials	Settings
Audit "which report credited user X"	Reports Inbox → history list
Confirm the URL is going out with the right tag / subid	Test in-app + inspect URL, then Settings if wrong
Reverse a mistaken import	User Wallet → find user → Debit Coins with a note

Access

`/admin/wallet-ops` on the admin site. Admin role required on your account. No sub-routes — everything is tab-scoped within the same screen.