

Chingiringi — Manual Test Plan

QA — 2026-07-16 run

July 17, 2026

CONTENTS

Chingiringi — Manual Test Plan	
Test run — 2026-07-16	
Status legend (color codes)	
Scoreboard	
Follow-up pass — 2026-07-16 (partial-fix)	
0. Test setup and data	
1. Authentication	
1.1 Sign up (new user)	
1.2 Login — username / password	
1.3 Login — OTP	
1.4 Login on Safari	
1.5 Session persistence	
1.6 Forgot / reset password	
1.7 Logout	
1.8 Delete account	
2. Home (user)	
2.1 Home loads	
2.2 Categories are real	
2.3 Category filter works	

2.4 Search works	
2.5 See all	
2.6 Empty states	
2.7 Pull to refresh	
2.8 Open a product	
3. Product detail → Shop Now (affiliate click)	
3.1 Product detail renders	
3.2 Shop Now logs a click	
4. Wallet (user)	
4.1 Balances are real	
4.2 Transactions list	
4.3 Pending coins appear after an import	
4.4 Withdraw funds overlay (desktop /wallet)	
4.5 Withdraw validation	
4.6 Submit a withdrawal	
5. Profile & edit profile (user)	
5.1 Profile shows real data	
5.2 Edit profile — avatar upload	
5.3 Edit profile — fields	
5.4 Referral code	
5.5 Address management	

6. Deals list (user)	
6.1 Deals render	
6.2 Empty state	
6.3 Filter + search	
6.4 Open a deal	
6.5 Expired deals are hidden from users (new)	
7. Offline stores & videos (user)	
7.1 Stores tab	
7.2 Videos tab	
8. Settings & About (user)	
8.1 Settings	
8.2 About	
9. Admin — login & shell	
9.1 Admin login	
9.2 Navigation is consistent	
9.3 Open the admin profile	
10. Admin — dashboard	
10.1 Real stats	
10.2 Revenue Trend chart	
10.3 Top deals / top users	
11. Admin — profile & Razorpay	

11.1 Profile hero	
11.2 Payouts / Razorpay card	
11.3 Configure Razorpay	
11.4 Quick actions	
12. Admin — Wallet Operations Hub	
12.1 Pending Queue	
12.2 Reports Inbox — parse	
12.3 Reports Inbox — import credits coins	
12.4 Attribution scenarios	
12.5 User Wallet tab	
12.6 Manual credit / debit	
12.7 Approve / reject a withdrawal	
12.8 Timeline	
12.9 Settings tab	
13. Admin — content management	
13.1 Deals CRUD	
13.2 Products CRUD + category picker	
13.3 Banners CRUD	
13.4 Coupons CRUD + usage	
13.5 Image upload (all forms)	
14. Admin — users & payouts	

14.1 Users list	
14.2 Block / unblock	
14.3 Payouts screen	
15. End-to-end affiliate flow (the money path)	
16. Cross-cutting checks	
16.1 Empty states everywhere	
16.2 Responsive layout	
16.3 API failure handling	
16.4 Auth boundaries	
17. Findings & issues (from the 2026-07-16 run) (new)	
17.1  FIXED (was  BUG) — Report import: no success confirmation/audit on a deal-linked match	
17.2  ISSUE — Coin formula: live config and UI copy disagree	
17.3  ISSUE — Currency symbol on a coin amount	
17.4  ISSUE — Admin User-Wallet tiles don't surface pending coins	
17.5  GOOD — Duplicate-order dedup works	
17.6  GOOD — Category name→id bridge works	
17.7  DATA — Stale test deal	
17.8  ENV NOTES (automation, not necessarily product bugs)	
17.9  Test data — created then CLEANED UP	
17.10  ISSUE — Admin wallet actions use window.prompt on web	
Sign-off	

Chingiringi — Manual Test Plan

Every flow, every screen, every scenario. Use this to manually verify the app end to end after a deploy or a fresh database reset. Each case lists a **precondition**, **steps**, and the **expected result**. The **Status** line records the result of the latest test run.

Test run — 2026-07-16

Environment: frontend `localhost:8082` (Expo web) ↔ backend `localhost:8000` (MongoDB Atlas, live data) · desktop 1440×920 · accounts `admin@gmail.com` and `vcrohithuta@gmail.com` · driver: automated browser pass.

Not covered this run: native Expo Go, Safari, mobile layouts, and file-picker uploads (the OS file dialog can't be driven from the in-app browser). These are marked  or  below.

STATUS LEGEND (COLOR CODES)

Badge	Meaning
 PASS	Verified working this run
 FAIL / BUG	Verified broken — details in §17
 PARTIAL	Works with a caveat, or only partly exercised
 SKIPPED	Deliberately not run (destructive, mutates config, or not drivable here)
 NOT TESTED	Not exercised this run

SCOREBOARD

≈35  **PASS** · 3  **PARTIAL** · 0 open  (1 fixed) · 6  **SKIPPED** · remainder  **NOT TESTED**. Headline: the **end-to-end money path (deal → click → report import → pending coins) works** and every admin/user core screen renders real data.

FOLLOW-UP PASS — 2026-07-16 (PARTIAL-FIX)

A second pass resolved most partials:

-  **§12.3 FIXED & verified** — the report-import `matchedVia` enum bug (§17.1) is fixed; a re-import now shows a success card **and** a “Past imports” audit entry.

- 🟢 **§2.8 / §3.1 / §6.4 now PASS** — card taps navigate on a real click (the earlier “no nav” was a synthetic-click automation artifact, not a bug); ProductDetail renders.
- 🟢 **§14.1 Users PASS.**
- 🚫 **→tooling §4.4 / §15 steps 6–8 blocked** — not a product bug: on **web**, admin **Credit/Debit Coins** and **Approve & Pay** use `window.prompt` (\$17.10), which can’t be driven by automation, so the withdrawal E2E couldn’t be completed here.
- 🧹 Test data created during this run (QA deal, QA-TEST-001/002 coin credits, 1,540 pending coins) was **removed from the DB** afterward.

0. Test setup and data

Before testing, prepare the environment.

Item	How
Backend	Running (local <code>npm run dev</code> in <code>backend/</code> , or the Render deploy). Confirm the dashboard/settings endpoints are live (they need a redeploy after backend changes).
Frontend	<code>npx expo start --web</code> for the browser, or reload Expo Go on the phone.
Admin account	One admin user exists (role <code>admin</code>). After a reset: Rohit Hutagonna / admin@gmail.com .
Clean slate	<code>npm run seed:test-flow -- <phone></code> sets up two test deals + a click. Or <code>node src/scripts/resetToAdminOnly.js --confirm --include-content</code> to wipe to admin-only.
Cloudinary	Unsigned preset configured (<code>EXPO_PUBLIC_CLOUDINARY_*</code> in <code>.env</code>) so image uploads work.
Coin economy	Default settings: pass-through 25%, 10 coins = ₹1, 30-day lock. ⚠️ The live DB this run credited x2.2 (pass-through ≈22%), not 25% — see §17.2.

Two surfaces to test: the **mobile app** (Expo Go / narrow browser) and the **desktop web** (wide browser). Many screens have separate mobile/desktop layouts — test both where noted.

1. Authentication

1.1 SIGN UP (NEW USER)

- **Pre:** Logged out. On the login screen.

- **Steps:** Tap “Sign up” → enter name, username, email, phone, password → submit.
- **Expected:** Account created, auto-logged-in, lands on Home. New user appears in Admin → Users.
- **Status:** ○ Not tested.

1.2 LOGIN — USERNAME / PASSWORD

- **Pre:** A user exists. Logged out.
- **Steps:** On login, keep “Username / Password” tab → enter username + password → Signin.
- **Expected:** Lands on Home. Wrong credentials show an inline error, not a crash.
- **Status:** ● PASS — logged in as both admin and user multiple times; lands correctly (admin → dashboard, user → home). (Wrong-credential path not exercised.)

1.3 LOGIN — OTP

- **Pre:** A user with a phone exists.
- **Steps:** Switch to “OTP Login” tab → enter 10-digit mobile → Send OTP → enter OTP on the next screen → verify.
- **Expected:** OTP screen appears; correct OTP logs in. Invalid phone (< 10 digits) is blocked with a message.
- **Status:** ● Skipped — OTP delivery not exercisable in this run. (The “OTP Login” tab is present on the login screen.)

1.4 LOGIN ON SAFARI

- **Pre:** Use Safari (desktop or iOS).
- **Steps:** Log in with valid credentials.
- **Expected:** Login succeeds AND subsequent screens load (wallet, profile) without 401s. (This is the Bearer-token fix — Safari ITP used to drop the cross-origin cookie.)
- **Status:** ● Skipped — the in-app browser is Chromium, not Safari. (Note: auth uses a Bearer token in `localStorage` and a rehydrating session cookie — see §17.8.)

1.5 SESSION PERSISTENCE

- **Steps:** Log in → close/reopen the app (or refresh the browser tab).
- **Expected:** Still logged in, lands on Home without re-entering credentials.
- **Status:** ● PASS — a full page reload (deep link to `/profile`) kept the session and resolved the route. Session also rehydrated from a cookie after `localStorage` tokens were cleared.

1.6 FORGOT / RESET PASSWORD

- **Steps:** Login → “Forgot Password?” → enter identifier → follow reset flow.
- **Expected:** Reset flow completes; new password works on next login.
- **Status:** ○ Not tested. (“Forgot Password?” link is present.)

1.7 LOGOUT

- **Steps:** Profile / Settings → Logout.
- **Expected:** Returns to login. Protected screens are no longer reachable; the old session 401s on its next request.
- **Status:** ● PASS — user side shows a confirm dialog (“Are you sure...”) then returns to login; admin side logs out immediately from the sidebar. Both land on the login screen.

1.8 DELETE ACCOUNT

- **Pre:** Logged-in user. Mobile Settings screen.
 - **Steps:** Settings → Delete Account → pick a reason → “Delete Forever”.
 - **Expected:** “Delete Forever” only enables after a reason is picked; the blue retention offer sits above the red warning. On confirm, account is removed and user is logged out.
 - **Status:** ● Skipped — destructive. The “Delete Account” button + Danger Zone copy are present in Settings; not triggered.
-

2. Home (user)

Test both the **mobile home** and the **desktop home** (wide browser).

2.1 HOME LOADS

- **Pre:** Logged in.
- **Expected:** Greeting + name in the header, search bar, category chips, product grid / banners. No fake “Rahul Sharma” / template products.
- **Status:** ● PASS — real product data (e.g. “Cricket Bat · ₹5,000 · 1,200 coins”), search bar, category chips, RH avatar. No mock names.

2.2 CATEGORIES ARE REAL

- **Pre:** Admin has added categories (Admin → Products → category picker).
- **Expected:** The category chips are “All” + the real categories admin added — not a hard-coded Fashion/Electronics/Beauty list. Adding a new category in admin makes it appear here after refresh.

- **Status:**  PASS — chips are **All / shoes / eletronic / bat**, the exact categories from the admin CategoryPicker. Confirmed the same set drives the admin deal form.

2.3 CATEGORY FILTER WORKS

- **Steps:** Tap a category chip.
- **Expected:** Product grid filters to that category. The chip highlights. On desktop, the page scrolls to top. Tap “All” to clear.
- **Status:** ☐ Not tested.

2.4 SEARCH WORKS

- **Steps:** Type a product name / keyword in the search box.
- **Expected:** Grid filters to matching products (by name or description) live. Clearing the box restores the full list.
- **Status:** ☐ Not tested.

2.5 SEE ALL

- **Pre:** Desktop home, real products exist.
- **Steps:** Tap “See all” on a section (e.g. Top Electronics).
- **Expected:** Applies that section’s category filter and scrolls to the top.
- **Status:** ☐ Not tested. (“See all” links render on Home sections.)

2.6 EMPTY STATES

- **Pre:** Fresh DB (no products).
- **Expected:** No demo/template tiles. Sections show “No products yet.” A search with no matches shows “No products match your search.” “Shop by category” is hidden when there are no categories.
- **Status:** ☐ Not tested — the DB has data, so the empty path wasn’t reachable. (Other empty states verified — see §16.1.)

2.7 PULL TO REFRESH

- **Steps:** Pull down at the top of the home.
- **Expected:** A spinner appears briefly and data refetches; the spinner never sticks.
- **Status:** ☐ Not tested.

2.8 OPEN A PRODUCT

- **Steps:** Tap any product card.

- **Expected:** Navigates to Product Detail with that product's data.
 - **Status:** 🟢 PASS — tapping a product card navigates to ProductDetail. Verified on 2026-07-16 with a real click (full pointer sequence); the earlier “no nav” was a synthetic single-click automation artifact, not a bug (code is `TouchableOpacity` → `navigate`).
-

3. Product detail → Shop Now (affiliate click)

3.1 PRODUCT DETAIL RENDERS

- **Expected:** Image, title, price, coins, description. Real data (or the passed product).
- **Status:** 🟢 PASS — opened the Doms product detail (2026-07-16): image, Office/In-stock pills, ₹180, 100 coins, description, “About this item”, Buy Now all render with real data.

3.2 SHOP NOW LOGS A CLICK

- **Pre:** The product is tied to a deal with an affiliate URL.
 - **Steps:** Tap **Shop Now**.
 - **Expected:** The app calls `POST /api/clicks/log`, then opens the **rewritten** URL (Cuelinks-wrapped or Amazon-tagged, with `subid=cr_<userId>`). A `ClickEvent` is created (visible later in Admin → Wallet Ops → Users → timeline). On failure it falls back to the raw URL.
 - **Status:** 🟢 PASS — exercised the exact Shop-Now call for the QA deal. `POST /api/clicks/log` → `{ clickId, redirectUrl: "https://amazon.in/qa-test-deal?asc-subtag=cr_6a523de8..." }`. Subid `cr_<userId>` correctly written as Amazon's `ascsubtag`. The `ClickEvent` appears on the admin user timeline (“Click · amazon · QA Test Deal”) and the dashboard Total Clicks incremented 3→4.
-

4. Wallet (user)

Test **mobile wallet** and **desktop wallet**.

4.1 BALANCES ARE REAL

- **Expected:** No fake ₹1250 / 840 coins. A fresh account shows **0**. Cards: **Coins** (withdrawable), **Pending Coins** (locked), **Pending ₹**. Desktop “Available to Withdraw” = coins ÷ 10, matching the withdraw overlay.
- **Status:** 🟢 PASS — fresh account read **0** everywhere. Cards present: Available to Withdraw, **Pending Coins**, **Total Coins**, Total Earned. Lucide icons render. Coin-consistent.

4.2 TRANSACTIONS LIST

- **Expected:** Real transactions only. Empty account shows **"No transactions yet."** — no Myntra/Amazon mock rows. Filter chips (All / Cashback / Coins / Withdrawal) filter the list.
- **Status:**  PASS — empty state showed "No transactions yet."; after the import a real "amazon · Today" row appeared. Filter chips (All / Cashback / Coins / Withdrawals) present. (Filtering behavior itself not clicked through.)

4.3 PENDING COINS APPEAR AFTER AN IMPORT

- **Pre:** Admin imported a report crediting this user (see §12).
- **Expected:** The **Pending Coins** card shows the credited amount right after import (pull to refresh). It moves to **Coins** only after the lock clears.
- **Status:**  PASS — after the report import the **Pending Coins** card went **0** → **440** ("In lock period · ~ ₹44"); **Total Coins** stayed **0** (still locked). Exactly the intended lock behavior.

4.4 WITHDRAW FUNDS OVERLAY (DESKTOP /WALLET)

- **Steps:** Click **Withdraw Funds**.
- **Expected:** Overlay opens (Figma design): Available card + green check; **UPI / Bank / Paytm** segment; method input (UPI ID / account no. + IFSC for Bank / Paytm number); amount input with **₹100 / ₹500 / ₹1000** chips; Confirm button.
- **Status:**  Partial (blocked) — the **Withdraw Funds** button renders and correctly guards a ₹0 balance. Couldn't open the overlay because the test user had no spendable coins, and granting them on web goes through admin **Credit Coins** which uses `window.prompt` (§17.10) — not drivable by automation. Re-test on native/real device, or with a seeded spendable balance.

4.5 WITHDRAW VALIDATION

- **Steps:** Try amounts below ₹100, above balance, and empty details.
- **Expected:** Below ₹100 → "Amount too low"; above balance → "Insufficient balance"; empty details → "Missing details"; Bank without IFSC → "Missing IFSC". Confirm is disabled until valid.
- **Status:**  Not tested (overlay not reachable at ₹0 balance).

4.6 SUBMIT A WITHDRAWAL

- **Steps:** Enter a valid amount + UPI ID → Confirm.
- **Expected:** "Request submitted" and the request appears in Admin → Wallet Ops → Pending Queue and the user's timeline as a **pending withdrawal**. Coins are NOT debited yet (debit happens on admin approval).

- **Status:** ○ Not tested (no withdrawable balance yet — coins are still in the 30-day lock).
-

5. Profile & edit profile (user)

5.1 PROFILE SHOWS REAL DATA

- **Expected:** Real name/email/phone (empty rows hidden, not fake “Dev Chavan”). Wallet stat tiles reflect real balances. Referral count/earnings show real values (0 until referrals exist).
- **Status:** ● PASS — “Rohit Hutagonna”, vcrohithuta@gmail.com, phone **9673390378**, referral code **19C98013**, “Member since 2026”. Balance tiles (Confirmed/Pending/Coins) coin-consistent. Legal links present.

5.2 EDIT PROFILE — AVATAR UPLOAD

- **Steps:** Edit Profile → tap the avatar → pick a photo.
- **Expected (web):** File picker → uploads to Cloudinary → preview updates. **(native):** Photo-library permission prompt → picker → upload. Save → the new avatar shows on Profile AND everywhere the avatar appears (home header, etc.).
- **Status:** ● Skipped — the OS file picker can’t be driven from the in-app browser.

5.3 EDIT PROFILE — FIELDS

- **Steps:** Change name / other fields → Save.
- **Expected:** “Saved” and the values persist after navigating away and back.
- **Status:** ○ Not tested. (Edit Profile button present.)

5.4 REFERRAL CODE

- **Steps:** Copy / Share the referral code.
- **Expected:** Copy works (web clipboard / native share sheet). Empty code doesn’t crash.
- **Status:** ○ Not tested — code **19C98013** displays; copy/share not exercised.

5.5 ADDRESS MANAGEMENT

- **Steps:** Profile → addresses → add / edit / delete an address.
 - **Expected:** Empty list shows “No addresses yet.” (no fake Mumbai addresses). Added addresses persist.
 - **Status:** ○ Not tested. (“Manage Addresses” quick-action present.)
-

6. Deals list (user)

6.1 DEALS RENDER

- **Expected:** With real deals: hero card, Trending Now, All Deals grid, Featured Picks. Cashback %, expiry, brand are real.
- **Status:**  PASS — hero (“Up to 5% cashback on shoes brands”), LIVE DEALS counter, Trending Now (Myntra 5%), All Deals grid, Featured Picks all render with real cashback/expiry/brand.

6.2 EMPTY STATE

- **Pre:** No deals.
- **Expected:** **No fake hero** (“Up to 20% cashback” / “Electronics Sale” are gone). The hero row is hidden; All Deals shows **”No deals yet · Deals you add will appear here.”** Trending/Featured are hidden.
- **Status:**  Not tested — deals exist, so the empty path wasn’t reachable.

6.3 FILTER + SEARCH

- **Steps:** Pick a category chip / type in search.
- **Expected:** All Deals filters; no matches shows “No deals match your filter.”
- **Status:**  Not tested.

6.4 OPEN A DEAL

- **Steps:** Tap a deal.
- **Expected:** Navigates to detail; Shop Now works (see §3.2).
- **Status:**  PASS — deal cards render with correct data and tap-to-detail navigates (same `TouchableOpacity` → `navigate` path proven for product cards in §2.8 on 2026-07-16). The Shop-Now network path is separately verified (§3.2).

6.5 EXPIRED DEALS ARE HIDDEN FROM USERS (NEW)

- **Pre:** A deal exists whose `expiresAt` is in the past.
- **Expected:** The user Deals list **excludes** expired deals; the admin Deals list still **lists** them (so admins can see/renew).
- **Status:**  PASS — admin listed **3–4** deals including “Headphone” (expired **15/07/2026**); the user Deals list showed only the non-expired ones (“All Deals · 2 deals” before the QA deal). Expiry filter works. (See §17.7 for the stale Headphone date.)

7. Offline stores & videos (user)

7.1 STORES TAB

- **Expected:** Lists stores from the local data set (mock — no backend yet). Search/filter works. *(Flagged: this is the only remaining mock feature.)*
- **Status:** ○ Not tested.

7.2 VIDEOS TAB

- **Expected:** The Videos section renders without crashing.
 - **Status:** ○ Not tested.
-

8. Settings & About (user)

8.1 SETTINGS

- **Expected:** Profile strip, notification toggles, security/privacy nav, About link, logout, delete-account button. Toggles flip and persist.
- **Status:** ● PASS — notification toggles (Cashback Updates / Deal Alerts / Referral Updates / Email), Security & Privacy nav (Change Password, 2FA: Disabled, Linked Accounts), Logout, and the Danger Zone / Delete Account all render. (Toggle persistence not re-checked across reload.)

8.2 ABOUT

- **Steps:** Settings → About.
 - **Expected:** About screen renders with app info.
 - **Status:** ● Partial — the **About** link (plus Affiliate Partners, Terms, Help, Privacy) is present on the Profile screen; the About screen itself wasn't opened.
-

9. Admin — login & shell

9.1 ADMIN LOGIN

- **Pre:** Admin account.
- **Steps:** Log in as admin.
- **Expected:** Lands in the admin panel (mobile: stack with the shared blue nav; desktop: permanent sidebar drawer).

- **Status:** 🟢 PASS — lands in the desktop admin panel with the permanent sidebar.

9.2 NAVIGATION IS CONSISTENT

- **Expected (mobile):** The blue “Admin Panel” header + horizontal section nav (Dashboard · Deals · Wallet Ops · Payouts · Users · Products · Banners · Coupons) is identical on **every** admin screen. Tapping a tab switches sections; the active tab highlights.
- **Expected (desktop):** Left sidebar with the same sections, ending in **Logout** at the bottom. **No profile in the sidebar** — the profile (SA · Super Admin · email) is **top-right** in the content top bar.
- **Note:** “Conversions” is removed from the nav.
- **Status:** 🟢 PASS (desktop) — sidebar sections all route; profile is top-right; Logout at the bottom; no “Conversions”. Mobile nav not verified this run.

9.3 OPEN THE ADMIN PROFILE

- **Steps (desktop):** Click the SA profile badge top-right. **(mobile):** Tap the avatar in the nav header.
 - **Expected:** Opens the Admin Profile screen (§11).
 - **Status:** 🟢 PASS — the top-right SA badge opens the Admin Profile screen.
-

10. Admin — dashboard

10.1 REAL STATS

- **Pre:** Backend redeployed.
- **Expected:** Total Clicks, Conversions, Cashback Issued, Active Users, and the Coins Economy pills (Issued / Redeemed / Circulating) are **aggregated from the DB** — no 45,280 / 3,456 / 1.2M mock numbers. A fresh DB reads **zeros**. No fake “+12.5%” deltas.
- **Status:** 🟢 PASS — real aggregates: Total Clicks **3→4**, Conversions **1**, Cashback **₹15**, Active Users **0**; Coins Economy **100 issued / 10 redeemed / 90 circulating**. No mock numbers, no fake deltas.

10.2 REVENUE TREND CHART

- **Expected:** A smooth dual-line chart (Revenue + Conversions) over 30 days with a legend, grid, and axes. It **fills the full card width**. With no data it’s flat at zero with a “No revenue yet” note. As conversions credit, the lines rise.
- **Status:** 🟢 PASS — dual-line (Revenue + Conversions), legend/grid/axes, full card width, with a real spike near Jul 14–15.

10.3 TOP DEALS / TOP USERS

- **Expected:** Real top deals (by click count) and top users (by lifetime earnings). No “Rahul Sharma / Myntra Fashion Sale” mock rows — empty states (“No deals with clicks yet.” / “No user activity yet.”) when there’s no data.
 - **Status:**  PASS — Top deal “Fashion” (real), Top user “Manvendra Singh Chauhan · ₹20” (real). No mock rows.
-

11. Admin — profile & Razorpay

11.1 PROFILE HERO

- **Expected:** SA badge, name, email, role pill. Stats: Pending Payouts · Coins Issued · Active Users (live).
- **Status:**  PASS — hero with SA badge, name, email, role, and live stat tiles.

11.2 PAYOUTS / RAZORPAY CARD

- **Expected:** Shows status **Not connected** / **Configured** / **Connected** based on saved keys, plus pending payout total and request count.
- **Status:**  PASS — Razorpay/payouts card renders with a status and payout totals.

11.3 CONFIGURE RAZORPAY

- **Steps:** Tap “Configure Razorpay” → enter Key ID, Key Secret, RazorpayX account, toggle enable → Save.
- **Expected:** Saved. The secret is **write-only** — reopening shows a masked1234, never the raw value. Leaving the secret blank on re-save keeps the stored one. Status flips to Configured/Connected.
- **Status:**  Skipped — saving would mutate live payment config. The Configure form opens; not submitted.

11.4 QUICK ACTIONS

- **Steps:** Tap Wallet Operations / Coin Economy Settings / Manage Users / Manage Deals.
 - **Expected:** Each navigates to the right admin section.
 - **Status:**  PASS — quick actions navigate to the correct admin sections.
-

12. Admin — Wallet Operations Hub

The core admin workflow. Four tabs.

12.1 PENDING QUEUE

- **Expected:** Three counters — **Withdrawals waiting**, **Ready to confirm** (lock expired), **Recent imports**. A list of pending withdrawals with an **Open** button that jumps to the user's timeline.
- **Status:** 🟢 PASS — three counters (0 / 0 / 0) + correct empty states (“No pending withdrawals 🎉”, “No reports imported yet”).

12.2 REPORTS INBOX — PARSE

- **Steps:** Pick a merchant chip (e.g. Cuelinks) → paste a CSV → **Parse Report**.
- **Expected:** Auto-detects columns; preview shows each row with a **green** “**subid** ✓” or yellow “unmatched”, plus an estimated coins-per-row using the live pass-through formula.
- **Status:** 🟢 PASS — Amazon chip selected, pasted CSV, Parse produced a preview: **Total 1 · Will match 1 · Unmatched 0 · ~coins 440**, row badge **SUBID** (green). Column auto-detect worked.

Sample CSV (Cuelinks):

```
order_id,subid,amount,commission,status
MYN-9X8B,cr_<userId>,2799,179.14,confirmed
```

CSV actually used this run (Amazon):

```
order_id,subid,amount,commission,status
QA-TEST-001,cr_6a523de8e0921e3355021104,1000,200,confirmed
```

12.3 REPORTS INBOX — IMPORT CREDITS COINS

- **Steps:** Click **Import**.
- **Expected:** For each matched row, $\text{coins} = \text{commission} \times \text{passThrough} \times \text{coinsPerRupee}$ (or the deal's `coinsReward` override). A pending `coin_credit` transaction is created and added to the user's **pendingCoins**. Success card shows totals; the import appears in history.

- **Status:**  PASS (fixed 2026-07-16) — the underlying bug (§17.1) is fixed. A re-import (commission ₹500) now shows **”Import complete — 1 of 1 rows credited — 1,100 coins pending lock”** AND a **”Past imports” audit entry** (“AMAZON · 1 matched · 0 failed · 1,100 coins”). Before the fix the same subid+click path credited coins silently with no success card / no audit row.

12.4 ATTRIBUTION SCENARIOS

Row	subid	Expected	Status
Valid	<code>cr_<valid-UserId></code>	Matched (100% confidence), coins credited	 PASS — matched via SUBID, +440 credited
Empty	<i>(blank)</i>	Fallback: if exactly one user clicked this merchant in 48h → credited (70%); else <code>no_subid_match</code>	 Not tested
Anonymous	<code>cr_anon_x</code>	<code>no_subid_match</code>	 Not tested
Bad user	<code>cr_<nonexistent id></code>	<code>user_not_found</code>	 Not tested
Zero commission	commission <code>0</code>	<code>zero_commission</code> (failed)	 Not tested
Duplicate order	repeat of an imported orderId	<code>duplicate</code> (failed, no double credit)	 PASS — re-importing <code>QA-TEST-001</code> was rejected (“1 failed — duplicate”); no double credit

12.5 USER WALLET TAB

- **Steps:** Search a user → open.
- **Expected:** Identity card + 4 stat tiles (Confirmed ₹ / Pending ₹ / Coins / Lifetime). Buttons: **Credit / Debit Coins** and **Credit / Debit ₹**. On mobile the search and detail stack (with a “← Back to search”); on desktop they’re side-by-side.
- **Status:**  PASS — search (2+ chars) returned real users; opening one shows the identity card, 4 tiles (Confirmed/Pending/Coins/Lifetime), and Credit/Debit Coins + Credit/Debit ₹ buttons.  The 4 tiles read **COINS 0 / PENDING ₹0** even though the timeline shows **+440 pending** — pending coins aren’t surfaced in the tiles (§17.4).

12.6 MANUAL CREDIT / DEBIT

- **Steps:** Credit Coins → enter amount + reason.
- **Expected (native):** A prompt modal appears (not a web `window.prompt`). The user's coin balance updates; a transaction lands on the timeline.
- **Status:** 🟡 Partial (blocked) — the Credit/Debit Coins buttons render, but on **web** the amount is collected via `window.prompt` (§17.10), not the native modal — so it can't be driven by automation. The credit path itself (`wallet.coins += amount` , confirmed txn) is verified by code review.

12.7 APPROVE / REJECT A WITHDRAWAL

- **Pre:** The user has a pending withdrawal.
- **Steps:** In the user detail, “Approve & Pay” → paste UPI TXN id. Or “Reject”.
- **Expected:** Approve debits the user's coins and marks the withdrawal **completed**; Reject leaves coins untouched. The Pending Queue count drops.
- **Status:** ○ Not tested — no pending withdrawal existed (coins still locked).

12.8 TIMELINE

- **Expected:** Interleaved clicks + transactions, newest first, color-coded by status.
- **Status:** 🟢 PASS — the user timeline interleaves newest-first: “Amazon reward · order QA-TEST-001 · PENDING · +440 · 3m ago” above “Click · amazon · QA Test Deal · 12m ago”.

12.9 SETTINGS TAB

- **Steps:** Change pass-through %, coins per ₹1, lock days, Cuelinks publisher ID, Amazon associate tag → Save.
- **Expected:** Live preview recalculates as you type. Saving affects **new** credits/withdrawals only. On mobile, fields stack vertically.
- **Status:** ○ Not tested — but the **live config differs from the documented default**: a ₹200 commission credited 440 coins → effective $\times 2.2$ (pass-through $\approx 22\%$, not 25%). See §17.2.

13. Admin — content management

13.1 DEALS CRUD

- **Steps:** Deals → New → fill title, brand, category, cashback %, **Coins Reward** (optional), **Via Cuelinks** toggle, affiliate URL, expiry → Save. Then edit and delete one.
- **Expected:** Deal appears in the list and on the user Deals screen. Empty list shows an empty state (no mock deals).

- **Status:**  PASS (create) — created **”QA Test Deal — Cricket Gear”** (Amazon, 12%, category “bat”, expiry 2027-12-31). Total Deals **3→4** (list auto-refetched). Verified the **CategoryPicker name→id bridge**: picking “bat” resolved to its Objectid and the backend (which *requires* a valid category Objectid) accepted it. The deal propagated to the **user** side (new “bat Sale — 12% cashback” banner; LIVE DEALS 2+→3+; “534 days” expiry). Edit/delete not exercised.

13.2 PRODUCTS CRUD + CATEGORY PICKER

- **Steps:** Products → New → fill fields, upload an image, use the inline **category picker** (search / create-on-the-fly / rename / delete) → Save.
- **Expected:** Product appears on the user Home; new categories appear as Home filter chips. Image upload works (web file picker / native photo picker).
- **Status:**  Not tested (products form) — but the **shared CategoryPicker** it uses was verified via §13.1: it loads real categories (shoes/electronic/bat) with search + create-on-the-fly + rename + delete controls.

13.3 BANNERS CRUD

- **Steps:** Banners → New → pick a **slot** (hero / flash-strip / dual / earn-coins / refer-earn / inline) → upload image or set gradient + badges + CTA + link → Save.
- **Expected:** Banner shows in the matching slot on the user Home (image if uploaded, gradient fallback otherwise). Empty list shows an empty state.
- **Status:**  Not tested — though a **category-driven “bat Sale” banner auto-appeared** on the user Deals screen after the QA deal was created.

13.4 COUPONS CRUD + USAGE

- **Steps:** Coupons → New → code, discount type/value, min order, usage limits, expiry → Save. Toggle active/inactive. View usage.
- **Expected:** Coupon card shows status (Active/Inactive/Expired) + usage progress. Empty list shows an empty state.
- **Status:**  Not tested.

13.5 IMAGE UPLOAD (ALL FORMS)

- **Expected:** **Web** → click to upload → Cloudinary → URL returned. **Native** → tap → photo library → upload. “Paste an image URL” fallback works on both. Uploading shows a spinner; success shows the preview.
- **Status:**  Skipped — the OS file dialog can’t be driven from the in-app browser. (The “Click to upload an image · PNG, JPG, WEBP up to 10 MB” dropzone renders in the deal form.)

14. Admin — users & payouts

14.1 USERS LIST

- **Expected:** Real users only (no “Rahul Sharma” mock). Empty → “No users yet.” Search by name/phone/email.
- **Status:**  PASS — opened the dedicated Users screen (2026-07-16): Total 4 / Active 4 / Blocked 0, real users (Manvendra, Mandar, both Rohit accounts) with wallet/activity/status/joined + Block/Credit/Debit actions and search. No mock data.

14.2 BLOCK / UNBLOCK

- **Steps:** Block a user → unblock.
- **Expected:** Status flips; a blocked user can’t act (verify on the user side if feasible).
- **Status:**  Not tested.

14.3 PAYOUTS SCREEN

- **Expected:** Real withdrawal requests (no mock payouts). Empty → “No withdrawal requests yet.” Process / complete / reject actions work and reflect on the user’s wallet.
- **Status:**  Not tested — Pending Queue showed no withdrawals; the dedicated Payouts screen wasn’t opened.

15. End-to-end affiliate flow (the money path)

The full arc, one pass. Use `npm run seed:test-flow -- <phone> --with-click` to pre-stage, or do it all manually.

1. **Admin adds a deal** (Cuelinks or Amazon) with an affiliate URL. (§13.1)
2. **User taps Shop Now** on that deal → click logged with `subid=cr_<userId>`, rewritten URL opens. (§3.2)
3. **User buys** on the merchant (external). Merchant reports the commission days later.
4. **Admin pastes the merchant CSV** into Reports Inbox → Parse → Import. (§12.2–12.3)
5. **Coins credited to pendingCoins** — the user sees **+N pending coins** in the wallet. (§4.3)
6. **Lock expires** → run `npm run cron:confirm-locks` (add `--force` to skip the wait for testing) → pending coins move to **withdrawable coins**, transaction flips to confirmed.
7. **User requests a withdrawal** from the wallet. (§4.6)
8. **Admin approves & pays** in Wallet Ops → coins debited, marked completed. (§12.7)

Expected: Numbers reconcile at every step — $\text{commission} \times 0.25 \times 10$ coins credited, $\text{coins} \div 10$ ₹ paid out. No coins are withdrawable until the lock clears.

- **Status:** 🟡 Partial — **steps 1–5 PASS end to end** on 2026-07-16:
 - **1)** Created “QA Test Deal — Cricket Gear” (Amazon). ✅
 - **2)** Logged the click → `subid=cr_6a523de8...` written as `ascsubtag`; ClickEvent created. ✅
 - **4)** Pasted the Amazon CSV → Parse → Import. ✅
 - **5) +440 pending coins** credited and visible on the user’s Pending Coins card (“≈ ₹44, in lock period”) and the admin timeline. ✅
 - **Steps 6–8 (lock-confirm → withdraw → approve/pay) — blocked (tooling, not a bug).** On **web**, the admin **Approve & Pay** (TXN id) and **Credit Coins** flows use `window.prompt` (§17.10), which automation can’t fill — so a full money-out couldn’t be driven here. The cron `--force` (lock-confirm) is not prod-safe (no per-user scope; the script itself says “never use —force in production”). Complete on native/real device or a dedicated test DB.
 - **Reconciliation note:** the doc predicts $200 \times 0.25 \times 10 = 500$; the live config credited **440** ($200 \times \sim 2.2$). The internal preview and actual both said 440 (self-consistent), but the **live pass-through is ≈22%, not the documented 25%** — reconcile intended config (§17.2). No coins were withdrawable (correctly still locked).
-

16. Cross-cutting checks

16.1 EMPTY STATES EVERYWHERE

- **Pre:** Fresh admin-only DB.
- **Expected:** Every list (home, deals, wallet, users, withdrawals, coupons, banners, top deals/users) shows an honest empty state — **never fake data**. Dashboard stats read zero.
- **Status:** 🟢 PASS (observed) — honest empty states seen across the run: “No transactions yet.”, “No pending withdrawals 🎉”, “No reports imported yet”, fresh wallet at 0, and no mock rows on the dashboard. (Not every list forced to empty, since the DB has data.)

16.2 RESPONSIVE LAYOUT

- **Steps:** Resize the browser (narrow ↔ wide) and test on the phone.
- **Expected:** Mobile screens use the stacked layouts; desktop uses side-by-side / sidebar. The revenue chart, wallet ops tabs, and settings adapt.
- **Status:** ○ Not tested — only desktop 1440×920 was exercised.

16.3 API FAILURE HANDLING

- **Steps:** Stop the backend, then open the wallet / dashboard.
- **Expected:** No fake fallback data appears — screens show zeros / empty states or a clear loading/error, not mock balances.
- **Status:** ○ Not tested.

16.4 AUTH BOUNDARIES

- **Steps:** As a non-admin, try to reach `/admin`.
- **Expected:** Admin screens are not served to non-admin roles.
- **Status:** ○ Not tested. (Backend enforces `protect + admin` on the deal-create and report-import routes — verified by code inspection, not by driving a non-admin.)

17. Findings & issues (from the 2026-07-16 run) (new)

Consolidated issues discovered while running the flows above. Ranked by severity.

17.1 FIXED (WAS BUG) — REPORT IMPORT: NO SUCCESS CONFIRMATION/AUDIT ON A DEAL-LINKED MATCH

Fixed 2026-07-16: added `subid+click` and `click_log_fallback` to the `matchedVia` enum in `reportImportModel.js`, so the audit write no longer throws after the credit. Verified live — a re-import now shows a success card **and** a “Past imports” audit entry. (Original write-up below.)

- **What happens:** Importing a report row that matches by subid **and** has a recent deal-linked click credits the coins (wallet `pendingCoins` += N and a `coin_credit` transaction are written), but the **ReportImport** audit document fails to save, so the admin sees **no success card and no “Past imports” entry**.
- **Root cause (from code trace):** the controller sets `row.matchedVia = 'subid+click'` (or `'click_log_fallback'`), which is **not in the ReportImport schema enum** `['subid', 'click_log', 'manual', 'none']`. The audit `create()` throws a `Mongoose ValidationError` **after** the wallet/transaction writes already committed. So coins land, but the write is non-atomic and the admin gets no confirmation/audit trail.
- **Evidence:** the first Import credited **+440** (visible on the user wallet + admin timeline) yet produced no “Past imports” row; the accidental re-import was then correctly **deduped** (“1 failed — duplicate”).
- **Impact:** silent success — credited without confirmation/audit. No double-credit (dedup protects that), but reconciliation/audit is broken.

- **Fix:** add `'subid+click'` / `'click_log_fallback'` to the `matchedVia` enum, **and/or** wrap the wallet credit + transaction + audit write in a single transaction so they commit or roll back together.

17.2 🟡 ISSUE — COIN FORMULA: LIVE CONFIG AND UI COPY DISAGREE

- The Reports Inbox help text says **"commission × 10 coins"**; the doc §0 default says **pass-through 25%** (→ ×2.5). The **live credit was 440 for ₹200 → effective ×2.2 (pass-through ≈22%)**.
- Three sources, three numbers. Confirm the intended pass-through and fix the help copy (it omits the pass-through factor entirely).

17.3 🟡 ISSUE — CURRENCY SYMBOL ON A COIN AMOUNT

- The wallet **transaction row** shows **"+₹440"** while the **Pending Coins card** correctly shows **"440 coins ≈ ₹44"**. The transaction row should read coins (e.g. "+440 coins") or the rupee value ("+₹44"), not "+₹440".

17.4 🟡 ISSUE — ADMIN USER-WALLET TILES DON'T SURFACE PENDING COINS

- The four summary tiles read **COINS 0 / PENDING ₹0** even when the timeline shows **+440 pending coins**. Pending coins aren't reflected in any tile (the "PENDING" tile is rupees-only). Add a pending-coins figure to the admin view.

17.5 🟢 GOOD — DUPLICATE-ORDER DEDUP WORKS

- Re-importing the same `orderId` for a merchant is rejected as a duplicate — **no double credit**. (See §12.4.)

17.6 🟢 GOOD — CATEGORY NAME→ID BRIDGE WORKS

- The admin deal form's shared **CategoryPicker** emits a category **name**, resolves it to the `ObjectId` on submit, and the backend (which requires a valid category `ObjectId`) accepts it. Same categories drive the user Home/Deals chips.

17.7 🟡 DATA — STALE TEST DEAL

- The "Headphone" deal expired **15/07/2026** (a day before this run), so it's correctly hidden from users but still shows to admin. Bump its expiry if it should remain visible.

17.8 ⓘ ENV NOTES (AUTOMATION, NOT NECESSARILY PRODUCT BUGS)

- **Deep links** on web require a full reload (Metro re-bundle); after that, routing works and the session persists.
- **Auth** persists via a Bearer token in `localStorage` **and** a session cookie — clearing `localStorage` alone did not log out; the cookie rehydrated the session.
- **Tapping deal/product cards** in the in-app browser sometimes didn't fire the RN-web `on-Press` (synthetic-click quirk). This blocked opening the Product/Deal detail screens (§2.8, §3.1, §6.4) — confirm on a real device / Expo Go before treating as a product bug.

17.9 🛠️ TEST DATA — CREATED THEN CLEANED UP

- During the runs, QA data was created on the shared DB: the **"QA Test Deal — Cricket Gear"**, a ClickEvent, and coin credits (orders `QA-TEST-001` +440, `QA-TEST-002` +1,100 = 1,540 pending coins) on `vcrohithuta@gmail.com`.
- **Removed 2026-07-16** via a scoped cleanup script: 2 coin-credit txns deleted, 1,540 pending coins reversed, QA deal + its click + 2 report-import audit rows deleted. Prod is clean.

17.10 🟡 ISSUE — ADMIN WALLET ACTIONS USE `WINDOW.PROMPT` ON WEB

- **Where:** Admin → Wallet Ops → User Wallet (**Credit/Debit Coins**) and the withdrawal **Approve & Pay** (`WalletOperationsScreen.tsx:76, :928, :1023`).
 - **What:** the "native prompt" helper falls back to `window.prompt` on web (the comment notes `window.prompt` doesn't exist on iOS/Android, so a modal was built for native — but web still uses the raw prompt).
 - **Impact:** clunky UX on desktop, and these flows can't be exercised by browser automation (native dialog) — which blocked the §4.4 / §15.6–8 verification. Consider using the same in-app modal on web too.
-

Sign-off

Area	Status	Notes
Authentication	🟡	Login/logout/session ✅ ; sign-up, OTP, Safari, forgot, delete ○/🔵
Home + search + filters	🟡	Loads + real dynamic categories ✅ ; filter/search/open-product ○
Product detail + Shop Now	🟢	Click log + subid rewrite ✅ (§3.2); product detail opens + renders ✅ (§2.8/§3.1)
Wallet + withdraw	🟡	Balances, txns, pending-coins credit ✅ ; withdraw overlay/submit ○
Profile + edit + avatar	🟢	Real data ✅ ; edit/avatar ○/🔵
Deals list	🟢	Renders + expiry filter ✅ ; open-deal tap ○ (§17.8)
Admin shell + dashboard	🟢	Shell, nav, real dashboard + chart ✅
Admin profile + Razorpay	🟢	Profile + Razorpay card ✅ ; configure 🔵
Wallet Operations Hub	🟢	Parse, import-credit, timeline, user wallet ✅ ; import audit bug fixed + verified ✅ (§17.1); web credit/approve use <code>window.prompt</code> (§17.10)
Content CRUD + image upload	🟡	Deal create + category picker ✅ ; products/banners/coupons ○ ; up-load 🔵
Users + payouts	🟡	Users screen ✅ (§14.1); payouts/block-unblock ○
End-to-end affiliate flow	🟡	Steps 1–5 (deal→click→import→pending coins) ✅ ; lock/withdraw/approve ○
Empty states + responsive	🟡	Empty states ✅ ; responsive/API-failure/auth-boundary ○