

# Chingiringi — Manual Test Plan

---

QA — 2026-07-16 run

July 16, 2026

# CONTENTS

|                                 |       |
|---------------------------------|-------|
| Chingiringi — Manual Test Plan  | ..... |
| Test run — 2026-07-16           | ..... |
| Status legend (color codes)     | ..... |
| Scoreboard                      | ..... |
| 0. Test setup and data          | ..... |
| 1. Authentication               | ..... |
| 1.1 Sign up (new user)          | ..... |
| 1.2 Login — username / password | ..... |
| 1.3 Login — OTP                 | ..... |
| 1.4 Login on Safari             | ..... |
| 1.5 Session persistence         | ..... |
| 1.6 Forgot / reset password     | ..... |
| 1.7 Logout                      | ..... |
| 1.8 Delete account              | ..... |
| 2. Home (user)                  | ..... |
| 2.1 Home loads                  | ..... |
| 2.2 Categories are real         | ..... |
| 2.3 Category filter works       | ..... |
| 2.4 Search works                | ..... |

|                                                |       |
|------------------------------------------------|-------|
| 2.5 See all                                    | ..... |
| 2.6 Empty states                               | ..... |
| 2.7 Pull to refresh                            | ..... |
| 2.8 Open a product                             | ..... |
| 3. Product detail → Shop Now (affiliate click) | ..... |
| 3.1 Product detail renders                     | ..... |
| 3.2 Shop Now logs a click                      | ..... |
| 4. Wallet (user)                               | ..... |
| 4.1 Balances are real                          | ..... |
| 4.2 Transactions list                          | ..... |
| 4.3 Pending coins appear after an import       | ..... |
| 4.4 Withdraw funds overlay (desktop /wallet)   | ..... |
| 4.5 Withdraw validation                        | ..... |
| 4.6 Submit a withdrawal                        | ..... |
| 5. Profile & edit profile (user)               | ..... |
| 5.1 Profile shows real data                    | ..... |
| 5.2 Edit profile — avatar upload               | ..... |
| 5.3 Edit profile — fields                      | ..... |
| 5.4 Referral code                              | ..... |
| 5.5 Address management                         | ..... |
| 6. Deals list (user)                           | ..... |

|                                               |       |
|-----------------------------------------------|-------|
| 6.1 Deals render                              | ..... |
| 6.2 Empty state                               | ..... |
| 6.3 Filter + search                           | ..... |
| 6.4 Open a deal                               | ..... |
| 6.5 Expired deals are hidden from users (new) | ..... |
| 7. Offline stores & videos (user)             | ..... |
| 7.1 Stores tab                                | ..... |
| 7.2 Videos tab                                | ..... |
| 8. Settings & About (user)                    | ..... |
| 8.1 Settings                                  | ..... |
| 8.2 About                                     | ..... |
| 9. Admin — login & shell                      | ..... |
| 9.1 Admin login                               | ..... |
| 9.2 Navigation is consistent                  | ..... |
| 9.3 Open the admin profile                    | ..... |
| 10. Admin — dashboard                         | ..... |
| 10.1 Real stats                               | ..... |
| 10.2 Revenue Trend chart                      | ..... |
| 10.3 Top deals / top users                    | ..... |
| 11. Admin — profile & Razorpay                | ..... |
| 11.1 Profile hero                             | ..... |

|                                           |       |
|-------------------------------------------|-------|
| 11.2 Payouts / Razorpay card              | ..... |
| 11.3 Configure Razorpay                   | ..... |
| 11.4 Quick actions                        | ..... |
| 12. Admin — Wallet Operations Hub         | ..... |
| 12.1 Pending Queue                        | ..... |
| 12.2 Reports Inbox — parse                | ..... |
| 12.3 Reports Inbox — import credits coins | ..... |
| 12.4 Attribution scenarios                | ..... |
| 12.5 User Wallet tab                      | ..... |
| 12.6 Manual credit / debit                | ..... |
| 12.7 Approve / reject a withdrawal        | ..... |
| 12.8 Timeline                             | ..... |
| 12.9 Settings tab                         | ..... |
| 13. Admin — content management            | ..... |
| 13.1 Deals CRUD                           | ..... |
| 13.2 Products CRUD + category picker      | ..... |
| 13.3 Banners CRUD                         | ..... |
| 13.4 Coupons CRUD + usage                 | ..... |
| 13.5 Image upload (all forms)             | ..... |
| 14. Admin — users & payouts               | ..... |
| 14.1 Users list                           | ..... |

|                                                                                                                                                                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 14.2 Block / unblock                                                                                                                                                          | ..... |
| 14.3 Payouts screen                                                                                                                                                           | ..... |
| 15. End-to-end affiliate flow (the money path)                                                                                                                                | ..... |
| 16. Cross-cutting checks                                                                                                                                                      | ..... |
| 16.1 Empty states everywhere                                                                                                                                                  | ..... |
| 16.2 Responsive layout                                                                                                                                                        | ..... |
| 16.3 API failure handling                                                                                                                                                     | ..... |
| 16.4 Auth boundaries                                                                                                                                                          | ..... |
| 17. Findings & issues (from the 2026-07-16 run) (new)                                                                                                                         | ..... |
| 17.1  BUG — Report import isn't atomic; no success confirmation/audit on a deal-linked match |       |
| 17.2  ISSUE — Coin formula: live config and UI copy disagree                               | ..... |
| 17.3  ISSUE — Currency symbol on a coin amount                                             | ..... |
| 17.4  ISSUE — Admin User-Wallet tiles don't surface pending coins                          | ..... |
| 17.5  GOOD — Duplicate-order dedup works                                                   | ..... |
| 17.6  GOOD — Category name→id bridge works                                                 | ..... |
| 17.7  DATA — Stale test deal                                                               | ..... |
| 17.8  ENV NOTES (automation, not necessarily product bugs)                                 | ..... |
| 17.9  Test data left behind (throwaway)                                                    | ..... |
| Sign-off                                                                                                                                                                      | ..... |

# Chingiringi — Manual Test Plan

Every flow, every screen, every scenario. Use this to manually verify the app end to end after a deploy or a fresh database reset. Each case lists a **precondition**, **steps**, and the **expected result**. The **Status** line records the result of the latest test run.

## Test run — 2026-07-16

**Environment:** frontend `localhost:8082` (Expo web) ↔ backend `localhost:8000` (MongoDB Atlas, live data) · desktop 1440×920 · accounts `admin@gmail.com` and `vcrohithuta@gmail.com` · driver: automated browser pass.

**Not covered this run:** native Expo Go, Safari, mobile layouts, and file-picker uploads (the OS file dialog can't be driven from the in-app browser). These are marked  or  below.

## STATUS LEGEND (COLOR CODES)

| Badge                                                                                                 | Meaning                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
|  <b>PASS</b>       | Verified working this run                                                |
|  <b>FAIL / BUG</b> | Verified broken — details in §17                                         |
|  <b>PARTIAL</b>    | Works with a caveat, or only partly exercised                            |
|  <b>SKIPPED</b>    | Deliberately not run (destructive, mutates config, or not drivable here) |
|  <b>NOT TESTED</b> | Not exercised this run                                                   |

## SCOREBOARD

≈30  **PASS** · 7  **PARTIAL** · 1  **BUG** · 6  **SKIPPED** · remainder  **NOT TESTED**.

Headline: the **end-to-end money path** (deal → click → report import → pending coins) **works** and every admin/user core screen renders real data. One real bug and three UI/copy issues surfaced — all consolidated in **§17. Findings & issues**.

## 0. Test setup and data

Before testing, prepare the environment.

| Item          | How                                                                                                                                                                                            |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Backend       | Running (local <code>npm run dev</code> in <code>backend/</code> , or the Render deploy). Confirm the dashboard/settings endpoints are live (they need a redeploy after backend changes).      |
| Frontend      | <code>npx expo start --web</code> for the browser, or reload Expo Go on the phone.                                                                                                             |
| Admin account | One admin user exists (role <code>admin</code> ). After a reset: <b>Rohit Hutagonna / <a href="mailto:admin@gmail.com">admin@gmail.com</a></b> .                                               |
| Clean slate   | <code>npm run seed:test-flow -- &lt;phone&gt;</code> sets up two test deals + a click. Or <code>node src/scripts/resetToAdminOnly.js --confirm --include-content</code> to wipe to admin-only. |
| Cloudinary    | Unsigned preset configured ( <code>EXP0_PUBLIC_CLOUDINARY_*</code> in <code>.env</code> ) so image uploads work.                                                                               |
| Coin economy  | Default settings: pass-through 25%, 10 coins = ₹1, 30-day lock. ⚠️ <b>The live DB this run credited x2.2 (pass-through ≈22%), not 25% — see §17.2.</b>                                         |

**Two surfaces to test:** the **mobile app** (Expo Go / narrow browser) and the **desktop web** (wide browser). Many screens have separate mobile/desktop layouts — test both where noted.

## 1. Authentication

### 1.1 SIGN UP (NEW USER)

- **Pre:** Logged out. On the login screen.
- **Steps:** Tap “Sign up” → enter name, username, email, phone, password → submit.
- **Expected:** Account created, auto-logged-in, lands on Home. New user appears in Admin → Users.
- **Status:** ○ Not tested.

### 1.2 LOGIN — USERNAME / PASSWORD

- **Pre:** A user exists. Logged out.
- **Steps:** On login, keep “Username / Password” tab → enter username + password → Signin.
- **Expected:** Lands on Home. Wrong credentials show an inline error, not a crash.
- **Status:** ● PASS — logged in as both admin and user multiple times; lands correctly (admin → dashboard, user → home). (Wrong-credential path not exercised.)



### 1.3 LOGIN — OTP

- **Pre:** A user with a phone exists.
- **Steps:** Switch to “OTP Login” tab → enter 10-digit mobile → Send OTP → enter OTP on the next screen → verify.
- **Expected:** OTP screen appears; correct OTP logs in. Invalid phone (< 10 digits) is blocked with a message.
- **Status:**  Skipped — OTP delivery not exercisable in this run. (The “OTP Login” tab is present on the login screen.)

### 1.4 LOGIN ON SAFARI

- **Pre:** Use Safari (desktop or iOS).
- **Steps:** Log in with valid credentials.
- **Expected:** Login succeeds AND subsequent screens load (wallet, profile) without 401s. (This is the Bearer-token fix — Safari ITP used to drop the cross-origin cookie.)
- **Status:**  Skipped — the in-app browser is Chromium, not Safari. (Note: auth uses a Bearer token in `localStorage` and a rehydrating session cookie — see §17.8.)

### 1.5 SESSION PERSISTENCE

- **Steps:** Log in → close/reopen the app (or refresh the browser tab).
- **Expected:** Still logged in, lands on Home without re-entering credentials.
- **Status:**  PASS — a full page reload (deep link to `/profile`) kept the session and resolved the route. Session also rehydrated from a cookie after `localStorage` tokens were cleared.

### 1.6 FORGOT / RESET PASSWORD

- **Steps:** Login → “Forgot Password?” → enter identifier → follow reset flow.
- **Expected:** Reset flow completes; new password works on next login.
- **Status:**  Not tested. (“Forgot Password?” link is present.)

### 1.7 LOGOUT

- **Steps:** Profile / Settings → Logout.
- **Expected:** Returns to login. Protected screens are no longer reachable; the old session 401s on its next request.
- **Status:**  PASS — user side shows a confirm dialog (“Are you sure...”) then returns to login; admin side logs out immediately from the sidebar. Both land on the login screen.

## 1.8 DELETE ACCOUNT

- **Pre:** Logged-in user. Mobile Settings screen.
  - **Steps:** Settings → Delete Account → pick a reason → “Delete Forever”.
  - **Expected:** “Delete Forever” only enables after a reason is picked; the blue retention offer sits above the red warning. On confirm, account is removed and user is logged out.
  - **Status:**  Skipped — destructive. The “Delete Account” button + Danger Zone copy are present in Settings; not triggered.
- 

## 2. Home (user)

Test both the **mobile home** and the **desktop home** (wide browser).

### 2.1 HOME LOADS

- **Pre:** Logged in.
- **Expected:** Greeting + name in the header, search bar, category chips, product grid / banners. No fake “Rahul Sharma” / template products.
- **Status:**  PASS — real product data (e.g. “Cricket Bat · ₹5,000 · 1,200 coins”), search bar, category chips, RH avatar. No mock names.

### 2.2 CATEGORIES ARE REAL

- **Pre:** Admin has added categories (Admin → Products → category picker).
- **Expected:** The category chips are “**All**” + **the real categories admin added** — not a hard-coded Fashion/Electronics/Beauty list. Adding a new category in admin makes it appear here after refresh.
- **Status:**  PASS — chips are **All / shoes / eletronic / bat**, the exact categories from the admin CategoryPicker. Confirmed the same set drives the admin deal form.

### 2.3 CATEGORY FILTER WORKS

- **Steps:** Tap a category chip.
- **Expected:** Product grid filters to that category. The chip highlights. On desktop, the page scrolls to top. Tap “All” to clear.
- **Status:**  Not tested.

### 2.4 SEARCH WORKS

- **Steps:** Type a product name / keyword in the search box.

- **Expected:** Grid filters to matching products (by name or description) live. Clearing the box restores the full list.
- **Status:** ○ Not tested.

## 2.5 SEE ALL

- **Pre:** Desktop home, real products exist.
- **Steps:** Tap “See all” on a section (e.g. Top Electronics).
- **Expected:** Applies that section’s category filter and scrolls to the top.
- **Status:** ○ Not tested. (“See all” links render on Home sections.)

## 2.6 EMPTY STATES

- **Pre:** Fresh DB (no products).
- **Expected:** No demo/template tiles. Sections show “No products yet.” A search with no matches shows “No products match your search.” “Shop by category” is hidden when there are no categories.
- **Status:** ○ Not tested — the DB has data, so the empty path wasn’t reachable. (Other empty states verified — see §16.1.)

## 2.7 PULL TO REFRESH

- **Steps:** Pull down at the top of the home.
- **Expected:** A spinner appears briefly and data refetches; the spinner never sticks.
- **Status:** ○ Not tested.

## 2.8 OPEN A PRODUCT

- **Steps:** Tap any product card.
- **Expected:** Navigates to Product Detail with that product’s data.
- **Status:** 🟡 Partial — product/deal cards render with correct data, but tapping a card did not fire navigation in the automated browser (RN-web synthetic-click quirk, §17.8). Needs a manual confirm on a real device.

# 3. Product detail → Shop Now (affiliate click)

## 3.1 PRODUCT DETAIL RENDERS

- **Expected:** Image, title, price, coins, description. Real data (or the passed product).

- **Status:** ○ Not tested — could not open the detail screen via web tap (see §2.8 / §17.8).

### 3.2 SHOP NOW LOGS A CLICK

- **Pre:** The product is tied to a deal with an affiliate URL.
  - **Steps:** Tap **Shop Now**.
  - **Expected:** The app calls `POST /api/clicks/log`, then opens the **rewritten URL** (Cuelinks-wrapped or Amazon-tagged, with `subid=cr_<userId>`). A `ClickEvent` is created (visible later in Admin → Wallet Ops → Users → timeline). On failure it falls back to the raw URL.
  - **Status:** ● PASS — exercised the exact Shop-Now call for the QA deal. `POST /api/clicks/log` → `{ clickId, redirectUrl: "https://amazon.in/qa-test-deal?ascsubtag=cr_6a523de8..." }`. Subid `cr_<userId>` correctly written as Amazon's `ascsubtag`. The ClickEvent appears on the admin user timeline ("Click · amazon · QA Test Deal") and the dashboard Total Clicks incremented 3→4.
- 

## 4. Wallet (user)

Test **mobile wallet** and **desktop wallet**.

### 4.1 BALANCES ARE REAL

- **Expected:** No fake ₹1250 / 840 coins. A fresh account shows **0**. Cards: **Coins** (withdrawable), **Pending Coins** (locked), **Pending ₹**. Desktop "Available to Withdraw" = coins ÷ 10, matching the withdraw overlay.
- **Status:** ● PASS — fresh account read **0** everywhere. Cards present: Available to Withdraw, **Pending Coins**, **Total Coins**, Total Earned. Lucide icons render. Coin-consistent.

### 4.2 TRANSACTIONS LIST

- **Expected:** Real transactions only. Empty account shows "**No transactions yet.**" — no Myntra/Amazon mock rows. Filter chips (All / Cashback / Coins / Withdrawal) filter the list.
- **Status:** ● PASS — empty state showed "No transactions yet."; after the import a real "amazon · Today" row appeared. Filter chips (All / Cashback / Coins / Withdrawals) present. (Filtering behavior itself not clicked through.)

### 4.3 PENDING COINS APPEAR AFTER AN IMPORT

- **Pre:** Admin imported a report crediting this user (see §12).

- **Expected:** The **Pending Coins** card shows the credited amount right after import (pull to refresh). It moves to **Coins** only after the lock clears.
- **Status:** 🟢 PASS — after the report import the **Pending Coins** card went **0** → **440** (“In lock period · ≈ ₹44”); **Total Coins** stayed **0** (still locked). Exactly the intended lock behavior.

#### 4.4 WITHDRAW FUNDS OVERLAY (DESKTOP /WALLET)

- **Steps:** Click **Withdraw Funds**.
- **Expected:** Overlay opens (Figma design): Available card + green check; **UPI / Bank / Paytm** segment; method input (UPI ID / account no. + IFSC for Bank / Paytm number); amount input with **₹100 / ₹500 / ₹1000** chips; Confirm button.
- **Status:** 🟡 Partial — the **Withdraw Funds** button renders, but with a ₹0 balance the click is a no-op (correctly guards zero-balance), so the overlay didn’t open. Re-test with a positive withdrawable balance.

#### 4.5 WITHDRAW VALIDATION

- **Steps:** Try amounts below ₹100, above balance, and empty details.
- **Expected:** Below ₹100 → “Amount too low”; above balance → “Insufficient balance”; empty details → “Missing details”; Bank without IFSC → “Missing IFSC”. Confirm is disabled until valid.
- **Status:** ○ Not tested (overlay not reachable at ₹0 balance).

#### 4.6 SUBMIT A WITHDRAWAL

- **Steps:** Enter a valid amount + UPI ID → Confirm.
- **Expected:** “Request submitted” and the request appears in Admin → Wallet Ops → Pending Queue and the user’s timeline as a **pending withdrawal**. Coins are NOT debited yet (debit happens on admin approval).
- **Status:** ○ Not tested (no withdrawable balance yet — coins are still in the 30-day lock).

## 5. Profile & edit profile (user)

### 5.1 PROFILE SHOWS REAL DATA

- **Expected:** Real name/email/phone (empty rows hidden, not fake “Dev Chavan”). Wallet stat tiles reflect real balances. Referral count/earnings show real values (0 until referrals exist).

- **Status:**  PASS — “Rohit Hutagonna”, [vcrohithuta@gmail.com](mailto:vcrohithuta@gmail.com), phone **9673390378**, referral code **19C98013**, “Member since 2026”. Balance tiles (Confirmed/Pending/Coins) coin-consistent. Legal links present.

## 5.2 EDIT PROFILE — AVATAR UPLOAD

- **Steps:** Edit Profile → tap the avatar → pick a photo.
- **Expected (web):** File picker → uploads to Cloudinary → preview updates. **(native):** Photo-library permission prompt → picker → upload. Save → the new avatar shows on Profile AND everywhere the avatar appears (home header, etc.).
- **Status:**  Skipped — the OS file picker can’t be driven from the in-app browser.

## 5.3 EDIT PROFILE — FIELDS

- **Steps:** Change name / other fields → Save.
- **Expected:** “Saved” and the values persist after navigating away and back.
- **Status:**  Not tested. (Edit Profile button present.)

## 5.4 REFERRAL CODE

- **Steps:** Copy / Share the referral code.
- **Expected:** Copy works (web clipboard / native share sheet). Empty code doesn’t crash.
- **Status:**  Not tested — code **19C98013** displays; copy/share not exercised.

## 5.5 ADDRESS MANAGEMENT

- **Steps:** Profile → addresses → add / edit / delete an address.
  - **Expected:** Empty list shows “No addresses yet.” (no fake Mumbai addresses). Added addresses persist.
  - **Status:**  Not tested. (“Manage Addresses” quick-action present.)
- 

# 6. Deals list (user)

## 6.1 DEALS RENDER

- **Expected:** With real deals: hero card, Trending Now, All Deals grid, Featured Picks. Cashback %, expiry, brand are real.
- **Status:**  PASS — hero (“Up to 5% cashback on shoes brands”), LIVE DEALS counter, Trending Now (Myntra 5%), All Deals grid, Featured Picks all render with real cashback/expiry/brand.

## 6.2 EMPTY STATE

- **Pre:** No deals.
- **Expected:** **No fake hero** (“Up to 20% cashback” / “Electronics Sale” are gone). The hero row is hidden; All Deals shows **”No deals yet · Deals you add will appear here.”** Trending/Featured are hidden.
- **Status:** ○ Not tested — deals exist, so the empty path wasn’t reachable.

## 6.3 FILTER + SEARCH

- **Steps:** Pick a category chip / type in search.
- **Expected:** All Deals filters; no matches shows “No deals match your filter.”
- **Status:** ○ Not tested.

## 6.4 OPEN A DEAL

- **Steps:** Tap a deal.
- **Expected:** Navigates to detail; Shop Now works (see §3.2).
- **Status:** 🟡 Partial — deal cards render with correct data (brand, cashback %, days-to-expiry), but tap-to-detail didn’t fire in the automated browser (§17.8). The Shop-Now network path itself is verified (§3.2).

## 6.5 EXPIRED DEALS ARE HIDDEN FROM USERS (*NEW*)

- **Pre:** A deal exists whose `expiresAt` is in the past.
  - **Expected:** The user Deals list **excludes** expired deals; the admin Deals list still **lists** them (so admins can see/renew).
  - **Status:** 🟢 PASS — admin listed **3–4** deals including “Headphone” (expired **15/07/2026**); the user Deals list showed only the non-expired ones (“All Deals · 2 deals” before the QA deal). Expiry filter works. (See §17.7 for the stale Headphone date.)
- 

# 7. Offline stores & videos (user)

## 7.1 STORES TAB

- **Expected:** Lists stores from the local data set (mock — no backend yet). Search/filter works. (*Flagged: this is the only remaining mock feature.*)
- **Status:** ○ Not tested.

## 7.2 VIDEOS TAB

- **Expected:** The Videos section renders without crashing.
  - **Status:** ○ Not tested.
- 

## 8. Settings & About (user)

### 8.1 SETTINGS

- **Expected:** Profile strip, notification toggles, security/privacy nav, About link, logout, delete-account button. Toggles flip and persist.
- **Status:** 🟢 PASS — notification toggles (Cashback Updates / Deal Alerts / Referral Updates / Email), Security & Privacy nav (Change Password, 2FA: Disabled, Linked Accounts), Logout, and the Danger Zone / Delete Account all render. (Toggle persistence not re-checked across reload.)

### 8.2 ABOUT

- **Steps:** Settings → About.
  - **Expected:** About screen renders with app info.
  - **Status:** 🟡 Partial — the **About** link (plus Affiliate Partners, Terms, Help, Privacy) is present on the Profile screen; the About screen itself wasn't opened.
- 

## 9. Admin — login & shell

### 9.1 ADMIN LOGIN

- **Pre:** Admin account.
- **Steps:** Log in as admin.
- **Expected:** Lands in the admin panel (mobile: stack with the shared blue nav; desktop: permanent sidebar drawer).
- **Status:** 🟢 PASS — lands in the desktop admin panel with the permanent sidebar.

### 9.2 NAVIGATION IS CONSISTENT

- **Expected (mobile):** The blue “Admin Panel” header + horizontal section nav (Dashboard · Deals · Wallet Ops · Payouts · Users · Products · Banners · Coupons) is identical on **every** admin screen. Tapping a tab switches sections; the active tab highlights.



- **Expected (desktop):** Left sidebar with the same sections, ending in **Logout** at the bottom. **No profile in the sidebar** — the profile (SA · Super Admin · email) is **top-right** in the content top bar.
- **Note:** “Conversions” is removed from the nav.
- **Status:**  PASS (desktop) — sidebar sections all route; profile is top-right; Logout at the bottom; no “Conversions”. Mobile nav not verified this run.

### 9.3 OPEN THE ADMIN PROFILE

- **Steps (desktop):** Click the SA profile badge top-right. **(mobile):** Tap the avatar in the nav header.
  - **Expected:** Opens the Admin Profile screen (§11).
  - **Status:**  PASS — the top-right SA badge opens the Admin Profile screen.
- 

## 10. Admin — dashboard

### 10.1 REAL STATS

- **Pre:** Backend redeployed.
- **Expected:** Total Clicks, Conversions, Cashback Issued, Active Users, and the Coins Economy pills (Issued / Redeemed / Circulating) are **aggregated from the DB** — no 45,280 / 3,456 / 1.2M mock numbers. A fresh DB reads **zeros**. No fake “+12.5%” deltas.
- **Status:**  PASS — real aggregates: Total Clicks **3→4**, Conversions **1**, Cashback **₹15**, Active Users **0**; Coins Economy **100 issued / 10 redeemed / 90 circulating**. No mock numbers, no fake deltas.

### 10.2 REVENUE TREND CHART

- **Expected:** A smooth dual-line chart (Revenue + Conversions) over 30 days with a legend, grid, and axes. It **fills the full card width**. With no data it’s flat at zero with a “No revenue yet” note. As conversions credit, the lines rise.
- **Status:**  PASS — dual-line (Revenue + Conversions), legend/grid/axes, full card width, with a real spike near Jul 14–15.

### 10.3 TOP DEALS / TOP USERS

- **Expected:** Real top deals (by click count) and top users (by lifetime earnings). No “Rahul Sharma / Myntra Fashion Sale” mock rows — empty states (“No deals with clicks yet.” / “No user activity yet.”) when there’s no data.

- **Status:**  PASS — Top deal “Fashion” (real), Top user “Manvendra Singh Chauhan · ₹20” (real). No mock rows.
- 

## 11. Admin — profile & Razorpay

### 11.1 PROFILE HERO

- **Expected:** SA badge, name, email, role pill. Stats: Pending Payouts · Coins Issued · Active Users (live).
- **Status:**  PASS — hero with SA badge, name, email, role, and live stat tiles.

### 11.2 PAYOUTS / RAZORPAY CARD

- **Expected:** Shows status **Not connected / Configured / Connected** based on saved keys, plus pending payout total and request count.
- **Status:**  PASS — Razorpay/payouts card renders with a status and payout totals.

### 11.3 CONFIGURE RAZORPAY

- **Steps:** Tap “Configure Razorpay” → enter Key ID, Key Secret, RazorpayX account, toggle enable → Save.
- **Expected:** Saved. The secret is **write-only** — reopening shows a masked , never the raw value. Leaving the secret blank on re-save keeps the stored one. Status flips to Configured/Connected.
- **Status:**  Skipped — saving would mutate live payment config. The Configure form opens; not submitted.

### 11.4 QUICK ACTIONS

- **Steps:** Tap Wallet Operations / Coin Economy Settings / Manage Users / Manage Deals.
  - **Expected:** Each navigates to the right admin section.
  - **Status:**  PASS — quick actions navigate to the correct admin sections.
- 

## 12. Admin — Wallet Operations Hub

The core admin workflow. Four tabs.

## 12.1 PENDING QUEUE

- **Expected:** Three counters — **Withdrawals waiting**, **Ready to confirm** (lock expired), **Recent imports**. A list of pending withdrawals with an **Open** button that jumps to the user's timeline.
- **Status:** 🟢 PASS — three counters (0 / 0 / 0) + correct empty states (“No pending withdrawals 🚧”, “No reports imported yet”).

## 12.2 REPORTS INBOX — PARSE

- **Steps:** Pick a merchant chip (e.g. Cuelinks) → paste a CSV → **Parse Report**.
- **Expected:** Auto-detects columns; preview shows each row with a **green “subid ✓”** or yellow “unmatched”, plus an estimated coins-per-row using the live pass-through formula.
- **Status:** 🟢 PASS — Amazon chip selected, pasted CSV, Parse produced a preview: **Total 1 · Will match 1 · Unmatched 0 · ~coins 440**, row badge **SUBID** (green). Column auto-detect worked.

### Sample CSV (Cuelinks):

```
order_id,subid,amount,commission,status
MYN-9X8B,cr_<userId>,2799,179.14,confirmed
```

### CSV actually used this run (Amazon):

```
order_id,subid,amount,commission,status
QA-TEST-001,cr_6a523de8e0921e3355021104,1000,200,confirmed
```

## 12.3 REPORTS INBOX — IMPORT CREDITS COINS

- **Steps:** Click **Import**.
- **Expected:** For each matched row, coins = `commission × passThrough × coinsPerRupee` (or the deal's `coinsReward` override). A pending `coin_credit` transaction is created and added to the user's **pendingCoins**. Success card shows totals; the import appears in history.
- **Status:** 🟡 Partial — the credit **works: +440 pending coins** landed on the user (commission ₹200 × ~2.2), a `coin_credit` transaction was created, and it shows on the user wallet + admin timeline. **BUT** on this deal-linked (subid+click) match the import returned **no success card and created no “Past imports” entry** → 🚫 **BUG, see §17.1**. The credit is real; the confirmation/audit is missing.

## 12.4 ATTRIBUTION SCENARIOS

| Row             | subid                                  | Expected                                                                                                      | Status                                                                                                        |
|-----------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Valid           | <code>cr_&lt;valid-UserId&gt;</code>   | Matched (100% confidence), coins credited                                                                     | ● PASS — matched via SUBID, +440 credited                                                                     |
| Empty           | <i>(blank)</i>                         | Fallback: if exactly one user clicked this merchant in 48h → credited (70%); else <code>no_subid_match</code> | ○ Not tested                                                                                                  |
| Anonymous       | <code>cr_anon_x</code>                 | <code>no_subid_match</code>                                                                                   | ○ Not tested                                                                                                  |
| Bad user        | <code>cr_&lt;nonexistent id&gt;</code> | <code>user_not_found</code>                                                                                   | ○ Not tested                                                                                                  |
| Zero commission | commission <code>0</code>              | <code>zero_commission</code> (failed)                                                                         | ○ Not tested                                                                                                  |
| Duplicate order | repeat of an imported orderId          | <code>duplicate</code> (failed, no double credit)                                                             | ● PASS — re-importing <code>QA-TEST-001</code> was rejected (“1 failed — duplicate”); <b>no double credit</b> |

## 12.5 USER WALLET TAB

- **Steps:** Search a user → open.
- **Expected:** Identity card + 4 stat tiles (Confirmed ₹ / Pending ₹ / Coins / Lifetime). Buttons: **Credit / Debit Coins** and **Credit / Debit ₹**. On mobile the search and detail stack (with a “← Back to search”); on desktop they’re side-by-side.
- **Status:** ● PASS — search (2+ chars) returned real users; opening one shows the identity card, 4 tiles (Confirmed/Pending/Coins/Lifetime), and Credit/Debit Coins + Credit/Debit ₹ buttons. ⚠ The 4 tiles read **COINS 0 / PENDING ₹0** even though the timeline shows **+440 pending** — pending coins aren’t surfaced in the tiles (§17.4).

## 12.6 MANUAL CREDIT / DEBIT

- **Steps:** Credit Coins → enter amount + reason.
- **Expected (native):** A prompt modal appears (not a web `window.prompt`). The user’s coin balance updates; a transaction lands on the timeline.
- **Status:** ○ Not tested — buttons present; not triggered.

## 12.7 APPROVE / REJECT A WITHDRAWAL

- **Pre:** The user has a pending withdrawal.
- **Steps:** In the user detail, “Approve & Pay” → paste UPI TXN id. Or “Reject”.
- **Expected:** Approve debits the user’s coins and marks the withdrawal **completed**; Reject leaves coins untouched. The Pending Queue count drops.
- **Status:** ○ Not tested — no pending withdrawal existed (coins still locked).

## 12.8 TIMELINE

- **Expected:** Interleaved clicks + transactions, newest first, color-coded by status.
- **Status:** ● PASS — the user timeline interleaves newest-first: “Amazon reward · order QA-TEST-001 · PENDING · +440 · 3m ago” above “Click · amazon · QA Test Deal · 12m ago”.

## 12.9 SETTINGS TAB

- **Steps:** Change pass-through %, coins per ₹1, lock days, Cuelinks publisher ID, Amazon associate tag → Save.
- **Expected:** Live preview recalculates as you type. Saving affects **new** credits/withdrawals only. On mobile, fields stack vertically.
- **Status:** ○ Not tested — but the **live config differs from the documented default**: a ₹200 commission credited 440 coins → effective x2.2 (pass-through ≈22%, not 25%). See §17.2.

# 13. Admin — content management

## 13.1 DEALS CRUD

- **Steps:** Deals → New → fill title, brand, category, cashback %, **Coins Reward** (optional), **Via Cuelinks** toggle, affiliate URL, expiry → Save. Then edit and delete one.
- **Expected:** Deal appears in the list and on the user Deals screen. Empty list shows an empty state (no mock deals).
- **Status:** ● PASS (create) — created “**QA Test Deal — Cricket Gear**” (Amazon, 12%, category “bat”, expiry 2027-12-31). Total Deals **3→4** (list auto-refetched). Verified the **CategoryPicker name→id bridge**: picking “bat” resolved to its ObjectId and the backend (which *requires* a valid category ObjectId) accepted it. The deal propagated to the **user** side (new “bat Sale — 12% cashback” banner; LIVE DEALS 2+→3+; “534 days” expiry). Edit/delete not exercised.

## 13.2 PRODUCTS CRUD + CATEGORY PICKER

- **Steps:** Products → New → fill fields, upload an image, use the inline **category picker** (search / create-on-the-fly / rename / delete) → Save.
- **Expected:** Product appears on the user Home; new categories appear as Home filter chips. Image upload works (web file picker / native photo picker).
- **Status:** ○ Not tested (products form) — but the **shared CategoryPicker** it uses was verified via §13.1: it loads real categories (shoes/electronic/bat) with search + create-on-the-fly + rename + delete controls.

## 13.3 BANNERS CRUD

- **Steps:** Banners → New → pick a **slot** (hero / flash-strip / dual / earn-coins / refer-earn / inline) → upload image or set gradient + badges + CTA + link → Save.
- **Expected:** Banner shows in the matching slot on the user Home (image if uploaded, gradient fallback otherwise). Empty list shows an empty state.
- **Status:** ○ Not tested — though a **category-driven “bat Sale” banner auto-appeared** on the user Deals screen after the QA deal was created.

## 13.4 COUPONS CRUD + USAGE

- **Steps:** Coupons → New → code, discount type/value, min order, usage limits, expiry → Save. Toggle active/inactive. View usage.
- **Expected:** Coupon card shows status (Active/Inactive/Expired) + usage progress. Empty list shows an empty state.
- **Status:** ○ Not tested.

## 13.5 IMAGE UPLOAD (ALL FORMS)

- **Expected: Web** → click to upload → Cloudinary → URL returned. **Native** → tap → photo library → upload. “Paste an image URL” fallback works on both. Uploading shows a spinner; success shows the preview.
  - **Status:** ● Skipped — the OS file dialog can’t be driven from the in-app browser. (The “Click to upload an image · PNG, JPG, WEBP up to 10 MB” dropzone renders in the deal form.)
-

## 14. Admin — users & payouts

### 14.1 USERS LIST

- **Expected:** Real users only (no “Rahul Sharma” mock). Empty → “No users yet.” Search by name/phone/email.
- **Status:** 🟡 Partial — via the Wallet Ops → User Wallet search, real users returned (two “Rohit Hutagonna”, phones 9673390378 and 2222222222). The dedicated **Users** screen wasn’t opened.

### 14.2 BLOCK / UNBLOCK

- **Steps:** Block a user → unblock.
- **Expected:** Status flips; a blocked user can’t act (verify on the user side if feasible).
- **Status:** ○ Not tested.

### 14.3 PAYOUTS SCREEN

- **Expected:** Real withdrawal requests (no mock payouts). Empty → “No withdrawal requests yet.” Process / complete / reject actions work and reflect on the user’s wallet.
- **Status:** ○ Not tested — Pending Queue showed no withdrawals; the dedicated Payouts screen wasn’t opened.

## 15. End-to-end affiliate flow (the money path)

The full arc, one pass. Use `npm run seed:test-flow -- <phone> --with-click` to pre-stage, or do it all manually.

1. **Admin adds a deal** (Cuelinks or Amazon) with an affiliate URL. (§13.1)
2. **User taps Shop Now** on that deal → click logged with `subid=cr_<userId>`, rewritten URL opens. (§3.2)
3. **User buys** on the merchant (external). Merchant reports the commission days later.
4. **Admin pastes the merchant CSV** into Reports Inbox → Parse → Import. (§12.2–12.3)
5. **Coins credited to pendingCoins** — the user sees **+N pending coins** in the wallet. (§4.3)
6. **Lock expires** → run `npm run cron:confirm-locks` (add `--force` to skip the wait for testing) → pending coins move to **withdrawable coins**, transaction flips to confirmed.
7. **User requests a withdrawal** from the wallet. (§4.6)
8. **Admin approves & pays** in Wallet Ops → coins debited, marked completed. (§12.7)

**Expected:** Numbers reconcile at every step —  $\text{commission} \times 0.25 \times 10$  coins credited,  $\text{coins} \div 10$  ₹ paid out. No coins are withdrawable until the lock clears.

- **Status:** 🟡 Partial — **steps 1–5 PASS end to end** on 2026-07-16:
    - **1)** Created “QA Test Deal — Cricket Gear” (Amazon). ✅
    - **2)** Logged the click → `subid=cr_6a523de8...` written as `ascsubtag`; ClickEvent created. ✅
    - **4)** Pasted the Amazon CSV → Parse → Import. ✅
    - **5) +440 pending coins** credited and visible on the user’s Pending Coins card (“≈ ₹44, in lock period”) and the admin timeline. ✅
    - **Steps 6–8 (lock-confirm → withdraw → approve/pay)** ○ not run.
    - **Reconciliation note:** the doc predicts  $200 \times 0.25 \times 10 = 500$ ; the live config credited **440** ( $200 \times \sim 2.2$ ). The internal preview and actual both said 440 (self-consistent), but the **live pass-through is ≈22%, not the documented 25%** — reconcile intended config (§17.2). No coins were withdrawable (correctly still locked).
- 

## 16. Cross-cutting checks

### 16.1 EMPTY STATES EVERYWHERE

- **Pre:** Fresh admin-only DB.
- **Expected:** Every list (home, deals, wallet, users, withdrawals, coupons, banners, top deals/users) shows an honest empty state — **never fake data**. Dashboard stats read zero.
- **Status:** 🟢 PASS (observed) — honest empty states seen across the run: “No transactions yet.”, “No pending withdrawals 🎉”, “No reports imported yet”, fresh wallet at 0, and no mock rows on the dashboard. (Not every list forced to empty, since the DB has data.)

### 16.2 RESPONSIVE LAYOUT

- **Steps:** Resize the browser (narrow ↔ wide) and test on the phone.
- **Expected:** Mobile screens use the stacked layouts; desktop uses side-by-side / sidebar. The revenue chart, wallet ops tabs, and settings adapt.
- **Status:** ○ Not tested — only desktop 1440x920 was exercised.

### 16.3 API FAILURE HANDLING

- **Steps:** Stop the backend, then open the wallet / dashboard.



- **Expected:** No fake fallback data appears — screens show zeros / empty states or a clear loading/error, not mock balances.
- **Status:** ○ Not tested.

## 16.4 AUTH BOUNDARIES

- **Steps:** As a non-admin, try to reach `/admin`.
  - **Expected:** Admin screens are not served to non-admin roles.
  - **Status:** ○ Not tested. (Backend enforces `protect + admin` on the deal-create and report-import routes — verified by code inspection, not by driving a non-admin.)
- 

## 17. Findings & issues (from the 2026-07-16 run) (*new*)

Consolidated issues discovered while running the flows above. Ranked by severity.

### 17.1 BUG — REPORT IMPORT ISN'T ATOMIC; NO SUCCESS CONFIRMATION/AUDIT ON A DEAL-LINKED MATCH

- **What happens:** Importing a report row that matches by subid **and** has a recent deal-linked click credits the coins (wallet `pendingCoins` += N and a `coin_credit` transaction are written), but the `ReportImport` **audit document fails to save**, so the admin sees **no success card and no “Past imports” entry**.
- **Root cause (from code trace):** the controller sets `row.matchedVia = 'subid+click'` (or `'click_log_fallback'`), which is **not in the `ReportImport` schema enum** `['subid', 'click_log', 'manual', 'none']`. The audit `create()` throws a `Mongoose ValidationError` **after** the wallet/transaction writes already committed. So coins land, but the write is non-atomic and the admin gets no confirmation/audit trail.
- **Evidence:** the first Import credited **+440** (visible on the user wallet + admin timeline) yet produced no “Past imports” row; the accidental re-import was then correctly **deduped** (“1 failed — duplicate”).
- **Impact:** silent success — credited without confirmation/audit. No double-credit (dedup protects that), but reconciliation/audit is broken.
- **Fix:** add `'subid+click'` / `'click_log_fallback'` to the `matchedVia` enum, **and/or** wrap the wallet credit + transaction + audit write in a single transaction so they commit or roll back together.

## 17.2 🟡 ISSUE — COIN FORMULA: LIVE CONFIG AND UI COPY DISAGREE

- The Reports Inbox help text says "**commission × 10 coins**"; the doc §0 default says **pass-through 25%** (→ ×2.5). The **live credit was 440 for ₹200 → effective ×2.2 (pass-through ≈22%)**.
- Three sources, three numbers. Confirm the intended pass-through and fix the help copy (it omits the pass-through factor entirely).

## 17.3 🟡 ISSUE — CURRENCY SYMBOL ON A COIN AMOUNT

- The wallet **transaction row** shows "**+₹440**" while the **Pending Coins card** correctly shows "**440 coins ≈ ₹44**". The transaction row should read coins (e.g. "+440 coins") or the rupee value ("+₹44"), not "₹440".

## 17.4 🟡 ISSUE — ADMIN USER-WALLET TILES DON'T SURFACE PENDING COINS

- The four summary tiles read **COINS 0 / PENDING ₹0** even when the timeline shows **+440 pending coins**. Pending coins aren't reflected in any tile (the "PENDING" tile is rupees-only). Add a pending-coins figure to the admin view.

## 17.5 🟢 GOOD — DUPLICATE-ORDER DEDUP WORKS

- Re-importing the same `orderId` for a merchant is rejected as a duplicate — **no double credit**. (See §12.4.)

## 17.6 🟢 GOOD — CATEGORY NAME→ID BRIDGE WORKS

- The admin deal form's shared **CategoryPicker** emits a category **name**, resolves it to the `ObjectId` on submit, and the backend (which requires a valid category `ObjectId`) accepts it. Same categories drive the user Home/Deals chips.

## 17.7 🟡 DATA — STALE TEST DEAL

- The "Headphone" deal expired **15/07/2026** (a day before this run), so it's correctly hidden from users but still shows to admin. Bump its expiry if it should remain visible.

## 17.8 ⓘ ENV NOTES (AUTOMATION, NOT NECESSARILY PRODUCT BUGS)

- **Deep links** on web require a full reload (Metro re-bundle); after that, routing works and the session persists.

- **Auth** persists via a Bearer token in `localStorage` **and** a session cookie — clearing `localStorage` alone did not log out; the cookie rehydrated the session.
- **Tapping deal/product cards** in the in-app browser sometimes didn't fire the RN-web `onPress` (synthetic-click quirk). This blocked opening the Product/Deal detail screens (§2.8, §3.1, §6.4) — confirm on a real device / Expo Go before treating as a product bug.

## 17.9 🧰 TEST DATA LEFT BEHIND (THROWAWAY)

- Deal **"QA Test Deal — Cricket Gear"** (Amazon, labeled "safe to delete").
  - 1 `ClickEvent` + a **440 pending-coin** credit on `vcrohithuta@gmail.com` (order `QA-TEST-001`).
  - To clean up: delete the QA deal (trash icon) and reverse the credit via Wallet Ops → User Wallet → **Debit Coins**. Or run `npm run cron:confirm-locks -- --force` to convert the pending coins and continue the E2E (steps 6–8).
-

## Sign-off

| Area                        | Status | Notes                                                                             |
|-----------------------------|--------|-----------------------------------------------------------------------------------|
| Authentication              | ●      | Login/logout/session ✔ ; sign-up, OTP, Safari, forgot, delete ○/●                 |
| Home + search + filters     | ●      | Loads + real dynamic categories ✔ ; filter/search/open-product ○                  |
| Product detail + Shop Now   | ●      | Click log + subid rewrite ✔ (§3.2); detail screen ○ (§17.8)                       |
| Wallet + withdraw           | ●      | Balances, txns, pending-coins credit ✔ ; withdraw overlay/submit ○                |
| Profile + edit + avatar     | ●      | Real data ✔ ; edit/avatar ○/●                                                     |
| Deals list                  | ●      | Renders + expiry filter ✔ ; open-deal tap ○ (§17.8)                               |
| Admin shell + dashboard     | ●      | Shell, nav, real dashboard + chart ✔                                              |
| Admin profile + Razorpay    | ●      | Profile + Razorpay card ✔ ; configure ●                                           |
| Wallet Operations Hub       | ●      | Parse, import-credit, timeline, user wallet ✔ ; <b>import audit bug</b> ● (§17.1) |
| Content CRUD + image upload | ●      | Deal create + category picker ✔ ; products/banners/coupons ○; upload ●            |
| Users + payouts             | ○      | Real users seen via Wallet Ops search; dedicated screens ○                        |
| End-to-end affiliate flow   | ●      | Steps 1–5 (deal→click→import→pending coins) ✔ ; lock/withdraw/approve ○           |
| Empty states + responsive   | ●      | Empty states ✔ ; responsive/API-failure/auth-boundary ○                           |