



AWS Hosting Project — Image 1 of 20



Detailed Explanation:

This image shows the AWS Management Console Home page, which is the starting point for working with AWS cloud services. The console displays recently visited services, AWS Health information, cost and usage information, and recommended AWS solutions. The screenshot indicates that the project is being performed inside an AWS account and that the user is navigating the AWS environment to begin the hosting process. The AWS region visible in subsequent screenshots is Europe (Stockholm). This page establishes the AWS environment before creating or configuring the EC2 server that will ultimately host the restaurant website.


AWS Hosting Project — Image 2 of 20



Detailed Explanation:

This screenshot shows the Amazon EC2 Instances dashboard. The page lists an EC2 instance and provides information such as the instance ID, instance state, instance type, status checks, Availability Zone, and public IP/DNS information. The displayed instance is in the Running state, meaning the virtual server has successfully started. The instance appears to use a small t3.micro-style configuration, suitable for a basic demonstration website. The dashboard also shows service health and instance health information. This step is important because it confirms that the cloud server required for hosting the website has been successfully created and is operational.


AWS Hosting Project — Image 3 of 20



Detailed Explanation:

This image displays the detailed information page for the selected EC2 instance. The instance is identified as "Web," indicating that it is intended to function as the web server. The screenshot shows the instance ID, running state, public IPv4 address, private IPv4 address, and public DNS information. The public address allows users outside the AWS network to reach the server. The private address is used for communication inside the AWS network. Tabs such as Details, Status and alarms, Monitoring, Security, Networking, Storage, and Tags are visible. This page confirms that the EC2 server is configured and ready for further software installation.


AWS Hosting Project — Image 4 of 20



Detailed Explanation:

This screenshot shows the EC2 connection interface. AWS provides several connection methods, including EC2 Instance Connect, SSH client, Systems Manager Session Manager, and other options. The screenshot selects the connection using an SSH client/EC2 connection method and displays the public IPv4 address of the instance. The username shown is ubuntu, which corresponds to the Ubuntu operating system running on the EC2 server. Port 22, the standard SSH port, is also shown. A security warning indicates that SSH access is open to all IPv4 addresses through 0.0.0.0/0, which is less secure than restricting access to trusted addresses.

AWS Hosting Project — Image 5 of 20



The screenshot displays a web browser window with the AWS Management Console interface. The active tab is 'EC2 Instance Connect', showing a terminal session for an Ubuntu 26.04 LTS instance. The terminal output includes the Ubuntu welcome message, system information (system load, memory usage, temperature, etc.), and network details (public and private IP addresses). The user is logged in as 'ubuntu' and the prompt is 'ubuntu@ip-172-31-44-218:~\$'.

```
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

* Documentation:  https://docs.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/pro

System information as of Sat Aug 29 09:19:39 UTC 2026

System load: 0.08          Temperature: -273.1 C
Usage of /:  34.5% of 6.61GB Processes:      121
Memory usage: 29%         Users logged in: 0
Swap usage:  0%           IPv4 address for ens5: 172.31.44.218

Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$
```

i-0787e9c4cc7a45932 (Web)
PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates Privacy Terms Cookie preferences

Detailed Explanation:

This image shows the user successfully connected to the Ubuntu operating system running on the EC2 instance. The terminal displays the Ubuntu welcome message and system information, including memory usage, system load, available updates, and network information. The server has both a public and private IP address. The command-line environment confirms that the user has access to the server and can perform administrative operations using sudo. This is an important transition from AWS configuration to Linux server configuration. At this stage, the EC2 instance is functioning as a remote Ubuntu server, ready for installation and configuration of the web-server software required by the project.

AWS Hosting Project — Image 6 of 20



```
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

* Documentation:  https://docs.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/pro

System information as of Sat Aug 29 09:19:39 UTC 2026

System load: 0.08      Temperature: -273.1 C
Usage of /:  34.5% of 6.61GB
Memory usage: 29%     Processes: 121
Swap usage: 0%        Users logged in: 0
IPV4 address for ens5: 172.31.44.218

Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$
```

i-0787e9c4cc7a45932 (Web)
PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This screenshot shows the execution of the `sudo apt update` command on the Ubuntu EC2 server. The command contacts Ubuntu package repositories and retrieves updated package information. Repository addresses for the Ubuntu release, updates, backports, and security repositories are visible in the terminal. Updating the package index is an important preparation step before installing software because it ensures that the system knows about the latest available packages and versions. The screenshot therefore demonstrates basic Linux server maintenance. Once the package information is refreshed, the server can safely proceed with installing Apache and other software required for hosting the restaurant website.

AWS Hosting Project — Image 7 of 20



The screenshot shows a terminal window within the AWS Management Console, connected to an Ubuntu 26.04 LTS instance. The terminal displays the following information:

```
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

* Documentation:  https://docs.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/pro

System information as of Sat Aug 29 09:19:39 UTC 2026

System load:  0.08      Temperature:   -273.1 C
Usage of /:   34.5% of 6.61GB   Processes:    121
Memory usage: 29%      Users logged in: 0
Swap usage:   0%         IPv4 address for ens5: 172.31.44.218

Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo apt install apache2
```

Below the terminal output, the instance details are visible:


- Instance ID: i-0787e9c4cc7a45932 (Web)
- Public IP: 13.60.196.170
- Private IP: 172.31.44.218

The bottom of the screenshot shows the AWS console footer with links to CloudShell, Agent Toolkit for AWS, Feedback, and Console Mobile App, along with the copyright notice: © 2026, Amazon Web Services, Inc. or its affiliates.

Detailed Explanation:

This image shows the next stage of configuring the Ubuntu server, where the user begins installing the Apache2 web server. The command visible in the terminal is associated with installing Apache through Ubuntu's package manager. Apache is responsible for receiving HTTP requests and serving website files to visitors. Installing Apache converts the basic EC2 Ubuntu machine into a web-hosting server. This is a critical component of the project because the HTML, CSS, images, and other website resources need a web server to deliver them to users through a browser. The screenshot represents the software installation stage of the AWS hosting workflow.

AWS Hosting Project — Image 8 of 20



```
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

* Documentation:  https://docs.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/pro

System information as of Sat Aug 29 09:19:39 UTC 2026

System load:  0.08           Temperature:   -273.1 C
Usage of /:   34.5% of 6.61GB Processes:    121
Memory usage: 29%           Users logged in: 0
Swap usage:   0%            IPv4 address for ens5: 172.31.44.218

Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl start apache2
```


i-0787e9c4cc7a45932 (Web)
PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This screenshot demonstrates the process of starting the Apache HTTP Server after installation. The terminal shows a command intended to start Apache through the Linux service-management system. Starting Apache makes the web server process active and allows it to listen for incoming HTTP requests. This step is necessary before testing the website from a browser. The screenshot is part of the sequence in which the user configures the EC2 Ubuntu machine as a production-style web server. Once Apache is running, website files can be placed in the appropriate Apache document directory and accessed through the EC2 instance's public IP address.

AWS Hosting Project — Image 9 of 20



```
aws
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Sat Aug 29 09:19:39 UTC 2026

System load:  0.08      Temperature:   -273.1 C
Usage of /:   34.5% of 6.61GB    Processes:    121
Memory usage: 29%      Users logged in: 0
Swap usage:  0%        IPv4 address for ens5: 172.31.44.218

Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
```

i-0787e9c4cc7a45932 (Web)

PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This image shows the user checking whether Apache2 is running correctly. The command is related to systemctl, Linux's service-management utility. The Apache service status is being examined to confirm that the web server started successfully. Checking service status is an important troubleshooting step because installation alone does not guarantee that the service is active. The screenshot indicates that the user is progressing from installation toward verification. Once Apache reports an active/running state, the administrator can proceed to the website document directory, commonly /var/www/html, and place the project's index.html and related files there.

AWS Hosting Project — Image 10 of 20



```
Expanded Security Maintenance for Applications is not enabled.
124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1-ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
sudo: 'systemctl': command not found
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 09:03:17 UTC; 18min ago
 Invocation: 15c1c23631bf45db946acf3aecffa21e
    Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 2436 (apache2)
    Status: "Total requests: 10; Idle/Busy workers 100/0;Requests/sec: 0.00901; Bytes served/sec: 23 B/sec"
    Tasks: 55 (limit: 627)
   Memory: 7M (peak: 7.2M)
     CPU: 159ms
   CGroup: /system.slice/apache2.service
           └─2436 /usr/sbin/apache2 -k start -DFOREGROUND
             └─2452 /usr/sbin/apache2 -k start -DFOREGROUND
               └─2453 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-44-218:~$
```

i-0787e9c4cc7a45932 (Web)

PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This screenshot provides clearer evidence that the Apache2 service is active and running. The terminal output identifies `apache2.service` as the Apache HTTP Server and reports its running state. Information such as the main process ID, worker status, requests, memory usage, and CPU usage is visible. The output also records `systemd` messages indicating that Apache was started successfully. This verifies that the EC2 server is functioning as a web server. The image also demonstrates an important practical troubleshooting lesson: a mistyped `systemctl` command can produce a “command not found” message, after which the correctly typed command successfully displays the Apache service status.

AWS Hosting Project — Image 11 of 20



```
Expanded Security Maintenance for Applications is not enabled.

124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
sudo: 'systemctl': command not found
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 09:03:17 UTC; 18min ago
 Invocation: 15c1c23631bf45db946acf3aefcfa21e
    Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 2436 (apache2)
   Status: "Total requests: 10; Idle/Busy workers 100/0;Requests/sec: 0.00901; Bytes served/sec: 23 B/sec"
   Tasks: 55 (limit: 627)
  Memory: 7M (peak: 7.2M)
     CPU: 159ms
   CGroup: /system.slice/apache2.service
           └─2436 /usr/sbin/apache2 -k start -DFOREGROUND
             └─2452 /usr/sbin/apache2 -k start -DFOREGROUND
               └─2453 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-44-218:~$ cd /var/www/html
ubuntu@ip-172-31-44-218:/var/www/html$
```

i-0787e9c4cc7a45932 (Web)

Public IPs: 13.60.196.170 Private IPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This image shows the user working inside the Ubuntu EC2 server after confirming that Apache is active. The terminal includes the Apache status output and then changes the current directory to `/var/www/html`. This directory is significant because it is the default Apache document root on Ubuntu installations. Files stored here can be served by Apache when a browser sends a request to the server. The screenshot therefore represents the transition from server configuration to website deployment. The user is preparing the correct location where the restaurant website's HTML and associated web resources will be stored.

AWS Hosting Project — Image 12 of 20



```
124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
sudo: 'systemctl': command not found
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/udev/rules.d/95apache2.rules; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 09:03:17 UTC; 18min ago
     Invocation: 15c1c23631bf45db946acf3aeeffa21e
       Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 2436 (apache2)
   Status: "Total requests: 10; Idle/Busy workers 100/0; Requests/sec: 0.00901; Bytes served/sec: 23 B/sec"
     Tasks: 55 (limit: 627)
    Memory: 7M (peak: 7.2M)
       CPU: 159ms
   CGroup: /system.slice/apache2.service
           └─2436 /usr/sbin/apache2 -k start -DFOREGROUND
             └─2452 /usr/sbin/apache2 -k start -DFOREGROUND
               └─2453 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-44-218:~$ cd /var/www/html
ubuntu@ip-172-31-44-218:/var/www/html$ ls
index.html
ubuntu@ip-172-31-44-218:/var/www/html$ chmod 777 index.html
```

i-0787e9c4cc7a45932 (Web)

PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218


CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Detailed Explanation:

This screenshot again shows the Apache service status and the user's movement into the web-server directory. The terminal confirms that Apache2 is active, while the command-line prompt indicates navigation toward `/var/www/html`. This directory serves as the location from which Apache delivers website content. The repeated status check suggests that the user is verifying the server before modifying the website files. Such verification is useful in a deployment workflow because it separates infrastructure problems from website-code problems. Once Apache is confirmed operational, the next step is to create or edit the main HTML document that visitors will receive when they access the EC2 server.

AWS Hosting Project — Image 13 of 20



```
124 updates can be applied immediately.
90 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


Last login: Sat Aug 29 09:06:08 2026 from 13.48.4.202
ubuntu@ip-172-31-44-218:~$ sudo apt update
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
119 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
sudo: 'systemctl': command not found
ubuntu@ip-172-31-44-218:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 09:03:17 UTC; 18min ago
  Invocation: 15e1c21631bf45db946acfaeacfa21e
     Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 2436 (apache2)
   Status: "Total requests: 10; Idle/Busy workers 100/0;Requests/sec: 0.00901; Bytes served/sec: 23 B/sec"
      Tasks: 55 (limit: 627)
     Memory: 7M (peak: 7.2M)
        CPU: 159ms
    CGroup: /system.slice/apache2.service
            └─2436 /usr/sbin/apache2 -k start -DFOREGROUND
              └─2452 /usr/sbin/apache2 -k start -DFOREGROUND
                └─2453 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 29 09:03:17 ip-172-31-44-218 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-44-218:~$ cd /var/www/html && ls
index.html
ubuntu@ip-172-31-44-218:~$ nano index.html
```

Detailed Explanation:

This image shows the user inside the Apache web directory and opening `index.html` using the Nano text editor. The `index.html` file is normally the primary entry point of a static website. The screenshot demonstrates that the website source code is being created directly on the Ubuntu EC2 instance rather than being served from a separate hosting platform. The file will contain the HTML structure and styling required for the Spice & Sizzle restaurant website. This is the beginning of the actual website implementation phase. After saving the file, Apache can serve it automatically because it resides in the web document directory.

AWS Hosting Project — Image 14 of 20



```
GNU nano 8.7.1 index.html
~*~html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Spice & Sizzle - Premium Indian Restaurant">
  <title>Spice & Sizzle | Restaurant</title>
</head>
<style>
  * {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    scroll-behavior: smooth;
  }
  body {
    font-family: Arial, Helvetica, sans-serif;
    background: #111;
    color: #fff;
    line-height: 1.6;
  }
  /* NAVBAR */
  nav {
    position: fixed;
    top: 0;
    width: 100%;
    z-index: 1000;
    background: rgba(0, 0, 0, 0.92);
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 18px 8%;
  }

```


i-0787e9c4cc7a45932 (Web)
PublicIPs: 13.60.196.170 PrivateIPs: 172.31.44.218

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy

Detailed Explanation:

This screenshot shows the actual HTML and CSS source code of the restaurant website being edited inside Nano. The document begins with standard HTML elements such as `<!DOCTYPE html>`, `<html lang="en">`, metadata, and a title identifying “Spice & Sizzle | Restaurant.” The CSS includes global styling, typography, dark background colors, and a fixed navigation bar. The navigation uses elements such as positioning, width, z-index, background transparency, flexbox, and spacing. This image is particularly important because it demonstrates how the website's visual design is implemented directly on the EC2 server before being viewed through the browser.

AWS Hosting Project — Image 15 of 20



Detailed Explanation:

This image shows the successfully deployed Spice & Sizzle restaurant homepage in a web browser. The website has a dark, premium visual design with a large restaurant background image. The central hero section displays "Welcome to Spice & Sizzle," accompanied by descriptive text about authentic flavors and Indian cuisine. An "Explore Our Menu" button is visible below the introduction. The top navigation contains links such as Home, About, Menu, Gallery, and Contact. This page demonstrates that the HTML/CSS website is being successfully served through the EC2 web server and accessed through the server's public IP address.

AWS Hosting Project — Image 16 of 20

The screenshot shows a web browser window displaying the 'Spice & Sizzle' restaurant website. The page is titled 'Contact & Reservations' and features a dark theme with gold/yellow accents. The browser's address bar shows 'http://13.60.196.170'. The website's navigation menu includes 'Home', 'About', 'Menu', 'Gallery', and 'Contact'. The main content area is divided into two columns. The left column contains contact information for 'Spice & Sizzle' (123 Food Street, New Delhi, India; +91 98765 43210; hello@spiceandsizzle.com) and opening hours (Monday-Friday: 11:00 AM - 11:00 PM; Saturday-Sunday: 10:00 AM - 12:00 AM). The right column contains a reservation form with fields for 'Your Name', 'Your Email', 'Phone Number', 'Number of Guests', and 'Special requests...'. A prominent yellow 'Reserve a Table' button is located below the form. The footer includes the copyright notice '© 2026 Spice & Sizzle. All Rights Reserved.' and a small thumbnail image of the restaurant's interior.

Spice & Sizzle

Home About Menu Gallery Contact

Contact & Reservations

We'd love to serve you

Spice & Sizzle
123 Food Street, New Delhi, India
+91 98765 43210
hello@spiceandsizzle.com

Opening Hours
Monday - Friday: 11:00 AM - 11:00 PM
Saturday - Sunday: 10:00 AM - 12:00 AM

Your Name
Your Email
Phone Number
Number of Guests
Special requests...


Reserve a Table

© 2026 Spice & Sizzle. All Rights Reserved.

Detailed Explanation:

This screenshot displays the Contact & Reservations section of the Spice & Sizzle website. The page provides restaurant contact information and opening-hour information while also presenting a reservation form. The form contains fields for details such as the visitor's name, email, phone number, number of guests, and reservation-related information. A prominent "Reserve a Table" button is provided for submitting the request. The dark background and gold/yellow accent color maintain the site's consistent premium restaurant design. This page demonstrates that the deployed website includes not only informational content but also an interface intended for customer interaction and reservations.


AWS Hosting Project — Image 17 of 20



Detailed Explanation:

This image provides another view of the Contact & Reservations area. The page combines the restaurant's identity and contact details with a customer-facing reservation form. The restaurant name **Spice & Sizzle** appears prominently, while information about its location and opening hours is displayed on the left side. The form occupies the right side of the page and provides an organized method for entering customer information. The page uses the same dark theme and golden typography/accent elements used throughout the website. This consistency helps create a unified visual identity across the different sections of the restaurant website.


AWS Hosting Project — Image 18 of 20



Detailed Explanation:

This screenshot shows the restaurant website's food-related content. Several food images are displayed in a gallery-style section under the "Food & Ambience" heading, providing visitors with visual information about the restaurant experience. The page also displays menu items including Tandoori Chicken, Dal Makhani, and Gulab Jamun, with prices shown beneath the dishes. Below the food cards, a "Weekend Special" section is visible, designed to highlight special offerings. The combination of food photography, item names, prices, and promotional content makes the website more attractive to restaurant customers and demonstrates a practical static website layout.


AWS Hosting Project — Image 19 of 20



Detailed Explanation:

This image presents the “Our Popular Menu” section of the Spice & Sizzle website. Several restaurant dishes are displayed as individual menu cards with photographs, names, descriptions, and prices. Visible dishes include Butter Chicken, Paneer Tikka, Royal Biryani, Tandoori Chicken, Dal Makhani, and Gulab Jamun. The cards use a dark interface with contrasting golden text and borders, maintaining the overall website theme. The section is designed to help customers quickly identify the restaurant's featured dishes. This screenshot also demonstrates how images and structured content can be combined to create an attractive menu interface on a simple static website.

AWS Hosting Project — Image 20 of 20



Detailed Explanation:

The final screenshot displays the "Our Story" section of the Spice & Sizzle website. It contains a restaurant interior photograph alongside descriptive text explaining the restaurant's concept, traditional recipes, modern culinary presentation, and emphasis on creating memorable dining experiences. A "Visit Us" button is also visible, providing an additional call to action for customers. The layout uses a two-column design, with the image positioned beside the textual content. This final page demonstrates the completed presentation layer of the project and shows that the AWS-hosted restaurant website includes branding, imagery, navigation, menu content, contact information, and an introduction to the restaurant.