

EDS Laboratoty Assignment


Name : Rohit Vikram Rathod

PRN : 202501100120

Div : SE2

Batch : S21

Snapshots from Laboratory :



```
*python.py - C:/Users/Admin/Documents/python/python.py (3.14.2)*
File Edit Format Run Options Window Help
#print("hello")

"""
a=1
b=2
c=a+b
print("addition is",c)
"""


a=int(input("enter 1st number: "))
b=int(input("enter 2nd number: "))

print("1.addition")
print("2.substraction")
print("3.multiplication")
print("4.division")

choise=int(input("Enter your choice(1-4): "))


if choise==1:
    print("addition is :",a+b)
elif choise==2:
    print("substraction is :",a-b)
elif choise==3:
    print("multiplication is :",a*b)
elif choise==4:
    if b!=0:
        print("division is : ",a/b)
    else:
        print("division by zero is not allowed")
else:
    print("invalid choice")

Ln: 20 Col: 45
```




```
COLL Shell 3.14.2  pythonIDpy - C:\Users\Admin\pythonIDpy (3.14.2)
File Edit Shell Debug File Edit Format Run Options Window Help
>>> t=(10,20,30,40,50)
=== I
orig: print("original Tuple:",t)
>>>
=== I
orig:
First: print("First Element:",t[0])
Last:
>>>
=== I
orig: print("Last Element:",t[-1])
First:
Last:
Slice:
>>> print("Sliced Tuple:",t[0:3])
=== I
orig: print("Length:",len(t))
First:
Last: t2=(60,70)
Slice: print("Concatenation:",t+t2)
Leng:
Conc: print("Repitation:",t*2)
Repit:
, 40 print("Is 30 present?",30 in t)
Is 30
>>>
```





Employee Salary Analysis Program

```

===== RES
Total salary 605000
Average of the salary 121000.0
minimum salary is 90000
maximum of the salary 160000


File Edit Format Run Options Window Help
a=(125000,130000,100000,160000,90000)
total=sum(a)
average=total/len(a)
min=min(a)
max=max(a)
print("Total salary",total,"\nAverage of the salary",average,"\nminimum salary i

```

Fibonacci Series Using Recursion

```
Enter the number :5  
0 1 1 2 3
```

```
fino.py - D:\new\30-01-2026\fino.py (3.11.9)  
File Edit Format Run Options Window Help  
n=int(input("Enter the number :"))  
def f(n):  
    if n==0:  
        return 0  
    elif n==1:  
        return 1  
    else:  
        return f(n-1) + f(n-2)  
for i in range(n):  
    print(f(i),end=" ")
```

Student Marks Pass/Fail & Average Program

```

m=map(int,input("Enter 5 subjects marks: ").split(","))
AttributeError: 'map' object has no attribute 'split'

===== RESTART: D:\new\30
Enter 5 subjects marks separated by commas: 90,100,80,91,95
Pass
Pass
Pass
Pass
Pass
Average: 91.2

```

```

File Edit Format Run Options Window Help
m = list(map(int, input("Enter 5 subjects marks separated by com
for i in range(len(m)):
    if m[i] > 40:
        print("Pass")
    else:
        print("Fail")

p = sum(m) / len(m)
print("Average:", p)

```

Python Matplotlib Multiple Graphs Program

```
import matplotlib.pyplot as plt



months = ['jan', 'feb', 'mar', 'april', 'may']
sales = [100, 150, 200, 180, 250]

plt.figure(1)
plt.plot(months, sales)
plt.title("Line Graph")
plt.xlabel("months")
plt.ylabel("sales")

plt.figure(2)
plt.bar(months, sales)
plt.title("Bar Graph")
plt.xlabel("months")
plt.ylabel("sales")

plt.figure(3)
plt.pie(sales, labels=months, autopct='%1.1f%%')
plt.title("Pie Chart")

plt.show()
```



```
import matplotlib.pyplot as plt

months=['jan', 'feb', 'mar', 'apr', 'may']
sales=[100,150,200,180,250]

students=[1,2,3,4,5]
marks=[60,75,80,70,90]

subjects = ['math', 'science', 'english']
marks_sub=[85,90,75]

plt.plot(months, sales)
plt.title("line graph")
plt.xlabel("months")
plt.ylabel("sales")
plt.show()


plt.bar(months, sales)
plt.title("Bar graph")
plt.xlabel("months")
plt.ylabel("sales")
plt.show()

plt.pie(sales, labels=months, autopct='%1.1f%%')
plt.title("pie graph")
plt.show()

plt.scatter(students, marks)
plt.title("scatter graph")
plt.xlabel("students")
plt.ylabel("marks")
plt.show()

plt.hist(marks)
plt.title("histogram")
plt.xlabel("Marks")
plt.ylabel("Frequency")
plt.show()

plt.barh(subjects, marks_sub)
plt.title("horizontal bar graph")
plt.xlabel("Marks")
```



```
graph.py - D:\my code\graph.py (3.14.2)
File Edit Format Run Options Window Help
import matplotlib.pyplot as plt



months = ['Jan', 'Feb', 'Mar', 'Apr', 'May']
sales = [100, 150, 200, 180, 250]



plt.figure(1)
plt.plot(months, sales)      # create graph window
                             # draw line graph by joining points
plt.title("Monthly Sales - Line Graph")
plt.xlabel("Months")
plt.ylabel("Sales")

plt.figure(2)
plt.bar(months, sales)
plt.title("Monthly Sales - Bar Graph")
plt.xlabel("Months")
plt.ylabel("Sales")

plt.figure(3)
plt.pie(sales, labels=months, autopct='%1.1f%%')
plt.title("Sales Distribution - Pie Chart")

plt.show()
```




Leap Year Checking Program


```
n=int(input("Enter the year"))
if(n%100==0):
    if n%400==0:
        print("l.y")
    else:
        print("not l.y")
else:
    if n%4==0:
        print("l.y")
    else:
        print("not ly")
```

```
===== RESTART: D:\
>>>
===== RESTART: D:\
>>>
===== RESTART: D:\new\
Enter the year2025
not ly
>>>
```

Dictionary Program to Find Tallest Player




Tuple Operations in Python




Dictionary Operations and Player Height Analysis


```
team={"Virat":175, "Aman":180, "Amir":177, "Akash":182, "King":160}
c=max(team, key=team.get)
print(team)
print(c)
print(team[c])
```



```
Python 3.11.9 (tags/v3.11.9:de54cf5, Apr 2 2024, 10:12:12) [MSC v.1938 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: D:\new\06-03-2026\dictionary.py
{'Virat': 175, 'Aman': 180, 'Amir': 177, 'Akash': 182, 'King': 160}
Akash
182
>>>
```

Python List Methods Notes





List Operations Syntax and Examples Table

