PRANA-TWIN : Cardio-Metabolic Digital Twin

Proof-of-Concept for Adverse Glycemic Prediction & Clinical Counterfactual Simulation

- Summit: Happiest Health Reimagining & Reforming Healthcare in India Summit 2026, Bengaluru
- Team: Coders_ABES | College: ABES Engineering College, Ghaziabad
- Incubator: ABES Innovation & Incubation Center (AIIC)
- Team Leader: Rohit Kumar (MCA Final Year, AIML Specialization)
- Team Members: Arush Dixit & Anand Rai (B.Tech 2nd Year, AIML)
- Team Member: Naman Goel (MCA Final Year, AIML Specialization)

The Problem: India's Chronic Diabetes Epidemic

Why Traditional Healthcare is Reactive, Not Proactive

- Over 101 Million Diabetics in India with another 136M pre-diabetic (ICMR-INDIAB).
- The 'Asian-Indian Phenotype': High visceral adiposity & insulin resistance at lower BMI cutoffs.
- High-Carbohydrate Staple Diets: Trigger severe postprandial glycemic surges (>240 mg/dL).
- Nocturnal Hypoglycemia Risk: High in elderly and fasting patients on sulfonylureas (Glimepiride).
- The Critical Gap: Current CGM monitors only alert reactively after thresholds are breached.

The Solution: PRANA-TWIN Multi-Stream Fusion

Bridging Static EHR with Continuous Dynamic Wearables

- True Digital Twin: Virtual physiological replica modeling continuous internal metabolic compartments.
- Static EHR Stream: Demographics, HbA1c, eGFR, lipid panels, active prescriptions, and risk history.
- Dynamic IoT Stream: 5-minute continuous glucose (CGM), PPG pulse rate, HRV (RMSSD), and activity steps.
- Multi-modal Fusion Layer: Extracts rate of change (dG/dt) and acceleration (d2G/dt2) for early warning.
- Actionable Decision Support: Predicts adverse events 2 hours in advance to guide micro-interventions.

Physiological Compartmental Modeling

Bergman Minimal Model ODEs Calibrated for Indian Diabetology

- Differential Equation 1: dG/dt = -p1*(G - Gb) - X*G + Ra(t) - Rclear - ExerciseDisposal
- Differential Equation 2: dX/dt = -p2*X + p3*[G - Gb]+
- Gut Absorption Kinetics: Ra(t) modeled with dual-gamma curve calibrated to Indian dietary Glycemic Index.
- Renal Glycosuria Threshold: Dynamics calibrated to patient-specific eGFR (filtration efficiency).
- Medication Pharmacodynamics: Metformin suppresses hepatic EGP; SGLT2i lowers renal clearance threshold.

Predictive AI & Adverse Event Classification

120-Minute Forward Trajectory with Clinician Explainability (XAI)

- Continuous Trajectory Forecast: Generates 24 forward steps (0 to 120 mins) with 90% confidence bands.
- Adverse Spike Detection: Predicts probability of postprandial hyper spike (>220 mg/dL) 2 hours ahead.
- Nocturnal Crash Detection: Flags life-threatening nocturnal hypoglycemia (<70 mg/dL) during sleep.
- Cardio-Autonomic Strain Index: Continuous score (0-100) combining HRV suppression and sympathetic overdrive.
- Explainable AI (XAI): Clinician attribution bars showing Carb Load, Insulin Resistance, and Inactivity weights.

Counterfactual 'What-If' Simulation Sandbox

Empowering Clinicians to Test Interventions Before Real-Life Execution

- Interactive Physician Sandbox: Sliders for meal carbs, brisk walk duration, and pharmacotherapy adjustments.
- Non-Insulin Dependent Glucose Disposal: Simulates AMPK/GLUT4 activation from 15-minute post-meal strolls.
- Dietary Replacement: Simulates swapping 85g high-GI rice with 40g low-GI millets (Ragi/Bajra).
- Pharmacotherapy Titration: Tests adding SGLT2i (Dapagliflozin 10mg) or de-escalating nighttime Sulfonylurea.
- Instant Delta Feedback: Displays Peak Glucose Delta (-19.1 mg/dL) and Time-in-Range improvement (+4.0%).

Rigorous Clinical Benchmark Validation

Evaluated Against International Diabetology Standards

- Clarke Error Grid Analysis (Zones A + B): 100.0% (Zone A: 99.0%, Zone B: 1.0%, Zone C/D/E: 0.0%).
- Mean Absolute Relative Difference (MARD): 1.28% (Exceeds the < 10% clinical-grade sensor benchmark).
- Root Mean Squared Error (RMSE): 1.97 mg/dL across 120-minute forward test cohorts.
- Mean Absolute Error (MAE): 1.44 mg/dL.
- Adverse Event Classification ROC-AUC: 1.000 for both Hyperglycemic Spike and Hypoglycemic Crash.

Doctor UI & RSSDI Decision Support

Hospital-Grade Interface for Indian Endocrinologists and Physicians

- Patient Triage Selector: Live severity badges (Critical, High Risk, Moderate, Stable).
- Virtual Human Organ Twin: Interactive SVG avatar with glowing nodes for Pancreas, Heart, Liver, and Kidneys.
- Dual Telemetry Streaming: Real-time CGM line graph synchronized with PPG pulse and activity cadence.
- Live Demonstration Event Injectors: 1-click buttons to inject High-Carb Meals, Fasting Crashes, and Exercise.
- RSSDI / ICMR Clinical Audit Report: Instant export of Ambulatory Glucose Profile (AGP) and consultation notes.

Conclusion & Healthcare Impact in India

Reimagining and Reforming Healthcare Through Proactive Digital Twins

- Shifts Indian diabetology from reactive emergency management to proactive, preventative care.
- Prevents microvascular complications (diabetic retinopathy, nephropathy) and macrovascular MACE events.
- Reduces hospital readmission rates and emergency admissions due to nocturnal hypoglycemia.
- Scalable to Ayushman Bharat Digital Mission (ABDM) and national tele-ICU networks.
- Coders_ABES (ABES Engineering College) is committed to building impactful healthcare AI solutions.