

Questions Paper 2016-17 Session Ending Examination CBSE Class XI Physics


General Instructions:

- All questions are compulsory.
- There is no overall choice. However, an internal choice has been provided in one question of two marks, one question of three marks and all three questions of five marks. You have to attempt only one of the choices in such questions.
- Questions number 1 to 5 are very short answer type questions, carrying one mark each.
- Questions number 6 to 10 are short answer type questions, carrying two marks each.
- Questions number 11 to 22 are also short answer type questions, carrying three marks each.
- Question number 23 is value-based question, carrying four marks.
- Questions number 24 to 26 are long answer type questions, carrying five marks each.
- Use of calculators is not permitted. However, you may use log tables, if necessary: y G = $6.67 \times 10^{-11} \text{ Nm}^2/\text{kg}^2$, Mass of earth M = $6 \times 10^{24} \text{ kg}$, Radius 4 of earth R = $6.4 \times 10^6 \text{ m}$, Acceleration due to gravity of earth g = 9.8 m/s^2
- 1. Write four fundamental forces in the ascending order of their strength. (1)
- 2. State Work Energy theorem. (1)
- 3. What are the factors on which center of mass of a body depends? (1)
- 4. Define absolute zero temperature. (1)
- 5. What is the time period of second's pendulum? (1)
- 6. If E, M, J and G respectively denote energy, mass, angular momentum and gravitational constant, calculate the dimensions of EJ^2/M^5G^2 . (2)
- 7. The potential energy function for a particle executing linear simple harmonic motion is





given by $V(x) = \int_{-\infty}^{\infty} x^{-1}$, where k is the force constant of the oscillator. For $k = 0.5 \text{ Nm}^{-1}$, the graph of V(x) versus x is shown in given fig. Show that a particle of total energy 1 J moving under this potential must turn back when it reaches = ± 2 m. (2)



OR

The bob of a pendulum is released from a horizontal position. If the length of the pendulum is 1.5 m, what is the speed with which the bob arrives at the lowermost point, given that it dissipated 5% of its initial energy against air resistance?

- 8. Derive an expression for orbital velocity of a satellite. Establish a relation for orbital velocity of a satellite orbiting very close to the surface of earth. (2)
- 9. A pan filled with hot food cools from 94°C to 86°C in 2 minutes when the room temperature is at 20°C. How long will it take to cool from 71°C to 69°C? (2)
- 10. A Carnot engine whose heat sink is at 27° has an efficiency of 40%. By how many degrees should the temperature of source be changed to increase the efficiency by 10% of the original efficiency? (2)
- 11. A ball is thrown vertically upwards with a velocity of 20 m/s from the top of a multistorey building. The height of the point from where the ball is thrown is 25.0 m from the ground. (3)
- (a) How high will the ball rise?
- (b) How long will it be before the ball hits the ground?
- 12. Define centripetal acceleration and find out an expression for centripetal acceleration. (3)






OR

Obtain equations of motion for constant acceleration using method of calculus.

13. What is the acceleration of the block and trolley system shown in given figure, if the coefficient of kinetic friction between the trolley and the surface is 0.04? What is the tension in the string?

(Take $g = 10 \text{ ms}^{-2}$) Neglect the mass of the string. (3)



- 14. What is meant by banking of road? Obtain an expression for the maximum speed with which a vehicle can safely negotiate a curved road banked at an angle θ . The coefficient of friction between the vehicle and road is p. (3)
- 15. A monkey of mass 40 kg climbs on a rope which can stand a maximum tension of 600 N. Find tension in each case and in which of the following cases will the rope break. The monkey: (3)
- (a) Climbs up with an acceleration of 6 m/s²
- (b) Climbs down with an acceleration of 4 m/s²
- (c) Climbs up with a uniform speed of 5 m/s
- (d) Falls down the rope nearly under gravity
 (Take g = 10 ms⁻²) Ignore the mass of the rope.
- 16. Define completely inelastic collision. Show that during completely inelastic collision always there is loss of kinetic energy. (3)
- 17." Define acceleration due to gravity and discuss the variation of acceleration due to





gravity 'g' with height above the surface of the earth. (3)

- 18. Define terminal speed. Find out expression for terminal speed of a body while falling in viscous medium. Hence explain why air bubbles rise up in water? (3)
- 19. What is the isothermal process? Derive an expression for the work done during the isothermal process. (3)
- 20. Define simple harmonic motion. Derive an expression for the potential energy and K.E. of a harmonic oscillator. Hence show that total energy remains conserved in S.H.M. (3)
- 21. A wave travelling along a string is described by y(x,t) 0.005 $\sin(80.0x 3.0i)$, in which the numerical constants are in SI units (0.005m, 80.0 rad/m, and 3.0 rad/s). Calculate: (3)
- (a) The amplitude
- (b) The wavelength
- (c) The period and frequency of the wave
- 22. State Newton's formula for speed of sound in air. Point out the error in Newton's formula and hence discuss Laplace's correction. (3)
- 23. Anita was pouring hot tea in thick-walled glass tumbler. The glass tumbler cracked. Anita asked her sister Neha about it, who was the science student. Anita was satisfied by her sister's explanation. (4)
- (a) What explanation was given by Neha?
- (b) What is meant by the thermal expansion?
- (c) What are the values shown by Neha?
- 24. (a) State triangle law of vector addition and find out an expression for magnitude of resultant vector. (5)
- (b) Rain is falling vertically with a speed of 35 m/s. A woman rides a bicycle with a speed of 12 m/s in east to west direction. What is the direction in which she should hold her umbrella?

OR

- (a) What is projectile? A projectile is fired with a velocity u making an angle θ with horizontal direction. Show that its trajectory is parabola.
- (b) Derive expression for its:





- (1) Time of fight
- (2) Maximum height
- (3) Horizontal range
- 25. (a) Define centre of mass of a body. Find out an expression for position vector of centre of mass of a two-particle system. (5)
- (b) A solid cylinder of mass 20 kg rotates about its axis with angular speed 100 rad/s. The radius of the cylinder is 0.25 m. What is the K.E. associated with the rotation of cylinder? What is the magnitude of the angular momentum of cylinder about its axis?

OR

State the perpendicular and parallel axis theorem on moment of inertia. The moment of inertia of ring of mass M and radius R about an axis perpendicular to its plane and passing through centre of mass is MR². Find the moment of inertia of the ring about:

- (a) Any diameter
- (b) Any tangent in its plane
- (c) Any tangent perpendicular to its plane
- 26. (a) What is Venturimeter? Describe its working and find the required expression. (5)
- (b) The cylindrical tube of a spray pump has a cross section of 8 cm², one end of which has 40 fine holes each of diameter 1.0 mm. If the liquid flow inside the tube is 1.5 m/min, what is the speed of the ejection of liquid through the holes?(5)

OR

- (a) State and prove Bernoulli's theorem for streamline flow of ideal liquid.
- (b) A cylinder of height 20 m is completely filled with water. Find the velocity of efflux of water through a small hole on the side wall of the cylinder near its bottom. ($g = 10 \text{ m/s}^2$)

