
ReqView Software Requirements Specification Example

2. Requirements

2.1 External interfaces 2.2 Functions

2.2.1 File Operations

2.2.1.1 Create Document

[DEMO-SRS-53] The application shall allow users to create a new empty document.

[DEMO-SRS-54] If the current document contains unsaved changes then the application shall allow users to save the changes before closing the document.

2.2.1.2 Open File

[DEMO-SRS-56] The application shall allow users to open a document from a chosen file.

2.2.1.3 Save Local File

[DEMO-SRS-59] The application shall allow users to save the opened document into a file.

2.2.1.4 Document Template

[DEMO-SRS-61] The application shall allow users to create a document template file from the opened document.

[DEMO-SRS-62] Document templates shall store structure of document sections and definition and values of requirement attributes.

[DEMO-SRS-63] The application shall allow users to create a new document from a chosen document template file preserving the structure of document sections and the definition and values of requirement attributes.

2.2.1.5 Import

[DEMO-SRS-72] The application shall allow users to import a MS Word document preserving structure of document sections and paragraphs, rich text description of requirements and images.

[DEMO-SRS-73] The application shall allow users to import a MS Excel table of requirements preserving section headings, levels, unformatted text description of requirements and values of custom attributes.

2.2.1.6 Export

[DEMO-SRS-76] The application shall allow users to export the displayed document view to HTML.

[DEMO-SRS-77] The application shall allow users to export requirements to CSV.

2.2.2 Document View

2.2.2.1 Table of Contents

[DEMO-SRS-80] The application shall display the table of contents containing section headings organized according to their document tree hierarchy.

[DEMO-SRS-81] When user clicks on a document section in the table of contents then the application shall focus the section in the requirements table.

2.2.2.2 Requirements Table

[DEMO-SRS-83] The application shall display the document in a requirements table containing the following columns: *ID*, *Description*, *Discussion*, *Links* and a column for each custom requirement attribute.

[DEMO-SRS-84] The *ID* column of the requirements table shall display unique requirement identifiers.

[DEMO-SRS-85] The *Description* column of the requirements table shall display the section numbers, headings, requirement text descriptions and attachments.

[DEMO-SRS-86] The *Discussion* column of the requirements table shall display requirement comments with information about comment author, date and text ordered by date and time.

[DEMO-SRS-87] The *Links* column of the requirements table shall display requirement traceability links grouped by link types.

[DEMO-SRS-88] The application shall allow users to change width of each requirements table column.

ReqView Software Requirements Specification Example

[DEMO-SRS-190] The application shall allow users to reorder requirements table columns.

[DEMO-SRS-89] The application shall allow users to show and hide requirements table columns except the *ID* column.

[DEMO-SRS-90] The application shall allow users to sort all requirements table columns except the *Discussion* and *Links* columns by ascending or descending order.