

11 Nethod to accept details () ?

fublic void accept Details () ?

Scanner Scanner : new Scanner (Systemia System. out. psintln ("Enter details for student + mame + " (USN: "+ USN + ")"); for student for Cint i= 0; i < usedits . length; i++) System out print ("Enter usedits for Subject" + (1+1) + ":");
sedit (i) = Scannes next Int (); System out printly ("Enter marks for subject" + (i+1) + ":");

marks [i] = scanner. ment Int ();

3 Method to display details

public void display Petails () ?

System: out: print ("Details for students"

mame + "(vsn: "+ vsn+")");

for (int i=0; i < credits length; it)

? System. out. peintln ('Subject' + (i+2)+

Classmate

Date
Page "- sedits: "+ esedits [i] +" Marks: "+ mosks [i]; Method to calculate CGPA public double calculate 5GPA() { double totalesedits =0; double totalgsade = 0; for (int i=0; i < credits length; i++) {

total credits += credits [; i);

total grade += colculategrade (marks [i] *

credits (i); seturn totalgrade / total usedits; public Kouble edenlategrade (int marks) if (masks == 90) &
seturn 10.0; 3 else if (marks > :80) { seturn 90.0%; 3 else if (marks > = 70) { seturn 8.0;





