
17-Jan-2023, 10:20:05 am


Indigo Appium Automation Report



Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
Application Login	2 m 19.737 s	6	0	6	0	23	1	6	16


Tag	Scenario			Scenario Feature					
Name	T	P	F	S	T	P	F	S	
@login	6	0	6	0	1	0	1	0	

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	Application Login	6	0	6	0	2 m 19.737 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login	Indigo Customer login with Mobile	4	0	1	3	26.460 s
2	Application Login	Indigo Customer login with incorrect Mobile	4	0	1	3	22.783 s
3	Application Login	Indigo Customer login Mobile number char validation	4	0	1	3	23.352 s
4	Application Login	Indigo Customer login with incorrect Password	4	0	1	3	22.796 s
5	Application Login	Indigo Customer login with incorrect OTP	4	0	1	3	22.923 s
6	Application Login	Guest Login	3	1	1	1	21.207 s

DETAILED SECTION -- 6 --

Application Login

FAILED	DURATION - 2 m 19.737 s	Scenarios		Steps	
/ 10:17:39.372 am // 2	10:19:59.109 am /	Total - 6 Pass - 0 Fail - 6	6	Total - 23 Pass - 1 Fail - 6	23
		Skip - 0		Skip - 16	

Indigo Customer login with Mobile




#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	FAILED	22.832 s
	java.lang.ExceptionInInitializerError		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28)		
	at ?.Launch app and Click on continue with mobile number(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/		
	features/Login1.feature:7)		
	Caused by: net.sf.cglib.core.CodeGenerationException: java.lang.reflect.InaccessibleObjectException>Unable to make protected final java.		
	lang.Class java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain) throws java.lang.ClassFormatError accessible: module java.base does not "opens java.lang" to unnamed module @9660f4e		

#	Step / Hook Details	Status	Duration
	at net.sf.cglib.core.ReflectUtils.defineClass(ReflectUtils.java:464)		
	at net.sf.cglib.core.AbstractClassGenerator.generate(AbstractClassGenerator.java:339)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData\$3.apply(AbstractClassGenerator.java:96)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData\$3.apply(AbstractClassGenerator.java:94)		
	at net.sf.cglib.core.internal.LoadingCache\$2.call(LoadingCache.java:54)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at net.sf.cglib.core.internal.LoadingCache.createEntry(LoadingCache.java:61)		
	at net.sf.cglib.core.internal.LoadingCache.get(LoadingCache.java:34)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData.get(AbstractClassGenerator.java:119)		
	at net.sf.cglib.core.AbstractClassGenerator.create(AbstractClassGenerator.java:294)		
	at net.sf.cglib.core.KeyFactory\$Generator.create(KeyFactory.java:221)		
	at net.sf.cglib.core.KeyFactory.create(KeyFactory.java:174)		
	at net.sf.cglib.core.KeyFactory.create(KeyFactory.java:153)		
	at net.sf.cglib.proxy.Enhancer. <clinit>(Enhancer.java:73)</clinit>		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

Step / Hook Details	Status	Duration
at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
Caused by: java.lang.reflect.InaccessibleObjectException: Unable to make protected final java.lang.Class java.lang.ClassLoader. defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain) throws java.lang.ClassFormatError accessible: module java.base		
does not "opens java.lang" to unnamed module @9660f4e		
at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:354)		
at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:297)		
at java.base/java.lang.reflect.Method.checkCanSetAccessible(Method.java:199)		
at java.base/java.lang.reflect.Method.setAccessible(Method.java:193)		

#	Step / Hook Details	Status	Duration
	at net.sf.cglib.core.ReflectUtils\$1.run(ReflectUtils.java:61) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at net.sf.cglib.core.ReflectUtils. <clinit>(ReflectUtils.java:52) at net.sf.cglib.core.KeyFactory\$Generator.generateClass(KeyFactory.java:243) at net.sf.cglib.core.DefaultGeneratorStrategy.generate(DefaultGeneratorStrategy.java:25) at net.sf.cglib.core.AbstractClassGenerator.generate(AbstractClassGenerator.java:332) * Not displayable characters are replaced by '?'.</clinit>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.394 s
	image	_	
2	When User select Password option	SKIPPED	0.006 s
3	And Enters "9625987105" and "Atmarama1@123" and click on submit	SKIPPED	0.008 s
4	Then Verify landing page	SKIPPED	0.007 s

Indigo Customer login with incorrect Mobile




#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	FAILED	19.691 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
#	java.lang.NoClassDefFoundError: Could not initialize class net.sf.cglib.proxy.Enhancer at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33) at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33) at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209) at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61) at io.appium.java_client.pagefactory.AppiumFieldDecorators1.proxyForLocator(AppiumFieldDecorator.java:100) at org.openga.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:100) at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147) at org.openga.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openga.selenium.support.PageFactory.initElements(PageFactory.java:103) at pageObjects.android.LoginPage1.initElements(PageFactory.java:103) at pageObjects.android.LoginPage1.initElements(PageFactory.java:22) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28) at ?Launch app and Click on continue with mobile number(file:///C://Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/features/Login1.feature:17) * Not displayable characters are replaced by '?'. AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.361 s
2	When User select Password option And Enters "0625007111" and "Atmosphere" (@122" and click on culturity	SKIPPED	0.001 s
3	And Enters "9625987111" and "Atmarama1@123" and click on submit	SKIPPED	0.002 s
4	Then Verify info message	SKIPPED	0.001 s

Indigo Customer login Mobile number char validation


DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number java.lang.NoClassDefFoundError: Could not initialize class net.sf.cglib.proxy.Enhancer at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53) at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)	FAILED	20.518 s
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209) at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61) at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63) at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103) at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/features/Login1.feature:27) * Not displayable characters are replaced by '?'.</init>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.182 s
	• •		

#	Step / Hook Details	Status	Duration
2	When User select Password option	SKIPPED	0.001 s
3	And Enters "96259871" and "Atmarama1@123" and click on submit	SKIPPED	0.001 s
4	Then Verify info message	SKIPPED	0.001 s


Indigo Customer login with incorrect Password



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	FAILED	19.674 s
	java.lang.NoClassDefFoundError: Could not initialize class net.sf.cglib.proxy.Enhancer		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28)		
	at ?.Launch app and Click on continue with mobile number(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/		
	features/Login1.feature:37)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.281 s
	image		

#	Step / Hook Details	Status	Duration
2	When User select Password option	SKIPPED	0.001 s
3	And Enters "9625987105" and "@34#invalid" and click on submit	SKIPPED	0.002 s
4	Then Verify info message	SKIPPED	0.001 s


Indigo Customer login with incorrect OTP



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	FAILED	20.126 s
	java.lang.NoClassDefFoundError: Could not initialize class net.sf.cglib.proxy.Enhancer at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53) at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33) at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209) at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61) at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63) at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		

#	Step / Hook Details	Status	Duration
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/features/Login1.feature:47) * Not displayable characters are replaced by '?'.</init>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.234 s
	image		
2	When User Enters "9625987105" and Click on send OTP	SKIPPED	0.001 s
3	And User Enters "3" and click on confirm	SKIPPED	0.001 s
4	Then Verify incorrect OTP message	SKIPPED	0.001 s

Guest Login



#	Step / Hook Details	Status	Duration
1	Given User Launch the application	PASSED	18.416 s
2	When User clicks on continue as guest button	FAILED	0.020 s
	java.lang.NoClassDefFoundError: Could not initialize class net.sf.cglib.proxy.Enhancer		

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.user_clicks_on_continue_as_guest_button(Login1.java:69)		
	at ?.User clicks on continue as guest button(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/features/		
	Login1.feature:58)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.324 s
	image]	
		1	
3	Then User is on homepage	SKIPPED	0.000 s
	Then ober to on nomepage	JOINT LD	0.000 3