

Indigo Appium Automation Report

19-Oct-2022, 9:00:44 PM

Start : Oct 19, 8:52:45.004 PM

End : Oct 19, 9:00:41.127 PM

Duration : 7 m 56.123 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 5
SKIPPED - 0

Steps


PASSED - 1
FAILED - 5
SKIPPED - 13



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Application Login</u>		7 m 56.123 s		5	0	5	0	19	1	5	13



#	Feature Name	T	P	F	S	Duration
1	<u>Application Login</u>	5	0	5	0	7 m 56.123 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Application Login</u>	<u>Indigo Customer login with Mobile</u>	4	0	1	3	1 m 51.806 s
2	<u>Application Login</u>	<u>Indigo Customer login with wrong Mobile</u>	4	0	1	3	51.543 s
3	<u>Application Login</u>	<u>Indigo Customer login with wrong Password</u>	4	0	1	3	50.567 s
4	<u>Application Login</u>	<u>Indigo Customer login with wrong OTP</u>	4	0	1	3	51.559 s
5	<u>Application Login</u>	<u>Guest Login</u>	3	1	1	1	3 m 30.519 s

Application Login



Indigo Customer login with Mobile




#	Step / Hook Details	Status	Duration
1	<p>Given Launch app and Click on continue with mobile number</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/btn_mobile_login}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:126) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/avinash.yadav/eclipse-workspace/TestAppiumProject01/src/test/java/features/Login1.feature:6) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@3b009e7b (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:99) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26)</pre>	FAILED	1 m 49.595 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id(btn_mobile_login)}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:120) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:172) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:165) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.099 s

#	Step / Hook Details	Status	Duration
			
2	When User select Password option	SKIPPED	0.011 s
3	And Enters "9625987105" and "Atmarama@123" and click on submit	SKIPPED	0.003 s
4	Then Verify landing page	SKIPPED	0.002 s

Indigo Customer login with wrong Mobile




#	Step / Hook Details	Status	Duration
1	<p>Given Launch app and Click on continue with mobile number</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/btn_mobile_login}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:126) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/avinash.yadav/eclipse-workspace/TestAppiumProject01/src/test/java/features/Login1.feature:16) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@902fdbe (tried for 1 second(s) with 500 milliseconds interval)</pre>	FAILED	49.192 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:99) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id(btn_mobile_login)}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:120) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:172) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:165) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> image	PASSED	1.045 s

#	Step / Hook Details	Status	Duration
			
			
2	When User select Password option	SKIPPED	0.001 s
3	And Enters "9625987111" and "Atmarama@123" and click on submit	SKIPPED	0.001 s
4	Then Verify info message	SKIPPED	0.001 s

Indigo Customer login with wrong Password




#	Step / Hook Details	Status	Duration
1	<p>Given Launch app and Click on continue with mobile number</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/btn_mobile_login}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:126) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/avinash.yadav/eclipse-workspace/TestAppiumProject01/src/test/java/features/Login1.feature:26) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@6e243175 (tried for 1 second(s) with 500 milliseconds interval)</pre>	FAILED	48.462 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:99) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id(btn_mobile_login)}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:120) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:172) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:165) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> image	PASSED	0.989 s

#	Step / Hook Details	Status	Duration
2	When User select Password option	SKIPPED	0.001 s
3	And Enters "9625987105" and "@34#invalid" and click on submit	SKIPPED	0.002 s
4	Then Verify info message	SKIPPED	0.001 s

Indigo Customer login with wrong OTP




#	Step / Hook Details	Status	Duration
1	<p>Given Launch app and Click on continue with mobile number</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/btn_mobile_login}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:126) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at ?.Launch app and Click on continue with mobile number(file:///C:/Users/avinash.yadav/eclipse-workspace/TestAppiumProject01/src/test/java/features/Login1.feature:36) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@7f5fcfe9 (tried for 1 second(s) with 500 milliseconds interval)</pre>	FAILED	48.727 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:99) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id(btn_mobile_login)}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:120) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:172) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:165) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> image	PASSED	0.956 s

#	Step / Hook Details	Status	Duration
	7		
	...		
2	When User Enters "9625987111" and Click on send OTP	SKIPPED	0.001 s
3	And User Enters "3" and click on confirm	SKIPPED	0.001 s
4	Then Verify incorrect OTP message	SKIPPED	0.001 s


Guest Login



#	Step / Hook Details	Status	Duration
1	Given User Launch the application	PASSED	22.022 s
2	<p>When User clicks on continue as guest button</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: com.android.permissioncontroller:id/permission_allow_foreground_only_button}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:126) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at testApp.Login1.user_clicks_on_continue_as_guest_button(Login1.java:62) at ?.User clicks on continue as guest button(file:///C:/Users/avinash.yadav/eclipse-workspace/TestAppiumProject01/src/test/java/features/Login1.feature:47) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.</pre>	FAILED	3 m 4.871 s

#	Step / Hook Details	Status	Duration
	<pre>AppiumElementLocator\$WaitingFunction@11a3a45f (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:99) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at testApp.Login1.user_clicks_on_continue_as_guest_button(Login1.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: com.android.permissioncontroller:id/permission_allow_foreground_only_button}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.Builder.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:120) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:172) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:165) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	2.396 s

#	Step / Hook Details	Status	Duration
			
3	Then User is on homepage	SKIPPED	0.001 s