

Indigo Appium Automation Report

20-Dec-2022, 8:43:36 PM

Start : Dec 20, 1:12:01.691 PM

End : Dec 20, 8:43:34.808 PM

Duration : 451 m 33.117 s

Features







PASSED - 3
FAILED - 15
SKIPPED - 0

Scenarios

PASSED - 46
FAILED - 37
SKIPPED - 0

Steps

PASSED - 976
FAILED - 37
SKIPPED - 167




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Application Login</u>	5 m 36.415 s	7	6	1	0	27	26	1	0
<u>Booking Modification Functionality</u>	5 m 19.612 s	4	2	2	0	37	34	2	1
<u>Logout Functionality</u>	52.575 s	1	1	0	0	6	6	0	0
<u>Indigo Payment Option</u>	46 m 13.382 s	7	3	4	0	124	120	4	0
<u>BoardingPass Functionality</u>	5 m 2.283 s	3	2	1	0	33	24	1	8
<u>Update Profile Details</u>	5 m 22.901 s	5	4	1	0	30	26	1	3
<u>Cancel Flight</u>	1 m 59.489 s	2	0	2	0	30	8	2	20
<u>Check-in Functionality</u>	7 m 7.675 s	4	2	2	0	39	31	2	6
<u>Indigo Booking Flow</u>	260 m 50.586 s	18	8	10	0	261	215	10	36
<u>Roundtrip Functionality</u>	65 m 17.565 s	6	2	4	0	155	116	4	35
<u>MultiCityTrip Functionality</u>	56 m 20.435 s	5	3	2	0	100	77	2	21
<u>UndoCheckin Functionality</u>	37.849 s	1	0	1	0	6	1	1	4
<u>Add-on Functionality</u>	102 m 6.294 s	12	8	4	0	276	245	4	27
<u>Flight Status Functionality</u>	2 m 2.847 s	2	2	0	0	17	17	0	0
<u>My Booking Tab</u>	1 m 28.175 s	1	1	0	0	4	4	0	0
<u>Update Contact Details</u>	2 m 23.982 s	3	2	1	0	18	13	1	4
<u>Cancel Flight Booking</u>	1 m 3.364 s	1	0	1	0	9	8	1	0


Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Forgot Password</u>		57.938 s		1	0	1	0	8	5	1	2

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Login		7	6	1	0	1	0	1	0
@BookingModification		3	2	1	0	1	0	1	0
@Bookingmodification		4	2	2	0	1	0	1	0
@demoscenario		8	5	3	0	6	0	6	0
@Demotest2		31	14	17	0	8	0	8	0
@Logout		1	1	0	0	1	1	0	0
@Demotest		26	15	11	0	6	0	6	0
@Payments		7	3	4	0	1	0	1	0
@BoardingPass		3	2	1	0	1	0	1	0
@Profile		5	4	1	0	1	0	1	0
@CancelChangeFlight		2	0	2	0	1	0	1	0
@CancelFlight		1	0	1	0	1	0	1	0
@ChangeFlight		1	0	1	0	1	0	1	0
@new1		1	0	1	0	1	0	1	0
@Booking		18	8	10	0	1	0	1	0
@negativeValidation		3	3	0	0	1	0	1	0
@negativeValidation2		1	1	0	0	1	0	1	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@MultiCityTrip	6	3	3	0	2	0	2	0
	@Roundtrip	6	2	4	0	1	0	1	0
	@undoCheckin	1	0	1	0	1	0	1	0
	@Addons	12	8	4	0	1	0	1	0
	@FlightStatus	2	2	0	0	1	1	0	0
	@MyBookingTab	1	1	0	0	1	1	0	0
	@update	3	2	1	0	1	0	1	0
	@CancelBooking	1	0	1	0	1	0	1	0
	@ForgotPassword	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Application Login</u>	7	6	1	0	5 m 36.415 s
2	<u>Booking Modification Functionality</u>	4	2	2	0	5 m 19.612 s
3	<u>Logout Functionality</u>	1	1	0	0	52.575 s
4	<u>Indigo Payment Option</u>	7	3	4	0	46 m 13.382 s
5	<u>BoardingPass Functionality</u>	3	2	1	0	5 m 2.283 s
6	<u>Update Profile Details</u>	5	4	1	0	5 m 22.901 s
7	<u>Cancel Flight</u>	2	0	2	0	1 m 59.489 s
8	<u>Check-in Functionality</u>	4	2	2	0	7 m 7.675 s
9	<u>Indigo Booking Flow</u>	18	8	10	0	260 m 50.586 s
10	<u>Roundtrip Functionality</u>	6	2	4	0	65 m 17.565 s




#	Feature Name	T	P	F	S	Duration
11	<u>MultiCityTrip Functionality</u>	5	3	2	0	56 m 20.435 s
12	<u>UndoCheckin Functionality</u>	1	0	1	0	37.849 s
13	<u>Add-on Functionality</u>	12	8	4	0	102 m 6.294 s
14	<u>Flight Status Functionality</u>	2	2	0	0	2 m 2.847 s
15	<u>My Booking Tab</u>	1	1	0	0	1 m 28.175 s
16	<u>Update Contact Details</u>	3	2	1	0	2 m 23.982 s
17	<u>Cancel Flight Booking</u>	1	0	1	0	1 m 3.364 s
18	<u>Forgot Password</u>	1	0	1	0	57.938 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Application Login</u>	<u>Indigo Customer login with Mobile number</u>	4	4	0	0	55.038 s
2	<u>Application Login</u>	<u>Indigo Customer login with incorrect Mobile number</u>	4	4	0	0	32.117 s
3	<u>Application Login</u>	<u>Indigo Customer login Mobile number char validation</u>	4	4	0	0	32.657 s
4	<u>Application Login</u>	<u>Indigo Customer login with incorrect Password</u>	4	4	0	0	35.954 s
5	<u>Application Login</u>	<u>Indigo Customer login with incorrect OTP</u>	4	4	0	0	1 m 2.667 s
6	<u>Application Login</u>	<u>Indigo Customer login with correct OTP</u>	4	3	1	0	1 m 29.766 s
7	<u>Application Login</u>	<u>Guest Login</u>	3	3	0	0	27.579 s
8	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for Addons.</u>	16	14	1	1	2 m 4.343 s
9	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for Update contact deatails.</u>	7	7	0	0	1 m 3.727 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for incorrect Update contact deatails.</u>	7	7	0	0	58.151 s
11	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for Change seats.</u>	7	6	1	0	1 m 13.158 s
12	<u>Logout Functionality</u>	<u>To test logout functionality</u>	6	6	0	0	52.575 s
13	<u>Indigo Payment Option</u>	<u>Make a Payment Using UPI</u>	17	16	1	0	7 m 1.571 s
14	<u>Indigo Payment Option</u>	<u>Make a Payment Using Credit Card</u>	19	19	0	0	6 m 24.587 s
15	<u>Indigo Payment Option</u>	<u>Make a Payment Using Debit Card</u>	21	20	1	0	6 m 35.056 s
16	<u>Indigo Payment Option</u>	<u>Make a Payment Using 6E Rewards</u>	20	19	1	0	7 m 16.526 s
17	<u>Indigo Payment Option</u>	<u>Make a Payment Using Net Banking</u>	16	16	0	0	6 m 12.326 s
18	<u>Indigo Payment Option</u>	<u>Make a Payment Using Wallet</u>	17	17	0	0	6 m 28.998 s
19	<u>Indigo Payment Option</u>	<u>Make a Payment Using hold and pay option</u>	14	13	1	0	6 m 13.979 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>BoardingPass Functionality</u>	<u>To verify the process for Boarding pass with valid Credentials</u>	11	11	0	0	1 m 59.233 s
21	<u>BoardingPass Functionality</u>	<u>To Verify the process for Boarding Pass with invalid credentials</u>	11	11	0	0	1 m 52.784 s
22	<u>BoardingPass Functionality</u>	<u>To verify the process for complete the HealthForm</u>	11	2	1	8	1 m 10.105 s
23	<u>Update Profile Details</u>	<u>To verify user can update First Name</u>	6	6	0	0	50.485 s
24	<u>Update Profile Details</u>	<u>To verify user can update Last Name</u>	6	6	0	0	52.210 s
25	<u>Update Profile Details</u>	<u>To verify user can update Email id</u>	6	6	0	0	54.198 s
26	<u>Update Profile Details</u>	<u>To verify user can update Contact</u>	6	2	1	3	1 m 41.447 s
27	<u>Update Profile Details</u>	<u>To verify user can update Profile Details</u>	6	6	0	0	1 m 4.357 s
28	<u>Cancel Flight</u>	<u>To Verify User can cancel the booked flight</u>	11	4	1	6	56.273 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Cancel Flight</u>	<u>To Verify User can change the booked flight</u>	19	4	1	14	1 m 3.157 s
30	<u>Check-in Functionality</u>	<u>To verify that registered user can check-in</u>	9	9	0	0	1 m 52.114 s
31	<u>Check-in Functionality</u>	<u>To verify that Guest user can check-in</u>	12	6	1	5	1 m 44.771 s
32	<u>Check-in Functionality</u>	<u>To verify Checkin Through Invalid Mobile Number</u>	9	9	0	0	1 m 43.212 s
33	<u>Check-in Functionality</u>	<u>To verify Checkin Through Invalid Email-id</u>	9	7	1	1	1 m 47.433 s
34	<u>Indigo Booking Flow</u>	<u>To Verify the maximum Infants allowed 4</u>	6	6	0	0	1 m 18.153 s
35	<u>Indigo Booking Flow</u>	<u>To Verify the maximum Children allowed 4</u>	5	5	0	0	1 m 6.900 s
36	<u>Indigo Booking Flow</u>	<u>To Verify the Pax count cannot be more than 9</u>	10	10	0	0	6 m 12.166 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
37	<u>Indigo Booking Flow</u>	<u>To Verify that user can search a flight</u>	10	2	1	7	1 m 44.624 s
38	<u>Indigo Booking Flow</u>	<u>To Verify that user can modify flight search</u>	14	14	0	0	9 m 41.635 s
39	<u>Indigo Booking Flow</u>	<u>To Verify that To and From cannot be same</u>	4	4	0	0	2 m 14.822 s
40	<u>Indigo Booking Flow</u>	<u>Make a booking with saver fare option</u>	16	9	1	6	6 m 17.680 s
41	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Armed Forces</u>	16	13	1	2	8 m 50.772 s
42	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Armed Forces Super6E fare option</u>	18	15	1	2	12 m 42.556 s
43	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Students</u>	14	14	0	0	10 m 42.276 s
44	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Students and Super6E fare option</u>	17	14	1	2	12 m 55.040 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
45	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family & Friends</u>	13	10	1	2	10 m 39.828 s
46	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family & Friends and Flexi Plus fare option</u>	14	11	1	2	14 m 47.243 s
47	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family & Friends and Flexi Plus fare option</u>	43	33	1	9	14 m 24.317 s
48	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Unaccompanied Minor</u>	15	15	0	0	10 m 46.851 s
49	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Unaccompanied Minor and Super6E fare option</u>	17	14	1	2	13 m 18.529 s
50	<u>Indigo Booking Flow</u>	<u>Make a booking with FLEXI PLUS</u>	15	15	0	0	8 m 48.300 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Indigo Booking Flow</u>	<u>Make a booking with SUPER 6E CAPITAL</u>	14	11	1	2	9 m 30.983 s
52	<u>Roundtrip Functionality</u>	<u>To Verify that user can search a flight for RoundTrip</u>	21	21	0	0	11 m 4.384 s
53	<u>Roundtrip Functionality</u>	<u>Make a RoundTrip booking with special fares Armed Forces</u>	22	20	1	1	11 m 46.471 s
54	<u>Roundtrip Functionality</u>	<u>To Verify a RoundTrip booking with special fares Family & Friends</u>	29	21	1	7	13 m 36.707 s
55	<u>Roundtrip Functionality</u>	<u>Make a RoundTrip booking with special fares Armed Forces and super 6E</u>	36	31	1	4	12 m 39.782 s
56	<u>Roundtrip Functionality</u>	<u>To Verify a RoundTrip booking with Flexi plus</u>	32	8	1	23	4 m 6.578 s
57	<u>Roundtrip Functionality</u>	<u>To verify that Round trip cannot club two different fares.</u>	15	15	0	0	12 m 3.349 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>MultiCityTrip Functionality</u>	<u>To Verify that user can search a flight for Multicity</u>	12	10	1	1	4 m 41.409 s
59	<u>MultiCityTrip Functionality</u>	<u>To Verify that user can modify the MultiCity flight</u>	16	16	0	0	8 m 24.785 s
60	<u>MultiCityTrip Functionality</u>	<u>To Verify that user can Make a MultiCity booking with special fares Armed Forces</u>	26	26	0	0	12 m 10.797 s
61	<u>MultiCityTrip Functionality</u>	<u>To Verify that Make a Multicity booking with Armed Force and SUPER 6E CAPITAL</u>	40	19	1	20	14 m 12.115 s
62	<u>MultiCityTrip Functionality</u>	<u>In multi city we not choose back date for travel</u>	6	6	0	0	2 m 26.677 s
63	<u>UndoCheckin Functionality</u>	<u>To Verify User can Check the Undo Check In</u>	6	1	1	4	37.849 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>Add-on Functionality</u>	<u>To select Six E Prime Add-on for Adult passangers</u>	32	31	1	0	9 m 30.502 s
65	<u>Add-on Functionality</u>	<u>To select Fast Forward Add-on for Child</u>	21	13	1	7	7 m 17.978 s
66	<u>Add-on Functionality</u>	<u>To select Excess Baggage Add-on</u>	22	6	1	15	4 m 34.990 s
67	<u>Add-on Functionality</u>	<u>To select Sports Equipment Add-on</u>	19	13	1	5	7 m 48.769 s
68	<u>Add-on Functionality</u>	<u>To select Delayed and Lost Baggage addon</u>	21	21	0	0	7 m 49.398 s
69	<u>Add-on Functionality</u>	<u>To select 6E QickBoard Add-on</u>	18	18	0	0	7 m 55.866 s
70	<u>Add-on Functionality</u>	<u>To select Lounge Add-on</u>	20	20	0	0	9 m 27.766 s
71	<u>Add-on Functionality</u>	<u>To select Travel Assistance Add-on</u>	22	22	0	0	10 m 3.116 s
72	<u>Add-on Functionality</u>	<u>To select Indigo Promise Add-on</u>	24	24	0	0	11 m 34.992 s
73	<u>Add-on Functionality</u>	<u>To select SixE Seat and Eat Add-on for Senior Citizen passangers</u>	29	29	0	0	8 m 8.543 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Add-on Functionality</u>	<u>Verify For 6e prime fast forward ,meal and Normal seats are free and 50% discount on XL seats</u>	27	27	0	0	8 m 34.285 s
75	<u>Add-on Functionality</u>	<u>For flexi plus fare meal is free</u>	21	21	0	0	9 m 19.528 s
76	<u>Flight Status Functionality</u>	<u>To verfiy user can check the flight status by using PNR Number</u>	8	8	0	0	52.270 s
77	<u>Flight Status Functionality</u>	<u>To verfiy user can check the flight status By Route</u>	9	9	0	0	1 m 10.537 s
78	<u>My Booking Tab</u>	<u>To verify user can check my booking tab</u>	4	4	0	0	1 m 28.175 s
79	<u>Update Contact Details</u>	<u>To Verify user can Update Contact</u>	6	1	1	4	40.494 s
80	<u>Update Contact Details</u>	<u>To Verify user can Update Email id</u>	6	6	0	0	51.890 s
81	<u>Update Contact Details</u>	<u>To Verify user can Update Contact and EmailId</u>	6	6	0	0	51.493 s
82	<u>Cancel Flight Booking</u>	<u>To Verify User Can cancel our flight booking</u>	9	8	1	0	1 m 3.364 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
83	<u>Forgot Password</u>	<u>To test forgot password functionality</u>	8	5	1	2	57.938 s

Application Login




Indigo Customer login with Mobile number




#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	30.366 s
2	When User select Password option	PASSED	0.939 s
3	And Enters "9766940710" and "Mangeshk@123" and click on submit	PASSED	11.244 s
4	Then Verify landing page	PASSED	11.863 s

Indigo Customer login with incorrect Mobile number




#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	21.615 s
2	When User select Password option	PASSED	1.420 s
3	And Enters "9625987111" and "Mangeshk@123" and click on submit	PASSED	5.834 s
4	Then Verify info message	PASSED	2.594 s

Indigo Customer login Mobile number char validation



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	20.449 s
2	When User select Password option	PASSED	0.995 s
3	And Enters "96259871" and "Mangeshk@123" and click on submit	PASSED	6.201 s
4	Then Verify info message	PASSED	4.268 s


Indigo Customer login with incorrect Password



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	23.861 s
2	When User select Password option	PASSED	1.081 s


#	Step / Hook Details	Status	Duration
3	And Enters "9766940710" and "@34#invalid" and click on submit	PASSED	10.197 s
4	Then Verify info message	PASSED	0.187 s

Indigo Customer login with incorrect OTP



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	20.738 s
2	When User Enters "9766940711" and Click on send OTP	PASSED	3.014 s
3	And User Enters "3" and click on confirm	PASSED	37.497 s
4	Then Verify incorrect OTP message	PASSED	0.733 s

Indigo Customer login with correct OTP




#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	21.920 s
2	When User Enters "9766940710" and Click on send OTP	PASSED	3.183 s
3	And User clicks on confirm	PASSED	3.009 s
4	Then Verify landing page	FAILED	1 m 0.343 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Located by By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at pageObjects.android.LoginPage1.verifyLandingpPage(LoginPage1.java:120) at testApp.Login1.verify_landing_page(Login1.java:54) at ?.Verify landing page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/A_Login1.feature:66) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at pageObjects.android.LoginPage1.verifyLandingpPage(LoginPage1.java:120) at testApp.Login1.verify_landing_page(Login1.java:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@4b508371 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 61 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os: </pre>		

#	Step / Hook Details	Status	Duration
	<pre> name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>  <p>The screenshot shows a mobile application interface. At the top, there is a header bar with icons. Below it, a message says "Welcome Back" and provides instructions: "We have sent the OTP on your registered email ID and on +91 976940710". There is a "Change mobile number?" link. In the center, there is a text input field with four placeholder squares for digits. Below the input field is a "Confirm OTP" button. At the bottom left, there is a link "Did not receive OTP? 0429".</p>	PASSED	0.655 s

Guest Login




#	Step / Hook Details	Status	Duration
1	Given User Launch the application	PASSED	10.732 s
2	When User clicks on continue as guest button	PASSED	13.879 s
3	Then User is on homepage	PASSED	2.331 s

Booking Modification Functionality



To Booking Modifaction for Addons.




#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	27.376 s
2	Given user is on home page and click on checkin module	PASSED	14.490 s

#	Step / Hook Details	Status	Duration
3	And click on view Itenerary button	PASSED	2.744 s
4	And user select additional services option	PASSED	4.006 s
5	And verify additional services page	PASSED	1.134 s
6	And select excess baggage addon	PASSED	5.456 s
7	And select checkbox and confirm it	PASSED	9.317 s
8	And click on continue with addon	PASSED	1.215 s
9	And skip the travel assistance addons	PASSED	1.138 s
10	When user verify payment page	PASSED	4.854 s
11	And select Credicard option	PASSED	0.994 s
12	And enter valid credentials "4263982640269299" and "02/23" and "837" and "Visa" of credit card	PASSED	22.034 s
13	And accept terms and click pay	PASSED	7.005 s
14	And Click for confirm Payment	PASSED	0.301 s
15	And click on back to merchant page	FAILED	20.966 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@text='Return To the Merchant Site']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.BookingModificationPage.ClickonbacktoMerchant(BookingModificationPage.java:309) at testApp.Bookingmodifications.click_on_back_to_merchant_page(Bookingmodifications.java:112) at ?.click on back to merchant page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_BookingModification.feature:24) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@3d764641 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.BookingModificationPage.ClickonbacktoMerchant(BookingModificationPage.java:309) at testApp.Bookingmodifications.click_on_back_to_merchant_page(Bookingmodifications.java:112) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		


#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@text='Return To the Merchant Site']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.570 s
16	Then verify modified addon	SKIPPED	0.009 s

To Booking Modifaction for Update contact deatails.



#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	29.529 s
2	Given user is on home page and click on checkin module	PASSED	15.048 s
3	And click on view Itenerary button	PASSED	4.676 s
4	And user select update contact details	PASSED	5.197 s
5	When user enters "9766940710" and "mk@gmail.com" for update	PASSED	3.616 s
6	And click on update details button	PASSED	0.653 s
7	Then verify updated contact details	PASSED	4.327 s


To Booking Modifaction for incorrect Update contact deatails.



#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	27.888 s
2	Given user is on home page and click on checkin module	PASSED	14.700 s
3	And click on view Itenerary button	PASSED	4.727 s
4	And user select update contact details	PASSED	4.537 s
5	When user enters incorrect "762082813" and "mangeshk@gmail.com" for update	PASSED	4.062 s
6	And click on update details button	PASSED	0.642 s

#	Step / Hook Details	Status	Duration
7	Then verify enter valid contact details message	PASSED	0.946 s


To Booking Modification for Change seats.



#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	26.271 s
2	Given user is on home page and click on checkin module	PASSED	13.392 s
3	And click on view Itenerary button	PASSED	3.996 s
4	And user select Change seats	PASSED	3.620 s
5	When user select seat	PASSED	6.836 s
6	And click on continue for payment	PASSED	2.181 s
7	Then verify modified seat change org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at pageObjects.android.BookingModificationPage.VerifyBookedTicket(BookingModificationPage.java:242) at testApp.Bookingmodifications.verify_modified_seat_change(Bookingmodifications.java:167) at ?.verify modified seat change(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_BookingModification.feature:67) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@41492479 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>)	FAILED	15.593 s

#	Step / Hook Details	Status	Duration
	at pageObjects.android.BookingModificationPage.VerifyBookedTicket(BookingModificationPage.java:242) at testApp.Bookingmodifications.verify_modified_seat_change(Bookingmodifications.java:167) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.573 s

#	Step / Hook Details	Status	Duration
			

Logout Functionality



To test logout functionality




#	Step / Hook Details	Status	Duration
1	Given user is on home page	PASSED	28.135 s
2	And user is click on profile button	PASSED	13.043 s
3	And user is scrolled down	PASSED	6.907 s
4	And select logout button	PASSED	0.407 s

#	Step / Hook Details	Status	Duration
5	And user select yes option	PASSED	1.763 s
6	Then user is on the login page	PASSED	1.651 s


Indigo Payment Option




Make a Payment Using UPI



#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	27.327 s
2	And User is on Book flight page	PASSED	15.830 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 28.857 s
4	And User select a Departure date	PASSED	25.448 s
5	And User click on Done button	PASSED	0.750 s
6	And User click on search flight	PASSED	31.284 s
7	And User click on continue button	PASSED	1 m 46.831 s
8	And User skips flexi upgrade option	PASSED	10.189 s
9	And User enter details for passenger	PASSED	41.852 s
10	And User skips addons and insurance	PASSED	15.470 s
11	Given User is on Payment Page	PASSED	3.280 s


#	Step / Hook Details	Status	Duration
12	And User select payment method UPI	PASSED	4.395 s
13	And User enter "john@sbi" Virtual Payment Address	PASSED	2.809 s
14	And User agrees to terms and conditions	PASSED	4.612 s
15	Then User click on pay button	PASSED	5.756 s
16	And User proceed to complete the payment	PASSED	0.934 s
17	<p>And Ticket is confirmed</p> <pre>java.lang.AssertionError: expected [Ticket Confirmed] but found [] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at testApp.Payments.ticket_is_confirmed(Payments.java:409) at ?.Ticket is confirmed(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_Payments.feature:23) * Not displayable characters are replaced by '?'.</pre>	FAILED	34.501 s
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.727 s

Make a Payment Using Credit Card



#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	27.942 s
2	And User is on Book flight page	PASSED	14.732 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 27.829 s
4	And User select a Departure date	PASSED	24.500 s
5	And User click on Done button	PASSED	0.879 s
6	And User click on search flight	PASSED	21.582 s
7	And User click on continue button	PASSED	1 m 50.524 s
8	And User skips flexi upgrade option	PASSED	10.456 s
9	And User enter details for passenger	PASSED	40.551 s
10	And User skips addons and insurance	PASSED	15.785 s
11	Given User is on Payment Page	PASSED	2.084 s
12	And User select payment method Credit Card	PASSED	2.871 s
13	And User enters card number "5200000000000007"	PASSED	2.664 s
14	And User enters expiry date "0123"	PASSED	2.865 s
15	And User enters cvv number "123"	PASSED	3.572 s
16	And User enters fullname "Lee"	PASSED	3.726 s
17	And User agrees to terms and conditions	PASSED	8.185 s
18	Then User click on pay button	PASSED	1.009 s
19	And User proceed to complete the payment	PASSED	2.162 s


Make a Payment Using Debit Card




#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	28.336 s
2	And User is on Book flight page	PASSED	12.134 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 30.827 s
4	And User select a Departure date	PASSED	24.899 s
5	And User click on Done button	PASSED	0.751 s
6	And User click on search flight	PASSED	21.209 s
7	And User click on continue button	PASSED	1 m 21.376 s
8	And User skips flexi upgrade option	PASSED	10.550 s
9	And User enter details for passenger	PASSED	33.449 s
10	And User skips addons and insurance	PASSED	15.874 s
11	Given User is on Payment Page	PASSED	3.143 s
12	And User select payment method Debit Card	PASSED	2.615 s
13	And User select search and select a "State Bank of India"	PASSED	5.314 s
14	And User enters debit card number "5200000000000007"	PASSED	2.181 s
15	And User enters debit expiry date "0123"	PASSED	4.596 s
16	And User enters debit cvv number "123"	PASSED	7.358 s
17	And User enters debit fullname "admin"	PASSED	2.741 s
18	And User agrees to terms and conditions	PASSED	2.725 s
19	Then User click on pay button	PASSED	1.667 s
20	And User proceed to complete the payment	PASSED	0.271 s
21	And Ticket is confirmed	FAILED	41.787 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) (tried for 40 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		

#	Step / Hook Details	Status	Duration
	<pre> at testApp.Payments.ticket_is_confirmed(Payments.java:407) at ?.Ticket is confirmed(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_Payments.feature:78) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Payments.ticket_is_confirmed(Payments.java:407) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@1a99744a (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in. goindigo.android.debug:id/text_ticket_confirm}) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.547 s

Make a Payment Using 6E Rewards




#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	28.273 s
2	And User is on Book flight page	PASSED	13.241 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 27.784 s
4	And User select a Departure date	PASSED	25.273 s
5	And User click on Done button	PASSED	0.522 s


#	Step / Hook Details	Status	Duration
6	And User click on search flight	PASSED	31.335 s
7	And User click on continue button	PASSED	1 m 45.608 s
8	And User skips flexi upgrade option	PASSED	7.686 s
9	And User enter details for passenger	PASSED	42.849 s
10	And User skips addons and insurance	PASSED	15.938 s
11	And User navigate to Payment Page	PASSED	2.092 s
12	And User select payment method 6E Rewards	PASSED	0.991 s
13	And User enters card number "5200000000000007"	PASSED	2.746 s
14	And User enters expiry date "0123"	PASSED	3.726 s
15	And User enters cvv number "123"	PASSED	5.446 s
16	And User enters fullname "admin"	PASSED	3.688 s
17	And User agrees to terms and conditions	PASSED	4.551 s
18	Then User click on pay button	PASSED	0.977 s
19	And User proceed to complete the payment	PASSED	2.257 s
20	And Ticket is confirmed	FAILED	50.009 s
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) (tried for 40 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.Payments.ticket_is_confirmed(Payments.java:407) at ?.Ticket is confirmed(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_Payments.feature:105) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Payments.ticket_is_confirmed(Payments.java:407) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@4e3bc13b (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in. goindigo.android.debug:id/text_ticket_confirm}) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.Builder.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.771 s

#	Step / Hook Details	Status	Duration
			


Make a Payment Using Net Banking

PASSED	DURATION - 6 m 12.326 s	Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 1:51:08.588 PM // 1:57:20.914 PM /			
Indigo Payment Option			
@Demotest @Payments			

#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	29.033 s
2	And User is on Book flight page	PASSED	11.847 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 30.790 s
4	And User select a Departure date	PASSED	25.026 s
5	And User click on Done button	PASSED	0.729 s
6	And User click on search flight	PASSED	21.155 s
7	And User click on continue button	PASSED	1 m 46.412 s
8	And User skips flexi upgrade option	PASSED	10.643 s
9	And User enter details for passenger	PASSED	39.871 s
10	And User skips addons and insurance	PASSED	15.552 s
11	Given User is on Payment Page	PASSED	4.894 s
12	And User select payment method Net Banking	PASSED	1.823 s


#	Step / Hook Details	Status	Duration
13	And User click on other bank option	PASSED	1.800 s
14	And User select test bank for net banking	PASSED	0.337 s
15	And User agrees to terms and conditions	PASSED	9.915 s
16	Then User click on pay button	PASSED	1.833 s

Make a Payment Using Wallet



#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	27.999 s
2	And User is on Book flight page	PASSED	12.274 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 32.009 s
4	And User select a Departure date	PASSED	24.440 s
5	And User click on Done button	PASSED	0.936 s
6	And User click on search flight	PASSED	31.235 s
7	And User click on continue button	PASSED	1 m 46.931 s
8	And User skips flexi upgrade option	PASSED	10.664 s
9	And User enter details for passenger	PASSED	39.588 s
10	And User skips addons and insurance	PASSED	15.885 s
11	Given User is on Payment Page	PASSED	2.309 s
12	And User select payment method Wallet	PASSED	3.531 s
13	And User select a Wallet "Paytm" from displayed option	PASSED	4.700 s
14	And User enters mobile "9999999999"	PASSED	5.398 s
15	And User agrees to terms and conditions	PASSED	6.400 s
16	Then User click on pay button	PASSED	3.455 s
17	And Payment initiated continue	PASSED	0.441 s

Make a Payment Using hold and pay option



#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	28.080 s
2	And User is on Book flight page	PASSED	15.706 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 30.527 s
4	And User select a Departure date in future	PASSED	25.535 s
5	And User click on Done button	PASSED	0.884 s
6	And User click on search flight	PASSED	21.412 s
7	And User click on continue button	PASSED	1 m 47.269 s
8	And User skips flexi upgrade option	PASSED	7.232 s
9	And User enter details for passenger	PASSED	43.257 s
10	And User skips addons and insurance	PASSED	15.510 s
11	Given User is on Payment Page	PASSED	2.317 s
12	And User click on hold and pay option	PASSED	2.586 s
13	And User click on Hold button	PASSED	2.304 s
14	Then User verify ticket confirmation org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getAttribute(<generated>) at testApp.Payments.user_verify_ticket_confirmation(Payments.java:336) at ?.User verify ticket confirmation(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_Payments.feature:171) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@4a467f08 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)	FAILED	10.058 s

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getAttribute(<generated>) at testApp.Payments.user_verify_ticket_confirmation(Payments.java:336) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_ticket_confirm}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.681 s

#	Step / Hook Details	Status	Duration

BoardingPass Functionality




To verify the process for Boarding pass with valid Credentials



#	Step / Hook Details	Status	Duration
1	Given Launch the Application and Login	PASSED	25.879 s
2	Given user is on Home Page and click on Checkin	PASSED	14.386 s
3	When user click on find booking	PASSED	6.450 s
4	And user Enter PNR and "Kulkarni"	PASSED	6.232 s


#	Step / Hook Details	Status	Duration
5	And user click On Submit	PASSED	1.878 s
6	And user click On Check IN Now button	PASSED	2.197 s
7	When user add the Bag count and Click on Next	PASSED	7.418 s
8	And user Skip the addons page and Click on continue	PASSED	8.596 s
9	And user select Not intrested for Travel Asistance	PASSED	1.262 s
10	And user Enter "8668399134" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In from	PASSED	32.892 s
11	Then verify user complete Boarding Pass Process	PASSED	11.356 s

To Verify the process for Boarding Pass with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given Launch the Application and Login	PASSED	28.922 s
2	Given user is on Home Page and click on Checkin	PASSED	13.382 s
3	And user get a pnr and click on find booking	PASSED	5.080 s
4	And user Enter PNR and "Kulkarni"	PASSED	7.513 s
5	And user click On Submit	PASSED	1.221 s
6	And user click On Check IN Now button	PASSED	2.267 s
7	When user add the Bag count and Click on Next	PASSED	6.982 s
8	And user Skip the addons page and Click on continue	PASSED	8.627 s
9	And user select Not intrested for Travel Asistance	PASSED	1.122 s
10	And user Enter "567" and "yoyo3557@gmail.com" and "pune" and "413512" in Web Check In from	PASSED	34.364 s
11	Then Verify contact info message	PASSED	2.612 s

To verify the process for complete the HealthFrom




#	Step / Hook Details	Status	Duration
1	Given Launch the Application and Login	PASSED	26.080 s
2	Given user is on Home Page and click on Checkin	PASSED	12.654 s
3	<p>When user get new PNR and click on find booking</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: (/android.widget.TextView[@resource-id='in.goindigo.android.debug:id/tvv_pnr_number'])[2]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at testApp.BoardingPass.user_get_NEW_PNR_and_click_on_find_booking(BoardingPass.java:63) at ?.user get new PNR and click on find booking(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/BoardingPass.feature:46)</pre> <p>Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@5408b06d (tried for 1 second(s) with 500 milliseconds interval)</p> <pre>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at testApp.BoardingPass.user_get_NEW_PNR_and_click_on_find_booking(BoardingPass.java:63) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</pre>	FAILED	30.047 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.</p>		


#	Step / Hook Details	Status	Duration
	<p>TextView[@resource-id='in.goindigo.android.debug:id/tvv_pnr_number'][2]) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element</p> <p>Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver</p> <pre>at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.600 s
4	And user Enter PNR and "Kulkarni"	SKIPPED	0.000 s
5	And user click On Submit	SKIPPED	0.000 s
6	And user click On Check IN Now button	SKIPPED	0.000 s
7	When user add the Bag count and Click on Next	SKIPPED	0.001 s
8	And user Skip the addons page and Click on continue	SKIPPED	0.000 s
9	And user select Not intrested for Travel Asistance	SKIPPED	0.000 s
10	And user Enter "8668345124" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In from	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
11	Then verify user complete Boarding Pass Process	SKIPPED	0.001 s

Update Profile Details




To verify user can update First Name




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	31.531 s
2	And User is on Profile Page	PASSED	9.033 s
3	And User click on Edit Profile button	PASSED	3.656 s
4	When User Changes First Name "Mangesh"	PASSED	1.684 s
5	And User click on Update Profile button	PASSED	0.950 s
6	Then Profile update is successfull	PASSED	2.978 s

To verify user can update Last Name




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	27.393 s
2	And User is on Profile Page	PASSED	12.827 s
3	And User click on Edit Profile button	PASSED	5.213 s
4	When User Changes Last Name "Kulkarni"	PASSED	2.684 s
5	And User click on Update Profile button	PASSED	0.857 s
6	Then Profile update is successfull	PASSED	2.554 s

To verify user can update Email id



#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	29.117 s
2	And User is on Profile Page	PASSED	14.642 s
3	And User click on Edit Profile button	PASSED	4.905 s
4	When User Changes Email ID "mk@gmail.com"	PASSED	2.407 s
5	And User click on Update Profile button	PASSED	0.826 s
6	Then Profile update is successfull	PASSED	1.581 s

To verify user can update Contact




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	27.203 s
2	And User is on Profile Page	PASSED	12.285 s
3	<p>And User click on Edit Profile button</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Located by By.chained({AppiumBy.id: in.goindigo.android.debug:id/tvx_edit_profile}) (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at pageObjects.android.ProfilePage.SelectEditProfile(ProfilePage.java:72) at testApp.Profile.user_click_on_edit_profile_button(Profile.java:47) at ?.User click on Edit Profile button(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/C_Profile.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/tvx_edit_profile}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at pageObjects.android.ProfilePage.SelectEditProfile(ProfilePage.java:72) at testApp.Profile.user_click_on_edit_profile_button(Profile.java:47) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	FAILED	1 m 0.641 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@7cb040b7 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 61 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/tvx_edit_profile}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.Builder.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.656 s

#	Step / Hook Details	Status	Duration
			
4	When User Changes contact "9766940710"	SKIPPED	0.000 s
5	And User click on Update Profile button	SKIPPED	0.000 s
6	Then Profile update is successfull	SKIPPED	0.001 s

To verify user can update Profile Details




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	27.523 s
2	And User is on Profile Page	PASSED	18.677 s
3	And User click on Edit Profile button	PASSED	5.880 s
4	When User Changes "Mangesh" and "Kulkarni" and "mk@gmail.com" and "9766940710"	PASSED	9.205 s
5	And User click on Update Profile button	PASSED	0.788 s
6	Then Profile update is successfull	PASSED	1.675 s

Cancel Flight




To Verify User can cancel the booked flight




#	Step / Hook Details	Status	Duration
1	Given Launch the application and login	PASSED	27.972 s
2	Given User is on Home page and click on modify	PASSED	12.481 s
3	When User click on modify booking	PASSED	3.532 s
4	And User click on cancel flight	PASSED	0.855 s
5	And User select Bank Account to refund org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.RadioButton[@resource-id='in.goindigo.android.debug:id/radio_refund_subitem']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CancelChangeFlightPage.ClickBankAccountForRefund(CancelChangeFlightPage.java:74) at testApp.CancelChangeFlight.user_select_bank_account_to_refund(CancelChangeFlight.java:51) at ?.User select Bank Account to refund(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/CancelChangeFlight.feature:14) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@5802572b (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)	FAILED	10.159 s

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CancelChangeFlightPage.ClickBankAccountForRefund(CancelChangeFlightPage.java:74) at testApp.CancelChangeFlight.user_select_bank_account_to_refund(CancelChangeFlight.java:51) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.RadioButton[@resource-id='in.goindigo.android.debug:id/radio_refund_subitem']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.633 s

#	Step / Hook Details	Status	Duration
			
6	And User click on Cancel flight tab	SKIPPED	0.001 s
7	And User should select booked flight for cancelling	SKIPPED	0.000 s
8	And User click on continue tab	SKIPPED	0.000 s
9	And User select yes for cancel flight	SKIPPED	0.001 s
10	And User click on finish option	SKIPPED	0.000 s
11	Then User verify Flight Cancel Message	SKIPPED	0.000 s

To Verify User can change the booked flight




#	Step / Hook Details	Status	Duration
1	Given Launch the application and login	PASSED	27.313 s
2	Given User is on Home Page and click on CheckIn	PASSED	12.828 s
3	And User select view Itenerary	PASSED	3.113 s
4	When User click on change flight Button	PASSED	3.529 s
5	And User click on checkbox org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/check_box})	FAILED	15.079 s

#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at testApp.CancelChangeFlight.user_click_on_checkbox(CancelChangeFlight.java:123) at ?.User click on checkbox(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/ CancelChangeFlight.feature:27) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@7adde112 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at testApp.CancelChangeFlight.user_click_on_checkbox(CancelChangeFlight.java:123) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/check_box}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver version: WebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image A screenshot of a flight booking application interface. A modal dialog box is centered, displaying an 'Information' message: 'Booking can't be modified as passenger(s) have already Checked-in. Kindly undo Check-in to modify booking.' There are 'OK' and 'Close' buttons at the bottom of the dialog. Below the dialog, there are several buttons: 'Change Flight', 'Update Check-in', 'Update Contact', 'Add Fast Forward', 'Additional Services', 'Check-in', 'Modify Booking', and 'Flight Details'.	PASSED	0.598 s
6	And User select New date	SKIPPED	0.001 s
7	And User click on done button	SKIPPED	0.001 s
8	When User click on select flight button	SKIPPED	0.000 s
9	And User click on new flight booking	SKIPPED	0.000 s
10	And User click on continue Tab	SKIPPED	0.001 s
11	And User skip Addon page click on continue	SKIPPED	0.000 s
12	And User select Not interested for Travel Asistance	SKIPPED	0.000 s
13	And User select NetBanking Payemnt Option	SKIPPED	0.000 s
14	And User select Other	SKIPPED	0.000 s
15	And User click on Avenue Test	SKIPPED	0.000 s
16	And User select CheckBox	SKIPPED	0.000 s
17	And User click on Pay Button	SKIPPED	0.001 s
18	And User click on Continue	SKIPPED	0.000 s
19	Then User verify the Message	SKIPPED	0.001 s

Check-in Functionality




To verify that registered user can check-in



#	Step / Hook Details	Status	Duration
1	Given Launch the app and login	PASSED	33.086 s
2	And User can Select Check In now Option to Proceed	PASSED	15.681 s
3	And user click on check in now	PASSED	0.900 s
4	And user click on Check IN Now button	PASSED	2.322 s
5	When user add the Bag count and click on Next	PASSED	6.479 s
6	And User skip addons and click on continue	PASSED	9.398 s
7	And user select not intrested for Travel Asistance	PASSED	1.280 s
8	And user Enter "8668399124" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In From	PASSED	32.168 s
9	Then User completed checkin process	PASSED	10.080 s

To verify that Guest user can check-in




#	Step / Hook Details	Status	Duration
1	Given user launch the Application	PASSED	10.255 s
2	When User clicks on continue as guest Button	PASSED	11.682 s
3	And User is on HomePage Click On CheckIN	PASSED	9.285 s
4	And User Click On Find Booking	PASSED	0.786 s
5	When User Enter "OJBZ4Q" and "Kulkarni"	PASSED	8.629 s
6	And User Click On Submit	PASSED	2.790 s
7	And user click on Check IN Now button org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@resource-id='in.goindigo.android.debug:id/btn_check_in']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CheckInPage.ClickOnCheckInNow(CheckInPage.java:106) at testApp.CheckIn.user_click_on_check_in_now_button(CheckIn.java:48) at ?.user click on Check IN Now button(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/CheckIn.feature:29) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@76b11572 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CheckInPage.ClickOnCheckInNow(CheckInPage.java:106) at testApp.CheckIn.user_click_on_check_in_now_button(CheckIn.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	1 m 0.080 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@resource-id='in.goindigo.android.debug:id/btn_check_in']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.491 s
8	When user add the Bag count and click on Next	SKIPPED	0.000 s
9	And User skip addons and click on continue	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
10	And user select not interested for Travel Assistance	SKIPPED	0.000 s
11	And user Enter "8668399124" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In From	SKIPPED	0.001 s
12	Then User completed checkin process	SKIPPED	0.000 s

To verify Checkin Through Invalid Mobile Number



#	Step / Hook Details	Status	Duration
1	Given Launch the app and login	PASSED	31.958 s
2	And User can Select Check In now Option to Proceed	PASSED	15.722 s
3	And user click on check in now	PASSED	0.407 s
4	And user click on Check IN Now button	PASSED	2.629 s
5	When user add the Bag count and click on Next	PASSED	6.421 s
6	And User skip addons and click on continue	PASSED	7.794 s
7	And user select not interested for Travel Assistance	PASSED	1.639 s
8	And user Enter "8634" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In From	PASSED	34.130 s
9	Then Verify contact information message	PASSED	1.830 s

To verify Checkin Through Invalid Email-id



#	Step / Hook Details	Status	Duration
1	Given Launch the app and login	PASSED	28.070 s
2	And User can Select Check In now Option to Proceed	PASSED	21.374 s
3	And user click on check in now	PASSED	0.909 s
4	And user click on Check IN Now button	PASSED	2.231 s
5	When user add the Bag count and click on Next	PASSED	6.918 s
6	And User skip addons and click on continue	PASSED	7.772 s
7	And user select not intrested for Travel Asistance	PASSED	1.127 s
8	And user Enter "8668399124" and "yoyo3557gmail.com" and "latur" and "413512" in Web Check In From	FAILED	37.772 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.CheckBox[@resource-id='in.goindigo.android.debug:id/cb_tnc']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getLocation(<generated>) at pageObjects.android.BoardingPassPage.WebCheckIn(BoardingPassPage.java:186) at testApp.CheckIn.user_enter_and_and_and_in_web_check_in_from(CheckIn.java:73) at ?.user Enter "8668399124" and "yoyo3557gmail.com" and "latur" and "413512" in Web Check In From(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/CheckIn.feature:65) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@5e56f24c (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getLocation(<generated>) at pageObjects.android.BoardingPassPage.WebCheckIn(BoardingPassPage.java:186) at testApp.CheckIn.user_enter_and_and_and_in_web_check_in_from(CheckIn.java:73) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.CheckBox[@resource-id='in.goindigo.android.debug:id/cb_tnc']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', </pre>		

#	Step / Hook Details	Status	Duration
	<pre>java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.536 s
9	Then Verify EmailId message	SKIPPED	0.000 s

Indigo Booking Flow




To Verify the maximum Infants allowed 4




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.545 s
2	Given User is on Book Flight Page	PASSED	14.459 s
3	And User click on passengers	PASSED	23.523 s
4	When User add Adults	PASSED	4.526 s
5	And User add infants more than four	PASSED	5.570 s
6	Then User validate the infants count	PASSED	0.804 s

To Verify the maximum Children allowed 4




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.284 s
2	Given User is on Book Flight Page	PASSED	12.473 s
3	And User click on passengers	PASSED	23.604 s
4	When User add child more than four	PASSED	3.687 s
5	Then User validate the child count	PASSED	0.190 s

To Verify the Pax count cannot be more than 9



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	27.404 s
2	Given User is on Book Flight Page	PASSED	12.569 s
3	When User selects "Mum" and "IXC" cities	PASSED	1 m 31.907 s
4	And User selects a departure date	PASSED	24.313 s
5	And User clicks on Done button	PASSED	1.452 s
6	And User Search and select a "Indian Rupee"	PASSED	33.741 s
7	And User click on passengers	PASSED	21.886 s
8	And User Selects Passengers	PASSED	8.407 s
9	Then User Clicks on Search Flight	PASSED	1 m 24.375 s
10	And Verify pax count	PASSED	1 m 5.423 s


To Verify that user can search a flight




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.400 s
2	Given User is on Book Flight Page	PASSED	14.152 s

#	Step / Hook Details	Status	Duration
3	<p>When User selects "IXC" and "BOM" cities</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({AppiumBy.id: in.goindigo.android.debug:id/ll_from}) (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.Booking.user_selects_something_and_something_cities(Booking.java:153) at ?.User selects "IXC" and "BOM" cities(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:42) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/ll_from}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_selects_something_and_something_cities(Booking.java:153) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</pre>	FAILED	1 m 0.817 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@9a6c67c (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in. goindigo.android.debug:id/ll_from}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) </pre>		


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.668 s
4	And User selects a departure date	SKIPPED	0.000 s
5	And User clicks on Done button	SKIPPED	0.000 s
6	And User Search and select a "Indian Rupee"	SKIPPED	0.000 s
7	And User click on passengers	SKIPPED	0.000 s
8	And User Selects Passengers	SKIPPED	0.000 s
9	Then User Clicks on Search Flight	SKIPPED	0.000 s
10	And User can see Search results for "IXC" and "BOM" cities	SKIPPED	0.000 s

To Verify that user can modify flight search




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	25.972 s
2	Given User is on Book Flight Page	PASSED	12.392 s
3	When User selects "IXC" and "BOM" cities	PASSED	1 m 33.090 s
4	And User selects a departure date	PASSED	24.411 s
5	And User clicks on Done button	PASSED	0.731 s
6	And User click on passengers	PASSED	21.984 s
7	And User Selects Passengers	PASSED	8.569 s
8	Then User Clicks on Search Flight	PASSED	1 m 25.000 s
9	And User can see Search results for "IXC" and "BOM" cities	PASSED	55.476 s
10	And User Click on modify Search	PASSED	40.470 s
11	And User navigate back to the Book Flight Page	PASSED	1 m 32.060 s
12	And User click on passengers	PASSED	31.763 s
13	And User Selects Passengers	PASSED	4.048 s
14	And User Clicks on Search Flight	PASSED	1 m 24.995 s

To Verify that To and From cannot be same



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.464 s
2	Given User is on Book Flight Page	PASSED	12.038 s
3	When User selects same cities for "MUM" and "MUM"	PASSED	1 m 30.518 s
4	Then Destination city not displayed in searched list	PASSED	5.116 s


Make a booking with saver fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	27.385 s
2	Given User is on Book Flight Page	PASSED	11.603 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 31.846 s
4	And User selects a departure date	PASSED	24.015 s
5	And User clicks on Done button	PASSED	1.668 s
6	And User Search and select a "Indian Rupee"	PASSED	23.267 s
7	And User click on passengers	PASSED	21.827 s
8	And User adds 2 adult passengers	PASSED	1.034 s
9	And User Clicks on Search Flight	PASSED	1 m 24.707 s
10	And User selects saver fare option org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({By.xpath: //androidx.recyclerview.widget.RecyclerView/android.view.ViewGroup[2]/android.view.ViewGroup[1]}) (tried for 80 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.Booking.user_selects_saver_fare_option(Booking.java:353) at ?.User selects saver fare option(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:95) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //androidx.recyclerview.widget.RecyclerView/android.view.ViewGroup[2]/android.view.ViewGroup[1]})	FAILED	1 m 28.884 s

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_selects_saver_fare_option(Booking.java:353) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@4a8df93f (tried for 1 second(s) with 500 milliseconds interval) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //androidx.recyclerview.widget.RecyclerView/android.view.ViewGroup[2]/android.view.ViewGroup[1]}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) </pre>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.792 s
	image		
			
11	And click on continue button and skipFlexi	SKIPPED	0.001 s
12	And User provides first adult passengers "Mr" "wicky" and "jones"	SKIPPED	0.001 s
13	And User provides second adult passengers "Mr" "admin" and "adminn"	SKIPPED	0.000 s
14	And User skips Addons and Insurance and seat selection	SKIPPED	0.000 s
15	Then verify user is on payment page	SKIPPED	0.001 s
16	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.001 s

Make a booking with special fares Armed Forces




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.659 s
2	Given User is on Book Flight Page	PASSED	12.935 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 40.131 s

#	Step / Hook Details	Status	Duration
4	And User selects a departure date	PASSED	24.523 s
5	And User clicks on Done button	PASSED	0.899 s
6	And User Search and select a "Indian Rupee"	PASSED	33.275 s
7	And User click on passengers	PASSED	21.881 s
8	And User Select a Passenger with infant	PASSED	0.968 s
9	And User Selects any "Armed Forces"	PASSED	1 m 31.817 s
10	And User Clicks on Search Flight	PASSED	1 m 34.247 s
11	And User clicks on continue button on search flight page	PASSED	46.695 s
12	And User provides first adult passengers "Mr" "wicky" and "jones"	PASSED	23.589 s
13	And User provides infant passengers "male" "admin" and "adminn"	PASSED	42.494 s
14	And User skips Addons and Insurance and seat selection	FAILED	9.158 s
	org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [3fd9b556-229a-4bc5-9020-82d067656b65, isElementDisplayed {id=00000000-0000-0937-ffff-ffff0000429c}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (3fd9b556-229a-4bc5-9020-82d067656b65)] -> xpath: //android.widget.TextView[@text='Skip']] Session ID: 3fd9b556-229a-4bc5-9020-82d067656b65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at jdk.internal.reflect.GeneratedMethodAccessor130.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		

#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:658) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:121) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.836 s
15	Then verify user is on payment page	SKIPPED	0.001 s
16	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

Make a booking with special fares Armed Forces Super6E fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.122 s
2	Given User is on Book Flight Page	PASSED	13.698 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 31.668 s
4	And User selects a departure date	PASSED	24.331 s
5	And User clicks on Done button	PASSED	1.320 s
6	And User Search and select a "Indian Rupee"	PASSED	23.846 s
7	And User click on passengers	PASSED	21.886 s
8	And User Select a Passenger with infant	PASSED	1.067 s
9	And User Selects any "Armed Forces"	PASSED	1 m 31.557 s
10	And User Clicks on Search Flight	PASSED	1 m 34.536 s
11	And User selects Super6E fare option	PASSED	2 m 26.199 s
12	And User clicks on continue button	PASSED	1 m 55.694 s
13	And User provides first adult passengers "mRs" "Nancy" and "Wick"	PASSED	21.881 s
14	And User provides infant passengers "Male" "Admin" and "Admin"	PASSED	35.153 s
15	And User Add a snack for Super 6e and continue	PASSED	19.185 s
16	And User selects a seat	FAILED	33.089 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:145) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@47120b41 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		


#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.596 s
17	Then verify user is on payment page	SKIPPED	0.000 s
18	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

Make a booking with special fares Students



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.144 s
2	Given User is on Book Flight Page	PASSED	11.632 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 32.464 s
4	And User selects a departure date	PASSED	23.913 s
5	And User clicks on Done button	PASSED	0.858 s
6	And User Search and select a "Indian Rupee"	PASSED	33.443 s
7	And User click on passengers	PASSED	21.892 s
8	And User Select a Passenger	PASSED	0.296 s
9	And User Selects Students special fare option	PASSED	1 m 36.629 s
10	And User Clicks on Search Flight	PASSED	1 m 34.433 s
11	And User clicks on continue button	PASSED	1 m 53.200 s
12	And User provides passenger details for student "Mr" "wicky" "jones" "1112" "Kellton"	PASSED	1 m 41.753 s
13	And User skips Addons and Insurance and seat selection	PASSED	9.698 s
14	Then verify user is on payment page	PASSED	13.152 s

Make a booking with special fares Students and Super6E fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.170 s
2	Given User is on Book Flight Page	PASSED	11.095 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 28.004 s
4	And User selects a departure date	PASSED	25.020 s
5	And User clicks on Done button	PASSED	1.462 s
6	And User Search and select a "Indian Rupee"	PASSED	24.016 s
7	And User click on passengers	PASSED	22.298 s
8	And User Select a Passenger	PASSED	0.265 s
9	And User Selects Students special fare option	PASSED	1 m 37.030 s
10	And User Clicks on Search Flight	PASSED	1 m 34.475 s
11	And User select Super6e fare option	PASSED	2 m 24.357 s
12	And User clicks on continue button	PASSED	1 m 54.959 s
13	And User provides passenger details for student "Mr" "wicky" "jones" "1112" "Kellton"	PASSED	1 m 7.225 s
14	And User Add a snack for Super 6e and continue	PASSED	22.124 s
15	And User selects a seat org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:188) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@459cfed4 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)	FAILED	33.061 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.798 s
16	Then verify user is on payment page	SKIPPED	0.001 s
17	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s


Make a booking with special fares Family & Friends



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.545 s
2	Given User is on Book Flight Page	PASSED	15.236 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 28.086 s
4	And User selects a departure date	PASSED	25.378 s
5	And User clicks on Done button	PASSED	0.914 s
6	And User Search and select a "Indian Rupee"	PASSED	33.749 s
7	And User Selects any "Family & Friends"	PASSED	3 m 37.829 s
8	And User Clicks on Search Flight	PASSED	1 m 34.148 s
9	And User clicks on continue button and skipFlexi	PASSED	14.185 s
10	And User provides passenger details for Family & Friends	PASSED	1 m 51.587 s
11	And User skips Addons and Insurance and seat selection org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [dc7256c1-7821-4fe1-922d-7e9c8d18c93d, isElementDisplayed {id=00000000-0000-09cf-fffff00003eb2}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (dc7256c1-7821-4fe1-922d-7e9c8d18c93d)] -> xpath: //Android.widget.TextView[@text='Skip']] Session ID: dc7256c1-7821-4fe1-922d-7e9c8d18c93d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	10.689 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at jdk.internal.reflect.GeneratedMethodAccessor130.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:658) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:207) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.768 s
12	Then verify user is on payment page	SKIPPED	0.001 s
13	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

Make a booking with special fares Family & Friends and Flexi Plus fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	27.404 s
2	Given User is on Book Flight Page	PASSED	16.807 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 31.628 s
4	And User selects a departure date	PASSED	24.454 s
5	And User clicks on Done button	PASSED	1.146 s
6	And User Search and select a "Indian Rupee"	PASSED	33.535 s
7	And User Selects any "Family & Friends"	PASSED	3 m 28.812 s
8	And User Clicks on Search Flight	PASSED	1 m 34.672 s
9	And User selects Flexi Plus fare option	PASSED	46.522 s
10	And User clicks on continue button	PASSED	1 m 56.759 s
11	And User provides passenger details for Family & Friends	PASSED	1 m 35.595 s
12	And User skips Addons and Insurance and seat selection org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({By.xpath: //android.widget.TextView[@text='Skip']}) (tried for 120 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:653) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:227) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@text='Skip']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)	FAILED	2 m 8.398 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:653) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@1fe956e8 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@text='Skip']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.752 s

#	Step / Hook Details	Status	Duration
			
13	Then verify user is on payment page	SKIPPED	0.001 s
14	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

Make a booking with special fares Family & Friends and Flexi Plus fare option




#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	27.897 s
2	Given user click on Bookflight	PASSED	12.165 s
3	And user click on MultiCity option	PASSED	22.149 s
4	When user click on Popup cross btn	PASSED	0.322 s
5	And user select first "MUM" city	PASSED	40.715 s
6	And user select Date for first flight	PASSED	24.728 s
7	And user select second "COK" city	PASSED	31.344 s
8	Then user click on city search cross btn	PASSED	2.364 s
9	And user click on second "IXE" city	PASSED	29.579 s
10	And user select date for second flight	PASSED	24.030 s

#	Step / Hook Details	Status	Duration
11	And user scroll up to special fare	PASSED	1 m 57.019 s
12	And user select a "Family & Friends" from special fare options	PASSED	1 m 5.232 s
13	And user search a flight	PASSED	31.307 s
14	Then user is on searched result page with Family fare	PASSED	0.005 s
15	And user select flexi fare for first flight	PASSED	49.327 s
16	And user click on continue button with first flight	PASSED	44.431 s
17	And user can see searched results for MultiCity	PASSED	1 m 31.528 s
18	And user select flexi fare for second city	PASSED	41.120 s
19	And user click on continue with second flight	PASSED	41.191 s
20	Then user is on step1 add passenger details page	PASSED	7.362 s
21	And user fill "admin" and "adminn" the Passenger Details Form	PASSED	9.340 s
22	And user fill "sam" and "jones" the Second Passenger Details Form	PASSED	26.591 s
23	And user fill "harry" and "kane" the Third Passenger Details Form	PASSED	22.105 s
24	And user fill "martin" and "luther" the Fourth Passenger Details Form	PASSED	27.611 s
25	And user click on step1 continue button	PASSED	12.484 s
26	Then user is on 6E add-ons page	PASSED	3.015 s
27	And user click on 6E tiffin	PASSED	2.608 s
28	And user click first passenger arrow button	PASSED	1.687 s
29	And user add food combo	PASSED	2.125 s
30	And user select this for all passanger	PASSED	1.162 s
31	And user click on confirm Button	PASSED	0.651 s
32	And user click on continue after confirm	PASSED	2.884 s
33	And user selct second flight box	PASSED	1.397 s
34	And user add food combo	FAILED	45.027 s
	org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [e04b2bba-a288-4433-b602-634059b1dc01, clickElement {id=00000000-0000-0c15-ffff-ffff00005e6f}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (e04b2bba-a288-4433-b602-634059b1dc01)] -> xpath: (/android.widget.TextView[@text='+ ADD'])[1]] Session ID: e04b2bba-		

#	Step / Hook Details	Status	Duration
	<pre>a288-4433-b602-634059b1dc01 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor87.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.MultiCityTripPage.toSelectfirstFlightcombealadd(MultiCityTripPage.java:848) at testApp.MultiCityTrip.user_add_food_combo(MultiCityTrip.java:477) at ?.user add food combo(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:160) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	1.039 s
35	And user select this for all passanger	SKIPPED	0.000 s
36	And user click on confirm Button	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
37	And user click on continue after confirm	SKIPPED	0.001 s
38	And user click on done button after choose food of both flight	SKIPPED	0.000 s
39	And user click on continue with Addon	SKIPPED	0.000 s
40	And user click on Not Interested button on travel assistance page	SKIPPED	0.000 s
41	And user skip step 3 select seat page	SKIPPED	0.001 s
42	And user click on continue on payment with upi "admin@sbi"	SKIPPED	0.000 s
43	Then user is verified payment completed	SKIPPED	0.001 s

Make a booking with special fares Unaccompanied Minor



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.329 s
2	Given User is on Book Flight Page	PASSED	16.346 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 28.174 s
4	And User selects a departure date	PASSED	24.559 s
5	And User clicks on Done button	PASSED	0.822 s
6	And User Search and select a "Indian Rupee"	PASSED	23.970 s
7	And User click on passengers	PASSED	21.979 s
8	And User Select a Passenger	PASSED	0.287 s
9	And User Selects any "Unaccompanied Minor"	PASSED	2 m 26.657 s
10	And User Clicks on Search Flight	PASSED	1 m 34.254 s
11	And User clicks on continue button	PASSED	1 m 26.992 s
12	And User Enter Unaccompanied Minor details "Male" "wicky" "jones"	PASSED	38.866 s
13	And User skips Addons and Insurance and seat selection	PASSED	8.676 s
14	Then verify user is on payment page	PASSED	5.022 s
15	And verify user payment successfull using upi "avi@sbi"	PASSED	1 m 1.235 s

Make a booking with special fares Unaccompanied Minor and Super6E fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.391 s
2	Given User is on Book Flight Page	PASSED	15.330 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 32.853 s
4	And User selects a departure date	PASSED	24.610 s
5	And User clicks on Done button	PASSED	0.943 s
6	And User Search and select a "Indian Rupee"	PASSED	33.369 s
7	And User click on passengers	PASSED	31.796 s
8	And User Select a Passenger	PASSED	0.250 s
9	And User Selects any "Unaccompanied Minor"	PASSED	2 m 27.143 s
10	And User Clicks on Search Flight	PASSED	1 m 34.747 s
11	And User select Super6e fare option	PASSED	2 m 0.646 s
12	And User clicks on continue button	PASSED	1 m 53.608 s
13	And User Enter Unaccompanied Minor details "Male" "wicky" "jones"	PASSED	40.373 s
14	And User Add a snack for Super 6e and continue	PASSED	19.475 s
15	And User selects a seat	FAILED	33.075 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:271) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@1de0963a (tried for 1 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> image	PASSED	0.943 s

#	Step / Hook Details	Status	Duration
16	Then verify user is on payment page	SKIPPED	0.001 s
17	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s


Make a booking with FLEXI PLUS



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.771 s
2	Given User is on Book Flight Page	PASSED	15.431 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 31.969 s
4	And User selects a departure date	PASSED	24.457 s
5	And User clicks on Done button	PASSED	0.744 s
6	And User Clicks on Search Flight	PASSED	1 m 34.430 s
7	And User selects Flexi Plus fare option	PASSED	44.058 s
8	And User clicks on continue button	PASSED	1 m 52.361 s
9	And User fills the passenger details	PASSED	21.344 s
10	And User verifies add-ons included in flexi plus fare	PASSED	4.563 s

#	Step / Hook Details	Status	Duration
11	And User Add a snack and continue	PASSED	9.592 s
12	And User skips Insurance	PASSED	1.246 s
13	And User skips seat selection	PASSED	2.932 s
14	Then verify user is on payment page	PASSED	17.893 s
15	And verify user payment successfull using upi "avi@sbi"	PASSED	59.647 s

Make a booking with SUPER 6E CAPITAL



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.782 s
2	Given User is on Book Flight Page	PASSED	18.169 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 27.675 s
4	And User selects a departure date	PASSED	24.267 s
5	And User clicks on Done button	PASSED	0.756 s
6	And User Clicks on Search Flight	PASSED	1 m 34.297 s
7	And User select Super6e fare option	PASSED	2 m 1.580 s
8	And User clicks on continue button	PASSED	1 m 54.129 s
9	And User fills the passenger details	PASSED	24.458 s
10	And User verifies add-ons included in Super 6E fare	PASSED	7.918 s
11	And User Add a snack for Super 6e and continue	PASSED	14.502 s
12	And User selects a seat org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>)	FAILED	33.070 s

#	Step / Hook Details	Status	Duration
	<pre> at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:312) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@64c53561 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.699 s

#	Step / Hook Details	Status	Duration
13	Then verify user is on payment page	SKIPPED	0.000 s
14	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.001 s

Roundtrip Functionality




To Verify that user can search a flight for RoundTrip



#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	27.309 s

#	Step / Hook Details	Status	Duration
2	Then user is on homepage	PASSED	0.002 s
3	Given user click on bookflight	PASSED	13.359 s
4	When user select roundtrip option	PASSED	31.841 s
5	And user selects "MUM" and "DEL" cities	PASSED	1 m 7.386 s
6	And user select date for travel	PASSED	55.581 s
7	And user select passenger option	PASSED	22.254 s
8	And user click on Searchflight	PASSED	21.396 s
9	Then user is on flight searched result page	PASSED	16.153 s
10	And user click on continue button	PASSED	1 m 13.601 s
11	And user can see searched results for RoundTrip	PASSED	2 m 5.398 s
12	And user click on continue with return flight	PASSED	1 m 12.854 s
13	And user click on skip button	PASSED	4.442 s
14	Then user is on add passenger details page	PASSED	26.582 s
15	And user fill "wick" and "jones" the Passenger Details Forms	PASSED	19.424 s
16	And user click on continue button with step1	PASSED	13.793 s
17	And user click on skip button at step 2	PASSED	6.539 s
18	And user click on No button on travel assistance page	PASSED	0.259 s
19	And user skip the select seat page	PASSED	1.331 s
20	Then user make a payment using upi "admin@sbi"	PASSED	1 m 3.986 s
21	And verify confirm ticket	PASSED	0.212 s

Make a RoundTrip booking with special fares Armed Forces



#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	25.396 s
2	Then user is on homepage	PASSED	0.002 s


#	Step / Hook Details	Status	Duration
3	Given user click on bookflight	PASSED	12.074 s
4	When user select roundtrip option	PASSED	31.828 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 9.307 s
6	And user select date for travel	PASSED	54.982 s
7	And user select passenger option	PASSED	31.836 s
8	And user click on Armed force	PASSED	1 m 1.547 s
9	And user click on Searchflight	PASSED	31.178 s
10	Then user is on searched Flightpage with armedforce fare	PASSED	12.762 s
11	And user click on continue button	PASSED	1 m 3.815 s
12	And user can see searched results for RoundTrip	PASSED	1 m 59.412 s
13	And user click on continue with return flight	PASSED	1 m 16.114 s
14	Then user is on add passenger details page	PASSED	19.140 s
15	And user fill "wick" and "jones" the Passenger Details Forms	PASSED	22.114 s
16	And user fills the military Id "123456"	PASSED	3.678 s
17	And user click on continue button with step1	PASSED	20.806 s
18	And user click on skip button at step 2	PASSED	6.168 s
19	And user click on No button on travel assistance page	PASSED	1.175 s
20	And user skip the select seat page	PASSED	1.926 s
21	Then user make a payment using upi "admin@sbi"	FAILED	39.955 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@text='Continue']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.paymentprocessbyUPI(RoundTripPage.java:433) at testApp.RoundTrip.user_is_on_payment_page(RoundTrip.java:176) at ?.user make a payment using upi "admin@sbi"(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:55) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@5acee618 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>)		

#	Step / Hook Details	Status	Duration
	at pageObjects.android.RoundTripPage.paymentprocessbyUPI(RoundTripPage.java:433) at testApp.RoundTrip.user_is_on_payment_page(RoundTrip.java:176) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@text='Continue']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.579 s

#	Step / Hook Details	Status	Duration
			
22	And verify confirm ticket	SKIPPED	0.000 s

To Verify a RoundTrip booking with special fares Family & Friends



#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	27.647 s
2	Then user is on homepage	PASSED	0.002 s
3	Given user click on bookflight	PASSED	11.838 s
4	When user select roundtrip option	PASSED	31.354 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 9.472 s
6	And user select date for travel	PASSED	55.469 s
7	And user click on Family & Friends "Family & Friends"	PASSED	3 m 38.867 s
8	And user click on Searchflight	PASSED	31.331 s
9	Then user is on flight searched result page with Family and friends fare	PASSED	6.021 s
10	And user click on continue button	PASSED	15.280 s
11	And user can see searched results for RoundTrip	PASSED	2 m 3.990 s


#	Step / Hook Details	Status	Duration
12	And user click on continue with return flight	PASSED	1 m 11.432 s
13	And user click on skip button	PASSED	4.597 s
14	Then user is on add passenger details page	PASSED	35.645 s
15	And user select title of Passanger	PASSED	3.766 s
16	And user fill first user details "nancy" and "jones"	PASSED	11.050 s
17	And user select title of Passanger	PASSED	6.433 s
18	And user fill 2nd user Details "wick" and "jones"	PASSED	21.114 s
19	And user select title of Passanger	PASSED	1.908 s
20	And user fill 3rd user details "admin" and "james"	PASSED	29.379 s
21	And user select title of Passanger	PASSED	4.668 s
22	And user fill 4th user details "harry" and "smith"	FAILED	34.205 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.EditText[@text='First Name'])[1]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.sendKeys(<generated> at pageObjects.android.RoundTripPage.fourthPassDeatails(RoundTripPage.java:803) at testApp.RoundTrip.user_fill_4th_user_details(RoundTrip.java:371) at ?.user fill 4th user details "harry" and "smith"(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:83) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@288710bd (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.sendKeys(<generated> at pageObjects.android.RoundTripPage.fourthPassDeatails(RoundTripPage.java:803) at testApp.RoundTrip.user_fill_4th_user_details(RoundTrip.java:371) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.EditText[@text='First Name']}[1]}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
23	And user click on step1 continue button	SKIPPED	0.000 s
24	And user click on skip button at step 2	SKIPPED	0.000 s
25	And user click on No button on travel assistance page	SKIPPED	0.000 s
26	Then user is on seat selection page	SKIPPED	0.000 s
27	And user skip the select seat page	SKIPPED	0.001 s
28	Then user make a payment using upi "admin@sbi"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
29	And verify confirm ticket	SKIPPED	0.000 s

Make a RoundTrip booking with special fares Armed Forces and super 6E




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	28.521 s
2	Then user is on homepage	PASSED	0.003 s
3	Given user click on bookflight	PASSED	15.188 s
4	When user select roundtrip option	PASSED	32.473 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 6.954 s
6	And user select date for travel	PASSED	55.329 s
7	And user click on Armed force	PASSED	1 m 11.576 s
8	And user click on Searchflight	PASSED	31.315 s
9	And user select Super 6E for first flight	PASSED	1 m 7.885 s
10	And user continue with first flight	PASSED	1 m 10.170 s
11	And user select Super 6E for second flight	PASSED	2 m 13.175 s
12	And user click on continue with return flight	PASSED	1 m 15.419 s
13	Then user is on add passenger details page	PASSED	13.135 s
14	And user fill "wick" and "jones" the Passenger Details Forms	PASSED	19.326 s
15	And user fills the military Id "123456"	PASSED	3.710 s
16	And user click on continue button with step1	PASSED	17.083 s
17	Then user is on 6E addOn page	PASSED	6.119 s
18	And user click on skip Btn at addon page	PASSED	0.331 s
19	And User click on Select snack now for first flight	PASSED	0.783 s
20	And user click on passenger arrow btn	PASSED	1.663 s
21	And user add the food on refreshment page	PASSED	1.989 s

#	Step / Hook Details	Status	Duration
22	And user click on continue btn at refreshment page	PASSED	2.149 s
23	And user select second Flight Box	PASSED	1.741 s
24	And user click on passenger arrow btn	PASSED	1.223 s
25	And user add the food on refreshment page	PASSED	2.296 s
26	And user click on continue btn at refreshment page	PASSED	1.094 s
27	And user click on Done Meal	PASSED	2.537 s
28	And user click on continue at step 2 page	PASSED	0.912 s
29	Then user is on Travel Assistance Page	PASSED	1.189 s
30	And user click on not intrested Btn	PASSED	2.357 s
31	Then user is on step3 page	PASSED	0.194 s
32	And user select free seat for first flight	FAILED	30.263 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_no_flight_dialog_done']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.toChooseSeat(RoundTripPage.java:681) at testApp.RoundTrip.user_select_free_seat_for_first_flight(RoundTrip.java:303) at ?.user select free seat for first flight(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:127) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@38a74f6f (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.toChooseSeat(RoundTripPage.java:681) at testApp.RoundTrip.user_select_free_seat_for_first_flight(RoundTrip.java:303) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_no_flight_dialog_done']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p>	PASSED	0.872 s
33	And user copy seat to second flight	SKIPPED	0.001 s
34	And user continue to payment page	SKIPPED	0.000 s
35	Then user make a payment using upi "admin@sbi"	SKIPPED	0.000 s
36	And verify confirm ticket	SKIPPED	0.001 s

To Verify a RoundTrip booking with Flexi plus




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	29.230 s
2	Then user is on homepage	PASSED	0.002 s
3	Given user click on bookflight	PASSED	13.094 s
4	When user select roundtrip option	PASSED	31.176 s
5	And user selects "MUM" and "DEL" cities	PASSED	1 m 6.839 s
6	And user select date for travel	PASSED	55.314 s
7	And user select passenger option	PASSED	22.825 s
8	And user click on Searchflight	PASSED	21.526 s
9	Then user is on flight serached result page org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [a3031ae8-eb84-49d0-acaa-eef02a0241ca, getElementText {id=00000000-0000-0b48-ffff-ffff00000f3}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (a3031ae8-eb84-49d0-acaa-eef02a0241ca)] -> xpath: //android.widget.TextView[@text='ROUND TRIP']] Session ID: a3031ae8-eb84-49d0-acaa-eef02a0241ca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	5.291 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:207) at jdk.internal.reflect.GeneratedMethodAccessor137.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at pageObjects.android.RoundTripPage.VerifyRoundTripPage1(RoundTripPage.java:159) at testApp.RoundTrip.user_is_flight_serached_result_page(RoundTrip.java:77) at ?.user is on flight serached result page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:145) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>  <p>The screenshot shows a flight search interface. At the top, there's a message 'Keep your seatbelt fastened! Loading Best Fares...'. Below it, the departure city is 'Mumbai' and the arrival city is 'Delhi'. The travel dates are '01-Jun-2023 - 02-Jun-2023 + 1 Pax'. A small airplane icon is visible in the center.</p>	PASSED	0.585 s
10	And user select flexi plus fare for first flight	SKIPPED	0.000 s
11	And user click on continue button	SKIPPED	0.000 s
12	And user can see searched results for RoundTrip	SKIPPED	0.000 s
13	And user select flexi fare for return flight	SKIPPED	0.000 s
14	And user click on continue with return flight	SKIPPED	0.001 s
15	Then user is on add passenger details page	SKIPPED	0.000 s
16	And user fill "shvam" and "jones" the Passenger Details Forms	SKIPPED	0.000 s
17	And user click on continue button with step1	SKIPPED	0.000 s
18	Then user is on 6E addOn page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
19	And user add 6E tiffin	SKIPPED	0.001 s
20	And user click on passenger arrow btn	SKIPPED	0.000 s
21	And user add the food on refreshment page	SKIPPED	0.001 s
22	And user click on continue btn at refreshment page	SKIPPED	0.000 s
23	And user select second Flight Box	SKIPPED	0.000 s
24	And user click on passenger arrow btn	SKIPPED	0.000 s
25	And user add the food on refreshment page	SKIPPED	0.000 s
26	And user click on continue btn at refreshment page	SKIPPED	0.001 s
27	And user click on done Button at tiffin page	SKIPPED	0.000 s
28	And user click on continue at step 2 page	SKIPPED	0.001 s
29	And user click on No button on travel assistance page	SKIPPED	0.001 s
30	And user skip the select seat page	SKIPPED	0.001 s
31	Then user make a payment using upi "admin@sbi"	SKIPPED	0.000 s
32	And verify confirm ticket	SKIPPED	0.001 s

To verify that Round trip cannot club two different fares.




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	26.546 s
2	Then user is on homepage	PASSED	0.001 s
3	Given user click on bookflight	PASSED	12.146 s
4	When user select roundtrip option	PASSED	31.187 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 20.352 s
6	And user select date for travel	PASSED	55.775 s
7	And user select passenger option	PASSED	31.956 s
8	And user click on Searchflight	PASSED	21.685 s

#	Step / Hook Details	Status	Duration
9	Then user is on flight searched result page	PASSED	4.871 s
10	And user select flexi plus fare for first flight	PASSED	47.664 s
11	And user click on continue button	PASSED	1 m 13.327 s
12	And user can see searched results for RoundTrip	PASSED	2 m 5.540 s
13	And user select Super 6E for second flight	PASSED	2 m 27.940 s
14	And user click on continue with return flight	PASSED	1 m 3.391 s
15	Then user verify the invalid fare	PASSED	0.258 s

MultiCityTrip Functionality



To Verify that user can search a flight for Multicity




#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	29.106 s
2	Given user click on Bookflight	PASSED	12.122 s
3	And user click on MultiCity option	PASSED	21.785 s
4	When user click on Popup cross btn	PASSED	0.330 s
5	And user select first "MUM" city	PASSED	38.973 s
6	And user select Date for first flight	PASSED	24.289 s

#	Step / Hook Details	Status	Duration
7	And user select second "COK" city	PASSED	30.166 s
8	And user click on city search cross btn	PASSED	3.898 s
9	And user click on second "IXE" city	PASSED	28.497 s
10	And user select date for second flight	PASSED	24.729 s
11	<p>And user search a flight</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_search_flight']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.MultiCityTripPage.ClickonSearchFlight(MultiCityTripPage.java:323) at testApp.MultiCityTrip.user_search_a_flight(MultiCityTrip.java:98) at ?.user search a flight(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:19) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@4ca988b3 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.MultiCityTripPage.ClickonSearchFlight(MultiCityTripPage.java:323) at testApp.MultiCityTrip.user_search_a_flight(MultiCityTrip.java:98) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</pre>	FAILED	1 m 6.293 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner\$4.evaluate(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_search_flight']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) <p>image</p>	PASSED	0.564 s
12	Then user verify Searched flight page	SKIPPED	0.000 s

To Verify that user can modify the MultiCity flight



#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	27.095 s
2	Given user click on Bookflight	PASSED	17.884 s
3	And user click on MultiCity option	PASSED	21.990 s
4	When user click on Popup cross btn	PASSED	0.208 s
5	And user select first "MUM" city	PASSED	37.560 s
6	And user select Date for first flight	PASSED	24.583 s
7	And user select second "COK" city	PASSED	29.654 s
8	Then user click on city search cross btn	PASSED	2.672 s
9	And user click on second "IXE" city	PASSED	27.805 s
10	And user select date for second flight	PASSED	24.204 s
11	And user search a flights	PASSED	2 m 38.310 s
12	Then user verify Searched flight page	PASSED	6.859 s
13	And user continue with first flight	PASSED	33.117 s
14	Then user is on second flight page	PASSED	21.212 s
15	And user click on modify search flight	PASSED	40.400 s
16	Then user is on multicity Home page	PASSED	30.507 s


To Verify that user can Make a MultiCity booking with special fares Armed Forces



#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	28.056 s
2	Given user click on Bookflight	PASSED	12.850 s
3	And user click on MultiCity option	PASSED	22.350 s
4	When user click on Popup cross btn	PASSED	0.230 s
5	And user select first "MUM" city	PASSED	38.742 s
6	And user select Date for first flight	PASSED	24.637 s

#	Step / Hook Details	Status	Duration
7	And user select second "COK" city	PASSED	40.587 s
8	Then user click on city search cross btn	PASSED	3.958 s
9	And user click on second "IXE" city	PASSED	28.774 s
10	And user select date for second flight	PASSED	24.445 s
11	And user scroll up to special fare	PASSED	2 m 7.720 s
12	And user click on Armed Force	PASSED	40.953 s
13	And user search a flight	PASSED	31.443 s
14	Then user verify result page with armedforce fare	PASSED	33.833 s
15	And user click on continue button with first flight	PASSED	36.109 s
16	And user can see searched results for MultiCity	PASSED	1 m 21.815 s
17	And user click on continue with second flight	PASSED	41.335 s
18	Then user is on step1 add passenger details page	PASSED	9.905 s
19	And user fill "harry" and "kane" the Passenger Details Form	PASSED	11.091 s
20	And user fill the Military id "1234" in form	PASSED	5.648 s
21	And user click on step1 continue button	PASSED	14.249 s
22	And user click on step 2 skip button	PASSED	6.374 s
23	And user click on Not Intrested button on travel assitance page	PASSED	1.287 s
24	And user skip step 3 select seat page	PASSED	1.519 s
25	And user click on continue on payment with upi "admin@sbi"	PASSED	24.801 s
26	Then user is verified payment completed	PASSED	37.416 s

To Verify that Make a Multicity booking with Armed Force and SUPER 6E CAPITAL



#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	29.477 s
2	Given user click on Bookflight	PASSED	12.590 s


#	Step / Hook Details	Status	Duration
3	And user click on MultiCity option	PASSED	21.643 s
4	When user click on Popup cross btn	PASSED	0.262 s
5	And user select first "MUM" city	PASSED	27.496 s
6	And user select Date for first flight	PASSED	24.902 s
7	And user select second "MUM" city	PASSED	28.223 s
8	Then user click on city search cross btn	PASSED	3.015 s
9	And user click on second "DeL" city	PASSED	37.211 s
10	And user select date for second flight	PASSED	34.596 s
11	And user scroll up to special fare	PASSED	1 m 56.907 s
12	And user click on Armed Force	PASSED	40.993 s
13	And user search a flight	PASSED	31.353 s
14	Then user verify result page with armedforce fare	PASSED	6.929 s
15	And user select super 6E fare to First Flight	PASSED	1 m 0.914 s
16	And user click on continue button with first flight	PASSED	37.203 s
17	And user can see searched results for MultiCity	PASSED	1 m 28.013 s
18	And user select super 6E fare to Second Flight	PASSED	2 m 23.673 s
19	And user click on continue with second flight	PASSED	45.139 s
20	Then user is on step1 add passenger details page	FAILED	1 m 0.177 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@text='Add Passenger Details']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at pageObjects.android.MultiCityTripPage.toVerifyAddpassangerpage(MultiCityTripPage.java:419) at testApp.MultiCityTrip.user_is_on_step1_add_passenger_details_page(MultiCityTrip.java:246) at ?.user is on step1 add passenger details page(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:100) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@4d01eb6d (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getText(<generated>) at pageObjects.android.MultiCityTripPage.toVerifyAddpassangerpage(MultiCityTripPage.java:419) at testApp.MultiCityTrip.user_is_on_step1_add_passenger_details_page(MultiCityTrip.java:246)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@text='Add Passenger Details']})) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.690 s

#	Step / Hook Details	Status	Duration
21	And user fill "harry" and "kane" the Passenger Details Form	SKIPPED	0.000 s
22	And user fill the Military id "1234" in form	SKIPPED	0.002 s
23	And user click on step1 continue button	SKIPPED	0.001 s
24	And user click on step2 6E tiffin	SKIPPED	0.000 s
25	And user click first passenger arrow button	SKIPPED	0.000 s
26	And user add food combo	SKIPPED	0.001 s
27	And user click on continue after confirm	SKIPPED	0.000 s
28	And user select second flight box	SKIPPED	0.000 s
29	And user click first passenger arrow button	SKIPPED	0.000 s
30	And user add food combo	SKIPPED	0.000 s
31	And user click on continue after confirm	SKIPPED	0.000 s
32	And user click on 6Etiffin done button	SKIPPED	0.000 s
33	And user click on Step2 Addon continue Btn	SKIPPED	0.000 s
34	And user click on Not Intrested button on travel assitance page	SKIPPED	0.000 s
35	Then user is on step 3 page	SKIPPED	0.000 s
36	And user select free seat for First Flight	SKIPPED	0.000 s
37	And user copy seat to Second Flight	SKIPPED	0.000 s
38	And user continue to Payment Page	SKIPPED	0.000 s
39	And user click on continue on payment with upi "admin@sbi"	SKIPPED	0.000 s
40	Then user is verified payment completed	SKIPPED	0.001 s


In multi city we not choose back date for travel

**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	28.123 s
2	Given user click on Bookflight	PASSED	12.497 s
3	And user click on MultiCity option	PASSED	22.302 s
4	When user click on Popup cross btn	PASSED	0.323 s
5	And user select first "MUM" city	PASSED	39.046 s
6	And user select back Date for first flight	PASSED	43.680 s

UndoCheckin Functionality

To Verify User can Check the Undo Check In



#	Step / Hook Details	Status	Duration
1	Given launch the app and login	PASSED	26.451 s
2	<p>And user can select Check In Now</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.FrameLayout[@content-desc="Check-in"]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.UndoCheckinPage.SelectCheckin(UndoCheckinPage.java:45) at testApp.UndoCheckin.user_can_select_check_in_now(UndoCheckin.java:24) at ?.user can select Check In Now(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_UndoCheckin.feature:9) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@770dd7a4 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.UndoCheckinPage.SelectCheckin(UndoCheckinPage.java:45) at testApp.UndoCheckin.user_can_select_check_in_now(UndoCheckin.java:24) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso rImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso rImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</pre>	FAILED	10.234 s


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.FrameLayout[@content-desc="Check-in"]}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.572 s
3	When User can click on Itinerary view page	SKIPPED	0.000 s
4	And User can select undo check in	SKIPPED	0.000 s
5	When User select the check Box	SKIPPED	0.000 s
6	Then User Select Final Undo Checkin	SKIPPED	0.000 s

Add-on Functionality




To select Six E Prime Add-on for Adult passangers




#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	28.619 s
2	And user click on BookFlight	PASSED	14.884 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 28.470 s
4	And user select future Date	PASSED	25.479 s
5	Given user adds an Adult passenger from passenger list	PASSED	22.633 s
6	And user clicks on the search flight button	PASSED	21.447 s
7	And click on continue button	PASSED	1 m 48.943 s
8	And skip the upgrade flexi fare	PASSED	6.241 s
9	When user verify Passanger details page	PASSED	18.382 s
10	And select title of passanger	PASSED	1.025 s
11	And enter "Harry" and "jones" of Passanger	PASSED	8.211 s
12	And Continue with Passanger details	PASSED	12.493 s
13	Then visit and verify Six E Addons page	PASSED	5.706 s
14	And user select Six E Prime addon	PASSED	0.308 s
15	And verify six e prime page	PASSED	1.351 s
16	And check the checkbox for selected flight	PASSED	0.208 s
17	And click on the Add6EPrime button	PASSED	0.949 s
18	And verify 6E Tiffin page	PASSED	1.141 s
19	And select meal for passanger	PASSED	0.321 s
20	And select veg meal type	PASSED	1.253 s
21	And select nonveg meal type	PASSED	1.247 s
22	And click on the continue	PASSED	1.461 s
23	And click on done button	PASSED	1.768 s
24	And user continue with SixE Prime addon	PASSED	0.897 s
25	And confirm with addon	PASSED	0.939 s

#	Step / Hook Details	Status	Duration
26	And user skip Seat selection page	PASSED	2.932 s
27	And user completes payment using Credit Card	PASSED	5.797 s
28	And enter valid credentials "4263982640269299" and "02/23" and "837" and "Visa" of Credit Card	PASSED	26.603 s
29	And user accept terms and click pay	PASSED	5.574 s
30	And user click on confirm Payment	PASSED	12.124 s
31	And user click on back to merchant page	PASSED	19.012 s
32	And booked ticket is confirmed org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@text='Ticket Confirmed']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getAttribute(<generated>) at pageObjects.android.AddonPage.VerifyTicketBooking(AddonPage.java:1231) at testApp.Addons.booked_ticket_is_confirmed(Addons.java:824) at ?.booked ticket is confirmed(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.feature:38) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@32429456 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.getAttribute(<generated>) at pageObjects.android.AddonPage.VerifyTicketBooking(AddonPage.java:1231) at testApp.Addons.booked_ticket_is_confirmed(Addons.java:824) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57)	FAILED	1 m 2.459 s


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@text='Ticket Confirmed']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.855 s


To select Fast Forward Add-on for Child



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	33.195 s
2	And user click on BookFlight	PASSED	8.377 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 33.034 s
4	And user select future Date	PASSED	25.415 s
5	Given user adds a child from passenger list	PASSED	23.039 s
6	And user clicks on the search flight button	PASSED	21.180 s
7	And click on continue button	PASSED	1 m 46.010 s
8	And skip the upgrade flexi fare	PASSED	14.875 s
9	When user verify Passanger details page	PASSED	10.926 s
10	And select title of passanger	PASSED	1.835 s
11	And enter "wick" and "jones" of Passanger	PASSED	7.382 s
12	And select gender of Child	PASSED	13.732 s
13	And enter "wick" and "kane" of Child	PASSED	7.379 s
14	And Continue with Passanger details	FAILED	10.162 s
	<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [0418aeac-2e4e-4dff-b891-3d596d9518dc, findElement {using=-android uiautomator, value=new UiScollable(new UiSelector()).scrollIntoView(text("Continue"));}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 0418aeac-2e4e-4dff-b891-3d596d9518dc</p> <pre>at jdk.internal.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)</pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at testBase.AndroidActions.scrollToText(AndroidActions.java:64) at pageObjects.android.AddonPage.ClickOnContinuewithPassangerDeatails(AddonPage.java:1067) at testApp.Addons.continue_with_passanger_details(Addons.java:185) at ?.Continue with Passanger details(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.755 s
15	Then visit and verify Six E Addons page	SKIPPED	0.000 s
16	And select Fast Forward addon	SKIPPED	0.000 s
17	And verify six Fast Forward page	SKIPPED	0.000 s
18	And check the checkbox for selected flight	SKIPPED	0.000 s
19	And click on the Add Fast Forward button	SKIPPED	0.000 s
20	And continue with Fast Forward	SKIPPED	0.000 s
21	And skip travel assistance	SKIPPED	0.000 s

To select Excess Baggage Add-on




#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	27.748 s
2	And user click on BookFlight	PASSED	12.920 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 31.737 s
4	And user select future Date	PASSED	25.581 s
5	Given user adds a infant from passenger list	PASSED	23.029 s
6	And user clicks on the search flight button	PASSED	21.348 s
7	And close infant notification org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.ImageView[@resource-id='in.goindigo.android.debug:id/img_close']} at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at pageObjects.android.AddonPage.clickOnInfantPopup(AddonPage.java:217) at testApp.Addons.close_infant_notification(Addons.java:503) at ?.close infant notification(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.feature:80) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@3cfce6be (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated> at pageObjects.android.AddonPage.clickOnInfantPopup(AddonPage.java:217) at testApp.Addons.close_infant_notification(Addons.java:503) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	11.185 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.ImageView[@resource-id='in.goindigo.android.debug:id/img_close']} For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.821 s
8	And click on continue button	SKIPPED	0.000 s
9	When user verify Passanger details page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
10	And enter registered user details	SKIPPED	0.000 s
11	And select gender of infant	SKIPPED	0.001 s
12	And enter "Harry" and "jones" of infant	SKIPPED	0.000 s
13	And select date of birth	SKIPPED	0.000 s
14	And done after DOB	SKIPPED	0.000 s
15	And click on continue details	SKIPPED	0.000 s
16	Then visit and verify Six E Addons page	SKIPPED	0.001 s
17	And select Excess Baggage addon	SKIPPED	0.001 s
18	And verify Excess Baggage page	SKIPPED	0.000 s
19	And add a weight of bag	SKIPPED	0.001 s
20	And click on the done button	SKIPPED	0.001 s
21	And continue with Excess baggage	SKIPPED	0.001 s
22	And skip the excess baggage	SKIPPED	0.002 s

To select Sports Equipment Add-on




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	26.262 s
2	And user click on BookFlight	PASSED	10.462 s
3	And user select "MUM" and "Del" cities	PASSED	2 m 28.802 s
4	And user select future Date	PASSED	25.485 s
5	Given user adds a registered user	PASSED	22.170 s
6	And user clicks on the search flight button	PASSED	21.542 s
7	And check the searched flight	PASSED	45.945 s
8	And click on continue button	PASSED	1 m 46.570 s
9	And skip the upgrade flexi fare	PASSED	5.492 s

#	Step / Hook Details	Status	Duration
10	When user verify Passanger details page	PASSED	19.189 s
11	And enter registerd user details	PASSED	3.599 s
12	And click on continue details	PASSED	16.554 s
13	Then visit and verify Six E Addons page	PASSED	4.525 s
14	<p>And select sports equipment addon</p> <pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [184b4f88-9c61-4d61-94e9-7cf6736a7e8b, findElement {using=-android uiautomator, value=new UiScollable(new UiSelector()).scrollIntoView(text("Sports Equipment"));}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 184b4f88-9c61-4d61-94e9-7cf6736a7e8b</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at testBase.AndroidActions.scrollToText(AndroidActions.java:64) at pageObjects.android.AddonPage.clickonSportsEquipmentAddon(AddonPage.java:1111) at testApp.Addons.select_sports_equipment_addon(Addons.java:735) at ?.select sports equipment addon(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.feature:116)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	10.899 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.590 s
	image		

#	Step / Hook Details	Status	Duration
			
15	And verify sports equipment page	SKIPPED	0.001 s
16	And add a bagkit	SKIPPED	0.000 s
17	And click the done button	SKIPPED	0.000 s
18	And continue with sports equipment	SKIPPED	0.000 s
19	And skip the sports equipment	SKIPPED	0.000 s


To select Delayed and Lost Baggage addon



#	Step / Hook Details	Status	Duration
1	Given user select as guest login	PASSED	24.579 s
2	And user click on BookFlight	PASSED	9.612 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 26.455 s
4	And user select future Date	PASSED	25.538 s
5	And user clicks on the search flight button	PASSED	31.471 s
6	And check the searched flight	PASSED	45.251 s
7	And click on continue button	PASSED	1 m 47.199 s

#	Step / Hook Details	Status	Duration
8	And skip the upgrade flexi fare	PASSED	2.678 s
9	When user verify Passanger details page	PASSED	16.266 s
10	And slect title of guest user	PASSED	5.347 s
11	And enter "Harry" and "jones" of guest user	PASSED	11.064 s
12	And enter "7620828139"	PASSED	12.873 s
13	And enter a "wickykul25@gmail.com"	PASSED	8.284 s
14	And click on continue details	PASSED	2.783 s
15	Then visit and verify Six E Addons page	PASSED	6.345 s
16	And select delayed and lost baggage addon	PASSED	7.900 s
17	And verify delayed and lost baggage page	PASSED	1.189 s
18	And click on checkbox	PASSED	0.331 s
19	And click on add to trip	PASSED	1.269 s
20	And continue with delayed and lost baggage	PASSED	0.876 s
21	And skip travel assistance	PASSED	1.263 s


To select 6E QickBoard Add-on



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	28.808 s
2	And user click on BookFlight	PASSED	12.831 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 33.045 s
4	And user select future Date	PASSED	25.153 s
5	Given user adds an armed forces from special fare options	PASSED	40.973 s
6	And user clicks on the search flight button	PASSED	31.493 s
7	And click on continue button	PASSED	1 m 56.712 s
8	When user verify Passanger details page	PASSED	13.007 s

#	Step / Hook Details	Status	Duration
9	And select title of passanger	PASSED	1.932 s
10	And enter "Harry" and "jones" and "123456" of Passanger	PASSED	17.477 s
11	And Continue with Passanger details	PASSED	12.519 s
12	Then visit and verify Six E Addons page	PASSED	5.386 s
13	And select Six E quick board addon	PASSED	10.082 s
14	And verify six e quick board page	PASSED	1.492 s
15	And check the checkbox for selected flight	PASSED	1.010 s
16	And click on the Add6E qick board button	PASSED	0.895 s
17	And continue with SixE quick board addon	PASSED	1.136 s
18	And skip travel assistance	PASSED	1.226 s


To select Lounge Add-on



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	26.708 s
2	And user click on BookFlight	PASSED	14.941 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 28.882 s
4	And user select future Date	PASSED	26.429 s
5	Given user adds an "Unaccompanied Minor" from special fare options	PASSED	2 m 27.213 s
6	And user clicks on the search flight button	PASSED	31.440 s
7	And click on continue button	PASSED	1 m 53.281 s
8	When user verify Passanger details page	PASSED	10.524 s
9	And select gender of passanger	PASSED	2.851 s
10	And enter "Harry" and "jones" of Passanger	PASSED	10.997 s
11	And select date of birth	PASSED	4.026 s
12	And done after DOB	PASSED	0.145 s

#	Step / Hook Details	Status	Duration
13	And Continue with Passanger details	PASSED	14.750 s
14	Then visit and verify Six E Addons page	PASSED	4.729 s
15	And select Lounge addon	PASSED	4.947 s
16	And verify lounge page	PASSED	1.709 s
17	And check the checkbox for passanger	PASSED	0.306 s
18	And click on the done button of lounge	PASSED	1.140 s
19	And continue lounge addon	PASSED	0.929 s
20	And skip travel assistance	PASSED	1.137 s


To select Travel Assistance Add-on



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	28.078 s
2	And user click on BookFlight	PASSED	11.757 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 32.363 s
4	And user select future Date	PASSED	26.405 s
5	Given user adds an "Students" from special fare options	PASSED	2 m 27.136 s
6	And user clicks on the search flight button	PASSED	31.438 s
7	And click on continue button	PASSED	1 m 57.797 s
8	When user verify Passanger details page	PASSED	11.516 s
9	And select title of passanger	PASSED	1.839 s
10	And enter "Harry" and "jones" of Passanger	PASSED	11.124 s
11	And enter studentid "2018bme024" of students	PASSED	3.681 s
12	And enter collegename "bharatvidyalay" of students	PASSED	16.692 s
13	And Continue with Passanger details	PASSED	14.377 s
14	Then visit and verify Six E Addons page	PASSED	4.978 s

#	Step / Hook Details	Status	Duration
15	And select travel assistance addon	PASSED	7.238 s
16	And verify travel assistance page	PASSED	1.858 s
17	And select date of birth of student	PASSED	0.961 s
18	And done after DOB	PASSED	1.162 s
19	And click on agree terms and conditions	PASSED	5.844 s
20	And add travel assistance addon	PASSED	1.492 s
21	And continue travel assistance addon	PASSED	3.475 s
22	And skip travel assistance	PASSED	1.124 s


To select Indigo Promise Add-on



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	27.517 s
2	And user click on BookFlight	PASSED	11.538 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 33.499 s
4	And user select future Date	PASSED	25.603 s
5	Given user adds an "Family & Friends" from special fare options	PASSED	3 m 28.071 s
6	And user clicks on the search flight button	PASSED	31.410 s
7	And click on continue button	PASSED	1 m 48.436 s
8	And skip the upgrade flexi fare	PASSED	4.299 s
9	When user verify Passanger details page	PASSED	25.093 s
10	And enter registered user details	PASSED	1.956 s
11	And select title of passanger	PASSED	3.307 s
12	And enter "admin" and "smith" of second Passanger	PASSED	18.552 s
13	And select title of passanger	PASSED	4.532 s
14	And enter "john" and "jack" of third Passanger	PASSED	15.791 s

#	Step / Hook Details	Status	Duration
15	And select title of passanger	PASSED	4.668 s
16	And enter "wick" and "admin" of fourth Passanger	PASSED	21.998 s
17	And click on continue details	PASSED	9.951 s
18	Then visit and verify Six E Addons page	PASSED	6.233 s
19	And select indigo promise addon	PASSED	6.521 s
20	And verify indigo promise page	PASSED	1.474 s
21	And check the checkbox for selected flight	PASSED	0.303 s
22	And add a Indigo promise	PASSED	1.691 s
23	And continue with sports equipment	PASSED	0.312 s
24	And skip the sports eqipment	PASSED	1.482 s


To select SixE Seat and Eat Add-on for Senior Citizen passangers



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	29.040 s
2	And user click on BookFlight	PASSED	14.900 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 28.080 s
4	And user select future Date	PASSED	25.308 s
5	Given user adds a Senior Citizen passenger from passenger list	PASSED	33.063 s
6	And user clicks on the search flight button	PASSED	31.533 s
7	And click on continue button	PASSED	1 m 23.642 s
8	And skip the upgrade flexi fare	PASSED	4.493 s
9	When user verify Passanger details page	PASSED	27.737 s
10	And select title of passanger	PASSED	3.767 s
11	And enter "Harry" and "jones" of Passanger	PASSED	10.019 s
12	And enter "sam" and "robin" of seniorCitizen	PASSED	26.831 s

#	Step / Hook Details	Status	Duration
13	And select date of birth	PASSED	2.827 s
14	And done after DOB	PASSED	1.208 s
15	And enter seniorcitizenID "5284"	PASSED	7.191 s
16	And Continue with Passanger details	PASSED	17.576 s
17	Then visit and verify Six E Addons page	PASSED	6.135 s
18	And user select 6E Seat & Eat Prime addon	PASSED	1.743 s
19	And verify six 6E Seat and Eat page	PASSED	0.307 s
20	And check the checkbox for selected flight	PASSED	0.200 s
21	And click on the Add Combo button	PASSED	1.126 s
22	And select meal for passanger	PASSED	1.182 s
23	And select veg meal type	PASSED	1.789 s
24	And select meal for all passanger	PASSED	1.541 s
25	And click on confirm meal button	PASSED	0.133 s
26	And click on the continue	PASSED	1.767 s
27	And click on done button	PASSED	2.481 s
28	And continue with 6E Tiffin addon	PASSED	1.541 s
29	And confirm with addon	PASSED	0.666 s


Verify For 6e prime fast forward ,meal and Normal seats are free and 50% discount on XL seats



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	29.566 s
2	And user click on BookFlight	PASSED	13.588 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 32.082 s
4	And user select future Date	PASSED	25.682 s
5	Given user adds an Adult passenger from passenger list	PASSED	22.339 s

#	Step / Hook Details	Status	Duration
6	And user clicks on the search flight button	PASSED	21.365 s
7	And check the searched flight	PASSED	1 m 10.249 s
8	And click on continue button	PASSED	1 m 46.434 s
9	And skip the upgrade flexi fare	PASSED	5.443 s
10	When user verify Passanger details page	PASSED	20.544 s
11	And enter "Harry" and "jones" of Passanger	PASSED	7.326 s
12	And select title of passanger	PASSED	4.558 s
13	And Continue with Passanger details	PASSED	12.566 s
14	Then visit and verify Six E Addons page	PASSED	4.486 s
15	And user select Six E Prime addon	PASSED	0.308 s
16	And verify six e prime page	PASSED	1.297 s
17	And check the checkbox for selected flight	PASSED	0.841 s
18	And click on the Add6EPrime button	PASSED	0.699 s
19	And verify meal is free	PASSED	1.150 s
20	And select meal for passanger	PASSED	0.338 s
21	And select veg meal type	PASSED	3.226 s
22	And select nonveg meal type	PASSED	0.640 s
23	And click on the continue	PASSED	0.921 s
24	And click on done button	PASSED	1.816 s
25	And verify fast forward is free	PASSED	4.618 s
26	And user continue with SixE Prime addon	PASSED	0.827 s
27	And confirm with addon	PASSED	0.663 s

For flexi plus fare meal is free




#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	27.496 s
2	And user click on BookFlight	PASSED	15.849 s
3	And user select "MUM" and "DeL" cities	PASSED	2 m 28.323 s
4	And user select future Date	PASSED	36.684 s
5	Given user adds an Adult passenger from passenger list	PASSED	22.299 s
6	And user clicks on the search flight button	PASSED	31.362 s
7	And user select flexi plus fare	PASSED	1 m 56.590 s
8	And click on continue button	PASSED	1 m 50.241 s
9	When user verify Passanger details page	PASSED	10.676 s
10	And enter "Harry" and "jones" of Passanger	PASSED	7.351 s
11	And select title of passanger	PASSED	4.552 s
12	And Continue with Passanger details	PASSED	11.662 s
13	Then visit and verify Six E Addons page	PASSED	4.241 s
14	And verify meal is free with flexi plus	PASSED	1.456 s
15	And user select free meal	PASSED	0.301 s
16	And select meal for passanger	PASSED	1.482 s
17	And select veg meal type	PASSED	3.205 s
18	And click on the continue	PASSED	0.587 s
19	And click on done button	PASSED	2.032 s
20	And user continue with flexi fare	PASSED	0.987 s
21	And skip with six sixE tiffin	PASSED	1.251 s

Flight Status Functionality




To verify user can check the flight status by using PNR Number



#	Step / Hook Details	Status	Duration
1	Given Launch the App and login	PASSED	28.801 s
2	Given user is on Home Page and Click on the Flight Status	PASSED	13.907 s
3	And user click on continue to proceed	PASSED	2.044 s
4	When user click on Search Your Flight	PASSED	1.025 s
5	And user select PNR Option and Enter the pnr number	PASSED	1.373 s
6	And user click on Search	PASSED	0.774 s
7	And user click on the shceduled flight	PASSED	3.098 s
8	Then user select show on Map	PASSED	0.444 s

To verifiy user can check the flight status By Route




#	Step / Hook Details	Status	Duration
1	Given Launch the App and login	PASSED	26.172 s
2	Given user is on Home Page and Click on the Flight Status	PASSED	14.614 s
3	When user click on continue to proceed	PASSED	1.464 s
4	And user click on Search Your Flight	PASSED	2.170 s
5	And user select By Route option for flight status	PASSED	0.226 s

#	Step / Hook Details	Status	Duration
6	And user selects "Delhi" and "Mumbai" cities	PASSED	18.992 s
7	And user click on Search	PASSED	0.933 s
8	And user click on the shceduled flight	PASSED	4.843 s
9	Then user select show on Map	PASSED	0.456 s

My Booking Tab




To verify user can check my booking tab




#	Step / Hook Details	Status	Duration
1	Given launch the application and login	PASSED	26.742 s
2	And User is on home page and click on my bookings	PASSED	11.541 s
3	When User is on my booking page and current booking is displayed	PASSED	15.356 s
4	Then user click on completed booking	PASSED	33.823 s

Update Contact Details



To Verify user can Update Contact




#	Step / Hook Details	Status	Duration
1	Given launch the application and login	PASSED	27.540 s
2	<p>Given User is on home page and click on View Modify</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@text='View/Modify']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.WebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.UpdateContactDetailsPage.ClickOnView_Modify(UpdateContactDetailsPage.java:45) at testApp.UpdateContactDetails.user_is_on_home_page_and_click_on_view_modify(UpdateContactDetails.java:26) at ?.User is on home page and click on View Modify(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/UpdateContact.feature:7) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@7caca69a (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.WebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.UpdateContactDetailsPage.ClickOnView_Modify(UpdateContactDetailsPage.java:45)</pre>	FAILED	11.258 s

#	Step / Hook Details	Status	Duration
	at testApp.UpdateContactDetails.user_is_on_home_page_and_click_on_view_modify(UpdateContactDetails.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@text='View/Modify']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: WebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:80) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.960 s


#	Step / Hook Details	Status	Duration
			
3	And User click on update contact details	SKIPPED	0.000 s
4	When User Change contact "9766940710"	SKIPPED	0.000 s
5	And User click on Update button	SKIPPED	0.000 s
6	Then Update details successfully	SKIPPED	0.000 s

To Verify user can Update Email id




#	Step / Hook Details	Status	Duration
1	Given launch the application and login	PASSED	27.125 s
2	Given User is on home page and click on View Modify	PASSED	12.625 s
3	And User click on update contact details	PASSED	4.075 s
4	When User Changes emailID "mk@gmail.com"	PASSED	1.815 s
5	And User click on Update button	PASSED	0.710 s
6	Then Update details successfully	PASSED	4.858 s

To Verify user can Update Contact and EmailId





#	Step / Hook Details	Status	Duration
1	Given launch the application and login	PASSED	26.497 s
2	Given User is on home page and click on View Modify	PASSED	12.173 s
3	And User click on update contact details	PASSED	3.893 s
4	When User Changes contact "9766940710" and Email ID "mk@gmail.com"	PASSED	3.363 s
5	And User click on Update button	PASSED	0.722 s
6	Then Update details successfully	PASSED	4.170 s

Cancel Flight Booking



To Verify User Can cancel our flight booking




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the Application	PASSED	27.649 s
2	And User is on home page and click on modify button	PASSED	14.816 s
3	When User click on modify booking option	PASSED	7.360 s
4	And User click on cancel booking	PASSED	0.210 s
5	And User select Bank Account for refund	PASSED	1.946 s
6	And User click on Cancel booking tab	PASSED	0.294 s
7	And User select yes for cancel booking	PASSED	1.554 s
8	And User click on confirm cancel booking option	PASSED	3.131 s
9	Then User validate booking has been cancelled java.lang.AssertionError: expected [Your booking has been cancelled!] but found [Your booking has been cancelled!] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at pageObjects.android.CancelBookingPage.ClickBookingHasBeenCancelled(CancelBookingPage.java:84) at testApp.CancelBooking.user_validate_booking_has_been_cancelled(CancelBooking.java:83) at ?.User validate booking has been cancelled(file:///C:/Users/mangesh.kulkarni/.eclipse//Workspace2/TestAppiumProject01/src/test/java/features/X_CancelBooking.feature:16) * Not displayable characters are replaced by '?'.	FAILED	5.183 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)  	PASSED	0.578 s

[Forgot Password](#)




To test forgot password functionality



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	20.498 s
2	When User selects Password option	PASSED	0.961 s
3	And User enter Mobile Number "9766940710"	PASSED	1.459 s
4	And User click on Forgot Password link	PASSED	1.202 s
5	And User click on Send OTP button and waits for OTP	PASSED	2.060 s
6	And User enter "Mangeshk@123" and "Mangeshk@123" org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Located by By.chained({By.xpath: //android.view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.ForgotPassword.user_enter_something_and_something(ForgotPassword.java:80) at ?.User enter "Mangeshk@123" and "Mangeshk@123"(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/Y_ForgotPassword.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>)	FAILED	30.652 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.ForgotPassword.user_enter_something_and_something(ForgotPassword.java:80) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@538a7cb5 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 60 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android. view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> 	PASSED	0.504 s
7	Then User click on change my password button	SKIPPED	0.000 s
8	And Password change successfull	SKIPPED	0.001 s