

SASAI Appium Automation Report



Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
SASAI Application signup and Login feature Automation	2.594 s	3	0	3	0	14	0	3	11


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@login	3	0	3	0	1	0	1	0
@mobileEnrollment	2	0	2	0	1	0	1	0
@crmapprove	2	0	2	0	1	0	1	0
@rootapprove	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	SASAI Application signup and Login feature Automation	3	0	3	0	2.594 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SASAI Application signup and Login feature Automation	SASAI app user signup with Mobile number	6	0	1	5	1.806 s
2	SASAI Application signup and Login feature Automation	Corteva Retailers Enrollment approve at CRM portal	4	0	1	3	0.178 s
3	SASAI Application signup and Login feature Automation	Corteva Retailers Enrollment approve at Root portal	4	0	1	3	0.123 s

DETAILED SECTION -- 6 --

SASAI Application signup and Login feature Automation

FAILED	DURATION - 2.594 s	Scenarios		Steps	
		Total - 3		Total - 14	
/ 10:56:49.310 am // 1	10:56:51.904 am /	Pass - 0	3	Pass - 0	14
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 11	

SASAI app user signup with Mobile number



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on Get Started button	FAILED	1.741 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
ı	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
ı	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
ı	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
ı	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
l	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
l	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
l	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
l	Caused by: java.lang.reflect.InvocationTargetException		
ı	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message:		
	The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource		
	Host info: host: 'KELLGGNLPTP1576', ip: '192.168.1.4' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10',		
	os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
n	Capabilities=[{appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID, appium:automationName=UlAutomator2, appium:app=C:\Users\rohit. kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit. kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit. kumar2\Downloads\TestAppium:appium:appium:autoGrantPermissions: true, appium:automationName: UlAutomator2, appium:appium:autoGrantPermissions: true, appium:automationName: ANDROID}) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:194) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194) at io.appium.java_client.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:157) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:157) at io.appium.java_client.AppiumDriver.sint>(AppiumDriver.java:39)	Status	Duration
2	When Enters "0786754834" and click on submit	SKIPPED	0.006 s
3	Then Enter otp "123456" and click on submit	SKIPPED	0.000 s
-	·		
4	Then Enter Display name "SASAI Test" and click on submit	SKIPPED	0.002 s
5	Then Enter PIN "123456" and click on set PIN	SKIPPED	0.000 s
6	Then Enter confirm PIN "123456" and click on confirm PIN	SKIPPED	0.001 s

Corteva Retailers Enrollment approve at CRM portal


FAILED DURATION - 0.178 s	Steps	
/ 10:56:51.403 am // 10:56:51.581 am /	2	
SASAI Application signup and Login feature Automation	1 - Fail - 1 Skip - 3	4
@mobileEnrollment @login @crmapprove	1 2 3 4	

#	Step / Hook Details	Status	Duration
1	Given Launch crm portal	FAILED	0.119 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message:		
	The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource		
	Host info: host: 'KELLGGNLPTP1576', ip: '192.168.1.4' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10',		
	os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession		
	{capabilities=[{appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID,		
	appium:automationName=UIAutomator2, appium:app=C:\Users\rohit.		
	kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit. kumar2\Downl, appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554,		
	platformName: ANDROID}}] Capabilities {appium:app: C:\Users\rohit.kumar2\Downl, appium:autoGrantPermissions: true,		
	appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at io.appium.java client.AppiumDriver.startSession(AppiumDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:80)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:92)</init>		
	at io.appium.java_client.android.AndroidDriver. <init>(AndroidDriver.java:117)</init>		
	at testBase.AndroidBaseTest.ConfigureAppium(AndroidBaseTest.java:177)		
	at testApp.Login1. <init>(Login1.java:29)</init>		

#	Step / Hook Details	Status	Duration
2	And login into crm portal "30004" and "Welcome@851"	SKIPPED	0.005 s
3	And verify landing page	SKIPPED	0.001 s
4	And click on my Tasks and verify retailers "9722222221"	SKIPPED	0.002 s

Corteva Retailers Enrollment approve at Root portal



#	Step / Hook Details	Status	Duration
1	Given Launch root portal	FAILED	0.085 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		

Duration	Status	Step / Hook Details
		at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
		at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)
		at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)
		at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)
		at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
		at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)
		at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)
		at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)
		at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)
		at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)
		at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
		at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)
		at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)
		at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)
		at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)
		at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)
		at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)
		at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)
		at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
		at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)
		at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)
		at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)
		at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)
		at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)
		at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)
		Caused by: java.lang.reflect.InvocationTargetException
		at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
		at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
		at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
		at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
		at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
		at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)
		45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message:
		The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource
		Host info: host: 'KELLGGNLPTP1576', ip: '192.168.1.4' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10',
		os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession
		capabilities=[{appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID,
		appium:automationName=UIAutomator2, appium:app=C:\Users\rohit.
		kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit.
		kumar2\Downl, appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}}] Capabilities {appium:app: C:\Users\rohit.kumar2\Downl, appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:80)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:92)</init>		
	at io.appium.java_client.android.AndroidDriver. <init>(AndroidDriver.java:117)</init>		
	at testBase.AndroidBaseTest.ConfigureAppium(AndroidBaseTest.java:67)		
	at testApp.Login1. <init>(Login1.java:29)</init>		
2	And login into root portal "3051" and "Welcome@123"	SKIPPED	0.001 s
3	And select roots portal seed	SKIPPED	0.008 s
4	And click on view and approve retailer "9722222221"	SKIPPED	0.002 s