

# Indigo Appium Automation Report

22-Dec-2022, 4:56:58 PM

**Start : Dec 22, 1:06:49.193 PM**

**End : Dec 22, 4:56:56.598 PM**

**Duration : 230 m 7.405 s**

Features







PASSED - 4  
FAILED - 10  
SKIPPED - 0

Scenarios

PASSED - 13  
FAILED - 23  
SKIPPED - 0

Steps


PASSED - 474  
FAILED - 23  
SKIPPED - 131




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Application Login</u>	1 m 37.614 s	1	0	1	0	4	3	1	0
<u>Booking Modification Functionality</u>	3 m 19.175 s	2	2	0	0	23	23	0	0
<u>Indigo Payment Option</u>	28 m 45.422 s	4	3	1	0	72	65	1	6
<u>Update Profile Details</u>	50.014 s	1	1	0	0	6	6	0	0
<u>Cancel Flight</u>	7 m 9.681 s	2	0	2	0	30	15	2	13
<u>Check-in Functionality</u>	3 m 14.990 s	2	2	0	0	21	21	0	0
<u>Indigo Booking Flow</u>	150 m 21.871 s	10	1	9	0	178	110	9	59
<u>Roundtrip Functionality</u>	52 m 15.225 s	4	1	3	0	119	108	3	8
<u>MultiCityTrip Functionality</u>	6 m 40.476 s	2	0	2	0	52	15	2	35
<u>UndoCheckin Functionality</u>	48.699 s	1	1	0	0	6	6	0	0
<u>Add-on Functionality</u>	31 m 11.697 s	4	2	2	0	94	87	2	5
<u>Update Contact Details</u>	43.022 s	1	0	1	0	6	2	1	3
<u>Cancel Flight Booking</u>	1 m 4.339 s	1	0	1	0	9	8	1	0
<u>Forgot Password</u>	59.876 s	1	0	1	0	8	5	1	2

<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Login		1	0	1	0	1	0	1	0
@BookingModification		1	1	0	0	1	1	0	0
@Bookingmodification		2	2	0	0	1	1	0	0
@Demotest		11	6	5	0	5	0	5	0
@Payments		4	3	1	0	1	0	1	0
@Profile		1	1	0	0	1	1	0	0
@CancelChangeFlight		2	0	2	0	1	0	1	0
@CancelFlight		1	0	1	0	1	0	1	0
@ChangeFlight		1	0	1	0	1	0	1	0
@new1		1	0	1	0	1	0	1	0
@Demotest2		16	4	12	0	6	2	4	0
@Booking		10	1	9	0	1	0	1	0
@MultiCityTrip		3	0	3	0	2	0	2	0
@Roundtrip		4	1	3	0	1	0	1	0
@undoCheckin		1	1	0	0	1	1	0	0
@demoscenario		3	1	2	0	3	1	2	0
@Addons		4	2	2	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@update	1	0	1	0	1	0	1	0
@CancelBooking	1	0	1	0	1	0	1	0
@ForgotPassword	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Application Login</u>	1	0	1	0	1 m 37.614 s
2	<u>Booking Modification Functionality</u>	2	2	0	0	3 m 19.175 s
3	<u>Indigo Payment Option</u>	4	3	1	0	28 m 45.422 s
4	<u>Update Profile Details</u>	1	1	0	0	50.014 s
5	<u>Cancel Flight</u>	2	0	2	0	7 m 9.681 s
6	<u>Check-in Functionality</u>	2	2	0	0	3 m 14.990 s
7	<u>Indigo Booking Flow</u>	10	1	9	0	150 m 21.871 s
8	<u>Roundtrip Functionality</u>	4	1	3	0	52 m 15.225 s
9	<u>MultiCityTrip Functionality</u>	2	0	2	0	6 m 40.476 s
10	<u>UndoCheckin Functionality</u>	1	1	0	0	48.699 s




#	Feature Name	T	P	F	S	Duration
11	<u>Add-on Functionality</u>	4	2	2	0	31 m 11.697 s
12	<u>Update Contact Details</u>	1	0	1	0	43.022 s
13	<u>Cancel Flight Booking</u>	1	0	1	0	1 m 4.339 s
14	<u>Forgot Password</u>	1	0	1	0	59.876 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Application Login</u>	<u>Indigo Customer login with correct OTP</u>	4	3	1	0	1 m 37.573 s
2	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for Addons.</u>	16	16	0	0	2 m 15.818 s
3	<u>Booking Modification Functionality</u>	<u>To Booking Modifaction for Change seats.</u>	7	7	0	0	1 m 3.255 s
4	<u>Indigo Payment Option</u>	<u>Make a Payment Using UPI</u>	17	10	1	6	7 m 56.471 s
5	<u>Indigo Payment Option</u>	<u>Make a Payment Using Debit Card</u>	21	21	0	0	7 m 11.914 s
6	<u>Indigo Payment Option</u>	<u>Make a Payment Using 6E Rewards</u>	20	20	0	0	7 m 27.707 s
7	<u>Indigo Payment Option</u>	<u>Make a Payment Using hold and pay option</u>	14	14	0	0	6 m 9.067 s
8	<u>Update Profile Details</u>	<u>To verify user can update Contact</u>	6	6	0	0	50.013 s
9	<u>Cancel Flight</u>	<u>To Verify User can cancel the booked flight</u>	11	2	1	8	41.946 s
10	<u>Cancel Flight</u>	<u>To Verify User can change the booked flight</u>	19	13	1	5	6 m 27.638 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
11	<u>Check-in Functionality</u>	<u>To verify that Guest user can check-in</u>	12	12	0	0	1 m 40.958 s
12	<u>Check-in Functionality</u>	<u>To verify Checkin Through Invalid Email-id</u>	9	9	0	0	1 m 33.985 s
13	<u>Indigo Booking Flow</u>	<u>To Verify that user can search a flight</u>	10	10	0	0	6 m 0.233 s
14	<u>Indigo Booking Flow</u>	<u>Make a booking with saver fare option</u>	16	13	1	2	8 m 53.055 s
15	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Armed Forces</u>	16	13	1	2	9 m 8.920 s
16	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Armed Forces Super6E fare option</u>	18	0	1	17	22.350 s
17	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Students and Super6E fare option</u>	17	14	1	2	13 m 14.194 s
18	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family &amp; Friends</u>	13	10	1	2	10 m 52.045 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
19	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family &amp; Friends and Flexi Plus fare option</u>	14	11	1	2	13 m 4.568 s
20	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Family &amp; Friends and Flexi Plus fare option</u>	43	14	1	28	7 m 21.014 s
21	<u>Indigo Booking Flow</u>	<u>Make a booking with special fares Unaccompanied Minor and Super6E fare option</u>	17	14	1	2	12 m 42.164 s
22	<u>Indigo Booking Flow</u>	<u>Make a booking with SUPER 6E CAPITAL</u>	14	11	1	2	9 m 46.961 s
23	<u>Roundtrip Functionality</u>	<u>Make a RoundTrip booking with special fares Armed Forces</u>	22	20	1	1	10 m 48.621 s
24	<u>Roundtrip Functionality</u>	<u>To Verify a RoundTrip booking with special fares Family &amp; Friends</u>	29	25	1	3	15 m 14.217 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
25	<u>Roundtrip Functionality</u>	<u>Make a RoundTrip booking with special fares Armed Forces and super 6E</u>	36	31	1	4	13 m 13.104 s
26	<u>Roundtrip Functionality</u>	<u>To Verify a RoundTrip booking with Flexi plus</u>	32	32	0	0	12 m 59.066 s
27	<u>MultiCityTrip Functionality</u>	<u>To Verify that user can search a flight for Multicity</u>	12	10	1	1	4 m 49.966 s
28	<u>MultiCityTrip Functionality</u>	<u>To Verify that Make a Multicity booking with Armed Force and SUPER 6E CAPITAL</u>	40	5	1	34	1 m 50.439 s
29	<u>UndoCheckin Functionality</u>	<u>To Verify User can Check the Undo Check In</u>	6	6	0	0	48.699 s
30	<u>Add-on Functionality</u>	<u>To select Six E Prime Add-on for Adult passangers</u>	32	31	1	0	10 m 57.893 s
31	<u>Add-on Functionality</u>	<u>To select Fast Forward Add-on for Child</u>	21	21	0	0	7 m 24.074 s
32	<u>Add-on Functionality</u>	<u>To select Excess Baggage Add-on</u>	22	22	0	0	6 m 18.020 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
33	<u>Add-on Functionality</u>	<u>To select Sports Equipment Add-on</u>	19	13	1	5	6 m 31.513 s
34	<u>Update Contact Details</u>	<u>To Verify user can Update Contact</u>	6	2	1	3	43.022 s
35	<u>Cancel Flight Booking</u>	<u>To Verify User Can cancel our flight booking</u>	9	8	1	0	1 m 4.339 s
36	<u>Forgot Password</u>	<u>To test forgot password functionality</u>	8	5	1	2	59.876 s

## Application Login




## Indigo Customer login with correct OTP



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on continue with mobile number	PASSED	29.572 s
2	When User Enters "9766940710" and Click on send OTP	PASSED	3.288 s
3	And User clicks on confirm	PASSED	3.005 s
4	Then Verify landing page	FAILED	1 m 0.199 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Located by By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at pageObjects.android.LoginPage1.verifyLandingPage(LoginPage1.java:120) at testApp.Login1.verify_landing_page(Login1.java:54) at ?.Verify landing page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/A_Login1.feature:66) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated> at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at pageObjects.android.LoginPage1.verifyLandingpPage(LoginPage1.java:120) at testApp.Login1.verify_landing_page(Login1.java:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@7926352f (tried for 1 second(s) with 500 milliseconds interval)     at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)     at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98)     at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)     ... 61 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.FrameLayout[@content-desc=" "]/android.view.ViewGroup/android.view.ViewGroup/android.widget.ImageView[2]}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver     at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)     at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)     at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119)     at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) </pre>		

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP</b> - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.676 s

## Booking Modification Functionality




## To Booking Modifaction for Addons.



#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	25.036 s
2	Given user is on home page and click on checkin module	PASSED	11.544 s
3	And click on view Itenerary button	PASSED	3.328 s
4	And user select additional services option	PASSED	5.074 s
5	And verify additional services page	PASSED	1.108 s
6	And select excess baggage addon	PASSED	5.807 s
7	And select checkbox and confirm it	PASSED	10.134 s
8	And click on continue with addon	PASSED	1.464 s
9	And skip the travel assistance addons	PASSED	1.203 s
10	When user verify payment page	PASSED	6.437 s
11	And select Credicard option	PASSED	1.020 s
12	And enter valid credentials "4263982640269299" and "02/23" and "837" and "Visa" of credit card	PASSED	20.228 s
13	And accept terms and click pay	PASSED	7.019 s
14	And Click for confirm Payment	PASSED	0.242 s
15	And click on back to merchant page	PASSED	27.311 s
16	Then verify modified addon	PASSED	8.093 s

### To Booking Modifaction for Change seats.




#	Step / Hook Details	Status	Duration
1	Given Launch the Indigo app and login	PASSED	26.148 s
2	Given user is on home page and click on checkin module	PASSED	12.915 s
3	And click on view Itenerary button	PASSED	3.252 s
4	And user select Change seats	PASSED	4.460 s
5	When user select seat	PASSED	7.445 s
6	And click on continue for payment	PASSED	1.528 s

#	Step / Hook Details	Status	Duration
7	Then verify modified seat change	PASSED	6.798 s

## Indigo Payment Option




## Make a Payment Using UPI




#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	26.763 s
2	And User is on Book flight page	PASSED	10.068 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 31.254 s
4	And User select a Departure date	PASSED	24.690 s
5	And User click on Done button	PASSED	0.720 s
6	And User click on search flight	PASSED	21.229 s
7	And User click on continue button	PASSED	1 m 46.649 s
8	And User skips flexi upgrade option	PASSED	10.792 s
9	And User enter details for passenger	PASSED	40.157 s
10	And User skips addons and insurance	PASSED	15.662 s
11	Given User is on Payment Page	FAILED	2 m 6.728 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_payment_title}) (tried for 120 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.Payments.user_is_on_payment_page(Payments.java:269) at ?.User is on Payment Page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/B_Payments.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_payment_title}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt;) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Payments.user_is_on_payment_page(Payments.java:269) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@6181bc4a (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 58 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_payment_title}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.Builder.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) </pre>		


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b> 	PASSED	0.922 s
12	And User select payment method UPI	SKIPPED	0.007 s
13	And User enter "john@sbi" Virtual Payment Address	SKIPPED	0.000 s
14	And User agrees to terms and conditions	SKIPPED	0.001 s
15	Then User click on pay button	SKIPPED	0.001 s
16	And User proceed to complete the payment	SKIPPED	0.001 s
17	And Ticket is confirmed	SKIPPED	0.001 s

## Make a Payment Using Debit Card




#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	26.959 s
2	And User is on Book flight page	PASSED	13.584 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 32.194 s
4	And User select a Departure date	PASSED	24.504 s
5	And User click on Done button	PASSED	1.046 s
6	And User click on search flight	PASSED	21.443 s
7	And User click on continue button	PASSED	1 m 48.299 s
8	And User skips flexi upgrade option	PASSED	10.248 s
9	And User enter details for passenger	PASSED	44.868 s
10	And User skips addons and insurance	PASSED	16.169 s
11	Given User is on Payment Page	PASSED	3.021 s
12	And User select payment method Debit Card	PASSED	1.756 s
13	And User select search and select a "State Bank of India"	PASSED	5.339 s
14	And User enters debit card number "5200000000000007"	PASSED	4.014 s
15	And User enters debit expiry date "0123"	PASSED	6.423 s
16	And User enters debit cvv number "123"	PASSED	3.680 s
17	And User enters debit fullname "admin"	PASSED	2.763 s
18	And User agrees to terms and conditions	PASSED	2.794 s
19	Then User click on pay button	PASSED	3.550 s
20	And User proceed to complete the payment	PASSED	0.391 s
21	And Ticket is confirmed	PASSED	38.145 s

## Make a Payment Using 6E Rewards



#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	27.329 s
2	And User is on Book flight page	PASSED	11.358 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 40.975 s
4	And User select a Departure date	PASSED	35.156 s
5	And User click on Done button	PASSED	1.170 s
6	And User click on search flight	PASSED	31.327 s
7	And User click on continue button	PASSED	1 m 47.522 s
8	And User skips flexi upgrade option	PASSED	10.158 s
9	And User enter details for passenger	PASSED	37.196 s
10	And User skips addons and insurance	PASSED	15.526 s
11	And User navigate to Payment Page	PASSED	2.932 s
12	And User select payment method 6E Rewards	PASSED	1.813 s
13	And User enters card number "5200000000000007"	PASSED	9.162 s
14	And User enters expiry date "0123"	PASSED	2.742 s
15	And User enters cvv number "123"	PASSED	4.718 s
16	And User enters fullname "admin"	PASSED	3.567 s
17	And User agrees to terms and conditions	PASSED	4.552 s
18	Then User click on pay button	PASSED	1.026 s
19	And User proceed to complete the payment	PASSED	2.232 s
20	And Ticket is confirmed	PASSED	36.456 s

**Make a Payment Using hold and pay option**




#	Step / Hook Details	Status	Duration
1	Given User logs into the application	PASSED	25.218 s
2	And User is on Book flight page	PASSED	10.654 s
3	When User Select "DEL" and "MUM" cities	PASSED	1 m 31.991 s
4	And User select a Departure date in future	PASSED	24.969 s
5	And User click on Done button	PASSED	0.933 s
6	And User click on search flight	PASSED	31.146 s
7	And User click on continue button	PASSED	1 m 47.074 s
8	And User skips flexi upgrade option	PASSED	9.880 s
9	And User enter details for passenger	PASSED	38.361 s
10	And User skips addons and insurance	PASSED	15.561 s
11	Given User is on Payment Page	PASSED	4.139 s
12	And User click on hold and pay option	PASSED	1.769 s
13	And User click on Hold button	PASSED	5.095 s
14	Then User verify ticket confirmation	PASSED	1.411 s

## Update Profile Details




To verify user can update Contact




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the application	PASSED	25.984 s
2	And User is on Profile Page	PASSED	12.410 s
3	And User click on Edit Profile button	PASSED	4.120 s
4	When User Changes Contact "9766940710"	PASSED	2.877 s
5	And User click on Update Profile button	PASSED	1.486 s
6	Then Profile update is successfull	PASSED	2.483 s

## Cancel Flight




To Verify User can cancel the booked flight



#	Step / Hook Details	Status	Duration
1	Given Launch the application and login	PASSED	27.569 s
2	Given User is on Home page and click on modify	PASSED	9.584 s
3	<p>When User click on modify booking</p> <pre>org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: //android.widget.RelativeLayout[@resource-id='in.goindigo.android.debug:id/relative_modify_booking']' does not exist in DOM anymore For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [7621022e-b40a-49df-b01d-b0b426bd7ecf, clickElement {id=00000000-0000-1103-ffff-ffff000003dc}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (7621022e-b40a-49df-b01d-b0b426bd7ecf)] -&gt; xpath: //android.widget.RelativeLayout[@resource-id='in.goindigo.android.debug:id/relative_modify_booking']] Session ID: 7621022e-b40a-49df-b01d-b0b426bd7ecf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt; at pageObjects.android.CancelChangeFlightPage.ClickModifyBooking(CancelChangeFlightPage.java:66) at testApp.CancelChangeFlight.user_click_on_modify_booking(CancelChangeFlight.java:39) at ?.User click on modify booking(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/CancelChangeFlight.feature:12) * Not displayable characters are replaced by '?'.</pre>	FAILED	3.434 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.678 s

#	Step / Hook Details	Status	Duration
	image 		
4	And User click on cancel flight	SKIPPED	0.001 s
5	And User select Bank Account to refund	SKIPPED	0.001 s
6	And User click on Cancel flight tab	SKIPPED	0.000 s
7	And User should select booked flight for cancelling	SKIPPED	0.000 s
8	And User click on continue tab	SKIPPED	0.000 s
9	And User select yes for cancel flight	SKIPPED	0.001 s
10	And User click on finish option	SKIPPED	0.000 s
11	Then User verify Flight Cancel Message	SKIPPED	0.000 s

## To Verify User can change the booked flight



#	Step / Hook Details	Status	Duration
1	Given Launch the application and login	PASSED	23.899 s
2	Given User is on Home Page and click on CheckIn	PASSED	10.421 s
3	And User select view Itenerary	PASSED	3.694 s
4	When User click on change flight Button	PASSED	3.515 s

#	Step / Hook Details	Status	Duration
5	And User click on checkbox	PASSED	1.572 s
6	And User select New date	PASSED	20.936 s
7	And User click on done button	PASSED	0.221 s
8	When User click on select flight button	PASSED	15.333 s
9	And User click on new flight booking	PASSED	1 m 54.467 s
10	And User click on continue Tab	PASSED	1 m 47.165 s
11	And User skip Addon page click on continue	PASSED	9.848 s
12	And User select Not interested for Travel Asistance	PASSED	10.838 s
13	And User select NetBanking Payemnt Option	PASSED	3.772 s
14	And User select Other  org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: (/android.widget.ImageView[@resource-id='in.goindigo.android.debug:id/image_hdfc'])[7]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CancelChangeFlightPage.ClickonOtherBank(CancelChangeFlightPage.java:214) at testApp.CancelChangeFlight.user_select_other(CancelChangeFlight.java:201) at ?.User select Other(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/CancelChangeFlight.feature:36) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@42457891 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.CancelChangeFlightPage.ClickonOtherBank(CancelChangeFlightPage.java:214) at testApp.CancelChangeFlight.user_select_other(CancelChangeFlight.java:201) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)	FAILED	1 m 0.589 s


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.</p>		

#	Step / Hook Details	Status	Duration
	<pre>ImageView[@resource-id='in.goindigo.android.debug:id/image_hdfc'][7])) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.546 s
15	And User click on Avenue Test	SKIPPED	0.000 s
16	And User select CheckBox	SKIPPED	0.000 s
17	And User click on Pay Button	SKIPPED	0.000 s
18	And User click on Continue	SKIPPED	0.000 s
19	Then User verify the Message	SKIPPED	0.000 s

## Check-in Functionality




### To verify that Guest user can check-in



#	Step / Hook Details	Status	Duration
1	Given user launch the Application	PASSED	10.919 s
2	When User clicks on continue as guest Button	PASSED	12.640 s
3	And User is on HomePage Click On CheckIN	PASSED	0.711 s
4	And User Click On Find Booking	PASSED	2.670 s
5	When User Enter "FLWRNX" and "Kulkarni"	PASSED	6.654 s
6	And User Click On Submit	PASSED	1.745 s
7	And user click on Check IN Now button	PASSED	3.003 s
8	When user add the Bag count and click on Next	PASSED	9.190 s
9	And User skip addons and click on continue	PASSED	7.907 s
10	And user select not intrested for Travel Asistance	PASSED	1.167 s
11	And user Enter "8668399124" and "yojo3557@gmail.com" and "latur" and "413512" in Web Check In From	PASSED	34.061 s
12	Then User completed checkin process	PASSED	9.455 s

### To verify Checkin Through Invalid Email-id




#	Step / Hook Details	Status	Duration
1	Given Launch the app and login	PASSED	26.924 s
2	And User can Select Check In now Option to Proceed	PASSED	10.509 s
3	And user click on check in now	PASSED	3.191 s
4	And user click on Check IN Now button	PASSED	2.556 s
5	When user add the Bag count and click on Next	PASSED	7.436 s
6	And User skip addons and click on continue	PASSED	6.450 s
7	And user select not intrested for Travel Asistance	PASSED	3.460 s
8	And user Enter "8668399124" and "yoyo3557@gmail.com" and "latur" and "413512" in Web Check In From	PASSED	30.437 s
9	Then Verify Emailid message	PASSED	2.262 s

## Indigo Booking Flow




To Verify that user can search a flight



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	29.005 s
2	Given User is on Book Flight Page	PASSED	13.527 s
3	When User selects "IXC" and "BOM" cities	PASSED	1 m 29.736 s
4	And User selects a departure date	PASSED	24.450 s
5	And User clicks on Done button	PASSED	1.171 s
6	And User Search and select a "Indian Rupee"	PASSED	33.457 s
7	And User click on passengers	PASSED	18.670 s
8	And User Selects Passengers	PASSED	9.747 s
9	Then User Clicks on Search Flight	PASSED	1 m 24.605 s
10	And User can see Search results for "IXC" and "BOM" cities	PASSED	55.199 s

### Make a booking with saver fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.478 s
2	Given User is on Book Flight Page	PASSED	15.847 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 33.377 s

#	Step / Hook Details	Status	Duration
4	And User selects a departure date	PASSED	24.633 s
5	And User clicks on Done button	PASSED	0.776 s
6	And User Search and select a "Indian Rupee"	PASSED	25.904 s
7	And User click on passengers	PASSED	22.204 s
8	And User adds 2 adult passengers	PASSED	1.128 s
9	And User Clicks on Search Flight	PASSED	1 m 34.711 s
10	And User selects saver fare option	PASSED	1 m 53.406 s
11	And click on continue button and skipFlexi	PASSED	37.666 s
12	And User provides first adult passengers "Mr" "wicky" and "jones"	PASSED	28.309 s
13	And User provides second adult passengers "Mr" "admin" and "adminn"	PASSED	39.498 s
14	And User skips Addons and Insurance and seat selection	FAILED	7.804 s
	org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: //android.widget.TextView[@text='Skip']' does not exist in DOM anymore For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [a5cf7e5b-d8e5-414e-a7cd-e15129a2fc5a, isElementDisplayed {id=00000000-0000-11be-ffff-ffff00004686}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (a5cf7e5b-d8e5-414e-a7cd-e15129a2fc5a)] -> xpath: //android.widget.TextView[@text='Skip']] Session ID: a5cf7e5b-d8e5-414e-a7cd-e15129a2fc5a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at jdk.internal.reflect.GeneratedMethodAccessor117.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		

#	Step / Hook Details	Status	Duration
	<pre>at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt;) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:677) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:99) * Not displayable characters are replaced by '?'.</pre>		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b> 	PASSED	0.618 s
15	Then verify user is on payment page	SKIPPED	0.000 s
16	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

### Make a booking with special fares Armed Forces




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	27.377 s
2	Given User is on Book Flight Page	PASSED	11.087 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 32.381 s
4	And User selects a departure date	PASSED	24.711 s
5	And User clicks on Done button	PASSED	0.987 s
6	And User Search and select a "Indian Rupee"	PASSED	33.494 s
7	And User click on passengers	PASSED	31.968 s
8	And User Select a Passenger with infant	PASSED	1.077 s
9	And User Selects any "Armed Forces"	PASSED	1 m 31.673 s
10	And User Clicks on Search Flight	PASSED	1 m 34.645 s
11	And User clicks on continue button on search flight page	PASSED	42.732 s
12	And User provides first adult passengers "Mr" "wicky" and "jones"	PASSED	19.070 s
13	And User provides infant passengers "male" "admin" and "adminn"	PASSED	42.973 s
14	And User skips Addons and Insurance and seat selection	FAILED	33.411 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@text='Skip']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt; at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:678) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:121) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@482c8db4 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt; at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@text='Skip']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.586 s
15	Then verify user is on payment page	SKIPPED	0.000 s
16	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.001 s


Make a booking with special fares Armed Forces Super6E fare option



#	Step / Hook Details	Status	Duration
1	<p><a href="#">Given User is Logged in</a></p> <pre>org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [2f70407c-cef3-4dc6-ab55-8517ea7c78be, isElementDisplayed {id=00000000-0000-1200-ffff-0000000024}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (2f70407c-cef3-4dc6-ab55-8517ea7c78be)] -&gt; id: in.goindigo.android.debug:id/btn_mobile_login] Session ID: 2f70407c-cef3-4dc6-ab55-8517ea7c78be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre>	FAILED	20.269 s

#	Step / Hook Details	Status	Duration
	at testBase.AndroidBaseTest.login(AndroidBaseTest.java:97) at testApp.Booking.user_is_logged_in(Booking.java:36) at ?.User is Logged in(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:6) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b> image 	PASSED	1.313 s
2	Given User is on Book Flight Page	SKIPPED	0.000 s
3	When User selects "DEL" and "BOM" cities	SKIPPED	0.001 s
4	And User selects a departure date	SKIPPED	0.000 s
5	And User clicks on Done button	SKIPPED	0.000 s
6	And User Search and select a "Indian Rupee"	SKIPPED	0.000 s
7	And User click on passengers	SKIPPED	0.001 s
8	And User Select a Passenger with infant	SKIPPED	0.000 s
9	And User Selects any "Armed Forces"	SKIPPED	0.001 s
10	And User Clicks on Search Flight	SKIPPED	0.000 s
11	And User selects Super6E fare option	SKIPPED	0.000 s
12	And User clicks on continue button	SKIPPED	0.001 s
13	And User provides first adult passengers "mRs" "Nancy" and "Wick"	SKIPPED	0.000 s
14	And User provides infant passengers "Male" "Admin" and "Admin"	SKIPPED	0.000 s
15	And User Add a snack for Super 6e and continue	SKIPPED	0.001 s
16	And User selects a seat	SKIPPED	0.000 s
17	Then verify user is on payment page	SKIPPED	0.000 s
18	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s


## Make a booking with special fares Students and Super6E fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	25.949 s
2	Given User is on Book Flight Page	PASSED	12.256 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 32.472 s
4	And User selects a departure date	PASSED	25.216 s
5	And User clicks on Done button	PASSED	0.519 s
6	And User Search and select a "Indian Rupee"	PASSED	33.582 s
7	And User click on passengers	PASSED	21.910 s
8	And User Select a Passenger	PASSED	0.280 s
9	And User Selects Students special fare option	PASSED	1 m 36.759 s
10	And User Clicks on Search Flight	PASSED	1 m 34.464 s
11	And User select Super6e fare option	PASSED	2 m 23.411 s
12	And User clicks on continue button	PASSED	1 m 53.242 s
13	And User provides passenger details for student "Mr" "wicky" "jones" "1112" "Kellton"	PASSED	1 m 20.199 s
14	And User Add a snack for Super 6e and continue	PASSED	18.990 s
15	And User selects a seat	FAILED	33.111 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:188) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@60ee6f76 (tried for 1 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> image	PASSED	0.976 s

#	Step / Hook Details	Status	Duration
			
16	Then verify user is on payment page	SKIPPED	0.001 s
17	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

## Make a booking with special fares Family & Friends




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.585 s
2	Given User is on Book Flight Page	PASSED	12.024 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 42.349 s
4	And User selects a departure date	PASSED	25.108 s
5	And User clicks on Done button	PASSED	1.143 s
6	And User Search and select a "Indian Rupee"	PASSED	33.254 s
7	And User Selects any "Family & Friends"	PASSED	3 m 38.548 s
8	And User Clicks on Search Flight	PASSED	1 m 35.070 s
9	And User clicks on continue button and skipFlexi	PASSED	15.885 s
10	And User provides passenger details for Family & Friends	PASSED	1 m 49.296 s

#	Step / Hook Details	Status	Duration
11	<p><a href="#">And User skips Addons and Insurance and seat selection</a></p> <pre>org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [8fc8cb15-302b-42a7-973a-ec7e413c7ff9, isElementDisplayed {id=00000000-0000-1250-ffff-ffff000046d0}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (8fc8cb15-302b-42a7-973a-ec7e413c7ff9)] -&gt; xpath: //android.widget.TextView[@text='Skip']] Session ID: 8fc8cb15-302b-42a7-973a-ec7e413c7ff9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at jdk.internal.reflect.GeneratedMethodAccessor117.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt;) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.Booking.user_skip_addons_and_insurance_and_seat_selection(Booking.java:677) at ?.User skips Addons and Insurance and seat selection(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:207) * Not displayable characters are replaced by '?'.</pre>	FAILED	9.202 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.839 s

#	Step / Hook Details	Status	Duration
	image 		
12	Then verify user is on payment page	SKIPPED	0.000 s
13	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

### Make a booking with special fares Family & Friends and Flexi Plus fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	26.508 s
2	Given User is on Book Flight Page	PASSED	11.226 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 31.417 s
4	And User selects a departure date	PASSED	24.819 s
5	And User clicks on Done button	PASSED	0.749 s
6	And User Search and select a "Indian Rupee"	PASSED	33.159 s
7	And User Selects any "Family & Friends"	PASSED	3 m 28.289 s
8	And User Clicks on Search Flight	PASSED	1 m 34.494 s
9	And User selects Flexi Plus fare option	PASSED	46.501 s
10	And User clicks on continue button	PASSED	1 m 54.532 s

#	Step / Hook Details	Status	Duration
11	And User provides passenger details for Family & Friends	PASSED	1 m 28.052 s
12	<p>And User Add a snack and continue for family</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: id : in.goindigo.android.debug:id/checkbox_accept})   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;)   at pageObjects.android.RoundTripPage.selectallPassanger(RoundTripPage.java:890)   at testApp.Booking.user_Add_a_snack_and_continue_for_family(Booking.java:632)   at ?.User Add a snack and continue for family(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:227)  Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@38a147ba (tried for 1 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98)   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;)   at pageObjects.android.RoundTripPage.selectallPassanger(RoundTripPage.java:890)   at testApp.Booking.user_Add_a_snack_and_continue_for_family(Booking.java:632)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso   at java.base/java.lang.reflect.Method.invoke(Method.java:566)   at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</pre>	FAILED	43.440 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: id : in.goindigo.android.debug:id/checkbox_accept}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b> 	PASSED	0.596 s
13	Then verify user is on payment page	SKIPPED	0.001 s
14	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.001 s

### Make a booking with special fares Family & Friends and Flexi Plus fare option




#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	26.884 s
2	Given user click on Bookflight	PASSED	14.803 s
3	And user click on MultiCity option	PASSED	21.738 s
4	When user click on Popup cross btn	PASSED	0.219 s
5	And user select first "MUM" city	PASSED	28.008 s
6	And user select Date for first flight	PASSED	24.598 s
7	And user select second "COK" city	PASSED	28.820 s
8	Then user click on city search cross btn	PASSED	3.107 s
9	And user click on second "IXE" city	PASSED	27.435 s
10	And user select date for second flight	PASSED	24.807 s
11	And user scroll up to special fare	PASSED	1 m 56.816 s
12	And user select a "Family & Friends" from special fare options	PASSED	1 m 5.184 s
13	And user search a flight	PASSED	31.384 s
14	Then user is on searched result page with Family fare	PASSED	0.007 s
15	And user select flexi fare for first flight	FAILED	25.549 s
	org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: (/android.widget.ImageView[@resource-id='in.goindigo.android.debug:id/img_flex'])[1]' does not exist in DOM anymore For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [0dcae281-f2ec-4391-8332-210a41449cda, clickElement {id=00000000-0000-13d3-ffff-ffff00003b9c}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (0dcae281-f2ec-4391-8332-210a41449cda)] -> xpath: (/android.widget.ImageView[@resource-id='in.goindigo.android.debug:id/img_flex'])[1]] Session ID: 0dcae281-f2ec-4391-8332-210a41449cda at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;) at pageObjects.android.MultiCityTripPage.toSelectfirstflexiFare(MultiCityTripPage.java:725) at testApp.MultiCityTrip.user_select_flexi_fare_for_first_flight(MultiCityTrip.java:405) at ?.user select flexi fare for first flight(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:141) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.806 s
16	And user click on continue button with first flight	SKIPPED	0.001 s
17	And user can see searched results for MultiCity	SKIPPED	0.001 s
18	And user select flexi fare for second city	SKIPPED	0.000 s
19	And user click on continue with second flight	SKIPPED	0.000 s
20	Then user is on step1 add passenger details page	SKIPPED	0.000 s
21	And user fill "admin" and "adminn" the Passenger Details Form	SKIPPED	0.000 s
22	And user fill "sam" and "jones" the Second Passenger Details Form	SKIPPED	0.001 s
23	And user fill "harry" and "kane" the Third Passenger Details Form	SKIPPED	0.000 s
24	And user fill "martin" and "luther" the Fourth Passenger Details Form	SKIPPED	0.001 s
25	And user click on step1 continue button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
26	Then user is on 6E add-ons page	SKIPPED	0.001 s
27	And user click on 6E tiffin	SKIPPED	0.000 s
28	And user click first passenger arrow button	SKIPPED	0.000 s
29	And user add food combo	SKIPPED	0.000 s
30	And user select this for all passanger	SKIPPED	0.000 s
31	And user click on confirm Button	SKIPPED	0.000 s
32	And user click on continue after confirm	SKIPPED	0.000 s
33	And user select second flight box	SKIPPED	0.000 s
34	And user add food combo	SKIPPED	0.000 s
35	And user select this for all passanger	SKIPPED	0.000 s
36	And user click on confirm Button	SKIPPED	0.001 s
37	And user click on continue after confirm	SKIPPED	0.001 s
38	And user click on done button after choose food of both flight	SKIPPED	0.001 s
39	And user click on continue with Addon	SKIPPED	0.000 s
40	And user click on Not Intrested button on travel assitance page	SKIPPED	0.000 s
41	And user skip step 3 select seat page	SKIPPED	0.000 s
42	And user click on continue on payment with upi "admin@sbi"	SKIPPED	0.002 s
43	Then user is verified payment completed	SKIPPED	0.001 s

### Make a booking with special fares Unaccompanied Minor and Super6E fare option




#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	28.021 s
2	Given User is on Book Flight Page	PASSED	14.040 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 29.277 s
4	And User selects a departure date	PASSED	24.406 s

#	Step / Hook Details	Status	Duration
5	And User clicks on Done button	PASSED	0.955 s
6	And User Search and select a "Indian Rupee"	PASSED	23.407 s
7	And User click on passengers	PASSED	21.830 s
8	And User Select a Passenger	PASSED	0.286 s
9	And User Selects any "Unaccompanied Minor"	PASSED	2 m 26.910 s
10	And User Clicks on Search Flight	PASSED	1 m 34.624 s
11	And User select Super6e fare option	PASSED	2 m 1.532 s
12	And User clicks on continue button	PASSED	1 m 49.118 s
13	And User Enter Unaccompanied Minor details "Male" "wicky" "jones"	PASSED	33.661 s
14	And User Add a snack for Super 6e and continue	PASSED	19.585 s
15	And User selects a seat	FAILED	33.097 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done})   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt; at testApp.Booking.user_selects_a_seat(Booking.java:422)   at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:271) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@60e72ced (tried for 1 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98)   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt; at testApp.Booking.user_selects_a_seat(Booking.java:422)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:566)   at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android. </pre>		

#	Step / Hook Details	Status	Duration
	<pre>debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: WebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.653 s
16	Then verify user is on payment page	SKIPPED	0.001 s
17	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.001 s

**Make a booking with SUPER 6E CAPITAL**



#	Step / Hook Details	Status	Duration
1	Given User is Logged in	PASSED	25.277 s
2	Given User is on Book Flight Page	PASSED	10.687 s
3	When User selects "DEL" and "BOM" cities	PASSED	1 m 33.323 s
4	And User selects a departure date	PASSED	24.715 s
5	And User clicks on Done button	PASSED	1.029 s
6	And User Clicks on Search Flight	PASSED	1 m 34.589 s
7	And User select Super6e fare option	PASSED	2 m 25.311 s
8	And User clicks on continue button	PASSED	1 m 53.390 s
9	And User fills the passenger details	PASSED	21.690 s
10	And User verifies add-ons included in Super 6E fare	PASSED	5.259 s
11	And User Add a snack for Super 6e and continue	PASSED	17.374 s
12	And User selects a seat  org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.WebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at testApp.Booking.user_selects_a_seat(Booking.java:422) at ?.User selects a seat(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/D_Booking.feature:312) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@176b8493 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.WebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>)	FAILED	33.061 s

#	Step / Hook Details	Status	Duration
	<pre> at testApp.Booking.user_selects_a_seat(Booking.java:422) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({AppiumBy.id: in.goindigo.android.debug:id/text_no_flight_dialog_done}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver     at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)     at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)     at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119)     at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171)     at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<span style="color: green;">AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</span> 	PASSED	0.568 s

#	Step / Hook Details	Status	Duration
			
13	Then verify user is on payment page	SKIPPED	0.000 s
14	And verify user payment successfull using upi "avi@sbi"	SKIPPED	0.000 s

## Roundtrip Functionality



## Make a RoundTrip booking with special fares Armed Forces




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	26.858 s
2	Then user is on homepage	PASSED	0.002 s


#	Step / Hook Details	Status	Duration
3	Given user click on bookflight	PASSED	11.619 s
4	When user select roundtrip option	PASSED	32.076 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 16.963 s
6	And user select date for travel	PASSED	1 m 4.970 s
7	And user select passenger option	PASSED	22.355 s
8	And user click on Armed force	PASSED	1 m 1.889 s
9	And user click on Searchflight	PASSED	31.479 s
10	Then user is on searched Flightpage with armedforce fare	PASSED	3.392 s
11	And user click on continue button	PASSED	16.759 s
12	And user can see searched results for RoundTrip	PASSED	2 m 1.499 s
13	And user click on continue with return flight	PASSED	1 m 17.648 s
14	Then user is on add passenger details page	PASSED	19.770 s
15	And user fill "wick" and "jones" the Passenger Details Forms	PASSED	15.705 s
16	And user fills the military Id "123456"	PASSED	5.520 s
17	And user click on continue button with step1	PASSED	12.483 s
18	And user click on skip button at step 2	PASSED	5.627 s
19	And user click on No button on travel assistance page	PASSED	1.167 s
20	And user skip the select seat page	PASSED	1.343 s
21	Then user make a payment using upi "admin@sbi"	FAILED	37.703 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@text='Continue']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.paymentprocessbyUPI(RoundTripPage.java:432) at testApp.RoundTrip.user_is_on_payment_page(RoundTrip.java:176) at ?.user make a payment using upi "admin@sbi"(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:55) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@3b6a4b91 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>)		

#	Step / Hook Details	Status	Duration
	at pageObjects.android.RoundTripPage.paymentprocessbyUPI(RoundTripPage.java:432) at testApp.RoundTrip.user_is_on_payment_page(RoundTrip.java:176) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@text='Continue']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.012 s


#	Step / Hook Details	Status	Duration
22	 <p>And verify confirm ticket</p>	SKIPPED	0.001 s

### To Verify a RoundTrip booking with special fares Family & Friends




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	28.814 s
2	Then user is on homepage	PASSED	0.007 s
3	Given user click on bookflight	PASSED	13.141 s
4	When user select roundtrip option	PASSED	32.076 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 18.028 s
6	And user select date for travel	PASSED	54.690 s
7	And user click on Family & Friends "Family & Friends"	PASSED	3 m 28.550 s
8	And user click on Searchflight	PASSED	31.237 s
9	Then user is on flight searched result page with Family and friends fare	PASSED	18.898 s
10	And user click on continue button	PASSED	1 m 13.081 s
11	And user can see searched results for RoundTrip	PASSED	2 m 4.318 s

#	Step / Hook Details	Status	Duration
12	And user click on continue with return flight	PASSED	1 m 12.010 s
13	And user click on skip button	PASSED	3.961 s
14	Then user is on add passenger details page	PASSED	32.947 s
15	And user select title of Passanger	PASSED	1.810 s
16	And user fill first user details "nancy" and "jones"	PASSED	12.041 s
17	And user select title of Passanger	PASSED	4.550 s
18	And user fill 2nd user Details "wick" and "jones"	PASSED	19.399 s
19	And user select title of Passanger	PASSED	4.477 s
20	And user fill 3rd user details "admin" and "james"	PASSED	24.284 s
21	And user select title of Passanger	PASSED	4.547 s
22	And user fill 4th user details "harry" and "smith"	PASSED	21.267 s
23	And user click on step1 continue button	PASSED	16.140 s
24	And user click on skip button at step 2	PASSED	29.860 s
25	And user click on No button on travel assitance page	PASSED	1.233 s
26	Then user is on seat selection page  org.openqa.selenium.StaleElementReferenceException: androidx.test.uiautomator.StaleObjectException For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [40ced532-a4ac-4437-80ed-749a459a7717, isElementDisplayed {id=00000000-0000-1319-ffff-00004c06}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewportRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (40ced532-a4ac-4437-80ed-749a459a7717)] -> id: in.goindigo.android.debug:id/header_view_sub_title] Session ID: 40ced532-a4ac-4437-80ed-749a459a7717 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)	FAILED	1.110 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at jdk.internal.reflect.GeneratedMethodAccessor117.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(&lt;generated&gt;) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at pageObjects.android.RoundTripPage.toVerifyseatpage(RoundTripPage.java:331) at testApp.RoundTrip.user_is_on_seat_selection_page(RoundTrip.java:152) at ?.user is on seat selection page(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:87) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</b> 	PASSED	0.925 s
27	And user skip the select seat page	SKIPPED	0.001 s
28	Then user make a payment using upi "admin@sbi"	SKIPPED	0.001 s
29	And verify confirm ticket	SKIPPED	0.000 s

**Make a RoundTrip booking with special fares Armed Forces and super 6E**




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	28.160 s
2	Then user is on homepage	PASSED	0.002 s
3	Given user click on bookflight	PASSED	20.664 s
4	When user select roundtrip option	PASSED	41.011 s
5	And user selects "MUM" and "DEL" cities	PASSED	1 m 9.616 s
6	And user select date for travel	PASSED	54.818 s
7	And user click on Armed force	PASSED	1 m 1.723 s
8	And user click on Searchflight	PASSED	31.307 s
9	And user select Super 6E for first flight	PASSED	1 m 37.947 s
10	And user continue with first flight	PASSED	1 m 10.972 s
11	And user select Super 6E for second flight	PASSED	2 m 14.321 s
12	And user click on continue with return flight	PASSED	1 m 16.177 s
13	Then user is on add passenger details page	PASSED	11.460 s
14	And user fill "wick" and "jones" the Passenger Details Forms	PASSED	21.962 s
15	And user fills the military Id "123456"	PASSED	5.560 s
16	And user click on continue button with step1	PASSED	11.626 s
17	Then user is on 6E addOn page	PASSED	5.169 s
18	And user clickon skip Btn at addon page	PASSED	0.875 s
19	And User click on Select snack now for first flight	PASSED	0.261 s
20	And user click on passenger arrow btn	PASSED	1.417 s
21	And user add the food on refreshment page	PASSED	2.439 s
22	And user click on continue btn at refreshment page	PASSED	1.787 s
23	And user select second Flight Box	PASSED	0.749 s
24	And user click on passenger arrow btn	PASSED	1.411 s
25	And user add the food on refreshment page	PASSED	1.970 s

#	Step / Hook Details	Status	Duration
26	And user click on continue btn at refreshment page	PASSED	1.111 s
27	And user click on Done Meal	PASSED	2.350 s
28	And user click on continue at step 2 page	PASSED	0.959 s
29	Then user is on Travel Assistance Page	PASSED	1.534 s
30	And user click on not intrested Btn	PASSED	0.188 s
31	Then user is on step3 page	PASSED	2.032 s
32	And user select free seat for first flight  org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_no_flight_dialog_done']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.toChooseSeat(RoundTripPage.java:680) at testApp.RoundTrip.user_select_free_seat_for_first_flight(RoundTrip.java:303) at ?.user select free seat for first flight(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/E_RoundTrip.feature:127) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@144658b1 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(<generated>) at pageObjects.android.RoundTripPage.toChooseSeat(RoundTripPage.java:680) at testApp.RoundTrip.user_select_free_seat_for_first_flight(RoundTrip.java:303) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57)	FAILED	30.076 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_no_flight_dialog_done']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> <p>The screenshot shows a mobile application interface with an error message. The message reads: "An error has occurred. Please try again. If the error persists, please get in touch with us for any further assistance." There is a "Reply" button below the message. At the bottom of the screen, there is some small text about the service being provided by Flexiplus.</p>	PASSED	0.693 s
33	And user copy seat to second flight	SKIPPED	0.000 s
34	And user continue to payment page	SKIPPED	0.001 s
35	Then user make a payment using upi "admin@sbi"	SKIPPED	0.000 s
36	And verify confirm ticket	SKIPPED	0.001 s

To Verify a RoundTrip booking with Flexi plus




#	Step / Hook Details	Status	Duration
1	Given Launch the app and Login	PASSED	27.104 s
2	Then user is on homepage	PASSED	0.005 s
3	Given user click on bookflight	PASSED	11.627 s
4	When user select roundtrip option	PASSED	31.158 s
5	And user selects "MUM" and "DEI" cities	PASSED	1 m 10.312 s
6	And user select date for travel	PASSED	1 m 5.054 s
7	And user select passenger option	PASSED	22.360 s
8	And user click on Searchflight	PASSED	31.160 s
9	Then user is on flight serached result page	PASSED	16.866 s
10	And user select flexi plus fare for first flight	PASSED	45.046 s
11	And user click on continue button	PASSED	1 m 12.393 s
12	And user can see searched results for RoundTrip	PASSED	2 m 4.447 s
13	And user select flexi fare for return flight	PASSED	45.694 s
14	And user click on continue with return flight	PASSED	1 m 17.153 s
15	Then user is on add passenger details page	PASSED	6.120 s
16	And user fill "shvam" and "jones" the Passenger Details Forms	PASSED	23.966 s
17	And user click on continue button with step1	PASSED	16.659 s
18	Then user is on 6E addOn page	PASSED	5.375 s
19	And user add 6E tiffin	PASSED	0.275 s
20	And user click on passenger arrow btn	PASSED	1.790 s
21	And user add the food on refreshment page	PASSED	1.236 s
22	And user click on continue btn at refreshment page	PASSED	1.602 s
23	And user select second Flight Box	PASSED	1.757 s
24	And user click on passenger arrow btn	PASSED	1.202 s
25	And user add the food on refreshment page	PASSED	1.265 s

#	Step / Hook Details	Status	Duration
26	And user click on continue btn at refreshment page	PASSED	2.478 s
27	And user click on done Button at tiffin page	PASSED	1.041 s
28	And user click on continue at step 2 page	PASSED	1.171 s
29	And user click on No button on travel assistance page	PASSED	1.427 s
30	And user skip the select seat page	PASSED	2.663 s
31	Then user make a payment using upi "admin@sbi"	PASSED	1 m 7.016 s
32	And verify confirm ticket	PASSED	0.871 s

## MultiCityTrip Functionality



## To Verify that user can search a flight for Multicity




#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	27.339 s
2	Given user click on Bookflight	PASSED	10.499 s
3	And user click on MultiCity option	PASSED	21.666 s
4	When user click on Popup cross btn	PASSED	0.236 s
5	And user select first "MUM" city	PASSED	28.947 s
6	And user select Date for first flight	PASSED	24.870 s

#	Step / Hook Details	Status	Duration
7	And user select second "COK" city	PASSED	31.071 s
8	And user click on city search cross btn	PASSED	3.972 s
9	And user click on second "IXE" city	PASSED	40.076 s
10	And user select date for second flight	PASSED	34.640 s
11	<p>And user search a flight</p> <pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_search_flight']})   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;)   at pageObjects.android.MultiCityTripPage.ClickonSearchFlight(MultiCityTripPage.java:323)   at testApp.MultiCityTrip.user_search_a_flight(MultiCityTrip.java:98)   at ?.user search a flight(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:19) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@63f8fded (tried for 1 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98)   at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)   at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59)   at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;)   at pageObjects.android.MultiCityTripPage.ClickonSearchFlight(MultiCityTripPage.java:323)   at testApp.MultiCityTrip.user_search_a_flight(MultiCityTrip.java:98)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:566)   at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</pre>	FAILED	1 m 5.330 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner\$4.evaluate(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.TextView[@resource-id='in.goindigo.android.debug:id/text_search_flight']}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.613 s
12	Then user verify Searched flight page	SKIPPED	0.000 s

### To Verify that Make a Multicity booking with Armed Force and SUPER 6E CAPITAL



#	Step / Hook Details	Status	Duration
1	Given Launch the App and Login	PASSED	26.985 s
2	Given user click on Bookflight	PASSED	12.495 s
3	And user click on MultiCity option	PASSED	21.737 s
4	When user click on Popup cross btn	PASSED	0.300 s
5	And user select first "MUM" city	PASSED	38.620 s
6	<p>And user select Date for first flight</p> <pre>org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: (/android.widget.TextView[@resource-id='in.goindigo.android.debug:id/tv_departure_date'])[1]' does not exist in DOM anymore For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [af3ac5f8-6b0f-41d5-a6dd-94d423e5d2bf, clickElement {id=00000000-0000-13af-ffff-000003eb}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}} appium:webStorageEnabled: false, platformName: ANDROID Element: [[AndroidDriver: on ANDROID (af3ac5f8-6b0f-41d5-a6dd-94d423e5d2bf)] -&gt; xpath: (/android.widget.TextView[@resource-id='in.goindigo.android.debug:id/tv_departure_date'])[1]] Session ID: af3ac5f8-6b0f-41d5-a6dd-94d423e5d2bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt;) at testApp.MultiCityTrip.user_select_date_for_first_flight(MultiCityTrip.java:126) at ?.user select Date for first flight(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/F_MultiCityTrip.feature:86)</pre>	FAILED	9.089 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.630 s
7	And user select second "MUM" city	SKIPPED	0.000 s
8	Then user click on city search cross btn	SKIPPED	0.000 s
9	And user click on second "DeL" city	SKIPPED	0.000 s
10	And user select date for second flight	SKIPPED	0.001 s
11	And user scroll up to special fare	SKIPPED	0.000 s
12	And user click on Armed Force	SKIPPED	0.000 s
13	And user search a flight	SKIPPED	0.000 s
14	Then user verify result page with armedforce fare	SKIPPED	0.000 s
15	And user select super 6E fare to First Flight	SKIPPED	0.000 s
16	And user click on continue button with first flight	SKIPPED	0.001 s
17	And user can see searched results for MultiCity	SKIPPED	0.000 s
18	And user select super 6E fare to Second Flight	SKIPPED	0.000 s
19	And user click on continue with second flight	SKIPPED	0.000 s
20	Then user is on step1 add passenger details page	SKIPPED	0.001 s
21	And user fill "harry" and "kane" the Passenger Details Form	SKIPPED	0.000 s
22	And user fill the Military id "1234" in form	SKIPPED	0.000 s
23	And user click on step1 continue button	SKIPPED	0.000 s
24	And user click on step2 6E tiffin	SKIPPED	0.000 s
25	And user click first passenger arrow button	SKIPPED	0.001 s
26	And user add food combo	SKIPPED	0.000 s
27	And user click on continue after confirm	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
28	And user select second flight box	SKIPPED	0.000 s
29	And user click first passenger arrow button	SKIPPED	0.000 s
30	And user add food combo	SKIPPED	0.003 s
31	And user click on continue after confirm	SKIPPED	0.000 s
32	And user click on 6Etiffin done button	SKIPPED	0.000 s
33	And user click on Step2 Addon continue Btn	SKIPPED	0.000 s
34	And user click on Not Interested button on travel assistance page	SKIPPED	0.000 s
35	Then user is on step 3 page	SKIPPED	0.004 s
36	And user select free seat for First Flight	SKIPPED	0.001 s
37	And user copy seat to Second Flight	SKIPPED	0.000 s
38	And user continue to Payment Page	SKIPPED	0.000 s
39	And user click on continue on payment with upi "admin@sbi"	SKIPPED	0.000 s
40	Then user is verified payment completed	SKIPPED	0.002 s

## UndoCheckin Functionality



## To Verify User can Check the Undo Check In




#	Step / Hook Details	Status	Duration
1	Given launch the app and login	PASSED	27.445 s
2	And user can select Check In Now	PASSED	10.310 s
3	When User can click on Itinerary view page	PASSED	4.473 s
4	And User can select undo check in	PASSED	3.997 s
5	When User select the check Box	PASSED	0.924 s
6	Then User Select Final Undo Checkin	PASSED	0.851 s

## Add-on Functionality




## To select Six E Prime Add-on for Adult passengers




#	Step / Hook Details	Status	Duration
1	Given Launch the app and login	PASSED	27.466 s
2	And user click on BookFlight	PASSED	14.189 s
3	And user select "MUM" and "Del" cities	PASSED	2 m 32.637 s
4	And user select future Date	PASSED	25.519 s
5	Given user adds an Adult passenger from passenger list	PASSED	22.389 s
6	And user clicks on the search flight button	PASSED	21.442 s
7	And click on continue button	PASSED	3.018 s

#	Step / Hook Details	Status	Duration
8	And skip the upgrade flexi fare	PASSED	4 m 15.114 s
9	When user verify Passanger details page	PASSED	16.339 s
10	And select title of passanger	PASSED	4.579 s
11	And enter "Harry" and "jones" of Passanger	PASSED	8.272 s
12	And Continue with Passanger details	PASSED	12.040 s
13	Then visit and verify Six E Addons page	PASSED	5.009 s
14	And user select Six E Prime addon	PASSED	1.406 s
15	And verify six e prime page	PASSED	0.293 s
16	And check the checkbox for selected flight	PASSED	0.804 s
17	And click on the Add6EPrime button	PASSED	0.382 s
18	And verify 6E Tiffin page	PASSED	1.051 s
19	And select meal for passanger	PASSED	2.056 s
20	And select veg meal type	PASSED	0.518 s
21	And select nonveg meal type	PASSED	0.954 s
22	And click on the continue	PASSED	1.517 s
23	And click on done button	PASSED	1.774 s
24	And user continue with SixE Prime addon	PASSED	0.922 s
25	And confirm with addon	PASSED	1.187 s
26	And user skip Seat selection page	PASSED	2.291 s
27	And user completes payment using Credit Card	PASSED	4.986 s
28	And enter valid credentials "4263982640269299" and "02/23" and "837" and "Visa" of Credit Card	PASSED	23.869 s
29	And user accept terms and click pay	PASSED	7.371 s
30	And user click on confirm Payment	PASSED	1.812 s
31	And user click on back to merchant page	PASSED	28.340 s
32	And booked ticket is confirmed	FAILED	6.749 s
	java.lang.AssertionError: expected [Ticket Confirmed] but found [] at org.testng.Assert.failAssert.java:110) at org.testng.Assert.failNotEqualsAssert.java:1413) at org.testng.Assert.assertEqualsImplAssert.java:149) at org.testng.Assert.assertEqualsAssert.java:131) at org.testng.Assert.assertEqualsAssert.java:655) at org.testng.Assert.assertEqualsAssert.java:665) at pageObjects.android.AddonPage.VerifyTicketBooking(AddonPage.java:1232) at testApp.Addons.booked_ticket_is_confirmed(Addons.java:825) at ?.booked ticket is confirmed(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.		

#	Step / Hook Details	Status	Duration
	<p>feature:38) * Not displayable characters are replaced by '?'.</p> <p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 		
		PASSED	0.760 s


### To select Fast Forward Add-on for Child



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	27.236 s
2	And user click on BookFlight	PASSED	10.533 s
3	And user select "MUM" and "Del" cities	PASSED	2 m 30.858 s
4	And user select future Date	PASSED	25.236 s
5	Given user adds a child from passenger list	PASSED	22.999 s
6	And user clicks on the search flight button	PASSED	21.417 s
7	And click on continue button	PASSED	3.027 s
8	And skip the upgrade flexi fare	PASSED	1 m 31.297 s
9	When user verify Passanger details page	PASSED	22.627 s

#	Step / Hook Details	Status	Duration
10	And select title of passanger	PASSED	2.729 s
11	And enter "wicky" and "jones" of Passanger	PASSED	7.439 s
12	And select gender of Child	PASSED	18.455 s
13	And enter "wick" and "kane" of Child	PASSED	9.097 s
14	And Continue with Passanger details	PASSED	14.780 s
15	Then visit and verify Six E Addons page	PASSED	5.677 s
16	And select Fast Forward addon	PASSED	4.843 s
17	And verify six Fast Forward page	PASSED	1.424 s
18	And check the checkbox for selected flight	PASSED	0.985 s
19	And click on the Add Fast Forward button	PASSED	1.131 s
20	And continue with Fast Forward	PASSED	0.386 s
21	And skip travel assistance	PASSED	1.155 s


### To select Excess Baggage Add-on



#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	26.982 s
2	And user click on BookFlight	PASSED	14.122 s
3	And user select "MUM" and "Del" cities	PASSED	2 m 28.293 s
4	And user select future Date	PASSED	25.724 s
5	Given user adds a infant from passenger list	PASSED	33.110 s
6	And user clicks on the search flight button	PASSED	31.343 s
7	And close infant notification	PASSED	13.171 s
8	And click on continue button	PASSED	3.013 s
9	When user verify Passanger details page	PASSED	20.901 s
10	And enter registered user details	PASSED	1.014 s


#	Step / Hook Details	Status	Duration
11	And select gender of infant	PASSED	11.670 s
12	And enter "Harry" and "jones" of infant	PASSED	10.048 s
13	And select date of birth	PASSED	2.806 s
14	And done after DOB	PASSED	1.203 s
15	And click on continue details	PASSED	12.662 s
16	Then visit and verify Six E Addons page	PASSED	5.613 s
17	And select Excess Baggage addon	PASSED	5.595 s
18	And verify Excess Baggage page	PASSED	1.012 s
19	And add a weight of bag	PASSED	0.436 s
20	And click on the done button	PASSED	6.292 s
21	And continue with Excess baggage	PASSED	1.074 s
22	And skip the excess baggage	PASSED	1.143 s

### To select Sports Equipment Add-on




#	Step / Hook Details	Status	Duration
1	Given Launch the app and IOgin	PASSED	27.166 s
2	And user click on BookFlight	PASSED	11.340 s
3	And user select "MUM" and "Del" cities	PASSED	2 m 33.210 s
4	And user select future Date	PASSED	25.323 s
5	Given user adds a registered user	PASSED	32.129 s
6	And user clicks on the search flight button	PASSED	31.337 s
7	And check the searched flight	PASSED	44.755 s
8	And click on continue button	PASSED	3.019 s
9	And skip the upgrade flexi fare	PASSED	6.847 s
10	When user verify Passanger details page	PASSED	20.983 s


#	Step / Hook Details	Status	Duration
11	And enter registered user details	PASSED	1.018 s
12	And click on continue details	PASSED	12.914 s
13	Then visit and verify Six E Addons page	PASSED	4.437 s
14	<p>And select sports equipment addon</p> <pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [cf148579-4cfe-40a4-b32c-c3484bb8fd96, findElement {using=-android uiautomator, value=new UiScrollable(new UiSelector()).scrollIntoView(text("SAVING OF UP TO 40% "));}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: cf148579-4cfe-40a4-b32c-c3484bb8fd96 at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at testBase.AndroidActions.scrollToText(AndroidActions.java:64) at pageObjects.android.AddonPage.clickOnSportsEquipmentAddon(AddonPage.java:1112) at testApp.Addons.select_sports_equipment_addon(Addons.java:736) at ?.select sports equipment addon(file:///C:/Users/mangesh.kulkarni/eclipse/Workspace2/TestAppiumProject01/src/test/java/features/G_Addons.feature:116)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	15.719 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.557 s
	image		

#	Step / Hook Details	Status	Duration
			
15	And verify sports equipment page	SKIPPED	0.001 s
16	And add a bagkit	SKIPPED	0.000 s
17	And click the done button	SKIPPED	0.000 s
18	And continue with sports equipment	SKIPPED	0.000 s
19	And skip the sports equipment	SKIPPED	0.000 s

## Update Contact Details



## To Verify user can Update Contact




#	Step / Hook Details	Status	Duration
1	Given launch the application and login	PASSED	26.472 s
2	Given User is on home page and click on View Modify	PASSED	11.752 s
3	<p>And User click on update contact details</p> <pre>org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: //android.widget.TextView[@text='Update contact details']' does not exist in DOM anymore For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.android.AndroidDriver Command: [ba1041df-5309-4ec3-9b33-6b6f23a99b84, clickElement {id=00000000-0000-14b2-ffff-ffff000003b9}] Capabilities {appium:app: C:\Users\mangesh.kulkarni\..., appium:appPackage: in.goindigo.android.debug, appium:automationName: UIAutomator2, appium:databaseEnabled: false, appium:desired: {app: C:\Users\mangesh.kulkarni\..., automationName: UIAutomator2, deviceName: e7ac02d0, platformName: android}, appium:deviceApiLevel: 29, appium:deviceManufacturer: realme, appium:deviceModel: RMX1911, appium:deviceName: e7ac02d0, appium:deviceScreenDensity: 320, appium:deviceScreenSize: 720x1600, appium:deviceUDID: e7ac02d0, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:pixelRatio: 2, appium:platformVersion: 10, appium:statBarHeight: 56, appium:takesScreenshot: true, appium:viewPortRect: {height: 1400, left: 0, top: 56, width: 720}, appium:warnings: {}}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (ba1041df-5309-4ec3-9b33-6b6f23a99b84)] -&gt; xpath: //android.widget.TextView[@text='Update contact details']] Session ID: ba1041df-5309-4ec3-9b33-6b6f23a99b84 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:40) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:60) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.click(&lt;generated&gt; at pageObjects.android.UpdateContactDetailsPage.SelectUpdateContactDetails(UpdateContactDetailsPage.java:48) at testApp.UpdateContactDetails.user_click_on_update_contact_details(UpdateContactDetails.java:32) at ?.User click on update contact details(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/UpdateContact.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	3.563 s
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s

#	Step / Hook Details	Status	Duration
	image 		
4	When User Changes contact "9766940710"	SKIPPED	0.000 s
5	And User click on Update button	SKIPPED	0.000 s
6	Then Update details successfully	SKIPPED	0.000 s

## Cancel Flight Booking



## To Verify User Can cancel our flight booking




#	Step / Hook Details	Status	Duration
1	Given Launch and login into the Application	PASSED	26.584 s
2	And User is on home page and click on modify button	PASSED	16.454 s
3	When User click on modify booking option	PASSED	4.416 s
4	And User click on cancel booking	PASSED	3.095 s
5	And User select Bank Account for refund	PASSED	1.987 s
6	And User click on Cancel booking tab	PASSED	0.250 s
7	And User select yes for cancel booking	PASSED	1.727 s
8	And User click on confirm cancel booking option	PASSED	6.336 s
9	<p>Then User validate booking has been cancelled</p> <pre>java.lang.AssertionError: expected [Your booking has been cancelled! ] but found [Your booking has been cancelled! ] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at pageObjects.android.CancelBookingPage.ClickBookingHasBeenCancelled(CancelBookingPage.java:84) at testApp.CancelBooking.user_validate_booking_has_been_cancelled(CancelBooking.java:83) at ?.User validate booking has been cancelled(file:///C:/Users/mangesh.kulkarni/.eclipse//Workspace2/TestAppiumProject01/src/test/java/features/X_CancelBooking.feature:16)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	1.962 s
	<p>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> <p>Passengers Details BOM → DEL Domestic Baggage Allowance Check-in: 15kg per person (1 piece only). For eligible</p>	PASSED	0.805 s

## Forgot Password



### To test forgot password functionality



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	22.349 s
2	When User selects Password option	PASSED	0.939 s
3	And User enter Mobile Number "9766940710"	PASSED	1.503 s
4	And User click on Forgot Password link	PASSED	1.385 s
5	And User click on Send OTP button and waits for OTP	PASSED	1.357 s
6	And User enter "Mangeshk@123" and "Mangeshk@123"  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Located by By.chained({By.xpath: //android.view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at testApp.ForgotPassword.user_enter_something_and_something(ForgotPassword.java:80) at ?.User enter "Mangeshk@123" and "Mangeshk@123"(file:///C:/Users/mangesh.kulkarni/.eclipse/Workspace2/TestAppiumProject01/src/test/java/features/Y_ForgotPassword.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>)	FAILED	31.038 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at testApp.ForgotPassword.user_enter_something_and_something(ForgotPassword.java:80) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)  Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@5c8c1f0d (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 60 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android. view.ViewGroup[3]/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.EditText}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	<u>AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)</u> 	PASSED	0.570 s
7	Then User click on change my password button	SKIPPED	0.000 s
8	And Password change successfull	SKIPPED	0.000 s