SASAI Appium Automation Report

| Start : May 22, 11:56:47.539 am	End : May 22, 11:56:49.596 am	Duration : 2.057 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 11

1

3

14

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
SASAI Application signup and Login feature Automation	2.057 s	3	0	3	0	14	0	3	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login	3	0	3	0	1	0	1	0
@mobileEnrollment	2	0	2	0	1	0	1	0
@crmapprove	2	0	2	0	1	0	1	0
@rootapprove	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	SASAI Application signup and Login feature Automation	3	0	3	0	2.057 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SASAI Application signup and Login feature Automation	SASAI app user signup with Mobile number	6	0	1	5	1.550 s
2	SASAI Application signup and Login feature Automation	Corteva Retailers Enrollment approve at CRM portal	4	0	1	3	0.080 s
3	SASAI Application signup and Login feature Automation	Corteva Retailers Enrollment approve at Root portal	4	0	1	3	0.105 s

SASAI Application signup and Login feature Automation

FAILED	DURATION - 2.057 s	Scenarios		Steps	
		Total - 3		Total - 14	
/ 11:56:47.539 am // 11:56:49.596 am /		Pass - 0	3	Pass - 0	14
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 11	

SASAI app user signup with Mobile number

FAILED	DURATION - 1.550 s		Steps	
/ 11:56:47.558 am // 11:56:49.108 am /			Total - 6	
			Pass - 0	6
SASAI Application signup and Login feature Automation			Fail - 1	
@login			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on Get Started button	FAILED	1.504 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$WithStepDescriptions.lambdarun1(PickleRunners.java:109)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:106)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource Host info: host: 'KELLGGNLPTP1576', ip: '192.168.14.169' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null,		

#	Step / Hook Details	Status	Duration

	newSession {capabilities=[{appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID, appium:automationName=UIAutomator2, appium:app=C:\Users\rohit. kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit. kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}}] Capabilities {appium:app: C:\Users\rohit.kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)
	  at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)
	  at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194)
	  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:229)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	  at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:80)
	  at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:92)
	  at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:117)
	  at testBase.AndroidBaseTest.ConfigureAppium(AndroidBaseTest.java:67)
	  at testApp.Login1.<init>(Login1.java:29)		

2	When Enters "0786754834" and click on submit	SKIPPED	0.004 s
3	Then Enter otp "123456" and click on submit	SKIPPED	0.001 s
4	Then Enter Display name "SASAI Test" and click on submit	SKIPPED	0.001 s
5	Then Enter PIN "123456" and click on set PIN	SKIPPED	0.000 s
6	Then Enter confirm PIN "123456" and click on confirm PIN	SKIPPED	0.002 s

Corteva Retailers Enrollment approve at CRM portal

FAILED	DURATION - 0.080 s
/ 11:56:49.242 am // 11:56:49.322 am /	
SASAI Application signup and Login feature Automation	
@mobileEnrollment @login @crmapprove	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given Launch crm portal	FAILED	0.050 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$WithStepDescriptions.lambdarun1(PickleRunners.java:109)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)
	    at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:106)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	    at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	    at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	    at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	    at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)
	    at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)
	    at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	    at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	    at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)
	    at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)
	    at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)
	    at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource Host info: host: 'KELLGGNLPTP1576', ip: '192.168.14.169' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[{appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID, appium:automationName=UIAutomator2, appium:app=C:\Users\rohit. kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit. kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}}] Capabilities {appium:app: C:\Users\rohit.kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:80)		
	at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:92)		
	at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:117)		
	at testBase.AndroidBaseTest.ConfigureAppium(AndroidBaseTest.java:67)		
	at testApp.Login1.<init>(Login1.java:29)		

#	Step / Hook Details	Status	Duration
2	And login into crm portal "30004" and "Welcome@851"	SKIPPED	0.001 s
3	And verify landing page	SKIPPED	0.002 s
4	And click on my Tasks and verify retailers "9722222221"	SKIPPED	0.004 s

Corteva Retailers Enrollment approve at Root portal

FAILED	DURATION - 0.105 s
/ 11:56:49.491 am // 11:56:49.596 am /	
SASAI Application signup and Login feature Automation	
@mobileEnrollment @login @crmapprove @rootapprove	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given Launch root portal	FAILED	0.063 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class testApp.Login1
	  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.junit.PickleRunners$WithStepDescriptions.lambdarun1(PickleRunners.java:109)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)
	  at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:106)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The requested resource could not be found, or a request was received using an HTTP method that is not supported by the mapped resource Host info: host: 'KELLGGNLPTP1576', ip: '192.168.14.169' Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[[appium:autoGrantPermissions=true, appium:deviceName=emulator-5554, platformName=ANDROID, appium:automationName=UIAutomator2, appium:app=C:\Users\rohit.kumar2\Downloads\TestAppiumProject01\src\test\resources\app\sasaiDev.apk}], desiredCapabilities=Capabilities {appium:app: C:\Users\rohit.kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}}] Capabilities {appium:app: C:\Users\rohit.kumar2\Downl..., appium:autoGrantPermissions: true, appium:automationName: UIAutomator2, appium:deviceName: emulator-5554, platformName: ANDROID}		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:194) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:262) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:80) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:92) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:117) at testBase.AndroidBaseTest.ConfigureAppium(AndroidBaseTest.java:67) at testApp.Login1.<init>(Login1.java:29)		
2	And login into root portal "3051" and "Welcome@123"	SKIPPED	0.001 s
3	And select roots portal seed	SKIPPED	0.004 s
4	And click on view and approve retailer "9722222221"	SKIPPED	0.002 s