


Feature			Scer	nario			St	ер	
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
Application Enrollment	16.138 s	1	0	1	0	4	0	1	3


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@login	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Application Enrollment	1	0	1	0	16.138 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Enrollment	Corteva Retailers Enrollment with Mobile	4	0	1	3	16.125 s

DETAILED SECTION -- 6 --

## **Application Enrollment**

FAILED	DURATION - 16.138 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:41:32.718 pm // 4:	41:48.856 pm /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## **Corteva Retailers Enrollment with Mobile**



#	Step / Hook Details	Status	Duration
1	Given Launch app and Click on skip button	FAILED	13.985 s
	java.lang.ExceptionInInitializerError		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28)		
	at ?.Launch app and Click on skip button(file:///C:/Users/sunil.kumar8/Downloads/TestAppiumProject01/src/test/java/features/Enrollment.		
	feature:7)		
	Caused by: net.sf.cglib.core.CodeGenerationException: java.lang.reflect.lnaccessibleObjectException>Unable to make protected final java.		
	lang.Class java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain) throws java.lang.ClassFormatError accessible: module java.base does not "opens java.lang" to unnamed module @9660f4e		

#	Step / Hook Details	Status	Duration
	at net.sf.cglib.core.ReflectUtils.defineClass(ReflectUtils.java:464)		
	at net.sf.cglib.core.AbstractClassGenerator.generate(AbstractClassGenerator.java:339)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData\$3.apply(AbstractClassGenerator.java:96)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData\$3.apply(AbstractClassGenerator.java:94)		
	at net.sf.cglib.core.internal.LoadingCache\$2.call(LoadingCache.java:54)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at net.sf.cglib.core.internal.LoadingCache.createEntry(LoadingCache.java:61)		
	at net.sf.cglib.core.internal.LoadingCache.get(LoadingCache.java:34)		
	at net.sf.cglib.core.AbstractClassGenerator\$ClassLoaderData.get(AbstractClassGenerator.java:119)		
	at net.sf.cglib.core.AbstractClassGenerator.create(AbstractClassGenerator.java:294)		
	at net.sf.cglib.core.KeyFactory\$Generator.create(KeyFactory.java:221)		
	at net.sf.cglib.core.KeyFactory.create(KeyFactory.java:174)		
	at net.sf.cglib.core.KeyFactory.create(KeyFactory.java:153)		
	at net.sf.cglib.proxy.Enhancer. <clinit>(Enhancer.java:73)</clinit>		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:53)		
	at io.appium.java_client.pagefactory.utils.ProxyFactory.getEnhancedProxy(ProxyFactory.java:33)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.proxyForAnElement(AppiumFieldDecorator.java:209)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.access\$000(AppiumFieldDecorator.java:61)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator\$1.proxyForLocator(AppiumFieldDecorator.java:100)		
	at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:63)		
	at io.appium.java_client.pagefactory.AppiumFieldDecorator.decorate(AppiumFieldDecorator.java:147)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103)		
	at pageObjects.android.LoginPage1. <init>(LoginPage1.java:22)</init>		
	at testApp.Login1.launch_app_and_click_on_continue_with_mobile_number(Login1.java:28)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

Step / Hook Details	Status	Duration
at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java:109)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
Caused by: java.lang.reflect.InaccessibleObjectException: Unable to make protected final java.lang.Class java.lang.ClassLoader.		
at java.base/java.lang.reflect.Method.setAccessible(Method.java:199) at java.base/java.lang.reflect.Method.setAccessible(Method.java:193)		
d	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambda\$run\$1(PickleRunners.java.109) at io.cucumber.core.nuntime.CucumberExecutionContext.lambda\$run\$1(PickleRunners.java.129) at io.cucumber.core.nuntime.RethrowingThrowableCollector.pava.23) at io.cucumber.core.nuntime.RethrowingThrowableCollector.pava.23) at io.cucumber.core.nuntime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java.129) at io.cucumber.junit.PeatureRunner.nunChild(FeatureRunner.java.144) at io.cucumber.junit.PeatureRunner.nunChild(FeatureRunner.java.144) at io.cucumber.junit.PeatureRunner.nunChild(FeatureRunner.java.149) at io.gujunit.runners.ParentRunners4.run(PearentRunner.java.143) at org.junit.runners.ParentRunners4.run(PearentRunner.java.149) at org.junit.runners.ParentRunners5.evellade(ParentRunner.java.29) at org.junit.runners.ParentRunners5.evellade(ParentRunner.java.293) at org.junit.runners.ParentRunners5.evellade(ParentRunner.java.293) at org.junit.runners.ParentRunners63.evellade(ParentRunner.java.293) at org.junit.runners.ParentRunners63.evellade(ParentRunner.java.293) at org.junit.runners.ParentRunners63.evellade(ParentRunner.java.197) at io.cucumber.junit.Cucumber.runChild(Cucumber.java.196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java.196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java.293) at org.junit.runners.ParentRunner8.evellacentRunner.java.293) at org.junit.runners.ParentRunner8.evellacentRunner.java.293 at org.junit.runners.ParentRunner8.evellacentRunner.java.293 at org.junit.runners.ParentRunner8.evellacentRunner.java.293 at org.junit.runners.ParentRunner8.evellacentRunner.java.333 at io.cucumber.junit.Cucumber5RunAtterAll+looks.evellacentBeroentJava.293 at io.cucumber.junit.Cucumber5RunAtterAll+looks.evellacentBeroentJava.293 at io.cucumber.junit.Cucumber5RunAtterAll+looks.evellacentBeroentParentRunner.java.293 at io.cucumber.junit.Cucumber5RunAtterAll+looks.evellacentBeroentBeroentParentRunner.java.293 at io.cucumber.junit.Cucumber5RunAtterAll+looks.evellacentBeroentBeroentParentP	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.lambida\$run\$1(PickleRunners java:109) at io.cucumber.core.runtime.CucumberExecutionContext.lambida\$run*1estCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.GucumberExecutionContext.lambida\$run*1estCase\$5(CucumberExecutionContext.java:23) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.PickleRunnersWithStepDescriptions.run(PickleRunners.java:106) at io.cucumber.junit.PickleRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:140) at io.cucumber.junit.FeatureRunners.runChild(FeatureRunner.java:28) at org.junit.runners.ParenRunners.runChild(ParenRunner.java:331) at org.junit.runners.ParenRunners.runChild(ParenRunner.java:39) at org.junit.runners.ParenRunners.runChild(ParenRunner.java:39) at org.junit.runners.ParenRunners.cuculate(ParenRunner.java:293) at org.junit.runners.ParenRunners.cuculate(ParenRunner.java:39) at org.junit.runners.ParenRunners.cuculate(ParenRunner.java:39) at org.junit.runners.ParenRunners.cuculate(ParenRunner.java:39) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:39) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:39) at org.junit.runners.ParenRunners.sunchleRunner.java:331) at org.junit.runners.ParenRunners.sunchleRunner.java:339) at org.junit.runners.ParenRunners.sunchleRunner.java:339 at org.junit.runners.ParenR

#	Step / Hook Details	Status	Duration
	at net.sf.cglib.core.ReflectUtils\$1.run(ReflectUtils.java:61) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at net.sf.cglib.core.ReflectUtils. <clinit>(ReflectUtils.java:52) at net.sf.cglib.core.KeyFactory\$Generator.generateClass(KeyFactory.java:243) at net.sf.cglib.core.DefaultGeneratorStrategy.generate(DefaultGeneratorStrategy.java:25) at net.sf.cglib.core.AbstractClassGenerator.generate(AbstractClassGenerator.java:332) * Not displayable characters are replaced by '?'.</clinit>		
	AFTER_STEP - testApp.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.101 s
	image		
	SOOTS TOGETHER WE GROW  TOGETHER WE GROW		
2	When Enters "966666666" and click on submit	SKIPPED	0.004 s
3	Then Verify landing page	SKIPPED	0.002 s
4	Then click on yes for register new user	SKIPPED	0.001 s